





SUSPENSION CATALOGUE

Edition: JANUARY 2017

USING THIS INTERACTIVE PDF



Click the vehicle you require in the contents list to go to the vehicle.



Click on the logo to go to our website.

Click on the page number to go back to the contents page.

CONTENTS

History	6	Maverick (1988-1994) Y60 Pick-Up/Ute
Coil Springs	10	(Leaf Spring Suspension) S-14
		`F' Series (2009-2013)
Leaf Springs	12	F150
Twin Tube Shock Absorbers	16	F250 4x4
		`F' Series (2009-2014)
MRR Shock Absorbers	18	F250 4x4 S-17 `F' Series (2005-2008)
Alignment & Suspension Parts	20	F350 4x4
ingimont & dasponsion I arts		Escape (2001-2012)
Leaf Spring Components	22	BA, ZA, ZB
Torsion Bars	23	Everest (09/2015 on) UA Solid Axle Models Only S-20
TOTSION BATS	43	Expedition (2008 on) S-21
Steering Dampers	24	Explorer (2012)
		U502
Promotional Items	25	Foton S-23
General Information	27	Tunland (2012 on)
		U502
Dacia	S-1	Great Wall S-24
Duster (2012)	S-1	Wingle, Sailor (06/2009 on)
Daihatsu	S-2	V200, V240 S-24
Feroza (10/1988-1998)		Hover, Safe, Haval (2005 on)
CX12, F300	S-2	X200, X240 (Australia) H3 & H5 S-25
Rocky (1984-08/1993)		Holden - GM - Isuzu S-26
F70, F75, F80, F85RV	S-3	Jackaroo (1982-10/1986)
Rocky (1993-2002) F73, F78, F85, F98 SE/SX	S-4	UBS 13, 16, 52
Rocky (1984-1993)		Jackaroo (11/1986-1991)
F77, F87	S-5	UBS 16, 17, 52, 55 S-27 Jackaroo (1992-2000, 2001 on)
Terios (1997-2006) J100, J102	S-6	UBS 26, 69, 73 S-28
		Frontera/Amigo (1995-1998)
Dodge	S-7	UT
Ram (2009 on) 2500 HD	S-7	Frontera (02/1999-2002) UES25
		Rodeo (08/1988-2003)
Ford	S-8	KB/TFS-55 (Inc. V6) S-31
Courier/Ranger (1987-11/2006)		Rodeo RA, Colorado RC, D-Max
U.F.S, PC/PH 4.0L V6	S-8	(03/2003-05/2012) TFS-77, TFS-85 S-32
PJ, PK	S-9	Colorado RG (05/2012 on)
Ranger T6 (08/2011 on)		GM 1700, 3MMU 142/143/145/147/148 . S-33
PX/T6	S-10	Colorado 7 SUV/Trailblazer (2012 on)
Ranger (Series II)(08/2011 on) PX/T6 3" Lift	S-11	2nd Gen
Maverick (1988-1994)	J 11	(2007-06/2014)
Y60 Station Wagon	S-12	Including XI Models S-35

CONTENTS CONTINUED

Cadillac Escalade, Yukon (Incl. XL & Denali) (2007-06/2014)	Commander (2006 on) XHS-60
ESV/EXT, 1500 (½ Ton) S-36	Kia S-61
Suburban 1500 (½ Ton), Yukon XL (Denali XL (06/2014 on) 1500 K2YC	Sportage (04/1994-03/2002)
D-Max (05/2012 on) TFS85, V-CROSS	JA
MU (07/1990-1995) USC55D	Sportage (04/2010 on) SL, SL Platinum
MU-7 (2005-2012) S-40 MU-X (2013 on) S-41	Sorento (2003-2007) BL
Honda S-42	Sorento (07/2007-2009) BL (LX, EX) S-65
CRV (1997-2001) CRV-RDI	Sorento (2010 on) BL (LX, EX)
CRV (2001-01/2007) CR-V 10	Landrover S-67
CRV (2012 on) CR-V	Landrover (1958-1984) Series II, IIA, III
Hyundai S-46	Series I
Terracan (11/2001-2008) HP	Series II
SM S-47	LR3
Jeep S-48	90 Series
Cherokee (1984-2001) XJ	110 Series S-73 Defender (1992-2001)
Cherokee (10/2001-2008) KJ, Liberty (USA) S-49 Cherokee (02/2008 - 2013)	110 & 130 Series S-74 Defender (2007 on)
KK	110 & 130 Series S-75 Freelander (1997-2006)
KL	110 & 130 Series
ZJ - ZG	Scorpio (Goa, Getaway)(2002 on)
Grand Cherokee (1999-2004) WJ (Austria) WG (USA) S-53 Grand Cherokee (2005-2010)	4x4 Wagon
Laredo WH, WK S-54	CRDE Pick-Up
Grand Cherokee (2011 on) WK2 Laredo, Limited, Overland S-55	Mazda S-79
Wrangler (10/1996-2007) TJ	Bravo (03/1987-11/2006) B2200/2500/2600/4000 S-79
Wrangler (10/1996-2007) TJ (75mm/3" Lift)	BT-50 (Series I)(2007-2011) BT-50
Wrangler (2007 on) JK	BT-50 (Series II)(10/2011 on) BT-50
Wrangler (2007 on) JK (2.5/3.5/4 " Lift) S-59	BT-50 (Series II)(10/2011 on) BT-50 (3"Lift)

Tribute, Escape (2001 on)	6.00	Pathfinder (10/1987-1995)
BA, ZA, ZB	. 5-83	WD21
Mercedes	S-84	Pathfinder (1995-2005) R50
C. Class (1002-2001)		Pathfinder (2005 on)
G-Class (1982-2001) G230, G300	C 01	R51 (Does Not Suit Ti 550) S-108
	. 5-04	Pathfinder (2010-2013)
G-Wagon (2005 on) G55	C OE	R51 Ti 550 (Only Suits Ti 550) S-109
G-Wagon (2005 on)	. 3-63	Pathfinder (2013 on)
G550 (5.6L V8)	S-86	R52
		Terrano (1993 on Euro - 1997 Aus)
Mitsubishi	S-87	R20
Triton (1987-09/2006)		Terrano (2013 on)
ME, MF, MG, MH, MJ, MK	S-87	Patrol (1980-11/1983)
Triton, L200 (05/2006-2015)		G160 MQ
ML, MN	. S-88	Patrol (08/1983-1988)
Triton, L200 (03/2015 on)		G160 MK SWB & LWB
MQ 5th Gen	. S-89	Patrol (1989 on)
Challenger (06/2000-2006)		Y260
PA	S-90	Patrol (08/1987-1998)
Challenger (Australia)(2008-2015)		Y60, GQ LWB, GR, WYG60 S-116
PB, PC	S-91	Patrol (02/1988-1998)
Pajero Sport (2016 on)		Y60, GQ SWB, GR, KYY60 S-118
PA	. S-92	Patrol (1989 on)
Pajero (1983-2000)		Y60 GQ SWB/Y61 GU 3", 4" Lift S-120
NA-NF, NH, NJ, NK, NL		Patrol (1988-05/1999)
(Rear Coil Spring Suspension)	S-93	Y60 GQ, Ute/Pickup, Leaf Spring S-122
Pajero (1983-2000)		Patrol (1992-05/1999)
NA-NF, NH, NJ, NK		Y60 GQ, Ute/Pickup, Coil Spring S-123
(Rear Leaf Spring Suspension)	S-94	Patrol (12/1997 on)
Pajero V7 (2000 on)		Y61 GU, LWB Wagon S-125
NM, NP, NS, NT, NW	. S-95	Patrol (01/1999 on)
Pajero iO (Pinin)(1999-2003)		Y61 GU, Ute/Pickup
Pajero iO	. S-96	Leaf Spring Rear S-127
Outlander (Airtrek)(2002-2015)		Patrol (05/1999 on)
Outlander	. S-97	Y61 GU, Ute/Pick up
L300 (11/1986-1994)		Coil Spring Rear S-129
P23/24, V, W, P35	. S-98	Patrol (08/1987 on)
L400 Spacegear, Delica (1994-2007)		Y60 GQ/Y61 GU (3 " Lift) S-131
MV-P Series	. S-99	Patrol (1987 on)
Delica (2007 on)	C 100	Y60 GQ/Y61 GU (4 " Lift) S-133
D5	S-100	Patrol (1987 on) Y60 GQ/Y61 GU (6 " Lift) S-135
Nissan	S-101	
. (22//227)		Patrol (08/1987 on) Y60 GQ/Y61 GU (3 " Flexi Lift) S-137
Navara (09/1985 on)	C 101	
D21-D22, NP300	.5-101	Patrol (08/1987 on) Y60 GQ/Y61 GU (4 " Flexi Lift) S-139
Navara (11/2005 on)	C 102	Patrol (2010 on)
D40 STX (Does Not Suit 550 Model).	5-102	Y62
Navara (04/2010 on)	C 102	Xterra (2005 on)
D40A STX550 (Only Suits 550 Model)	3-103	N50
Navara (08/2014 on) D23, NP300 (Rear Leaf Spring)	S-104	
Navara (08/2014 on)	3-104	Renault S-143
D23 NP300 (Rear Coil Spring)	S-105	Duster (2010 on) S-143

CONTENTS CONTINUED

Ssanyong S-14 ⁴	
Musso (1995-2006) S-14	KUN, GGN 25/26, KZN 35/36 4 (75mm 3 inch Lift) S-165
Rexton (Series I)(2002-12/2005)	Hilux Revo (2015 on)
RX270, RX290, RX320	5 KUN/GGN/GUN 125,
Rexton (Series II)(2006 on)	KUN/GUN 126, GUN13 S-166
RX270 XDI, RX270 SPR, SX S-14	
Kyron (2006 on)	KUN/GGN/GUN 125,
M200 XVT	7 KUN/GUN 126, GUN13 (3" Lift) S-167 4 Runner (1st Gen)(Pre 08/1985)
Actyon (Sports)(2007-04/2012) A200S, Q100 Series S-14	LNGO BUGO VAIGO
Actyon (Compact SUV)(2007-03/2012)	4 Runner (08/1985 - 1989)
A200 XDI	LNG1 VAIG2
Korando (1995-2006)	4.5 (0.10.)(44.44000.4000)
	LN130, RN130, YN130,
Subaru S-15	,
Forester (1997-2013)	4 Runner / Surf (3rd Gen)(1996-2003) KZN185 3.0L TD, RZN185 2.7L
X, XS, XT-SF, SG, SH S-15	Petrol, VZN185 3.4L V6
Suzuki S-152	
	GRN215, KDN215, TRN215 S-172
Sierra, Drover QB (1981 on)	4 Runner (5th Gen)(2009 on)
SJ410, SJ413, SJ50, SJ51, LJ410, LJ413 Leaf Spring S-15	GRN285 S-173
Sierra (1995-11/1998)	lacollia (1996-2004)
SJ80 Coil Spring S-15	Tacoma (2005-2015)
Jimny (1998 on)	TRIV/GRN 240, 243, 230
SN413, FJB33V	Tacoma (2016 on)
Vitara SWB (1988-1997)	(3" Lift)
Escudo, Sidekick, Santana, Geo TrackerS-15	5 Tundra (03/2007 on)
Vitara LWB (1991-1998)	UCK, UPK, USK 55/56 S-178
Escudo, Sidekick, TDi 5 Door S-15	Sequoia (2001-2007)
Grand Vitara (Escudo)(1998-2005) SQ420W 3 & 5 - Door 4 Cyl,	4.7L V8
SQ625W 5 - Door 2.5L V6,	Sequoia (2008 on)
SQ416 3 - Door 06/2000 on S-15	7 UCK65 4.7L, USK 5.7L S-180
Grand Vitara XL7 (10/2001-08/2005)	Landcruiser 40 Series (1960-1980) BJ40, FJ40, HJ40
JA627	8 Landcruiser 40 Series (1980-1984)
Grand Vitara (08/2005-2015)	BJ42, FJ40
JT Series S-15	Landcruiser 45 Series Pre (08/1980)
Toyota S-160	FJ45, HJ45 S-183
Hilms (4070 44 (4007)	Landcruiser 45 Series (07/1980-1985)
Hilux (1979-11/1997) LN/RN 36/46/105,	FJ45, HJ47, BJ45, BJ46 S-184
LN/YN 65/67/106, SR5 S-16	Landcruiser 55 Series (1970-1980)
Hilux (1988-1997)	FJ55 S-185 Landcruiser 60 Series (1980-1990)
LN/RN/YN 110, LN111 SR5 S-16	1 FJ60, FJ62, HJ60, HJ61 S-186
Hilux (09/1991-2005)	Landcruiser 70 Series - Bundera
LN107 SR5, LN108, RN106 S-16	² (11/1984-12/1989)
Hilux (10/1997-2005)	LJ70, LJ73, RJ70, RJ73 S-187
KZN/LN/RN 165/166/167, LN170	Landcruiser 70 Series
(2.4L TD), LN172 3.0L D, RZN169 S-16	(2000 2000, 200 1 0)
Hilux, Vigo (150 Series)(2005-Mid 2015) KUNGGN 25/26, KZN 35/36 S-16	LJ70, LJ72, LJ73, 4 LJ77, RJ70, RJ73, KZJ

Landcruiser 70 Series, Prado I, Landcruiser II (1987-1996)	Fortuner (2005 to 06/2015) KUN/TGN 51	S-213
LJ78/79, RJ77, KZJ78 S-189	Fortuner (07/2015 on)	
Landcruiser 70 Series (1987-1996)	AN160	S-214
FJ/BJ 70, BJ71, FJ/BJ 73,	FJ Cruiser (2006 - 2010)	
FJ/BJ 74	GSJ15	S-215
Landcruiser 70 Series (1990-1999) HZJ70, HZJ73, PZJ70, PZJ73	Rav 4 (1993-2012) SXA10, SXA11	S-216
Landcruiser 70 Series (1990-1999)	Rav 4 (2012 on)	5 210
FZJ77, HZJ77, PZJ77 S-192	A44, A47, A49	S-217
Landcruiser 70 Series (1999-2004)	UAZ	S-218
FZJ/HZJ 71, 74, 76 S-193	UAZ	2-210
Landcruiser 70 Series (1999-2004)	Patriot (2005 on)	
GRJ71, HZJ71	UAZ	S-218
Landcruiser 75 Series (11/1984-01/1990)	Volkswagen	S-219
FJ75, HJ75, BJ75 S-195 Landcruiser 75 Series (1990-09/1999)	Amarok (2010 on)	S 210
FZJ75, HZJ75 S-196		
Landcruiser 76 Series (04/2007 on)	Vehicle Application Guides	G1
FZJ76, HZJ76, VDJ76 Wagon S-197	Quick-Ride Lift Kits	G1
Landcruiser 78 Series (1999 on)	Extended Shackles	G2
FZJ78, HZJ78, VDJ78 troopcarrier S-198	Suspension	G3
Landcruiser 79 Series (09/1999 on)	Terms & Conditions of Sale	T2
FZJ79, HZJ79, HDJ79, VDJ79 pickup. S-199	Terms & Conditions of Sale	16
Landcruiser 78 / 79 Series (09/1999 on) FZJ79/78, HZJ79/78, HDJ79,	Warranty	тз
VDJ79/78 3", 4" Lift	•	
pickup/troopcarrier S-201		
Landcruiser 80 Series (05/1990-08/1991)		
FJ80, HDJ80, HZJ80 S-202		
Landcruiser 80 Series (08/1991-1998)		
FJ80, FZJ80, HZJ80 S-203 Landcruiser 80/105 Series (08/1991 on)		
FZJ, HZJ, HDJ, 80/105 (1991 on) S-204		
Landcruiser 80/105 Series (08/1991 on)		
FZJ / HZJ / HDJ 80/105 (4" Lift) S-205		
Landcruiser 80/105 Series (08/1991 on)		
FZJ, HZJ, HDJ 80/105 (6" Lift) S-206		
Landcruiser 100 Series(04/1998-11/2007)		
FZJ105R, HZJ105R (Coil Spring Suspension) S-207		
Landcruiser 100 Series (1998-11/2007)		
HDJ100, HZJ100, UZJ100		
(Independent Front Suspension) S-208		
Landcruiser 200 Series (11/2007 on)		
UZJ / URJ / GRJ /VDJ 200 S-209		
Landcruiser 90 Series Prado (1996-2003)		
RZN/VZN/KZN/KDJ 90SWB/95LWB		

Landcruiser 120 Series Prado (2003 - 11 / 2009)

RZJ/VZJ/KZJ/KDJ 125, S-211

KDJ150, GRJ150, KDJ155. S-212

Landcruiser 150 Series Prado (2010 on)

HSTORY

Established 1953

Throughout the 1940's and early 1950's Reg Dobinson, a hard working blacksmith, earned a well deserved reputation as an exceptional tradesman and expert spring repairer.

He began perfecting his spring repair and manufacture skills at the Queensland Railway and as a result the demand for his expertise grew. As time went on he began to specialise in spring repair and manufacture, and it led him to take on further weekend work for friends, repairing springs.

Reg's keen eye for quality, attention to detail and his passion for blacksmithing and spring repair soon saw Reg spend all of his spare time working.

In 1953, having more work than he was able to handle, Reg founded 'Dobinsons Welding Works' (now known as 'Dobinsons Spring & Suspension') under a tamarind tree in the backyard of his Rockhampton home.

The next few decades saw the business grow exceptionally as Reg began specialising in

the repair and the manufacture of springs for Rockhampton and surrounding areas.

With a huge demand for his quality work, Reg was soon working up to 18 hours a day, 7 days a week - without taking holidays for years at a time.

An innovator and a man ahead of his time, Reg purchased Central Queensland's very first computer in the mid 60's to improve efficiency. He also began to manufacture his own machinery such as a leaf spring eye roller - designed, engineered and built by Reg himself, utilising manufactured parts and hydraulics taken from exwarplanes.

In the late 1970's, Reg's sons Glen and Keith Dobinson joined the growing family business and immediately showed the same passion and expertise in spring repair and manufacturing, allowed Reg's work load to be shared. With fresh eyes and more hands, Dobinsons began to distribute their quality products throughout Australia.



Reg Dobinson, 1958 - Dobinsons Welding Works first Company Vehicle

Leaf spring manufacturer develops own machinery

In central Queensland the name Dobinson's has been synonymous with springs for more than three decades.

The firm, established in 1953, produces about 500 different types of leaf springs at its Rockhampton factory.

"We make springs for a wide range of uses with car, truck and four-wheel-drive springs being our main products," said the farm's manager, Glen Dobinson.

"We supply mining companies, the agricultural sector and motor repair shops as far as Mackay in the north, Winton in the west and south to Miriam Vale."

Mr Dobinson said the company had experienced significant growth in recent years: "Business has been booming over the past four years with turnover more than doubling.

"This is why we are moving out of our present 500 sq m plant and into a 3000 sq m plant early next year."

Dobinson's was established by Glen Dobinson's father, Reg. "Dad is semi-retired now but still very active in the business," Glen Dobinson said. "Most of the machinery we use has been designed by dad — a blacksmith by trade — and made right here in the factory.

"Our high-temperature hardening furnace is a good example of the equipment dad has designed. This electronically-controlled furnace is probably the most modern of its type in Queensland.

"Other equipment designed and made here includes a guillotine for steel, an eye-rolling machine and a hole punch for spring steel.

"Designing and making our own machinery has saved us a lot of money over the years. But even more important is the fact that we've been able to create machinery that's exactly suited to our needs.

"This has meant being able to produce quality springs in the most economical manner."

Dobinson's Spring Works, 290 Murray Street, Rockhampton, Q. 4700. Telephone (079) 27 7444, Fax (079) 22 3082.



1991 - Dobinsons Spring & Suspension moves to it's current Head Office location



Reg Dobinson demonstrating his new invention, the 'Leaf Spring Eye Roller' 1977

Built On Pride

Dobinsons Spring & Suspension's success throughout the Australian market sparked a desire for Reg and his sons to share their top quality products with the world.

In the mid 1980's Dobinsons exported their first order. Whilst Dobinsons now export to over 50 countries worldwide, in a time before fax machines were prevalent and the Internet existed, this meant a trip down to the local post office to purchase international phone books to find international distributors and to receive international orders.

In 1991 Dobinsons moved to its current location in Rockhampton, and in 1994 Reg retired leaving Glen and Keith as directors of the ever-growing company.

In the mid 1990's their vision saw them design and build an entire coil spring manufacturing line and Dobinsons began producing world class coil springs from their Australian production facility.

In the late 1990's with over 40 years of spring

and suspension experience already under their belt, Dobinsons began designing, developing and distributing their own range of 4x4 shock absorbers.

In the early 2000's Glen and Keith's children began working in the family business and with a shared passion for the suspension industry and 4x4's, Dobinsons Spring & Suspension continued to grow.

In 2009 Dobinsons began the research, development and testing of their range of 4x4 accessory products which have earned a reputation as high quality 4x4 products which compliment their extensive range of suspension products.

Over 60 years on, and three generations later Dobinsons Spring & Suspension's Rockhampton production and warehousing facility has grown to over 60,000 square feet. Dobinsons now have over 5 major warehousing distribution facilities across Australia with an Australia wide dealer network, as well as distributors in over 50 countries worldwide.

'Blacksmith' sells machine to world

Building his own workshop almost from the ground up has given Mr Reg Dobinson, of Dobinson's Spring Works more than a little knowledge in the field of metal-work — especially since much of his equipment is self-designed and manufactured.

designed and manufactured.

Mr Dobiason — a blacksmith with no design experience — is now seeking markets abroad for one of his own machines. The machine, which twists eyes on loaf springs of any size, was shown yesterday to a visiting industrial development team at Mr Dobinson's workshop in Murray Street, Postbampaten.

Rockhampton.

Technical officer (licensing) with the Department of Commercial and Industrial Development, Mr Neville Hodgkinsen, said the workshop was one of the most modern in Queensland.

MARKET POTENTIAL

"His machine certainly is good — it has excellent market potential," Mr Hodgkinson said.

The DCID is to help Mr Dobinson find suitable markets for his device.

Mr Dobinson said yesterday the eye-fixing machine had already attracted interest from potential buyers in Germany and Belgium. The machine is to be patented shortly.

shortly. "Its got several advantages over the methods used at the

moment.

"Either they are done by hand or by a huge machine that takes three hours to assemble.

"This can be set up for different sized springs in seconds," he said.

Mr Dobinson described the machine as "my major invention."

tion."

He has also designed and manufactured two furnaces now in use in his workshop. Mr Dobinson first began operating the Murray Street workshop in 1953 as a general metal receive them.

the Murray Street workshop in 1953 as a general metal re-pair shop.

The workshop began specialising in lever spring manufac-ture in 1964. Much of the shop's equipment had been de-signed by Mr Dobinson before this time.

The workshop now employs six men and is the main sup-plier of all varieties of springs in the Central Queensland.

Mr Dobinson said he hoped to have a market for his invention finalised by the end of the year.

With over 60 years of experience and excellent customer service, Dobinsons Spring & Suspension are your first choice in suspension and 4x4 accessories.









COIL SPRINGS

Dobinsons Spring & Suspension™ proudly manufacture the highest quality replacement coil springs for many different applications, complying to ISO9001:2015 international quality standards from their state of the art manufacturing facility in Central Queensland, Australia.

Dobinsons[™] proudly boast one of the worlds largest range of coil springs, including raised height and heavy duty 4x4 springs, lowered performance passenger car springs, O.E. replacement springs and heavy duty springs for commercial vehicles.

As Dobinsons[™] coil springs are manufactured in-house, Dobinsons[™] can manufacture smaller quantities and in most cases there are many different coil spring options available for your vehicle. This ensures the customer receives the best spring to suit their application and avoids a 'One Size Fits All' scenario, especially important when selecting the correct spring rates and ride heights. When matched with a set of corresponding Dobinsons[™] Shock Absorbers, Dobinsons[™] can provide you with unrivalled performance and handling.

Design Technology



Our design engineers utilize the latest coil spring design programs to ensure each spring meets or exceeds the design requirements, to achieve maximum working life. These state-of-the-art design programs are crucial when designing variable/progressive rate springs, ensuring laden and unladen spring rates are correct, providing the best possible ride comfort and handling.

State of the Art Heat Treatment



► Heat treatment is one of the most important steps in the coil spring manufacturing process.

All Dobinsons coil springs are 'hot wound' and the hardening and tempering of our coil springs is completed by an extremely precise electronically controlled furnace to eliminate breakage and sagging.

Formed On Precision Mandrels



Each coil spring is precisely wound by a programmable logic computer to achieve perfect pitch. This precision is extremely important when manufacturing variable and progressive rate coil springs.

High Intensity Shot Peening



All Dobinsons™ coils springs are shot peened to increase durability and dramatically reduce fatigue.

Precise End Configurations



▶ Engineered coil ends are designed to fit directly into the original vehicle mounting points without any modification.

Fully Scragged & Load Tested



▶ All Dobinsons[™] coil springs are load tested and scragged 100% to eliminate subsequent spring sag, and ensure they meet and maintain the required specifications. We also perform spring fatigue and hardness testing using in-house state of the art testing equipment.

Powder Coat Finish



A durable powdercoat finish provides extreme protection against the elements.



LEAF SPRINGS

With over 60 years of experience manufacturing in Australia, Dobinsons Spring & Suspension™ are no strangers to providing the highest quality spring and suspension components, and our range of leaf springs are no exception.

Our range includes raised and heavy duty leaf springs for 4x4's, heavy duty and parabolic replacement leaf springs for trucks and commercial vehicles, plus raised and replacement leaf springs for 4×2 utilities and passenger vehicles. In most cases there are multiple options available to ensure the correct leaf spring is available to meet most requirements.

High Quality Spring Steel



Dobinsons[™] leaf springs are manufactured from only the highest quality raw materials. We understand the importance of selecting not only the highest quality spring steel, but also the correct grade that will give the longest life under the harshest conditions.

Design



Our design engineers ensure that all our leaf springs are designed specifically for each vehicle model, with consideration given to the load and height requirements for each application.

Design is one of the most important stages in the leaf spring manufacturing process, and with over 60 years of design and manufacturing experience, we recognise the importance of this.

Design features include Drawn, tapered and thinned leaf ends for even stress distribution over the entire spring pack, two stage spring design for the rear of most vehicles to achieve optimum ride and handling both laden and unladen and carefully selected leaf lengths and thickness's to maximize the spring life, comfort, load carrying capacity, wheel travel and performance.

Manufacturing Process



Each stage of the Dobinsons™ leaf spring manufacturing process is vital to ensure the complete spring pack will out perform our competitors products.

Manufactured to international quality standards ISO9001:2015 using premium grade Sup 9 silicon manganese spring steel, DobinsonsTM range of leaf springs are made to world leading quality standards.

Multiple Options



▶ For most vehicles, we offer multiple options to best suit customer needs, this ensures the correct spring rate is matched for the vehicle model and the accessories added. This provides a raised height where applicable without going beyond the safe design requirements to enhance performance, load carrying capacity and off-road ability without compromising safety.

Military Wrappers



Where possible Dobinsons leaf springs utilize full military wrappers and full length wrappers to provide additional support to the main leaf and improve safety.

Anti-friction Inter Leaf Liners



Anti-Friction inter leaf liners are use to reduce the friction at each leaf end where the load is greatest and provides a smoother, quieter ride.

High Strength Alignment Clips




▶ Dobinsons leaf springs feature high strength alignment clips with nylon insulators to reduce wear and noise. Nyloc nuts are also featured on bolted clips to prevent loosening off nuts which can cause tyre damage.

Shotpeend & Scragged



▶ Each Dobinsons leaf spring is shotpeened on the tension side of each life and completely scragged. This dramatically reduces the chance of sagging and breakage and doubles the expected working life of the spring. Random sampling from production is then also durability tested to ensure Dobinsons leaf springs will outlast the competitors.





TWINTUBE - NITROGAS SHOCK ABSORBERS

Designed, developed and tested in Australia by Dobinsons Spring & Suspensions', in-house suspension design engineers, Dobinsons 4×4 shock absorbers are designed and tested to perform in the harshest conditions right across the world.

As Dobinsons Spring & Suspension export to over 50 countries worldwide from their Australian head office, the importance of quality is at the forefront in the complete design and manufacturing process. This ensures every shock can withstand the blistering heat and corrugations of the Australian outback right through to the subzero temperatures of a Russian winter.

Dobinsons Twin Tube Nitrogen Gas charged shock absorbers are made from the world's highest quality external and internal parts sourced worldwide. They provide a significant increase in performance over the standard shock absorbers.

Originally equipped shock absorbers are prone to shock fade and when a vehicle is loaded simply cannot cope with the additional weight and the harsh condition that 4x4 owners love to put them through.

Dobinsons twin tube shock absorbers feature larger bodies, larger bores and increased valving performance to dramatically improve vehicle handling and control and reduces shock fade.

Nitrogen Gas Charged

▶ Each shock absorber is filled with high quality Hi-Temperature Fuch's shock absorber oil then filled with low pressure nitrogen gas to pressurize the oil and assists in reducing oil aeration commonly know as Shock Fade.

Superior Design

- Where possible Dobinsons design each part number to provide a longer shock absorber for more wheel travel, firmer valving for a more controlled ride and a larger body with increased oil capacity for cooler operation than the original vehicle shock absorbers.
 - Other hidden design features also include thicker external tube wall thickness up to 3mm on Dobinsons 4×4 struts where other brands use as small as 1.5mm.
 - Selected Dobinsons 4×4 struts also include single piece drop forged lower mounting stems to provide far superior strength and reliability.

High Quality Parts

- Only the highest quality internal and external parts are used to ensure hassle free long life operation. When developing shock absorbers, Dobinsons test each component of the shock absorber to ensure each part can withstand the vast difference in operating temperatures, a variety of different environments and conditions, and also ensure each part provides long service life.
 - These include Japanese NOK Multi-Lip seals, Fuchs German shock absorber oil, Natural Rubber bushings for reduced Noise Vibration Harshness, high quality Teflon piston rings and Double Chrome hardened rods are just a few of the components that put Dobinsons shock absorbers ahead of the rest.


Manufacturing Process

▶ As Dobinsons Spring & Suspension have been manufacturing the highest quality springs and suspension components for over 60 years, they are no strangers to state of the art manufacturing processes. Dobinsons 4×4 shock absorbers are manufactured using the latest technology and are manufactured to TS16949 International Quality Assurance Systems. This includes double reenforced robotic welding, friction welding, CNC Machined components and drop forging of high stress mounting components.

Testing Process

Dobinsons 4×4 shock absorbers are first completely quality checked and Valve Force-Velocity Dyno tested in the factory before final approval.

Dobinsons then perform further in depth quality testing in their Australian head office to ensure long life reliability.



MAR SHOCK ABSORBERS

With serious 4×4 owners now pushing their vehicles through harder, harsher terrain with more accessories fitted to their 4×4 's than ever before Dobinsons saw the need for a no compromise, performance engineered shock absorber that offers the ultimate in performance.

Over four years of research, development and testing was undertaken to produce Dobinsons Monotube Remote Reservoir shock absorbers. Dobinsons MRR Series introduces premium quality build design and features to achieve the ultimate in performance and durability.

50mm and 60mm extra large bores, combined with remote oil reservoirs, provide the perfect housing for an enormous oil capacity and surface area to resist shock fade and maintain vehicle handling.

Unlike some other brands, each Dobinsons shock absorber is designed specifically for the vehicle and application and is designed to perform best when matched with Dobinsons Coil Springs. In some cases multiple options are available to ensure the best possible ride, handling, comfort and performance is achieved for the complete suspension system.

Massive 56mm & 66mm Outer Body





Natural Rubber Bushings

ALIGNMENT & SUSPENSION PARTS

When raised suspension has been fitted to a vehicle it can alter the vehicles suspension, brakes and steering geometry and in some cases this requires additional suspension components to ensure the vehicles handling and performance isn't compromised. This is especially important in vehicles fitted with larger lift kits. The required alignment parts are outlined in the 4×4 suspension catalogue individual pages.

Where applicable the rear brake proportioning valve adjusters/extensions should be fitted to allow normal braking operation.

For solid axle vehicles with suspension lifts of up to 50mm a castor bush kit is recommended but not mandatory, a wheel alignment is recommended to determine whether a castor bush kit is required.

For lifts above 50mm, castor correction is required.

Some vehicles also have additional driveline spacers, gearbox spacers and other parts which may be required when fitting a suspension lift.

Some of the alignment components required include:

Castor Bush Kits (Rubber & Polyurethane)



▶ When raised suspension is fitted to vehicles equipped with a solid axle style front suspension setup the castor angle can be altered and can result in a small wobble or shake through the steering. To correct this Dobinsons have a range of fixed angle polyurethane castor correction bushes, fixed angle rubber castor correction bushes for improved ride and articulation and adjustable polyurethane castor correction bushes to return the castor angle to the correct position.

Sway Bar Extensions



▶ Raising the vehicles suspension can also cause some components such as the sway bar links to become a little too short and limit wheel travel. For this reason Dobinsons have released heavy duty sway bar link extensions to suit some Nissan Patrols and some Toyota Landcruisers.

Panhard Rods




▶ Raising the vehicles suspension on vehicles equipped with live axle suspension can also alter the diff alignment. Dobinsons range of heavy duty adjustable panhard rods correct this alignment and feature high quality rubber bushes for maximum articulation.

Castor Plate Kits



► For Nissan Patrol Y60/Y61 (GQ/GU) and Toyota Landcruiser 80/105 series that have lift kits of between 4 and 6 inches Dobinsons have 5 degree castor plate kits available to correct the castor angle.

Brake Proportioning Valve Extensions



When raising a vehicle the braking system can be affected as the braking bias front to rear is changed. For this reason Dobinsons recommend fitting one of their brake proportioning valve extensions when ever lifting a vehicle.

Strut-Caps



▶ Dobinsons have a range of coil strut top caps available for most popular 4×4 models. These can be used to replace the original worn strut top caps or can be fitted to coil struts with coil springs allowing a complete strut assembly that is a simple install.

Driveline & Suspension Component Spacers



Dobinsons Spring & Suspension also have a range of other various driveline spacer items that are required when lifting vehicles.

LEAF SPRING COMPONENTS

U Bolts




▶ Dobinsons 4×4 U-bolts are made from high quality, 10.9 grade high tensile steel and supplied with hardened deep nuts for maximum clamping pressure and reliability. It is recommended that when replacing leaf springs that new u-bolts are fitted.

Supplied in anti corrosion zinc finish.

Shackles & Pins





Dobinsons Spring & Suspension's range of 4x4 shackles and pins have been designed and manufactured to maximize the life of both the polyurethane bushes and shackles. Incorporating a recessed twin hole greasable design to ensure both halves of the polyurethane bush receive even grease distribution. Greasing polyurethane bushes not only reduces friction and wear, it also reduces the chances of corrosion on the shackle pins and reduces squeaking. Dobinsons 4x4 shackles and pins are a heavy duty design and provide simple servicing through external grease nipples.

In some cases Dobinsons also provide anti-inverse shackles to prevent the shackles from inverting on lifted leaf spring vehicles.

Polyurethane Bushes



Dobinsons Spring & Suspension's polyurethane bushes have been designed and manufactured from the highest quality raw materials and unlike other competitors have been designed to suit both Dobinsons leaf springs and the original vehicle leaf springs.

Polyurethane-Bushes Dobinsons Polyurethane leaf spring bushes provide a smooth comfortable ride and when combined with Dobinsons 4×4 greasable shackles provide a far superior service life than the original vehicle bushes.

Dobinsons polyurethane bushes feature unique internal diamond grease traps to maximize bush and shackle life.

TORSION BARS

Dobinsons Spring & Suspension's range of heavy duty 4x4 torsion bars are manufactured from high quality micro alloy steel with a thicker bar diameter than the original vehicle torsion bars to improve performance when accessories are fitted. When vehicles are fitted with additional accessories such as steel bullbars, winches, dual battery kits and other frontal accessories the weight placed on the torsion bars can be dramatically increased.

Torsion Bars

The torsion bars fitted to the vehicle will not withstand the additional weight placed on the vehicle and will be prone to sag and will offer poor handling and offroad performance. Dobinsons heavy duty 4x4 torsion bars feature increased spring rate (thicker bar diameter) to better handle the additional weight and provide far improved handling, ride height and offroad performance.

Increased Spring Rate

Dobinsons torsion bars feature an increased bar diameter, thicker than the original vehicle torsion bars. Dobinsons uprated torsion bars provided a far superior ride that will greatly reduce bottoming of the suspension and will improve the vehicles handling whilst also offering far greater reliability at increased ride heights.

Cold Rolled Splines

Dobinsons torsion bars feature cold rolled splines to increase strength, reliability and ensure a perfect fit.

Durable Powdercoat Finish

A thick durable powdercoat provides protection against corrosion.

Directionally Preset & Scragged

As torsion bars have load applied in a particular direction during compression travel, Dobinsons have their torsion bars directionally preset and scragged to prevent sagging and breakage.

Simple Fitment

Dobinsons heavy duty torsion bars have precision end fitment and are marked both left and right hand side, and also importantly front and rear to ensure correct simple fitment the first time. Fitting torsion bars on the incorrect side or back to front will damage the torsion bars as they are preset and scragged in the required direction.



STEERING DAMPERS

Dobinsons Spring & Suspension's range of 4x4 steering dampers are the perfect addition to your Dobinsons suspension kit. Featuring a larger body size for smoother, cooler operation and 50/50 valving, Dobinsons heavy duty steering dampers ensure comfortable controlled steering operation, especially on vehicles fitted with raised suspension, additional accessories or larger tyres.

Dobinsons heavy duty steering dampers feature a 18mm chromed rod, 32mm bore and 50mm body with a foam cell insert. End mountings are kept the same as the original vehicle mountings to ensure hassle free fitment.



PROMOTIONALITEMS

Catalogues & Brochures



Dobinsons 4x4 Suspension Catalogue



Dobinsons 4x2 Suspension Catalogue



Dobinsons 4x4 Accessories Catalogue



Dobinsons Coil Spring Catalogue

PG00-2200

PG00-2203

PG00-2201

PG00-2202



Dobinsons Trifold Brochure 4x4 Suspension



Dobinsons Trifold Brochure 4x4 Accessories



Dobinsons Bullbar Brochure

PG00-2204

PG00-2205

PG00-2206

Banners



Indoor Hanging Wall Banner 200cm Wide x 130cm High (Suspension)



Indoor Hanging Wall Banner 200cm Wide x 130cm High (4x4 Accessories)



Roll Up Banner

PG00-2210

PG00-2212

PG00-2211

Flags



Dobinsons Teardrop Flag 2.2m (Cross Base)



Dobinsons Teardrop Flag 4.7m (Spike Base)



Dobinsons Rectangle Flag 90 x 150cm

PG00-2220

PG00-2221

PG00-2222

Miscellaneous



Carry/Show Bag

PG00-2260

Dobinsons



Dobinsons Pen *Styles May Vary



Dobinsons Acrylic Sign



Dobinsons 4x4



Stubbie/Can Cooler

PG00-2266

Promotional DVD

PG00-2261

PG00-2263

PG00-2264

PROMOTIONAL ITEMS

Stickers/Posters



70x20cm

Dobinsons Oval Logo Sticker



100x35cm

Dobinsons Oval Logo Sticker with 'Products Sold Here'



80x27cm

Dobinsons Oval Logo Sticker '4x4 Accessories'



27x7.5cm

Dobinsons Oval Logo Sticker



15x5cr

Dobinsons Oval Logo Silver/Grunge Sticker

PG00-2248



4x4cm

Dobinsons Oval Logo Sticker

PG00-2236

PG00-2232



10x3cm

Dobinsons Oval Logo Sticker

PG00-2237

PG00-2233



83x30cm

Dobinsons Oval Logo Grunge Sticker

PG00-2238

PG00-2234



14x4cm

Dobinsons Oval Logo Hologram Sticker

PG00-2239

PG00-2235



Dobinsons Clear MRR Logo Sticker

PG00-2246



7x8cm

Dobinsons 4x4 Sticker

PG00-2240



100x10cm

Dobinsons Clear Windscreen Sticker

PG00-2241



60x10cm

Dobinsons Clear Windscreen Sticker

PG00-2242



12cm Diameter

Dobinsons Round Reflective Sticker

PG00-2243



30x20cm Dobinsons White MRR Logo Decal

PG00-2247

External Aluminium Signs



Dobinsons Logo Sign Aluminium - 1.2mm Thickness 825 x 275mm



Dobinsons 4x4 Accessories Sign Aluminium - 1.2mm Thickness 825 x 1100mm SUSPENSION

Suspension Kits
Leaf Springs
Coil Springs
Shock Absorbers
Shackles
Bushes
Panhard Rods
Ubolts
Components

Dobinsons Suspension Sign Aluminium - 1.2mm Thickness 825 x 1100mm

PG00-2276

Apparel

PG00-2275



Dobinsons Cap Grey with logos One Size Fits All



PG00-2277

Dobinsons Hooded Jumper Black & Grey (Available in S - XXL)



Dobinsons Flat Brim Cap Black/Grey One Size Fits All



Dobinsons T-shirt Black (Available in S - XXXL)

PG00-2265 PG00-2270



Dobinsons Polo 1 (Available in S - XXL)



Dobinsons Polo 2 (Available in S - XXL)



Dobinsons Button Up Shirt (Available in S - XXL)



Dobinsons Long Sleeve T-shirt Black (Available in S -XXXL)

PG00-2279 PG00-2278

PG00-2280

PG00-2274

PG00-2282

GENERAL INFORMATION

Part Selection

Firstly, you may order individually any part listed in this catalogue, but we recommend that you order and fit in pairs (sets), the springs, shock absorbers and torsion bars. They have up-rated specifications and must be fitted in pairs to ensure the vehicle operates correctly. It is also recommended that where possible a complete Dobinsons suspension kit is fitted to provide the best possible outcome for vehicle handling, performance, off-road capability and load carrying capacity.

The QTY column on the front and rear of each page will tell you how many of that particular item is required to do 1 vehicle. For example for coils QTY is 1, so 1 pair is required for that end of the vehicle. For shock absorbers the QTY might be 2, so 2 shock absorbers are required for that end of the vehicle. In some cases there may be QTY 1 listed for 2 of the same type of items, for example 1 of each leaf springs (LH & RH), one of each u-bolt kit or shock absorbers.

Pricing of all part numbers relates directly to the price list. Coil springs have a price code letter next to the part number, this letter corresponds with the letter in the price list under the Coil Spring Section. Also take note that some vehicles with a large range of parts continue over 2 pages.

Spring Selection

Throughout this catalogue, there are many models of vehicles with a selection of spring variations. When selecting a spring, be careful to select the right springs to achieve your requirements, particularly in cases where the vehicle has additional accessories or constant loads for example a bullbar, winch, dual battery systems, roof racks, rear drawer system, large fuel tanks, rear tyre carrier, toolboxes etc. It may be necessary to mix and match front and rear springs to suit the loads the vehicle will be carrying. It is also important to take into account the position of extra weight, for example vehicles with weight at the very rear of a long tray may cause the front of the vehicle to sit higher than expected, and the rear lower.

Lift Measurements & Additional Weight


In most cases there are different options available providing varying amounts of lift and different load carrying capacities. All lift measurements given are only an indication of what can reasonably be expected over the original vehicles ride height. Every vehicle is different in its own right and therefore may result in higher or lower lift measurements once fitted. Where there is not a selection of springs, we have chosen the best performing spring to suit the vehicles ride height, handling, carrying and towing capacities.

Springs that list additional accessories weight or constant load will provide the lift stated with that amount of weight. The weights listed for the front or rear springs of the vehicle are per end. For utility vehicles fitted with steel drop side trays, the additional weight of the steel tray over the original vehicle style side/well back/tub must also be included in the constant load. For example a rear spring that has 50mm lift with 300kg's constant load will lift the vehicle 50mm from the factory measurement with 300kg's of load on the rear of the vehicle. The 300kg's of constant load may consist of 200kgs of extra weight in the steel drop side tray and 100kgs of tool boxes and tools. If the load is less than that stated in the catalogue then the vehicle will sit higher than the lift stated, and if the load is more than stated in the catalogue the vehicle will sit lower

than the stated lifted. In some cases a compromise may need to be made between providing a smooth ride or additional weight carrying capacity.

Springs that do not list additional accessories weight or constant load will generally be approximately 10% firmer than the original springs and are suited to most light load applications including general passenger and luggage weights, unless stated otherwise.

Dobinsons Spring & Suspension™ recommended taking before and after centre of wheel hub to bottom of guard (bottom of flare or wheel arch) measurements. Once the suspension has been fitted, the vehicle must be taken for a test drive to settle the suspension correctly before recording the after measurement. Further settling of the suspension can be expected after a few thousand kilometers.



Selection of Other Suspension Components

Shock Absorbers – Dobinsons offer a few different ranges of 4x4 shock absorbers – a Twin Tube Nitrogen Gas charged shock absorber, an Internal Reservoir Monotube shock absorber and a Monotube Remote Reservoir shock absorber all made from the world's highest quality external and internal parts. Where possible Dobinsons design and test each part number to provide a longer shock for more wheel travel, firmer valving for a more controlled ride and increased oil capacity for cooler operation in harsh conditions, than the original vehicle shock absorbers. Therefore Dobinsons recommends that when a suspension lift has been fitted to the vehicle, or the vehicle is carrying extra weight, that Dobinsons 4x4 shock absorbers are fitted in conjunction with springs, and in some cases it is a necessity to ensure sufficient downward wheel travel (outlined in notes on these particular vehicles). In some cases a softer option is also available and this is recommended for vehicles with light or no loads.

Torsion Bars – Dobinsons torsion bars provide an increased rate and firmer ride over the original torsion bars and are recommended when the vehicle is fitted with additional accessories of 70kgs or more. It is recommended that a minimum of 50mm downward wheel travel be kept when adjusting torsion bars.

Polyurethane Bushes – Dobinsons polyurethane leaf spring bushes have been designed to work in conjunction with the original leaf springs as well as Dobinsons 4x4 leaf springs (unless stated otherwise). For ease of fitment it is recommended Dobinsons Polyurethane Bushes are fitted when installing Dobinsons 4x4 leaf springs. For ease of bush maintenance it is also recommended that greasable shackles also be fitted in conjunction with polyurethane bushes.

Greasable Shackles – Dobinsons 4x4 greasable shackles and pins have been designed to work with both the original leaf spring bushes and Dobinsons Polyurethane Bushes (unless stated otherwise), however greasable shackles should not be greased when being used with rubber bushes. For ease of polyurethane bush maintenance & long bush life it is recommended

GENERAL INFORMATION

that greasable shackles be fitted when fitting polyurethane bushes.

U-Bolts – Dobinsons 4x4 U-Bolts are made from high quality, 10.9 grade high tensile steel and it is recommended that when replacing leaf springs that new u-bolts are fitted. Fitting Dobinsons u-bolts is also a necessity on most heavy duty leaf spring packs due to the length increase required for thicker spring packs.

Underbody Bush Kits – Dobinsons polyurethane underbody bush kits are not a necessity when fitting a suspension kit, but is recommended when the vehicles underbody bushes are worn and need replacing.

Steering Dampers – Dobinsons 4x4 steering dampers have been designed with a larger capacity and 50/50 valving to provide smooth controlled steering in both directions.

Alignment & Extension Parts – It is recommended that certain alignment parts be fitted in conjunction with the suspension kit when a suspension lift has been fitted to the vehicle. Where applicable the rear brake proportioning valve adjusters/ extensions should be fitted to allow normal braking operation. For suspension lifts of up to 50mm a castor bush kit is recommended but not mandatory, a wheel alignment is recommended to determine whether a castor bush kit is required. For lifts above 50mm, castor correction is required. Some vehicles also have additional driveline spacers, gearbox spacers and other parts which may be required when fitting a suspension lift. These part requirements will be outlined in notes on each page.

Built On Pride, Developed With Technology

Dobinsons Spring & Suspension™, established in 1953, is largely based on Leaf and Coil Spring Manufacturing and the supply of Suspension Components. With several generations of family ownership and experiences, Dobinsons has become one of the leaders in the Spring Industry in Australia applying the years of knowledge into their products.

The success of the business has come about by providing quality products, acquiring and using technical knowledge and having the equipment to perform and provide professional service. Our quality of design and manufacture is what sets us apart from our competitors, if not the price. The company manufactures and repairs a large range of springs and sells a comprehensive range of suspension components. We have over 13,000 spring specifications on hand and computerised spring design programs provide us with professional and accurate results.

For the past 25 years, Dobinsons Spring & Suspension™ have been exporting their products to different parts of the world and their name has become synonymous with quality in these countries. Our Head Office is situated in Rockhampton with Distributors worldwide.

Dobinsons Spring & Suspension™ has the ability to give a very fast service by combining our large amount of stock on hand, and by using our manufacturing plant to make the Leaf and Coil Springs quickly. A factor that, combined with our friendly and helpful staff, makes us an unbeatable supplier of quality Suspension Components.

There are thousands of parts kept in stock, including Coil Springs, Leaf Springs, Torsion Bars, Shock Absorbers, Greasable Shackle Kits and Pins, U-Bolts, Polyurethane Bushes, Centre Bolts, Castor Wedges & 4x4 Accessories.

Research and Development

Dobinsons Spring & Suspension™ is committed to quality and to achieve this, much research and development has been done in the past and will continue into the future as new products are released. Furthermore Dobinsons Spring & Suspension™ have recently gained ISO9001:2015 International quality management systems approval as we continue to develop and improve the quality of our products and service.

It is in our best interest to keep advancing our product range so the ultimate spring & suspension components are achieved. The Leaf and Coil Springs in this catalogue have all been designed to suit Australian conditions, which are some of the harshest in the world. We believe our products, in most cases, are purchased to achieve improvement in five major areas: Lift, Handling, Heavy Loading, Off-Road Capability & Towing.

By purchasing from Dobinsons' superior range of springs, the above five characteristics can be achieved to produce the ultimate combination of suspension systems.

Research and Development are in the very heart of Dobinsons Spring & Suspension™

Other Suspension Requirements (Not Listed In This Catalogue)

This 4x4 Catalogue only presents a small amount of Vehicles and Models. Dobinsons Spring & Suspension™ handle a vast range of vehicles, and have specifications for over 13,000 springs. We cater for all vehicles, from small passenger cars up to the large trucks. With an extensive stock of Leaf & Coil Springs, Shackle Pins & Kits, U-Bolts, Shock Absorbers, Torsion Bars, Polyurethane Bushes, and most other suspension components, Dobinsons Spring & Suspension™ can supply the parts for you to...

Catalogue Information

While we take all care in the preparation of this catalogue, we also realise errors can occur. Please confirm that the parts you are ordering are correct for your requirements. No responsibility is implied or taken. The names and reference numbers of manufacturers and suppliers, other than Dobinsons Spring & Suspension™, used in this catalogue are shown only to assist our customers in identifying replacement parts. Under no circumstances does Dobinsons Spring & Suspension™ imply that the parts are of these OE manufacturers.

Pictures used in this Catalogue are for illustration purposes only.



TYPE: Duster

MODEL:

YEAR: 2010 on

DETAIL: 4x4 Wagon



	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
M	Linear rate Raised Height (35mm Lift) 0-50kg Accessories	1	C52-010	В
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Linear Rate Raised Height (50mm Lift) Up to 70Kg Accessories	1	C52-004	В
1	SHOCK ABSORBE	R		
T-/-	Duty Twin Tube Gas	2	GS52-056	
1	CAMBER ADJUSTMEN	П	KIT	
	Kit Contains: 2 x Cam Bolts ±1.2° for Lower Control Arm Camber Adjustment	1	WA57-505K	
	Raising Vehicle Will Effect Whe			

	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
MAAAAAAAA	Linear rate Raised Height (35mm Lift) 0-50kg Accessories	1	C52-011	В
MWWW	Linear Rate Raised Height (50mm Lift) 50-100Kg Constant Load	1	C52-005	В
1	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas	2	GS52-057	
	CAMBER ADJUSTMEN	П	KIT	
	Kit Contains: 2 x Cam Bolts ±1.2° for Lower Control Arm Camber Adjustment	1	WA57-505K	
	Raising Vehicle Will Effect Whe	el A	Mignment	



TYPE: Feroza

MODEL: CX12, F300

YEAR: 10/1988 - 1998

DETAIL: Narrow Track, Sportrak



FRONT	QTY	PART NUMBER	PRICE		REAR	QTY	PART NUMBER	PRICE
TORSION BAR					LEAF SPRING			
Heavy Duty Rate Increased Length 1093mm	1	TB15-197		م_	4 + 2 Leaves Raised Height (45mm Lift)	2	DAI-015-R	
					SHACKLE BUSH K	П		
SHOCK ABSORBE	R				Kit Contains:			
Heavy Duty Twin Tube Gas	2	GS43-082S		OLI	2 x SPF239 2 x SPF238	1	PB15-1064K	
					U-BOLT KIT			
					Kit Contains: 2 x UB15-658	2	UB15-658K	
					SHOCK ABSORBE	R		
					Heavy Duty Twin Tube Gas	2	GS15-639S	



TYPE: Rocky

MODEL: F70, F75, F80, F85RV

YEAR: 1984 - 08/1993

DETAIL: Hardtop, Rugger, Fourtrak, Wildcat



PRICE

		• /				
FRONT	PART NUMBER	PRICE		REAR	QTY	PART NUMBER
LEAF SPRING		1		LEAF SPRING		
5 Leaves Raised Height (40mm Lift)	1 F77-5L-F RH 1 F77-5L-F LH		م٥	4 + 1 Leaves Raised Height (40mm Lift)	2	DAI-011-R
SHACKLE BUSH K	TT	1		SHACKLE BUSH K	ΙT	
Kit Contains:				Kit Contains:		
4 x SPF238 4 x SPF560	1 PB15-1062K		OTE	2 x SPF239 2 x SPF238 4 x SPF560	1	PB15-1064
U-BOLT KIT				U-BOLT KIT		
Kit Contains: Right Hand Side 1 x UB15-658 1 x UB15-659	1 UB15-659K			Kit Contains: 2 x UB15-658	2	UB15-658K
Left Hand Side				SHOCK ABSORBE	R	
	1 UB15-658K			Heavy Duty Twin Tube Gas	2	GS15-639S
SHOCK ABSORBE	R					
Heavy Duty Twin Tube Gas	2 GS15-639S					



TYPE: Rocky

MODEL: F73, F78, F85, F98 SE/SX

YEAR: 1993 - 2002

DETAIL: 2.8L TD



	FRONT	QTY	PART NUMBER	PRICE
	TORSION BAR			
	Heavy Duty Rate Increased			
-	Length 950mm	1	TB15-198	
1				
	SHOCK ABSORBE	łK		
	Heavy Duty Twin Tube Gas	2	GS15-463W	

	REAR	QTY	PART NUMBER	PRICE
wwww.	COIL SPRING Linear Rate Raised Height (40mm Lift)	1	C21-059	А
·	SHOCK ABSORBE	R		,
	Heavy Duty Twin Tube Gas	2	GS59-940S	



TYPE: Rocky

MODEL: F77, F87

YEAR: 1984 - 1993

DETAIL: Pickup/Utility



	FRONT	QTY	PART NUMBER	PRICE
	LEAF SPRING			
0 0	5 Leaves	1	F77-5L-F RH	
م_	Raised Height (40mm Lift)	1	F77-5L-F LH	
	SHACKLE BUSH K	Ш		
	Kit Contains: 4 x SPF238			
		1	PB15-1062K	
-	U-BOLT KIT			
	Kit Contains:			
	Right Hand Side			
	1 x UB15-658 1 x UB15-659	1	UB15-659K	
	Left Hand Side			
	2 x UB15-658	1	UB15-658K	
	SHOCK ABSORBE	R		
_				
	Heavy Duty Twin Tube Gas	2	GS15-639A	

93 ility													
	REAR	QTY	PART NUMBER	PRICE									
	LEAF SPRING 5 + 2 Leaves Raised Height (40mm Lift)	2	F77-5+2-R										
	SHACKLE BUSH K	•											
	Kit Contains: 2 x PT267 2 x PT549-34	1	PB15-1063K										
U-BOLT KIT													
	Kit Contains: 2 x UB59-667	2	UB59-667K										
	SHOCK ABSORB	ĒR											
	Heavy Duty Twin Tube Gas	2	GS59-631A										



TYPE: Terios

MODEL: J100, J102

YEAR: 1997 - 2006

DETAIL: 5 Door



PRICE

В

	FRONT	QTY	PART NUMBER	PRICE		REAR	QTY	PART NUMBER
	COIL SPRING			1		COIL SPRING		
I	Linear Rat Standard Heigh Linear Rat Raised Height (35mm Lift	1	C15-028	В	 	Linear Rate Standard Height	1	C15-029
		1 C15 -	C15-024	В	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Linear Rate Raised Height (35mm Lift)	1	C15-025



TYPE: Ram

MODEL: 2500 HD **YEAR:** 2009 on

DETAIL: Coil Spring Rear, 4x4



	FRONT	PART NUMBER	PRICE		REAR	QTY	PART NUMBER	PRICE
	COIL SPRING		1		COIL SPRING			
	Linear Rate Raised Height (50mm Lift) Comfort Option Up to 80Kg Accessories	1 C16-026	D	RAAAAAAA	Linear Rate Raised Height (50mm Lift) Up to 100Kg Constant Load	1	C16-027T	D
IWWWWW	Linear Rate Raised Height (50mm Lift) Heavy Duty		E	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Linear Rate Raised Height (50mm Lift) Heavy Duty 300-500Kg Constant Load	1	C16-029T	E
	100 Zoong Accessories	1 010 020	_		SHOCK ABSORBE	Б		1
	SHOCK ABSORBI	ER			SHOCK ADSORDE			
	Heavy Duty Twin Tube Gas	2 GS16-300			Heavy Duty Twin Tube Gas	2	GS16-301	



TYPE: Courier / Ranger

MODEL: U.F.S, PC/PH 4.0L V6

YEAR: 1987 - 11/2006

DETAIL: Pickup/Dual Cab (Mazda Proceed, Ranger 2000)



					, , , , , , , , , , , , , , , , , , ,	,			
	FRONT	QTY	PART NUMBER	PRICE		REAR	QTY	PART NUMBER	PRICE
	TORSION BAR					LEAF SPRING			
=	Heavy Duty Rate Increased Length 926mm	1	TB39-1546		0 0	5 + 2 Leaves Raised Height (35mm Lift) Up to 100Kg Constant Load	2	MAZ-003-R	
	SHOCK ABSORB		GS19-082P			6 + 2 Leaves Heavy Duty Raised Height (35mm Lift) 200Kg Constant Load	2	B2600-4X4-R	
					1	SHACKLE BUSH K	777		
					OLI	Kit Contains: 2 x SPF311 4 x SPF502		PB39-1058K	
						U-BOLT KIT			
						Kit Contains: 2 x UB59-453-3	2	UB59-453-3K	
						SHOCK ABSORBI	ĒR		
					•	Heavy Duty Twin Tube Gas		GS19-081T	
						SHACKLE KIT			
					***** 1	Greasable: Fit in Pairs	2	SK59-010	



TYPE: Ranger (Series I)

MODEL: PJ, PK

YEAR: 2007 - 08/2011

DETAIL: Pickup/Dual Cab (Mazda) Suspension Fits 4x4 & 4x2 Highrider




		Suspensi	on Fits 4x4 & 4x2 Highrider		
FRONT	≥ PART NUMBER	PRICE	REAR	≥ PART O NUMBER	PRICE
TORSION BAR	O ROMBER		LEAF SPRING	O NOMBER	
Heavy Duty			3 + 2 Leaves		
Rate Increased Length 1024mm x 27mm	1 TB39-1551		Medium Duty Raised Height (40mm Lift)		
NOTE: For Latin American Models Check the Ol	E Torsion Bar Len	igth Before		2 L39-030-R	
Ordering, as there are Some Models with a	926mm Long Tors	sion Bar	4 + 2 Leaves Heavy Duty		
Heavy Duty Rate Increased			Raised Height (45mm Lift)		
Length 926mm	1 TB39-1546			2 L39-031-R	
SHOCK ABSORBE	P		5 + 2 Leaves Super Heavy Duty		
SHOCK ABSORDE	K		Raised Height (40mm Lift) 420Kg Constant Load	2 1 30-032-D	
Heavy Duty Twin Tube Gas	2 GS19-082P		420kg Collstant Load	2 L39-U32-K	
			SHACKLE BUSH KI	П	ì
			Kit Contains:		
			2 x PB59-1503 4 x SPF502		
				1 PB39-1056K	
					1
			U-BOLT KIT Kit Contains:		
			2 x UB21-466	2 UB21-466K	
					1
			SHOCK ABSORBE	R	
			Heavy Duty Twin Tube Gas	2 GS19-081T	
			SHACKLE		
			Greasable: Fit in Pairs	2 SVE0-010	
			Greasable. Tit iii Tairs	2 3839-010	
			PIN	(1
			Greasable: Fit in Pairs	2 SP59-060	
			Greasable. The in Tail's	2 31 33 000	



TYPE: Ranger T6

MODEL: PX / T6

YEAR: 08/2011 on



			·	well Bac
	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING All 2.2L Engines 4x2 Highrider	&		
	Linear Rate Raised Height (40mm Lift) Comfort Option (Reduced Rate) 50-90Kg Accessories	1	C19-428	В
I	Linear Rate Raised Height (40mm Lift) No Accessories	1	C19-420	В
	Linear Rate Raised Height (40mm Lift) 50-90Kg Accessories	1	C19-422	В
	All 3.2L Engine 4x	45		
	Linear Rate Raised Height (35mm Lift) Comfort Option (Reduced Rate) 50-90Kg Accessories	1	C19-428	В
	Linear Rate Raised Height (40mm Lift) No Accessories		C19-422	В
MWWWI	Linear Rate Raised Height (40mm Lift) 50-90Kg Accessories	1	C19-424	В
	Linear Rate Raised Height (55mm Lift) No Accessories	1	C19-424	В
	Linear Rate Raised Height (55mm Lift) 50-100Kg Accessories	1	C19-474	В
	SHOCK ABSORBE	R		
-	Heavy Duty Twin Tube Gas	2	GS19-092	
• =	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of			
	X = 190mm/7.48" (X - Centre of Eye to Spring Seat)	2	MR19-50092	
	STRUT CAP			
	Strut Top Caps	2	SC19-009	

		>	PART	
	REAR	QT	NUMBER	PRICE
	LEAF SPRING			
	3 + 3 Leaves Medium Duty Raised Height (40mm Lift) Up to 100Kg Constant Load	2	L19-131-R	
	4 + 3 Leaves Heavy Duty Raised Height (40mm Lift) 280Kg Constant Load (Recommended)	2	L19-132-R	
م	5 + 3 Leaves Super Heavy Duty Raised Height (40mm Lift)			
	500Kg Constant Load 3+1 Leaves Parabolic Raised Height (60mm Lift)		L19-133-R L19-135-RP	
	3+1 Leaves Parabolic Raised Height (50mm Lift)	۷	L19-133-RF	
	150Kg Constant Load Comfort Option	2	L19-135-RP	
	TAILSHAFT SPACER	K	T	
	oft Centre Bearing Spacer Kit Reduce Driveline Vibration in Lifted Vehicles	1	WA19-526K	
	CHACKLE BUCH K			
	SHACKLE BUSH K Kit Contains:	-		
	2 x PB19-1523			
	4 x PB19-1524 4 x PB19-1525	1	PB19-1104K	
	U-BOLT KIT			
	Kit Contains: 2 x UB21-466	2	UB21-466K	
	SHOCK ABSORBE	R		
•	Heavy Duty Twin Tube Gas	2	GS19-081T	
•	Monotube Remote Reservoir Shock Heavy Duty	2	MR19-50081T	
	SHACKLE			
الأعلى والماء	SHACKLE			
ななこ	Greasable: Fit in Pairs	2	SK19-058	
	PIN			
•+-	Greasable: Fit in Pairs	2	SP59-060	
ı				



TYPE: Ranger (Series II)

MODEL: PX / T6

YEAR: 08/2011 on



	FRONT	QTY	PART NUMBER	PRICE	REAR	≥ PART O NUMBER	PRICE
	COIL SPRING				PARABOLIC LEAF SP	RING	
	All 2.2L Engines	Ω.					
	4x2 Highrider	Œ			3 + 1 Leaves Raised Height (60mm Lift)	2 L19-135-RP	
M	Linear Rate Raised Height (3" Lift) All 3.2L Engine 4>		C19-442	В	3 + 1 Leaves Raised Height (3" Lift)	2 L19-139-RP	
	Linear Rate	. 73			TAILSHAFT SPACER	KIT	
	Raised Height (3" Lift)						
MWWWW	Linear Rate	1	C19-458	В	Tailshaft Centre Bearing Spacer Kit Helps to Reduce Driveline Vibration in Lifted Vehicles	1 WA19-526K	
	Raised Height (3" Lift) 50-100Kg Accessories	1	C19-476	В			
					SHACKLE BUSH K	IT	
	SHOCK ABSORBE	ER			Kit Contains: 2 x PB19-1523		
o 	Heavy Duty Twin Tube Gas	2	GS19-092		4 x PB19-1524	1 PB19-1104K	
	Monotube Remote Reservoir Adjustable Spring Seat				U-BOLT KIT		
	Heavy Duty Original Setting of				Kit Contains:		
	X = 190 mm / 7.48'' X = Centre of Eye to Spring	_	MD10 F0003			2 UB21-466K	
	Seat	2	MR19-50092		SHOCK ABSORBE	R	
	STRUT CAP			ì			
:E: 0		_			Heavy Duty Twin Tube Gas	2 GS19-081T	
	Strut Top Caps	2	SC19-009		Monotube Remote Reservoir Shock Heavy Duty	2 MR19-50081T	
					SHACKLE		
1							
					Greasable: Fit in Pairs	2 SK19-058	
					90 ℃ 1	2 SK19-058	
					Greasable: Fit in Pairs		
					Greasable: Fit in Pairs PIN	2 SP59-060	
					Greasable: Fit in Pairs PIN Greasable: Fit in Pairs	2 SP59-060 G 50MM (2")	use only.
					Greasable: Fit in Pairs PIN Greasable: Fit in Pairs WARNING - LIFTS EXCEEDIN The suspension components listed on this page - Refer to Local Laws before Fitting to - An Engineering Certificate may be resulted.	2 SP59-060 G 50MM (2") ge are for off-road o Registered/Road equired	Vehicles
					Greasable: Fit in Pairs PIN Greasable: Fit in Pairs WARNING - LIFTS EXCEEDIN The suspension components listed on this page - Refer to Local Laws before Fitting to	2 SP59-060 IG 50MM (2") ge are for off-road of Registered/Road equired sh on Lifts Above ! d to) need to be re	Vehicles 50mm (2")
					Greasable: Fit in Pairs PIN Greasable: Fit in Pairs WARNING - LIFTS EXCEEDIN The suspension components listed on this page of the suspension components listed on the suspension components listed on this page of the suspension components listed on the suspension components liste	2 SP59-060 G 50MM (2") ge are for off-road o Registered/Road equired sh on Lifts Above! d to) need to be r is fitted Gear Box & D Modifications	Vehicles 50mm (2") made to rive Line
					Greasable: Fit in Pairs PIN Greasable: Fit in Pairs WARNING - LIFTS EXCEEDIN The suspension components listed on this page - Refer to Local Laws before Fitting to - An Engineering Certificate may be r - Handling Characteristics will Diminis The following modifications (but not limite the vehicle before the kit - Diff Drop Kits - Upper Control Arms - Brake Hoses	2 SP59-060 G 50MM (2") ge are for off-road Registered/Road equired sh on Lifts Above! d to) need to be r is fitted. - Gear Box & D Modifications - Steering Arm	Vehicles 50mm (2") made to rive Line s
					Greasable: Fit in Pairs PIN Greasable: Fit in Pairs WARNING - LIFTS EXCEEDIN The suspension components listed on this page - Refer to Local Laws before Fitting to - An Engineering Certificate may be reduced the Handling Characteristics will Diminist The following modifications (but not limite the vehicle before the kit) - Diff Drop Kits - Upper Control Arms - Brake Hoses - Extended Bump Stops Dobinsons Spring & Suspension do not a for injury caused to person or property	2 SP59-060 G 50MM (2") ge are for off-road o Registered/Road equired sh on Lifts Above ! d to) need to be r is fitted. - Gear Box & D Modifications - Steering Arm - Swaybar Mod ccept any respon	Vehicles 50mm (2") made to rive Line s ification sibility
					Greasable: Fit in Pairs PIN Greasable: Fit in Pairs WARNING - LIFTS EXCEEDIN The suspension components listed on this page - Refer to Local Laws before Fitting to - An Engineering Certificate may be r - Handling Characteristics will Diminis The following modifications (but not limite the vehicle before the kit) Diff Drop Kits - Upper Control Arms - Brake Hoses - Extended Bump Stops Dobinsons Spring & Suspension do not a for injury caused to person or property products listed on this	2 SP59-060 G 50MM (2") ge are for off-road o Registered/Road equired sh on Lifts Above ! d to) need to be r is fitted. - Gear Box & D Modifications - Steering Arm - Swaybar Mod ccept any responthrough the use page.	Vehicles 50mm (2") made to rive Line s ification sibility of the
					Greasable: Fit in Pairs PIN Greasable: Fit in Pairs WARNING - LIFTS EXCEEDIN The suspension components listed on this page - Refer to Local Laws before Fitting to - An Engineering Certificate may be reduced the Handling Characteristics will Diminist The following modifications (but not limite the vehicle before the kit) - Diff Drop Kits - Upper Control Arms - Brake Hoses - Extended Bump Stops Dobinsons Spring & Suspension do not a for injury caused to person or property	2 SP59-060 G 50MM (2") ge are for off-road o Registered/Road equired sh on Lifts Above ! d to) need to be r is fitted. - Gear Box & D Modifications - Steering Arm - Swaybar Mod ccept any responthrough the use page.	Vehicles 50mm (2") made to rive Line s ification sibility of the
					Greasable: Fit in Pairs PIN Greasable: Fit in Pairs WARNING - LIFTS EXCEEDIN The suspension components listed on this page - Refer to Local Laws before Fitting to - An Engineering Certificate may be r - Handling Characteristics will Diminis The following modifications (but not limite the vehicle before the kit) Diff Drop Kits - Upper Control Arms - Brake Hoses - Extended Bump Stops Dobinsons Spring & Suspension do not a for injury caused to person or property products listed on this	2 SP59-060 G 50MM (2") ge are for off-road o Registered/Road equired sh on Lifts Above ! d to) need to be r is fitted. - Gear Box & D Modifications - Steering Arm - Swaybar Mod ccept any responthrough the use page.	Vehicles 50mm (2") made to rive Line s ification sibility of the
					Greasable: Fit in Pairs PIN Greasable: Fit in Pairs WARNING - LIFTS EXCEEDIN The suspension components listed on this page - Refer to Local Laws before Fitting to - An Engineering Certificate may be r - Handling Characteristics will Diminis The following modifications (but not limite the vehicle before the kit) Diff Drop Kits - Upper Control Arms - Brake Hoses - Extended Bump Stops Dobinsons Spring & Suspension do not a for injury caused to person or property products listed on this	2 SP59-060 G 50MM (2") ge are for off-road o Registered/Road equired sh on Lifts Above ! d to) need to be r is fitted. - Gear Box & D Modifications - Steering Arm - Swaybar Mod ccept any responthrough the use page.	Vehicles 50mm (2") made to rive Line s ification sibility of the
					Greasable: Fit in Pairs PIN Greasable: Fit in Pairs WARNING - LIFTS EXCEEDIN The suspension components listed on this page - Refer to Local Laws before Fitting to - An Engineering Certificate may be r - Handling Characteristics will Diminis The following modifications (but not limite the vehicle before the kit) Diff Drop Kits - Upper Control Arms - Brake Hoses - Extended Bump Stops Dobinsons Spring & Suspension do not a for injury caused to person or property products listed on this	2 SP59-060 G 50MM (2") ge are for off-road o Registered/Road equired sh on Lifts Above ! d to) need to be r is fitted. - Gear Box & D Modifications - Steering Arm - Swaybar Mod ccept any responthrough the use page.	Vehicles 50mm (2") made to rive Line s ification sibility of the
					Greasable: Fit in Pairs PIN Greasable: Fit in Pairs WARNING - LIFTS EXCEEDIN The suspension components listed on this page - Refer to Local Laws before Fitting to - An Engineering Certificate may be r - Handling Characteristics will Diminis The following modifications (but not limite the vehicle before the kit) Diff Drop Kits - Upper Control Arms - Brake Hoses - Extended Bump Stops Dobinsons Spring & Suspension do not a for injury caused to person or property products listed on this	2 SP59-060 G 50MM (2") ge are for off-road o Registered/Road equired sh on Lifts Above ! d to) need to be r is fitted. - Gear Box & D Modifications - Steering Arm - Swaybar Mod ccept any responthrough the use page.	Vehicles 50mm (2") made to rive Line s ification sibility of the



TYPE: Maverick

MODEL: Y60

YEAR: 1988 - 1994

DETAIL: Station Wagon, SWB & LWB Australia



FRONT	Ł	PART	PRICE
	O	NUMBER	
	ı		
Linear Rate Standard Height	1	C45-092	В
Linear Rate Raised Height (40mm Lift)	1	C45-094	В
Variable Rate Raised Height (40mm Lift)	1	C45-096V	В
Raised Height (50mm Lift) 50-80Kg Accessories (Bullbar OR Winch)	1	C45-102	В
Linear Rate Raised Height (75mm Lift)	1	C45-108	В
Suits 4.2L Petrol & 2	.8L	TD	
Linear Rate Standard Height	1	C45-098	В
Raised Height (45mm Lift) Up to 50Kg Accessories (Bullbar OR Winch)	1	C45-102	В
Linear Rate Raised Height (75mm Lift)	1	C45-108	В
Suits 4.2L Diese	el		
Variable Rate Raised Height (45mm Lift)	1	C45-110V	В
Linear Rate Raised Height (45mm Lift) Extra Heavy Duty 70-120Kg Accessories (Bullbar AND Winch)	1	C45-104	В
Linear Rate Raised Height (75mm Lift) Heavy Duty 60-110Kg Accessories (Bullbar AND Winch)	1	C45-108	В
SHOCK ARSODRE	ь		
		GS45-114	
Heavy Duty Monotube Remote Reservoir	2	MR45-60114	
Heavy Duty (Big Bore)		CD 45 CC 4	
	1	SD45-834	
Complete with Fittings 08/1989 on	_		
, ,	•		
08/1989 on		SD45-836	
08/1989 on Heavy Duty (Big Bore)	1	SD45-836	
08/1989 on Heavy Duty (Big Bore) Complete with Fittings	1 AT	SD45-836 RS45-4026	
08/1989 on Heavy Duty (Big Bore) Complete with Fittings	1 AT 2	RS45-4026	
08/1989 on Heavy Duty (Big Bore) Complete with Fittings RUBBER COIL SE ment upper rubber coil seat	1 AT 2	RS45-4026	
	Linear Rate Standard Height Linear Rate Raised Height (40mm Lift) Variable Rate Raised Height (50mm Lift) Linear Rate Raised Height (50mm Lift) 50-80Kg Accessories (Bullbar OR Winch) Linear Rate Raised Height (75mm Lift) Suits 4.2L Petrol & 2 Linear Rate Standard Height Linear Rate Raised Height (45mm Lift) Up to 50Kg Accessories (Bullbar OR Winch) Linear Rate Raised Height (75mm Lift) Suits 4.2L Diese Variable Rate Raised Height (45mm Lift) Linear Rate Raised Height (45mm Lift) Suits 4.2L Diese Variable Rate Raised Height (45mm Lift) Extra Heavy Duty 70-120Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (75mm Lift) Heavy Duty 60-110Kg Accessories (Bullbar AND Winch) SHOCK ABSORBE Heavy Duty Twin Tube Gas Heavy Duty Monotube Remote Reservoir	COIL SPRING Suits 3.0L Petrol Linear Rate Standard Height 1 Linear Rate Raised Height (40mm Lift) 1 Variable Rate Raised Height (50mm Lift) 1 Linear Rate Raised Height (50mm Lift) 50-80Kg Accessories (Bullbar OR Winch) 1 Linear Rate Raised Height (75mm Lift) 1 Suits 4.2L Petrol & 2.8L Linear Rate Standard Height 1 Linear Rate Raised Height (45mm Lift) Up to 50Kg Accessories (Bullbar OR Winch) 1 Linear Rate Raised Height (75mm Lift) Up to 50Kg Accessories (Bullbar OR Winch) 1 Linear Rate Raised Height (75mm Lift) 1 Suits 4.2L Diesel Variable Rate Raised Height (45mm Lift) 1 Linear Rate Raised Height (45mm Lift) 1 Linear Rate Raised Height (45mm Lift) 1 Linear Rate Raised Height (75mm Lift) 1 Extra Heavy Duty 70-120Kg Accessories (Bullbar AND Winch) 1 Linear Rate Raised Height (75mm Lift) Heavy Duty 60-110Kg Accessories (Bullbar AND Winch) 1 SHOCK ABSORBER Heavy Duty Twin Tube Gas 2 Heavy Duty Twin Tube Gas 2 Heavy Duty Monotube Remote Reservoir 2	COIL SPRING Suits 3.0L Petrol Linear Rate Standard Height Linear Rate Raised Height (40mm Lift) Variable Rate Raised Height (50mm Lift) 50-80KG Accessories (Bullbar OR Winch) Linear Rate Raised Height (75mm Lift) Suits 4.2L Petrol & 2.8L TD Linear Rate Raised Height (45mm Lift) Up to 50KG Accessories (Bullbar OR Winch) Linear Rate Raised Height (45mm Lift) Up to 50KG Accessories (Bullbar OR Winch) Linear Rate Raised Height (75mm Lift) Up to 50KG Accessories (Bullbar OR Winch) Linear Rate Raised Height (75mm Lift) Up to 50KG Accessories (Bullbar AND Winch) Linear Rate Raised Height (45mm Lift) Extra Heavy Duty 70-120KG Accessories (Bullbar AND Winch) Linear Rate Raised Height (75mm Lift) Heavy Duty 60-110Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (75mm Lift) Heavy Duty 60-110Kg Accessories (Bullbar AND Winch) 1 C45-108 SHOCK ABSORBER Heavy Duty Twin Tube Gas Heavy Duty Twin Tube Gas Heavy Duty Monotube Remote Reservoir 2 MR45-60114

	REAR	Σ	PART	PRICE
	COIL SPRING	TO	NUMBER	
	Linear Rate Standard Height	1	C45-323	В
	Linear Rate Raised Height (45mm Lift)	1	C45-103	В
	Variable Rate Raised Height (45mm Lift) Up to 100Kg Constant Load	1	C45-111VT	В
	Variable Rate Standard Height (10mm Lift) Extra Heavy Duty Medium Load	1	C45-145VT	С
 	Variable Rate Raised Height Extra Heavy Duty	1	C45-115VT	С
	Linear Rate Raised Height (50mm Lift) 250Kg Constant Load	1	C45-129	В
	Linear Rate Raised Height (75mm Lift) No Load	1	C45-129	В
	Linear Rate Raised Height (75mm Lift) 350Kg Constant Load 1	1	C45-309T	С
	Linear Rate Raised Height (45mm Lift) Extra Heavy Duty 450Kg Constant Load	1	C45-105T	С
	SHOCK ABSORBI	E D		1
			0045 445	
•	Heavy Duty Twin Tube Gas Extra Heavy Duty	2	GS45-115	
	Twin Tube Gas For Loaded Vehicles	2	GS59-703	
	Harrison Broker Managerilan			
•	Heavy Duty Monotube Remote Reservoir	2	MR45-60115	
	Remote Reservoir		MR45-60115	
Repla			MR45-60115 RS45-4027	
Repla	Remote Reservoir RUBBER COIL SE cement upper rubber coil seat	AT 2	RS45-4027	
·	Remote Reservoir RUBBER COIL SE cement upper rubber coil seat UNDER BODY BUSH Kit Includes Front & Rear Unde	AT 2 KI r Bo	RS45-4027	2000 on
·	Remote Reservoir RUBBER COIL SE cement upper rubber coil seat UNDER BODY BUSH	AT 2 KI r Bo	RS45-4027	2000 on
*Excludes	Remote Reservoir RUBBER COIL SE cement upper rubber coil seat UNDER BODY BUSH Kit Includes Front & Rear Unde Spherical Panhard Rod Bush for Pre 1989 at Radius Arm to Chassis Bush Front Radius Arm to Diff Bush 2 x Front Panhard Rod Bush	AT 2 KI r Bo	RS45-4027	2000 on
*Excludes	Remote Reservoir RUBBER COIL SE cement upper rubber coil seat UNDER BODY BUSH Kit Includes Front & Rear Unde Spherical Panhard Rod Bush for Pre 1989 nt Radius Arm to Chassis Bush Front Radius Arm to Diff Bush	AT 2 I KI I Bo	RS45-4027	2000 on
*Excludes	Remote Reservoir RUBBER COIL SE cement upper rubber coil seat UNDER BODY BUSH Kit Includes Front & Rear Unde Spherical Panhard Rod Bush for Pre 1989 It Radius Arm to Chassis Bush Front Radius Arm to Diff Bush 2 x Front Panhard Rod Bush 2 x Rear Panhard Rod Bush 8 x Rear Trailing Arm Bush	AT 2 I KI I Bo	RS45-4027 iT dy Bushes gon Models 02/2	2000 on
*Excludes 4 x Fror 4 x 4 x Fror 4 x 4 x Fror 4 x	Remote Reservoir RUBBER COIL SE cement upper rubber coil seat UNDER BODY BUSH Kit Includes Front & Rear Unde Spherical Panhard Rod Bush for Pre 1989 nt Radius Arm to Chassis Bush Front Radius Arm to Diff Bush 2 x Front Panhard Rod Bush 2 x Rear Panhard Rod Bush	AT 2 KI	RS45-4027 iT dy Bushes gon Models 02/2	2000 on
*Excludes 4 x Fror 4 x 4 x Fror 4 x 4 x Fror 4 x	Remote Reservoir RUBBER COIL SE cement upper rubber coil seat UNDER BODY BUSH Kit Includes Front & Rear Unde Spherical Panhard Rod Bush for Pre 1989 Int Radius Arm to Chassis Bush Front Radius Arm to Diff Bush 2 x Front Panhard Rod Bush 2 x Rear Panhard Rod Bush 8 x Rear Trailing Arm Bush 1989 on Int Radius Arm to Chassis Bush Front Radius Arm to Diff Bush Front Radius Arm to Diff Bush Front Radius Arm to Diff Bush Front & Rear Panhard Rod Bush	AT 2 KI r Bo Wag	RS45-4027 AT Ody Bushes gon Models 02/2 PB45-1231K	2000 on
*Excludes 4 x Fror 4 x 4 x Fror 4 x 4 x Fror 4 x	Remote Reservoir RUBBER COIL SE cement upper rubber coil seat UNDER BODY BUSH Kit Includes Front & Rear Unde Spherical Panhard Rod Bush for Pre 1989 It Radius Arm to Chassis Bush Front Radius Arm to Diff Bush 2 x Feont Panhard Rod Bush 2 x Rear Panhard Rod Bush 8 x Rear Trailing Arm Bush 1989 on It Radius Arm to Chassis Bush Front Radius Arm to Diff Bush Front Radius Arm to Diff Bush Front Radius Arm to Diff Bush Front & Rear Panhard Rod Bush per & Lower Trailing Arm Bush	AT 2 KI r Bo Wag	RS45-4027 AT Ody Bushes gon Models 02/2 PB45-1231K	2000 on
*Excludes 4 x Fror 4 x 4 x Fror 4 x 4 x Fror 4 x	Remote Reservoir RUBBER COIL SE cement upper rubber coil seat UNDER BODY BUSH Kit Includes Front & Rear Unde Spherical Panhard Rod Bush for Pre 1989 It Radius Arm to Chassis Bush Front Radius Arm to Diff Bush 2 x Feont Panhard Rod Bush 2 x Rear Panhard Rod Bush 8 x Rear Trailing Arm Bush 1989 on It Radius Arm to Chassis Bush Front Radius Arm to Diff Bush Front Radius Arm to Diff Bush Front Radius Arm to Diff Bush Front & Rear Panhard Rod Bush per & Lower Trailing Arm Bush	AT 2 KI r Bo Wag	RS45-4027 AT Ody Bushes gon Models 02/2 PB45-1231K	2000 on



TYPE: Maverick

MODEL: Y60

YEAR: 1988 - 1994

DETAIL: Station Wagon, SWB & LWB Australia



FRONT

PART NUMBER

PRICE

REAR

PART NUMBER

PRICE

CONTINUED FROM PREVIOUS PAGE

PANHARD ROD BUSH

Does Not Fit OE

Upper/Chassis Bush 1 RB45-6025

Does Not Fit OE

Lower/Diff Bush 1 RB45-6027

RADIUS ARM BUSH

0 Degree Standard Radius Arm Bush Kit Arm to Diff

4 x Rubber Bushes 1 RB59-536K

Arm to Chassis Bush Kit

1 RB45-535K 4 x Rubber Bushes

CASTOR ADJUSTMENT PART

Adjustable Front Radius Arm Castor Kit

Angle Settings: ±0°, ±2.5° or ±3.5° 4 x Polyurethane Eccentric Bushes

1 PB59-503K

Fixed Rubber Front Radius Arm Castor Kit Angle Setting: ±2.5°

4 x Rubber Eccentric Bushes 1 RB59-522K

Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.

DRAGLINK

38mm Solid Adjustable 1 SA45-1422

SWAYBAR EXTENSION

Adjustable Swaybar Extensions

Suits 2" - 6" Lift 2 **SE45-520**

GEARBOX SPACER KIT

Drive Line Vibration May Occur with Raised Suspension. To Reduce Vibration We

Recommend Fitting the Above Kit. 1 TC45-001K

COIL SPACER

2 **PS45-4010** 15mm

30mm 2 **PS45-4011**

BUMP STOP

Adjustable Soft-hit bump stop (Suits 0-56mm extension)

2 BS45-528

ALIGNMENT PART

CONTINUED FROM PREVIOUS PAGE

Adjustable Swaybar Extension

Suits 2" - 6" Lift

Stem Upper/Right Angle Lower Joint 1* SE45-520

Adjustable Swaybar Extension

Suits 2" - 6" Lift

Right Angle Upper/Right Angle Lower Joint 1* **SE45-521**

*Check Swaybar Link Configuration - Some Vehicles Require 2 of the Same Swaybar and Other Vehicles Require 1 of Each Swaybar

BUMP STOP

Adjustable Soft-hit bump stop

(Suits 0-56mm extension)

2 BS45-529

BRAKE ADJUSTER

Recommended when Raising Vehicle Suits 2" - 6" Lift

1 BA45-005

COIL SPACER

15mm 2 **PS45-4012**

30mm 2 **PS45-4013**



TYPE: Maverick

MODEL: Y60

YEAR: 1988 - 1994

DETAIL: Pickup/Ute Leaf Spring Suspension



	FRONT	QTY	PART NUMBER	PRICE
	LEAF SPRING			
	7 Leaves Raised Height (45mm Lift) No Accessories	2	Y60-7L-F	
	8 Leaves Raised Height (45mm Lift) 50-100Kg Accessories (Bullbar AND Winch) Heavy Duty (Recommended)	2	Y60-8L-F	
	, , , , , , , , , , , , , , , , , , , ,			
	SHACKLE BUSH K	П		
	Kit Contains:			
OLI	8 x SPF2260 4 x SPF2270	1	PB45-1018K	
	U-BOLT KIT			
	Kit Contains:			
	2 x UB45-669		UB45-669K	1
	SHOCK ABSORBE	R		
-	Heavy Duty Twin Tube Gas	2	GS45-640	
	STEERING DAMP	ER		}
•	Heavy Duty -		SD45-022	
	SHACKLE	1		
	Greasable: Fit in Pairs Right Hand Side			
# 6	(Anti-Reverse)	1	SK59-048	
	Left Hand Side (Anti-Reverse)	1	SK59-047	
# 1	Greasable: Fit in Pairs	2	SK59-019	
	PIN			
4	Greasable: Fit in Pairs	2	SP45-026	

y Suspensi	OH			
	REAR	QTY	PART NUMBER	PRICE
	LEAF SPRING		HOHIDER	
	5 + 2 Leaves Raised Height (50mm Lift)	1	Y60-5+2-R RH	
	Up to 150Kg Constant Load	1	Y60-5+2-R LH	
	6 + 2 Leaves Raised Height (50mm Lift) 300Kg Constant Load	1	Y60-6+2-R RH	
	Heavy Duty (Recommended)	1	Y60-6+2-R LH	
	7 + 2 Leaves Raised Height (50mm Lift)	1	Y60-7+2-R RH	
	500Kg Constant Load	1	Y60-7+2-R LH	
	SHACKLE BUSH K	Ш		
	Kit Contains:			
OLI	12 x SPF2260	1	PB59-1019K	
	U-BOLT KIT			
<u> </u>	Kit Contains:			
j	2 x UB45-670-1	2	UB45-670-1K	
	SHOCK ABSORBE	R		
·	Heavy Duty Twin Tube Gas (Big Bore)	2	GS45-125	
	SHACKLE			
	Greasable: Fit in Pairs			
# •	Right Hand Side (Anti-Reverse)	1	SK59-048	
	Left Hand Side (Anti-Reverse)	1	SK59-047	
# I	Greasable: Fit in Pairs	2	SK59-019	
	PIN			
♣ ₩	Greasable: Fit in Pairs	2	SP45-026	



TYPE: 'F' Series

MODEL: F150

013



-			YEAR: DETAIL:	2009 - 20 4x4
	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
M	Linear Rate Raised Height (60mm Lift) Linear Rate	1	C19-292	С
IVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVV	Raised Height (60mm Lift) Up to 80Kg Accessories (Bullbar AND Winch)	1	C19-286	С
1	SHOCK ABSORBE	R		1
	SHOCKADSONDI			
	Heavy Duty Twin Tube Gas	2	GS19-032	

	REAR	QTY	PART NUMBER	PRICE
	LEAF SPRING			
	2 + 2 Leaves Raised Height (50mm Lift)	2	L19-8187-R	
0		2	L19-010/-R	
	3 + 2 Leaves Heavy Duty			
	Raised Height (75mm Lift)	2	L19-8188-R	
When Fitting th	ne Above Springs, Larger U-Bo	lts a	re Required. Th	ne OE Coil
	ock can be Removed to Reduce			
1				
	SHACKLE BUSH R	111		
	Kit Contains:			
	2 x PB19-1545			
	2 x PB19-1546 2 x PB19-1547	1	PB19-1106K	
	2 X 1 2 2 3 1 0 1 1	_	1222 220010	
1	U-BOLT KIT			1
	Kit Contains:			
<u> </u>	2 x UB19-921	2	UB19-921K	
	SHOCK ABSORB	ĒR		
	Heavy Duty Hydraulic	2	TS90-314	



TYPE: 'F' Series **MODEL:** F250 4x4

YEAR: 2001 - 11/2006

DETAIL: 4.2L 6 Cyl Turbo Diesel, 7.3L Diesel



PRICE

FRONT	QTY	PART NUMBER	PRICE	REAR &	PART NUMBER	PR
LEAF SPRING				LEAF SPRING		
7.3L Turbo Diese Raised Height (50mm Lift) 6 Leaf Multi Leaf Spring		FORD-010-F LH		4 + 2 Leaves Raised Height (50mm Lift) Up to 100Kg Constant Load 2	FORD-014-R	
Replaces 2 Leaf Parabolic		FORD-010-F RH		5 + 2 Leaves Heavy Duty Raised Height (50mm Lift)		
4.2L Turbo Diese	ı			300Kg Constant Load 2		
Raised Height (50mm Lift) 5 Leaf Multi Leaf Spring	1			When Fitting the Above Springs, Longer U-E	Bolts are Require	ed.
Replaces 2 Leaf Parabolic	1	FORD-011-F RH		SHACKLE BUSH KIT		
When Fitting the Above Springs, U-Bolt Pa Must be Fitted.			921K	Front of Front 2 Rear of Front 2		
			Y			
SHACKLE BUSH K		DD40.4=0.4		U-BOLT KIT		
Front of Front Rear of Front				Kit Contains: 2 x UB19-922 2	UB19-922K	
U-BOLT KIT				SHOCK ABSORBER		
Kit Contains:				Heavy Duty Twin Tube Gas 4	GS45-01FA	
2 x UB19-921	2	UB19-921K		neavy Duty Iwin Tube Gas 4	G343-915A	
SHOCK ABSORBE	R					
Heavy Duty Twin Tube Gas	2	GS59-651A				
AIR BAG KIT			1			
Bellows Type	1	RR4557				
ADJUSTABLE PANHAR	D F	ROD				
Complete with Bushes	1	PR19-1400				
Complete with busiles		1700				



TYPE: 'F' Series **MODEL:** F250 4x4

YEAR: 2009 - 2014

DETAIL: Single & Dual Cab, Super Duty



	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Petrol			
	Linear Rate Raised Height (95mm Lift) Comfort Option Up to 80Kg Accessories (Bullbar AND Winch)	1	C19-346	С
	Linear Rate Raised Height (85mm Lift) 80-170Kg Accessories (Bullbar AND Winch)	1	C19-342	С
	Diesel			
	Linear Rate Raised Height (60mm Lift) Comfort Option Up to 80Kg Accessories (Bullbar AND Winch)	1	C19-342	С
MWWW	Linear Rate Raised Height (60mm Lift) Up to 80Kg Accessories (Bullbar AND Winch)	1	C19-322	D
	Linear Rate Raised Height (60mm Lift) 80-170Kg Accessories (Bullbar AND Winch)	1	C19-324	E
	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas	2	GS43-784	
	Will Only Suit 60mm	Lift		

	DEAD	>	PART	PRIOR
	REAR	6	NUMBER	PRICE
	LEAF SPRING			
مے	3 + 2 Leaves Raised Height (75mm Lift) Heavy Duty	2	L19-8169-R	
	Fit OE U-Bolt Cap to this	Sp	ring	
	SHACKLE BUSH K	ΙT		
	Rear of Rear	2	PB19-1505	
	Shackle	2	PB19-1505	
	U-BOLT KIT			
Ü	Kit Contains: 2 x UB19-5061	2	UB19-5061K	
	GUAGY ADGADA			
	SHOCK ABSORBE	ĸ		
	Heavy Duty Hydraulic	2	TS90-314	
V	VARNING - 75MM (3") OR H	110	HER LIFT	
The suspension	n components listed on this pa	ge a	are for off-road	use only.
CAUTION - An Er	r to Local Laws before Fitting to ngineering Certificate may be r Iling Characteristics will Dimini	equ	uired	

- Adjustable Panhard Rods Modified Leading/Trailing Arms Brake Hoses
- Extended Bump Stops
- Gear Box & Drive Line Modifications
 - Steering Arms
 - Swaybar Modification

Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page.

The following modifications (but not limited to) need to be made to the vehicle before the kit is fitted.


These products do not come with any warranty or guarantee.



TYPE: 'F' Series

MODEL: F350 4x4

YEAR: 2005 - 2008



Mono Beam Front Axle with Coil Suspension Single

	FRONT	QTY	PART NUMBER	PRICE		
	COIL SPRING					
	Petrol					
*************************************	Linear Rate Raised Height (95mm Lift) Comfort Option Up to 80Kg Accessories (Bullbar AND Winch)	1	C19-346	С		
	Linear Rate Raised Height (85mm Lift) 80-170Kg Accessories (Bullbar AND Winch)	1	C19-342	С		
Diesel						
	Linear Rate Raised Height (60mm Lift) Comfort Option Up to 80Kg Accessories (Bullbar AND Winch)	1	C19-342	С		
MMMMI	Linear Rate Raised Height (60mm Lift) Up to 80Kg Accessories (Bullbar AND Winch)	1	C19-322	D		
	Linear Rate Raised Height (60mm Lift) 80-170Kg Accessories (Bullbar AND Winch)	1	C19-324	E		
	SHOCK ABSORBE	R				

Heavy Duty Twin Tube Gas 2 **GS43-784** Will Only Suit 60mm Lift

QTY	PART NUMBER	PRICE
2	FORD-021-R	
2	FORD-022-R	
2	FORD-023-R	
441		
2	PB19-1504	
2	PB19-1505	
	PB19-1505 PB19-1505	
2		
2	PB19-1505	
2 2 ER	PB19-1505	
	2 2	2 FORD-021-R 2 FORD-022-R 2 FORD-023-R

The suspension components listed on this page are for off-road use only.



- Refer to Local Laws before Fitting to Registered/Road Vehicles
- An Engineering Certificate may be required
- Handling Characteristics will Diminish on Lifts Above 50mm (2")

The following modifications (but not limited to) need to be made to the vehicle before the kit is fitted.



- Adjustable Panhard Rods Modified Leading/Trailing Arms
- Brake Hoses - Extended Bump Stops
- Gear Box & Drive Line Modifications
- Steering Arms
- Swaybar Modification

Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page.

These products do not come with any warranty or guarantee.



TYPE: Escape

MODEL: BA, ZA, ZB

YEAR: 2001 - 2012

DETAIL:



	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Suits V6 3.0L			
	Linear Rate Standard Height	1	C19-222	В
	Linear Rate Raised Height (35mm Lift) Comfort Option No Load	1	C19-266	В
MWWWW	Linear Rate Raised Height (45mm Lift) Comfort Option No Load	1	C19-264	В
	Linear Rate Raised Height (45mm Lift) Up to 50Kg Accessories	1	C19-224	В

	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Linear Rate Standard Height	1	C19-223	В
wwww	Linear Rate Raised Height (35mm Lift) Up to 100Kg Constant Load	1	C19-267	В
	Linear Rate Raised Height (50mm Lift) Up to 100Kg Constant Load	1	C19-225	В



TYPE: Everest

MODEL: UA

YEAR: 09/2015 on

DETAIL: 4x4 Solid Axle



	The state of the s				Joliu AX
	FRONT		QTY	PART NUMBER	PRICE
	C	OIL SPRING			
		4x4 2.2L			
		Linear Rate (45mm Lift) mfort Option Accessories	1	C19-420	В
	Raised Height 50-90Kg	Accessories	1	C19-422	В
		4x4 3.2L			
	(r	Linear Rate (35mm Lift) mfort Option educed rate) Accessories	1	C19-428	В
 	Raised Height N	Linear Rate (45mm Lift) o Accesories	1	C19-422	В
	Raised Height 50-90K	Linear Rate (45mm Lift) g Accesories	1	C19-424	В
1	SHO	CK ABSORBE	R		i
	Heavy Duty Tv			GS19-092	
-	Monotube Remo		_	G319-U92	
		Spring Seat			
• 	X = 1	Heavy Duty nal Setting of .90mm/7.48"		MR19-50092	
	X - Centre	of Eye to Sprii	ng S	Seat	
		STRUT CAP			
:E: 0		Strut Top Cap	2	SC19-009	

''				
Models Only	/			
	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING		NOMBER	
	4x4			
MAAAAAAAA	Variable Rate Raised Height (45mm Lift) 0-100Kg Accessories	1	C19-423V	В
IMMMMI	Variable Rate Raised Height (45mm Lift) 150-250Kg Accessories	1	C19-425V	В
	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas	2	GS19-093	



TYPE: Expedition

MODEL:

YEAR: 2008 on



a	- 6 41	b	YEAR:	2008 on
(E) =			DETAIL:	4x4 119" Wh
				119 001
	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Linear Rate Raised Height (45mm Lift) No Accessories	1	C19-430	СС
WWWW	Linear Rate Raised Height (45mm Lift) 80-100Kg Accessories			
	(Bullbar AND Winch)	1	C19-432	CC
1	SHOCK ABSORB	R		
-	Heavy Duty Twin Tube Gas	2	GS19-030	

lbase				
	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
www.w	Linear Rate Raised Height (45mm Lift)	1	C19-431	DD
/*************************************	Linear Rate Raised Height (45mm Lift) 200Kg Constant Load	1	C19-433	DD
1	SHOCK ABSORB			
		- 1\		
• •	Heavy Duty Twin Tube Gas	2	GS19-031	



TYPE: Explorer **MODEL:** U502

YEAR: 2012 on

DETAIL: AWD 3.5L, 3.7L



FRONT COIL SPRING Linear Rate Raised Height (50mm Lift) 1 C19-438 C SHOCK ABSORBER Heavy Duty Twin Tube Gas 1 GS19-035 RH	REAR COIL SPRING Linear Rate Raised Height (50mm Lift) SHOCK ABSORBER Heavy Duty Twin Tube Gas PART NUMBER PRICE PART NUMBER PRICE C19-439 C SHOCK ABSORBER
COIL SPRING Linear Rate Raised Height (50mm Lift) 1 C19-438 C SHOCK ABSORBER Heavy Duty Twin Tube Gas 1 GS19-035 RH	COIL SPRING Linear Rate Raised Height (50mm Lift) 1 C19-439 C SHOCK ABSORBER
Linear Rate Raised Height (50mm Lift) 1 C19-438 C SHOCK ABSORBER Heavy Duty Twin Tube Gas 1 GS19-035 RH	Linear Rate Raised Height (50mm Lift) 1 C19-439 C SHOCK ABSORBER
Heavy Duty Twin Tube Gas 1 GS19-035 RH	
Heavy Duty Twin Tube Gas 1 GS19-035 RH	Heavy Duty Twin Tube Gas 2 GS19-036
Heavy Duty Twin Tube Gas 1 GS19-035 LH	



TYPE: Tunland

MODEL:

YEAR: 2012 on

DETAIL: 4x4



	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
*Vehicles Fit	tted with this Part Number MUS Shock Absorber.	Τb	e Fitted with GS	59-220
	Single Cab			
	Linear Rate Standard Height	1	C59-134	В
	Linear Rate Raised Height (40mm Lift)	1	C59-296	В
MWWWW	Linear Rate Raised Height (50mm Lift)*	1	C59-300	В
	Linear Rate Raised Height (50mm Lift) 50-100Kg Accessories (Bullbar AND Winch)*	1	C59-302	В
	Dual Cab			
MAAAAAAAA	Linear Rate Raised Height (45mm Lift) Up to 75Kg Accessories (Bullbar Only)*	1	C59-302	В
I	Linear Rate Raised Height (45mm Lift) 80-120Kg Accessories (Bullbar AND Winch)*	1	C59-350	В
1	SHOCK ABSORBE	R		
• •	Heavy Duty Twin Tube Gas	2	GS59-220	
	STRUT CAP		·	
≔ 0	Strut Top Cap	2	SC59-001	

		<u>.</u>	DART	
	REAR	Ę	PART NUMBER	PRICE
	LEAF SPRING			
ВА	*It is a Requirement that the B 59-002 be fitted when using th			
	3 + 3 Leaves Raised Height (50mm Lift)			
	Medium Duty Up to 100Kg Constant Load	2	L59-040-R	
Q 0	4 + 3 Leaves Raised Height (50mm_Lift)			
	Heavy Duty 280Kg Constant Load	2	L59-041-R	
	5 + 3 Leaves Raised Height (50mm Lift) Super Heavy Duty 450Kg Constant Load	2	L59-042-R	
	.59-040-R or L59-041-R, the Lo y be Turned Upside Down to Gi	ve i	a Softer Ride.	nd Stage
	Will Reduce Load Carrying	Ca	Jacity.	
	SHACKLE BUSH K	ΙΤ		
	Kit Contains:			
OTI	2 x PB59-1501 4 x PB59-1502 4 x PB59-1503	1	PB59-1094K	
	253 1263			
	U-BOLT KIT			
	Suits: L59-040-R 2 x UB59-453-2	2	UB59-453-2K	
	Suits: L59-041-R 2 x UB59-453-2	2	UB59-453-2K	
	Suits: L59-042-R 2 x UB59-437	2	UB59-437K	
	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas Medium Load	2	GS59-649	
	Extra Heavy Duty Twin Tube Gas	_	6650 654	
	Over 350Kg Constant Load	2	GS59-651	
	BRAKE ADJUSTE	R		
	Recommended when Raising Vehicle	1	BA59-002	
	SHACKLE			1
###I	Greasable: Fit in Pairs	2	SK59-053	
	PIN			
•++	Greasable: Fit in Pairs	2	SP59-060	



TYPE: Wingle, Sailor

MODEL: V200, V240 **YEAR:** 06/2009 on

DETAIL: 4x2, 4x4 Pickup 2.4L Suspension Fits 4x2 & 4x4 Models



			Suspensi	1011 FILS 4XZ 6	t 4x4 Models			
	FRONT	PART NUMBER	PRICE		REAR	QTY	PART NUMBER	PRICE
	TORSION BAR	1 1			LEAF SPRING			
	Heavy Duty				4 + 2 Leaves			
	Rate Increased				Raised Height (50mm Lift)			
===	Length 1145mm				Softer Option			
	Check Length Before				Above Spring has a 200Kg			
	Ordering	1 TB21-1550			Reduced Carrying Capacity	2	RODE-011-R	
				م	4 + 3 Leaves			
	SHOCK ABSORBE	R			Raised Height (50mm Lift)	2	RODE-012-R	
					5 + 3 Leaves			
	Heavy Duty Twin Tube Gas	2 GS21-463			Raised Height (50mm Lift)			
	neavy Duty Twill Tube Gas	2 0321-403			150Kg Constant Load	2	RODE-013-R	
					-			
					SHACKLE BUSH K			
						**		
					Kit Contains:			
					2 x SPF972		DDE0 1000V	
					8 x SPF2231	1	PB59-1069K	
				1				
					U-BOLT KIT			
					Kit Contains:			
					2 x UB21-466	2	UB21-466K	
					SHOCK ABSORB	₽R		
					Comfort Option			
					Twin Tube Gas			
				0	Medium Load	2	GS59-649	
					Heavy Duty Twin Tube Gas	2	G559-651	
				1				
					SHACKLE			
				4 + 1				
				# 1	Greasable: Fit in Pairs	2	SK59-009	
				# 1	Greasable: Fit in Pairs	2	SK59-009	
				# 1	Greasable: Fit in Pairs	2	SK59-009	
				# 1		2	SK59-009	
				## 1				
				## 1	PIN			
				## 1	PIN			
				## 1	PIN			
				## 1	PIN			
				## I	PIN			
				## I	PIN			
				## I	PIN			
				## I	PIN			
				## I	PIN			
				## I	PIN			
				## I	PIN			
				## I	PIN			
				## 1	PIN			
				## 1	PIN			
				## 1	PIN			
				## 1	PIN			
				## 1	PIN			
				## I	PIN			
				## I	PIN			
				## 1	PIN			
				## I	PIN			
				## 1	PIN			
				## 1	PIN			
				## 1	PIN			
					PIN			
					PIN			



TYPE: Hover, Safe, Haval

MODEL: X200, X240 (Australia) H3 & H5

YEAR: 2005 on

DETAIL: TD 2.0L, Petrol 2.4L, 4x4, Rigid Axle



8		DETAIL:	1D 2.0L,
FRONT	ÓΤΥ	PART NUMBER	PRICE
TORSION BAR Heavy Duty Rate Increased Length 1145mm	1	TB21-1550	
 SHOCK ABSORBE Heavy Duty Twin Tube Gas		GS21-463	
Heavy Duty IWIII Tube Gas	۷	d321-403	

etrol 2.4L, 4	x4, Rigid Axle			
	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING Linear Rate Standard Height	1	C45-009	В
wwww	Linear Rate Raised Height (30mm Lift) Linear Rate	1	C45-091	В
	Raised (30mm Lift) 250Kg Constant Load	1	C45-089	В
1	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas		GS59-225A	

HOLD-51



TYPE: Jackaroo

MODEL: UBS 13, 16, 52 YEAR: 1982 - 10/1986

DETAIL: LWB Wagon, Isuzu-Trooper, Big Horn Up to Chassis No. 4524288



FRONT	PART NUMBER	PRICE		REAR	QTY	PART	PRICE
TORSION BAR	1 1	R		LEAF SPRING		NUMBER	
				4 + 2 Leaves			
Heavy Duty Rate Increased			0 0	Raised Height (30mm Lift)			
Length 927mm	1 TB39-1546	5		Up to 100Kg Constant Load	2	RODE-008-R	
SHOCK ABSORBI	ER			SHACKLE BUSH I	(IT		
				Kit Contains:			
Heavy Duty Twin Tube Gas	2 GS43-082	5		4 x SPF2053			
				8 x SPF2231	1	PB21-104/K	
			1				
				U-BOLT KIT			
				Kit Contains: 2 x UB45-451	2	LIDAE AE1K	
				2 X 0B43-431	2	0B45-451K	
				SHOCK ABSORB	- D		
				Comfort Option	- K		
				Twin Tube Gas			
				Medium Load	2	GS59-649	
				Heavy Duty Twin Tube Gas	2	GS59-651	
				SHACKLE			
			#1				
			* * *	Greasable: Fit in Pairs	2	SK59-009	
İ			1				

HOLD-53



TYPE: Jackaroo

MODEL: UBS 16, 17, 52, 55

YEAR: 11/1986 - 1991

DETAIL: LWB Wagon, Isuzu-Trooper From Chassis No. 4524289



				From Cha	ass
	FRONT	QTY	PART NUMBER	PRICE	
	TORSION BAR Heavy Duty Rate Increased Length 1000mm	1	TB21-1548		C
	SHOCK ABSORBE	R			
	Heavy Duty Twin Tube Gas	2	GS43-082S		

sis No. 452	4289			
	REAR	QTY	PART NUMBER	PRICE
	LEAF SPRING			
0	4 + 2 Leaves			
	Raised Height (30mm Lift) Up to 100Kg Constant Load	2	RODE-008-R	
,	· -			
	SHACKLE BUSH K	Ш		
	Kit Contains:			
	4 x SPF972 8 x SPF2231	1	PB59-1069K	
	0 X 311 2231	-	1 200 1000K	
	U-BOLT KIT			l
	Kit Contains:			
<u> </u>	2 x UB45-451	2	UB45-451K	
1	CHOCK ARCORR			
	SHOCK ABSORBE	:K		
	Heavy Duty Twin Tube Gas	2	GS21-637S	
	SHACKLE KIT			
# I	Greasable: Fit in Pairs	2	CKEO 000	
	Greasable: Fit iii Pairs	2	SK59-009	
+	PIN KIT			
-	Greasable: Fit in Pairs	2	SP59-060	

HOLD-55



TYPE: Jackaroo

MODEL: UBS 26, 69, 73

YEAR: 1992 - 2000, 2001 on

DETAIL: SWB & LWB Wagon, Isuzu-Trooper Opel/Vauxhall Monterey



			Open, van
FRONT	QTY	PART NUMBER	PRICE
TORSION BAR			
 Heavy Duty Rate Increased			
 Length 1220mm	1	TB21-1549	
SHOCK ABSORB	R		
Heavy Duty Twin Tube Gas	2	GS21-463	

	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
	1992 - 2000 Variable Rate			
	Standard Height (10mm Lift)	1	C21-167V	В
WWW	Variable Rate			
	Raised Height (40mm Lift) Up to 100Kg Constant Load	1	C21-165V	В
	2001 on			
www	Variable Rate			_
,,,,,,,,,	Raised Height (40mm Lift)	1	C21-215V	В
1	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas	2	GS21-015B	
<u>'</u>	COIL SPACER			
	10mm	2	PS21-4008	
	30mm	2	PS21-4009	



TYPE: Frontera / Amigo

MODEL: UT

YEAR: 1995 - 1998

DETAIL: SWB - Frontera Sport - Opel/Vauxhall

nt

		DETAIL:	SWB - Fro
FRONT	QTY	PART NUMBER	PRICE
TORSION BAR		HOHIDER	
 Heavy Duty Rate Increased Length 1000mm Check Length Before Ordering	1	TB21-1547	
Heavy Duty Rate Increased Length 1220mm Check Length Before Ordering	1	TB21-1549	
SHOCK ABSORBE	R		
 Heavy Duty Twin Tube Gas	2	GS21-463	

ntera Sport - tera Long -	- Opel/Vauxhall Opel/Vauxhall (5 Door	s)		
	REAR COIL SPRING	QTY	PART NUMBER	PRICE
/////////////////////////////////////	Variable Rate Raised Height (35mm Lift) Up to 70Kg Constant Load	1	C21-161V	В
	SHOCK ABSORBI			
	Heavy Duty Twin Tube Gas	2	GS21-016	

HOLD-57



TYPE: Frontera **MODEL:** UES25

YEAR: 02/1999 - 2002

DETAIL: SWB & LWB, 3.2L V6, 2.2L TDi



FRONT	QTY	PART NUMBER	PRICE		REAR	QTY	PART NUMBER	PRICE
TORSION BAR					COIL SPRING			
Heavy Duty Rate Increased Length 1145mm Check Length Before Ordering	1	TB21-1550		MWWWW	Linear Rate Raised Height (35mm Lift) Up to 100Kg Constant Load		C45-009	В
					SHOCK ABSORB	₹R		
SHOCK ABSORBE	R				Heavy Duty Twin Tube Gas	2	GS43-781	
Heavy Duty Twin Tube Gas	2	GS21-463						
, ,								

HOLD-54



TYPE: Rodeo

MODEL: KB/TFS-55 (Inc. V6)

YEAR: 08/1988 - 2003

DETAIL: Pickup, Opel/Vauxhall Campo, Brava Isuzu KB320 (Africa)




FRONT	QΤΥ	PART NUMBER	PRICE		REAR	QTY	PART NUMBER	PRICE
TORSION BAR	1 1				LEAF SPRING		7513/5/1	
Heavy Duty Rate Increased Length 1000mm		TB21-1547		<u>_</u>	4+2 Leaves Raised Height (35mm Lift) 200Kg Constant Load	2	RODE-008-R	
SHOCK ABSORBE	R		1		SHACKLE BUSH K			
SHOCKABOOKS					Kit Contains:			
Heavy Duty Twin Tube Gas	2	GS21-463			2 x SPF972 8 x SPF2231	1	PB59-1069K	
					U-BOLT KIT			
					Kit Contains: 2 x UB59-453-3	2	UB59-453-3K	
					SHOCK ABSORBE	R		
				·	Heavy Duty Twin Tube Gas		GS43-081B	
					SHACKLE KIT			
				#:1	Greasable: Fit in Pairs	2	SK59-009	
					PIN KIT			
				0++	Greasable: Fit in Pairs	2	SP59-060	

HOLD-59



TYPE: Rodeo RA, Colorado RC, D-Max

MODEL: TFS-77, TFS-85



DETAIL: Pickup, Isuzu KB, D-Max 2.4L, 3.5L V6, 3.0L TDi, 2.5L TDi

			2.4L, 3.5L
FRONT	QTY	PART NUMBER	PRICE
TORSION BAR Heavy Duty Rate Increased Length 1145mm Check Length Before Ordering		TB21-1550	
SHOCK ABSORBE	R		
 Heavy Duty Twin Tube Gas	2	GS21-463	

	REAR	QTY	PART NUMBER	PRICE
	LEAF SPRING			
	4 + 2 Leaves			
	Raised Height (35mm Lift) Softer Option			
	Above Spring has a 200Kg			
0 0	Reduced Carrying Capacity	2	RODE-011-R	
	4 + 3 Leaves Raised Height (35mm Lift)	2	RODE-012-R	
	5 + 3 Leaves Raised Height (45mm Lift)			
	150Kg Constant Load	2	RODE-013-R	
	SHACKLE BUSH K			
	Kit Contains:			
	2 x SPF972			
	8 x SPF2231	1	PB59-1069K	
	IL POLT KIT			
	U-BOLT KIT Kit Contains:			
	2 x UB21-466	2	UB21-466K	
	SHOCK ABSORBE	R		
	Comfort Option Twin Tube Gas			
	Medium Load	2	GS59-649	
	Heavy Duty Twin Tube Gas	2	GS59-651	
	SHACKLE			
#:1	Greasable: Fit in Pairs	2	SK59-009	
	PIN			
04		2	CDEO OCO	
• +	PIN Greasable: Fit in Pairs	2	SP59-060	
•+		2	SP59-060	
●+ +•		2	SP59-060	
●++-		2	SP59-060	
•+		2	SP59-060	
•+-		2	SP59-060	
•+		2	SP59-060	
•+		2	SP59-060	
•+		2	SP59-060	
•+		2	SP59-060	
•+		2	SP59-060	
•+		2	SP59-060	
•+-		2	SP59-060	
•+		2	SP59-060	
•+		2	SP59-060	
•+		2	SP59-060	
		2	SP59-060	
•+		2	SP59-060	
•+		2	SP59-060	
•+		2	SP59-060	

HOLD-60



TYPE: Colorado RG

MODEL: GM 1700, MMU 142/143/145/147/148



YEAR: 05/2012 on

DETAIL: 2.8L Turbo Diesel, Single Cab/Dual Cab



This vehicle has been issued with a recall notice to change the Coil Spring Stepped Isolator. Take care when ordering Coil Springs or Shock Absorbers.

				Step	pped Isolator. Take care when ordering Coll Springs or Shock Absorbe
	FRONT	Σ P NU	PART JMBER	PRICE	REAR PART PRI
	COIL SPRING				LEAF SPRING
Fo	or vehicles with the Flat Type Up	oer Coil I	solator.		3 + 3 Leaves
	Linear Rate Standard Height (10mm Lift) 50-80Kg Accessories	1 C59 -	-276	В	Medium Duty Raised Height (40mm Lift) Up to 100Kg Constant Load 2 L21-140-R
M	Linear Rate Raised Height (40mm Lift) No Accessories Linear Rate	1 C59 -	134	В	4 + 3 Leaves Heavy Duty Raised Height (40mm Lift) 250Kg Constant Load (Recommended) 2 L21-141-R
	Raised Height (40mm Lift) 50-100Kg Accessories	1 C59 -	296	В	5 + 3 Leaves Super Heavy Duty
Codba	27/04/2013 on		latan Cita	-1	Raised Height (40mm Lift)
Suits	vehicles with the Coil Spring Ste	pped Iso	lator fitted	J.	450Kg Constant Load 2 L21-142-R
	Linear Rate Standard Height (10mm Lift) 50-100Kg Accessories	1 C21 -:	382	В	For Vehicles 09/2016 on - the following adapter kit is required. Leaf spring cable adapter kit 1 GC21-545K
MWWW	Linear Rate Raised Height (40mm Lift) Up to 50Kg Accessories	1 C21 -:	384	В	SHACKLE BUSH KIT Kit Contains:
	Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories	1 C21 -:	386	В	2 x PB59-1503 4 x PB59-1530 4 x PB59-1532 1 PB21-1105K
	SHOCK ABSORBE	В			U-BOLT KIT
	SHUCK ABSURDE	K			Kit Contains:
	Heavy Duty Twin Tube Gas	2 GS21	1-470		L21-140-R 2 x UB59-453-2 2 UB59-453-2K
	Monotube Remote Reservoir				L21-141-R 2 x UB59-453-2 2 UB59-453-2K
<u> </u>	Adjustable Spring Seat Heavy Duty Original Setting of				L21-142-R 2 x UB59-437 2 UB59-437K
	<u> </u>	2 MR2 :	1-50470		SHOCK ABSORBER
	X - Centre of Eye to Sprii	ng Seat			
					Heavy Duty Twin Tube Gas 2 GS43-801
• • •••	STRUT CAP				Monotube Remote Reservoir Shock Heavy Duty 2 MR43-50801
	Strut Top Caps	2 SC59	9-002		
1110	Strut Top Caps Can only be used with C59-134				
	<u> </u>				SHACKLE
	<u> </u>	and C59	-296		SHACKLE Greasable: Fit in Pairs 2 SK21-059
	Can only be used with C59-134 DIFF DROP	and C59	-296		*** ** **
	Can only be used with C59-134 DIFF DROP Diff Drop Kit	and C59	-296		Greasable: Fit in Pairs 2 SK21-059
	Can only be used with C59-134 DIFF DROP Diff Drop Kit	and C59	-296		Greasable: Fit in Pairs 2 SK21-059 PIN
	Can only be used with C59-134 DIFF DROP Diff Drop Kit	and C59	-296		Greasable: Fit in Pairs 2 SK21-059 PIN
	Can only be used with C59-134 DIFF DROP Diff Drop Kit	and C59	-296		Greasable: Fit in Pairs 2 SK21-059 PIN
	Can only be used with C59-134 DIFF DROP Diff Drop Kit	and C59	-296		Greasable: Fit in Pairs 2 SK21-059 PIN
	Can only be used with C59-134 DIFF DROP Diff Drop Kit	and C59	-296		Greasable: Fit in Pairs 2 SK21-059 PIN
	Can only be used with C59-134 DIFF DROP Diff Drop Kit	and C59	-296		Greasable: Fit in Pairs 2 SK21-059 PIN



TYPE: Colorado 7 SUV / Trailblazer

MODEL: 2nd Generation

YEAR: 2012 on

DETAIL: 2.8L Diesel, 2.5L Diesel



	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
	For vehicles with flat Coil Spr	ing	Isolator	
RAMAMA	Linear Rate Raised Height (40mm Lift) No Accessories	1	C59-134	В
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories	1	C59-296	В
SUITS	S vehicles with the Coil Spring St	epp	ed Isolator fitte	ed
	Linear Rate Standard Height (10mm Lift) 50-100Kg Accesories	1	C21-382	В
MWWW	Linear Rate Raised Height (40mm Lift) Up to 50Kg Accesories	1	C21-384	В
	Linear Rate Raised Height (40mm Lift) 50-100Kg Accesories	1	C21-386	В
	SHOCK ABSORBE	R		

_	Heavy Duty Twin Tube Gas	2	GS21-470	
<u>•</u> -	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 190mm/7.48" X - Centre of Eye to Spring Seat	2	MR21-50470	

STRUT CAP			
Strut Top Cap	2	SC59-002	
Can only be used with C59-134	an	d C59-296	

Dies	sel, 2.5L Diese	el			
Thi Step	s vehicle has bee ped Isolator. Tal	en issued with a recall notice ke care when ordering Coil Sp	to o	change the Coil gs or Shock Ab	Spring sorbers.
ICE		REAR	QTY	PART NUMBER	PRICE
		COIL SPRING			
		Linear Rate Raised Height (40mm Lift) No Load		C21-403	В
3	MWWW	Linear Rate	1	C21-403	Ь
		Raised Height (40mm Lift) 150-250Kg Constant Load	1	C21-407	В
3	,	SHOCK ABSORBE	R		
	·	Heavy Duty Twin Tube Gas	2	G59-940	
3		Monotube Remote	_		
3	•	Reservoir Shock Heavy Duty	2	MR59-50940	
3					



TYPE: Avalanche, Tahoe, Suburban 1500 (1/2 Ton)

MODEL: Including XL Models

YEAR: 2007 - 06/2014

DETAIL: GMT 900 Series Platform, 4x4



PRICE

В

DOES NOT SUIT MAGNERIDE CONTROL OR AIRBAG SUSPENSION PART NUMBER QTY PART NUMBER **FRONT REAR PRICE COIL SPRING COIL SPRING** Linear Rate Linear Rate **MWWW** MWWWW Raised Height 1 C09-044 С Raised Height 1 C09-045 SHOCK ABSORBER SHOCK ABSORBER Heavy Duty Twin Tube Gas Heavy Duty Twin Tube Gas 2 **GS09-170** 2 **GS09-171**



TYPE: Cadillac Escalade,

Yukon (Incl. XL & Denali)



YEAR: 2007 - 06/2014

DETAIL: GMT 900 Series Platform, 4x4





DOES NOT SUIT MAGNERIDE CONTROL OR AIRBAG SUSPENSION

FR	ONT	PART NUMBER	PRICE	R	EAR	OTY	PART NUMBER	PRICE
	COIL SPRING	O NOMBER			COIL SPRING		NOMBER	
I	Linear Rate Raised Height	1 C09-044	С	MWWWW	Linear Rate Raised Height		C09-045	В
	SHOCK ABSORBE	R		1	SHOCK ABSORB	E R		
O	Heavy Duty Twin Tube Gas	2 GS09-170		0	Heavy Duty Twin Tube Gas	2	GS09-171	



TYPE: Suburban 1500 (½ Ton), Yukon XL (Denali XL)

MODEL: 1500 K2YC

2015

la





DOES NOT SUIT

				YEAR:	06/2014	-	
630	30			DETAIL:	GMT K2	ΡI	ā
	FRONT		QTY	PART NUMBER	PRICE		
		COIL SPRING					
MWWWI	Raised Hei	Linear Rate ght (50mm Lift)	1	C09-044	С		
	S	HOCK ABSORBE	R				ĺ
O		Heavy Duty Twin Tube Gas	2	GS09-174			•
							•

ntform 4x4			ERIDE CONTR BAG SUSPENS	
	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Linear Rate Raised Height (50mm Lift) Linear Rate	1	C09-045	В
wwww	Raised Height 100-200Kg Constant Load	1	C09-043	С
	Linear Rate Raised Height 300-400Kg Constant Load	1	C09-037	В
1	SHOCK ABSORBI	R		
	Heavy Duty Twin Tube Gas	2	GS09-171	



TYPE: D-Max

MODEL: TFS85, V-CROSS

YEAR: 05/2012 on

DETAIL: 3.0L Turbo Diesel Single Cab/Dual Cab



	FRONT	QTY	PART NUMBER	PRICE	REAR 6	PART NUMBER	PRICE
	COIL SPRING			1	LEAF SPRING		
		1	C59-134	В	3 + 3 Leaves Medium Duty Raised Height (40mm Lift) Up to 100Kg Constant Load 2	L21-140-R	
MWWWW	Linear Rate Raised Height (40mm Lift) Up to 60Kg Accessories Linear Rate	1	C59-296	В	4 + 3 Leaves Heavy Duty Raised Height (40mm Lift)		
	Raised Height (40mm Lift) 70-120Kg Accessories	1	C59-300	В	5 + 3 Leaves	L21-141-R	
	SHOCK ABSORBE Heavy Duty Twin Tube Gas		GS21-470		Super Heavy Duty Raised Height (40mm Lift) 450Kg Constant Load 2	L21-142-R	
	Monotube Remote Reservoir	_	3322 173		SHACKLE BUSH KIT		
-	Adjustable Spring Seat Heavy Duty Original Setting of X = 190mm/7.48" x - Centre of Eye to Spring	2	MR21-50470		Kit Contains: 2 x PB59-1503 4 x PB59-1530	PB21-1105K	
					U-BOLT KIT		
	STRUT CAP				Suits: Kit Contains:		
	Strut Top Cap	2	SCE0-002		L21-140-R 2 x UB59-453-2 2	UB59-453-2K	
	Strut Top Cap	_	3039-002		L21-141-R 2 x UB59-453-2 2	UB59-453-2K	
1	DIFF DROP			1	L21-142-R 2 x UB59-437 2	UB59-437K	
	Diff Drop Kit	1	DD21-533K				
	Decreases CV Ang	le			SHOCK ABSORBER		
					Heavy Duty Twin Tube Gas 2	GS43-801	
					Monotube Remote Reservoir Shock Heavy Duty 2	MR43-50801	
					SHACKLE		
					Greasable: Fit in Pairs 2	SK21-059	
					PIN		
					Greasable: Fit in Pairs 2	SP59-060	



TYPE: MU

MODEL: USC55D

YEAR: 07/1990 - 1995



(8)		9	DETAIL:	3 Door
	FRONT	QTY	PART NUMBER	PRICE
	TORSION BAR			
	Heavy Duty Rate Increased Length 1000mm Check Length Before Ordering	1	TB21-1547	
	Heavy Duty Rate Increased Length 1220mm Check Length Before Ordering	1	TB21-1549	
	SHOCK ABSORBE Heavy Duty Twin Tube Gas		GS21-463	

	REAR	QTY	PART NUMBER	PRICE
	LEAF SPRING			
\bigcirc	4 + 2 Leaves Raised Height	2	RODE-008-R	
	SHACKLE BUSH K	4		
OLI	Kit Contains: 2 x SPF972 8 x SPF2231		PB59-1069K	
	U-BOLT KIT			
	Kit Contains: 2 x UB59-453-3	2	UB59-453-3K	
	SHOCK ABSORBE	R		
•	Comfort Option Twin Tube Gas Medium Load		GS59-649	
	Heavy Duty Twin Tube Gas (Big Bore)	2	GS59-651	
	SHACKLE KIT			
## I	Greasable: Fit in Pairs	2	SK59-009	

ISUZ-50



TYPE: MU-7

MODEL:

YEAR: 2005 - 2012

DETAIL: 4x4 Station Wagon, 3.0L DOHC



	EDONT	≥	PART	PRICE		DEAD	≥	PART	PRICE
	FRONT	QTY	NUMBER	PRICE		REAR	QTY	NUMBER	PRICE
	TORSION BAR					LEAF SPRING 4 + 2 Leaves			
	Heavy Duty Rate Increased					Raised Height (35mm Lift)	2	RODE-011-R	
====	Length 1145mm Check Length Before				م	4 + 3 Leaves			
	Ordering	1	TB21-1550			Raised Height (35mm Lift) Up to 150Kg Constant Load	2	RODE-012-R	
						op 10 2001.g 00010			
	SHOCK ABSORB	≡R				SHACKLE BUSH K	Œ		
	Heavy Duty Twin Tube Gas	2	GS21-463			Kit Contains: 2 x SPF972			
							1	PB59-1069K	
						U-BOLT KIT			
						Kit Contains: 2 x UB21-466	2	UR21-466K	
						2 x 0D21 400	_	0D21-400K	
						SHOCK ABSORBI	ΕR		1
						Comfort Option			
					0	Twin Tube Gas Medium Load	2	GS59-649	
						Heavy Duty Twin Tube Gas	2	GS59-651	
					,				,
						SHACKLE			
					## I	Greasable: Fit in Pairs	2	SK59-009	



TYPE: MU-X

MODEL:

YEAR: 2013 on

DETAIL: 3.0L Turbo Diesel



	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Linear Rate Raised Height (20mm Lift) No Accessories	1	C59-134	В
MWWW	Linear Rate Raised Height (45mm Lift) No Accessories	1	C59-296	В
	Linear Rate Raised Height (45mm Lift) 50-100Kg Accessories	1	C59-300	В
	SHOCK ABSORBE	Б		1
o 	Heavy Duty Twin Tube Gas		GS21-470	
	STRUT CAP			
: •	Strut Top Cap	2	SC59-002	

	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING Linear Rate			
wwww	Raised Height (45mm Lift)	1	C21-355	В
111111111W	Linear Rate Raised Height (45mm Lift) 100-200Kg Constant Load	1	C21-357	В
1	SHOCK ABSORBE	R		
-	Heavy Duty Twin Tube Gas	2	GS59-940	



TYPE: CRV

MODEL: CRV-RDI

YEAR: 1997 -2001

DETAIL: 2.0L




	FRONT	QTY	PART NUMBER	PRICE		REAR	QTY	PART NUMBER	PRICE
	COIL SPRING					COIL SPRING			
 	Linear Rate Raised Height (30mm Lift)	1	C23-072	В	MWWWW	Linear Rate Raised Height (30mm Lift)	1	C23-073	С



TYPE: CRV

MODEL: CR-V 10



DETAIL: 2.4L



	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
CAUTION	Linear Rate Lowered Height (35mm Drop)	1	C23-100	В
M	Linear Rate Standard Height (10mm Lift)	1	C23-102	В
	Linear Rate Raised Height (40mm Lift)	1	C23-104	В

REAR	QTY	PART NUMBER	PRICE
COIL SPRING			
Linear Rate Lowered Height (35mm Drop)			В
Linear Rate Standard Height (10mm Lift)	1	C23-103	В
Linear Rate Raised Height (40mm Lift)			В



TYPE: CRV

MODEL:

YEAR: 2012 on

DETAIL:



	FRONT	QTY	PART NUMBER	PRICE		REAR	QTY	PART NUMBER	PRICE
	COIL SPRING					COIL SPRING			
MWWWI	Linear Rate Raised Height (35mm Lift)	1 (C23-194	С	MWWW	Linear Rate Raised Height (35mm Lift)	1	C23-195	В



TYPE: HRV Joy Machine

MODEL: GH

YEAR: 1999 - 2002

DETAIL: 1.6L, 3 & 5 Doors



	FRONT	QTY	PART NUMBER	PRICE		REAR	QTY	PART NUMBER	PRICE
	COIL SPRING					COIL SPRING			
RAMAMA	Linear Rate Standard Height	1	C23-090	С	MWWW	Linear Rate Standard Height	1	C23-091	С
MWWW	Linear Rate Raised Height (20mm Lift)	1	C23-074	С	,,,,,,,,,,,,,	Linear Rate Raised Height (25mm Lift)	1	C23-075	С



TYPE: Terracan

MODEL: HP

YEAR: 11/2001 - 2008 **DETAIL:** 3.5L V6, 2.9L



FRONT TORSION BAR	QTY	PART NUMBER	PRICE
Heavy Duty Rate Increased Length 1275mm	1	TB25-1248	
SHOCK ABSORBE	R		
 Heavy Duty Twin Tube Gas	2	GS43-082S	

9L				
	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Variable Rate Standard Height (10mm Lift)	1	C43-047V	В
wwww	Variable Rate Raised Height (45mm Lift) Up to 100Kg Constant Load	1	C43-043V	В
1				
	SHOCK ABSORBE	R		
-	Heavy Duty Twin Tube Gas	2	GS59-225	



TYPE: Santa Fe

MODEL: SM

YEAR: 2000 - 05/2006

DETAIL: 2.7L V6, 2.4L, 2.0L TD




8	89		DETAIL:	2./L V6,	2.4
	FRONT	QTY	PART NUMBER	PRICE	
	COIL SPRING				
MWWW	Linear Rate Standard Height	1	C25-026	В	N
	Linear Rate Raised Height (20mm Lift)	1	C25-028	В	"
1					- 1

4L, 2.0L TD				
		QTY	PART NUMBER	PRICE
wwww	COIL SPRING Linear Rate Standard Height	1	C25-027	В
	Linear Rate Raised Height (35mm Lift)	1	C25-029	В
	SHOCK ABSORBE			
	Heavy Duty Twin Tube Gas	2	GS59-940	



MODEL: XJ



DETAIL: Classic, Limited, Sport, Midsize



	FRONT	QTY	PART NUMBER	PRICE		REAR	QTY	PART NUMBER	PRIC
CHERO	COIL SPRING OKEE SPORTS models have a l LIMITED and CLASSIC	nighe		an	CHERO	LEAF SPRING OKEE SPORTS models have a h LIMITED and CLASSIC	ighe	r ride height tha	in
	Linear Rate Raised Height (45mm Lift	е	leis.			LH Drive models require bo	th sid	des to be	
www	No Accessorie:	s 1	C29-016	В			1	JEEP-005-R RH	
	Raised Height (35mm Lift 50-100Kg Accessories (Bullbar AND Winch)	C29-016	В		5 Leaves Raised Height (45mm Lift)	1	JEEP-005-R LH	
	SHOCK ABSORI	BER				SHACKLE BUSH			
+	Heavy Duty Twin Tube Ga		GS29-420			Kit Contains:			
	, ,				OLI	2 x SPF969 2 x SPF970 2 x SPF1080)	PB29-1080K	
_ 1	STEERING DAM Heavy Duty (Big Bore					2 x 311 1000	_	1 D25 1000K	
	Complete with Fittings	s 1				U-BOLT KIT Suits Chrysler Diffe	_	tial	
SD2	9-840 is supplied with two sty Dispose of the pin that is i	not re	equired.		_	Kit Contains:			
	Above part to suit LH and RH DOES NOT SUIT LIMITE					2 x UB45-451 Suits Dana 35 Diffe			
1	COIL SPACE				—	Kit Contains:			
			PS29-4014			2 x UB45-451	. 2	UB29-900K	
— —	30mn	1 2	PS29-4015		1	SHOCK ABSORE	BER		
						Heavy Duty Twin Tube Gas	3 2	GS29-425	



MODEL: KJ, Liberty (USA) **YEAR:** 10/2001 - 2008

2.4



FRONT COIL SPRING 3.7L V6, 2.4L Linear Rate Raised Height (35mm Lift) 50-100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (35mm Lift) 50-100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (35mm Lift) 50-100Kg Accessories (Bullbar OR Winch) Linear Rate Raised Height (35mm Lift) 50Kg Accessories (Bullbar OR Winch) Linear Rate Raised Height (35mm Lift) 50Kg Accessories (Bullbar OR Winch) Linear Rate Raised Height (35mm Lift) 50Kg Accessories (Bullbar OR Winch) Linear Rate Raised Height (35mm Lift) 50Kg Accessories (Bullbar OR Winch) Linear Rate Raised Height (35mm Lift) 50Kg Accessories (Bullbar OR Winch) Linear Rate Raised Height (35mm Lift) 50Kg Accessories (Bullbar OR Winch) Linear Rate Raised Height (35mm Lift) 50Kg Accessories (Bullbar OR Winch) Linear Rate Raised Height (35mm Lift) 50Kg Accessories (Bullbar OR Winch) Linear Rate Raised Height (35mm Lift) 50Kg Accessories (Bullbar OR Winch) Linear Rate Raised Height (35mm Lift) 50Kg Accessories (Bullbar OR Winch) Linear Rate Raised Height (35mm Lift) 50Kg Accessories (Bullbar OR Winch) Linear Rate Raised Height (35mm Lift) 50Kg Accessories (Bullbar OR Winch) Linear Rate Raised Height (35mm Lift) 50Kg Accessories (Bullbar OR Winch) Linear Rate Raised Height (35mm Lift) 50Kg Accessories (Bullbar OR Winch) Linear Rate Raised Height (35mm Lift) 50Kg Accessories (Bullbar OR Winch) Linear Rate Raised Height (35mm Lift) 50Kg Accessories (Bullbar OR Winch) Linear Rate Raised Height (35mm Lift) 50Kg Accessories (Bullbar OR Winch) Linear Rate Raised Height (35mm Lift) 50Kg Accessories (Bullbar OR Winch) Linear Rate Raised Height (35mm Lift) 50Kg Accessories (Bullbar OR Winch) Linear Rate Raised Height (35mm Lift) 50Kg Accessories (Bullbar OR Winch) Linear Rate Raised Height (35mm Lift) 50Kg Accessories (Bullbar OR Winch) Linear Rate Raised Height (35mm Lift) 50Kg Accessories (Bullbar OR Winch) Linear Rate Raised Height (35mm Lift) 50Kg Accessories (Bullbar OR Winch) Linear Rate Raised Height (35mm Lift) 50Kg Accessories (Bullbar OR Winch)
COIL SPRING 3.7L V6, 2.4L Linear Rate Raised Height (35mm Lift) 50Kg Accessories (Bullbar OR Winch) Linear Rate Raised Height (35mm Lift) 50-100Kg Accessories (Bullbar AND Winch) 2.8L CRD Linear Rate Raised Height (35mm Lift) 50Kg Accessories (Bullbar OR Winch) 1 C29-022 B SHOCK ABSORBER
3.7L V6, 2.4L Linear Rate Raised Height (35mm Lift) 50Kg Accessories (Bullbar OR Winch) Linear Rate Raised Height (35mm Lift) 50-100Kg Accessories (Bullbar AND Winch) 2.8L CRD Linear Rate Raised Height (35mm Lift) 50Kg Accessories (Bullbar OR Winch) SOKG Accessories (Bullbar OR Winch) 1 C29-022 B SHOCK ABSORBER
Linear Rate Raised Height (35mm Lift) 50Kg Accessories (Bullbar OR Winch) Linear Rate Raised Height (35mm Lift) 50-100Kg Accessories (Bullbar AND Winch) 2.8L CRD Linear Rate Raised Height (35mm Lift) 50Kg Accessories (Bullbar OR Winch) SOKG Accessories (Bullbar OR Winch) SHOCK ABSORBER
Raised Height (35mm Lift) 50Kg Accessories (Bullbar OR Winch) Linear Rate Raised Height (35mm Lift) 50-100Kg Accessories (Bullbar AND Winch) 1 C29-022 B 2.8L CRD Linear Rate Raised Height (35mm Lift) 50Kg Accessories (Bullbar OR Winch) 1 C29-022 B SHOCK ABSORBER
Raised Height (35mm Lift) 50-100Kg Accessories (Bullbar AND Winch) 2.8L CRD Linear Rate Raised Height (35mm Lift) 50Kg Accessories (Bullbar OR Winch) SHOCK ABSORBER
Linear Rate Raised Height (35mm Lift) 50Kg Accessories (Bullbar OR Winch) SHOCK ABSORBER
Raised Height (35mm Lift) 50Kg Accessories (Bullbar OR Winch) 1 C29-022 B SHOCK ABSORBER
Heavy Duty Twin Tube Gas 2 GS29-723

.4L, 2.8L CR	D			
	REAR	QTY	PART NUMBER	PRICE
I .	COIL SPRING			
MWWWI	Linear Rate Raised Height (35mm Lift)	1	C29-021	В
/*********** W	Linear Rate Raised Height (40mm Lift) 180Kg Constant Load	1	C29-023	В
1	SHOCK ABSORBE	R		1
·	Heavy Duty Twin Tube Gas		GS29-724	



MODEL: KK

YEAR: 02/2008 - 2013

DETAIL: 3.7L V6, 2.8L TD (Limited & Sports Only)



	FRONT	PART NUMBER	PRICE		REAR	QTY	PART NUMBER	PRICE
	COIL SPRING				COIL SPRING			
MWWW	Linear Rate Raised Height (10mm Lift) Linear Rate	1 C29-082	В	MWWW	Linear Rate Raised Height (10mm Lift) Linear Rate			В
	Raised Height (40mm Lift)	1 C29-084	В		Raised Height (40mm Lift)	1	C29-085	В
1	SHOCK ABSORB	ER		1	SHOCK ABSORBE	R	1	
	Heavy Duty Twin Tube Gas	2 GS29-723		0	Heavy Duty Twin Tube Gas		GS29-724	



MODEL: KL YEAR: 2014



DETAIL: Trailhawk, Sport, Limited, Longitude, Latitude

	E		DETAIL.	ITallilaw
	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
**********	Linear Rate Raised Height (45mm Lift) - Over Standard Suspension (25mm Lift) - Over Trail Hawk Suspension No Accessories	1	C29-144	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Linear Rate Raised Height (45mm Lift) - Over Standard Suspension (25mm Lift) - Over Trail Hawk Suspension			
	40-80Kg Accessories	1	C29-150	В
	SHOCK ABSORBE	R		1
30. 4 -	Heavy Duty Twin Tube Gas	1	GS29-430 RH	
4070	Heavy Duty Twin Tube Gas	1	GS29-430 LH	

	REAR	QTY	PART NUMBER	PRIC
		SPRING	TO TO TO	
	Lin	ear Rate		
	Raise	d Height Standard		
WWWWW	Raise 45mm Lift) - Over S Sus	spension		
(2	25mm Lift) - Over Tr Sus		C29-151	В
or Non Trailh	nawk Models it is reco			
Lower Control Arms to centralise the rear tyre.				
	SHOCK	ABSORBER		1
	SHOCK	ADSORDER		
	Heavy Duty Twin T	ube Gas 2	GS29-431	



TYPE: Grand Cherokee

MODEL: ZJ - ZG

YEAR: 04/1996 - 1999

DETAIL: 3.1L 5 Cyl., 4.0L 6 Cyl., 5.7L V8




	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
	3.1L 5 Cyl. 4.0L 6 Cyl.			
MANAGAMA	Linear Rate Raised Height (35mm Lift) No Accessories	1	C29-002	В
M	Linear Rate Raised Height (35mm Lift) 40-90Kg Accessories (Bullbar AND Winch)	1	C29-016	В
	5.7L V8			
M	Linear Rate Raised Height (40mm Lift) Up to 70Kg Accessories (Bullbar OR Winch)	1	C29-036	В
	SHOCK ABSORBE	R		
+	Heavy Duty Twin Tube Gas	2	GS29-420	
1	STEERING DAMPI	ER		
•	Heavy Duty (Big Bore) Complete with Fittings	1	SD29-840	
SD29	9-840 is supplied with two style Dispose of the pin that is no			

, 4.0L 6 Cyl	., 5.7L V8			
	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
*****	Linear Rate Raised Height (35mm Lift)	1	C29-003	В
MWWWI	Linear Rate Raised Height (50mm Lift) 150-200Kg Constant Load	1	C29-005	В
	SHOCK ABSORBI	- 10		1
	SHUCK ADSURD	-K		
	Heavy Duty Twin Tube Gas	2	GS29-683	



TYPE: Grand Cherokee

MODEL: WJ (Austria) WG (USA)



DETAIL: 4.7L V8, 2.7L D, 4.0L Petrol, 3.1L TD



	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
	4.7L V8 4.0L Petrol			
	Linear Rate Standard Height	1	C29-008	В
MWWW	Linear Rate Raised Height (35mm Lift) Up to 40Kg Accessories (Bullbar OR Winch)	1	C29-010	В
	Linear Rate Raised Height (40mm Lift) 40-90Kg Accessories (Bullbar AND Winch)	1	C29-024	В
	2.7L Turbo Diese 3.1L Turbo Diese			
	Linear Rate Raised Height (35mm Lift)	1	C29-024	В
M	Linear Rate Raised Height (35mm Lift) 60-100Kg Accessories (Bullbar AND Winch)	1	C29-030	В
1	SHOCK ABSORBE	R		1
·	Heavy Duty Twin Tube Gas	2	GS29-424B	
	STEERING DAMP	ĒR		
○	Heavy Duty (Big Bore) Complete with Fittings	1	SD29-840	
SD29	9-840 is supplied with two style Dispose of the pin that is no			

.7L D, 4.0L F	Petrol, 3.1L TD			
	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
I	Linear Rate Standard Height	1	C29-011	В
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Linear Rate Raised Height (40mm Lift)	1	C29-025	В
1	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas	2	GS59-649C	



TYPE: Grand Cherokee **MODEL:** Laredo WH, WK

YEAR: 2005 - 2010

DETAIL: 3.0L TD, 3.7L V6, 4.7L, 5.7L, 6.1L V8




			YEAR:	2005 - 20
8			DETAIL:	3.0L TD, 3
	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING 3.0L TD, 3.7L V6 & 4.	71	V0	
MWWW	Linear Rate Raised Height (45mm Lift)		C21-020	А
N	5.7L & 6.1L V8 Linear Rate Raised Height (45mm Lift)	1	C21-054	В
	Raisea Height (15hiin Eire)	_	022 00 .	5
	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas	2	GS29-726	

COIL SPRING Linear Rate Raised Height (45mm Lift Linear Rate Raised Height (45mm Lift 180Kg Constant Load SHOCK ABSOR Heavy Duty Twin Tube Ga	te t) 1 te t) d 1		B B
Linear Rat Raised Height (45mm Lift Linear Rat Raised Height (45mm Lift 180Kg Constant Load	te t) 1 te t) d 1	C29-029	
Linear Rati Raised Height (45mm Lift 180Kg Constant Load SHOCK ABSOR	te t) d 1	C29-029	
Raised Height (45mm Lift 180Kg Constant Load SHOCK ABSOR	t) d 1 BER		В
SHOCK ABSOR	BER		
		GS29-727	
Heavy Duty Twin Tube Ga	as 2	GS29-727	



TYPE: Grand Cherokee

MODEL: WK2 Laredo Limited, Overland



DETAIL: Will Not Suit Vehicles Equipped with Quadra-Lift



	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
	3.6L V6 Petrol			
RAMAMAM	Linear Rate Raised Height (40mm Lift) Up to 40Kg Accessories (Bullbar)	1	C29-120	В
	Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch)	1	C29-122	В
3.0L CRD V6 Diesel 5.7L V8 Petrol				
	Linear Rate Raised Height (40mm Lift)	1	C29-128	В
MMMM	Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch)	1	C29-148	В

SHOCK ABSORBER				
Suits 2011- 2015 Models WITHOUT Swaybar bracket on lower shock clevis				
Heavy Duty Twin Tube Gas	2	GS29-730		
Extra Heavy Duty Twin Tube Gas *Increased Valve Force *HD Forged Clevis	2	GS29-732		
Suits 2016 Models WITH Swaybar bracket on lower shock clevis				
Extra Heavy Duty Twin Tube Gas	1	GS29-742 LH		
*HD Forged Clevis	1	GS29-742 RH		

	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
Only to be fit	tted to vehicles <mark>WITH</mark> Self Levellin (OE 63mm OD Body		ivomat Shock Ab	sorber
MANAAAA	Linear Rate Raised Height (40mm Lift)	1	C29-123T	С
MWWWI	Linear Rate Raised Height (40mm Lift) 150-300Kg Constant Load	1	C29-143T	С
Only to be fitted	to vehicles <mark>WITHOUT</mark> with Self Le ^v (OE 50mm OD Body		ng Nivomat Shoc	k Absorber
	Linear Rate Raised Height (40mm Lift)	1	C29-125T	С
N	Linear Rate Raised Height (40mm Lift) 150-200Kg Constant Load	1	С29-127Т	С
	SHOCK ABSORBE	R		

Will Not Replace Self Levelling Nivomat Shock Absorber on Vehicles with 3.5 Ton Towing Capacity.

For Nivomat Suspension Conversion, Coil Spring C29-125T and Shock Absorber

GS29-733 can be Fitted;

PLEASE NOTE - Towing Capacity will be Reduced to 2.5 Ton



Heavy Duty Twin Tube Gas 2 **GS29-733**

Note: Check OD of OE Rear Shock Body before Ordering Coil Springs.



MODEL: TJ

YEAR: 10/1996 - 2007

DETAIL: 2.5L 4 Cyl. Sport

4.0L 6 Cyl. Sahara




			DETAIL:	4.0L 6 C
	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			i .
	Linear Rate Raised Height (35mm Lift) No Accessories	1	C29-006	В
MWWWW	Linear Rate Raised Height (35mm Lift) 40-80Kg Accessories (Bullbar OR Winch)	1	C29-002	В
	Linear Rate Raised Height (40mm Lift) 80-120Kg Accessories (Bullbar AND Winch)	1	C29-016	В
\	SHOCK ABSORBE	R		}
	Heavy Duty Twin Tube Gas	2	GS29 -721	
	STEERING DAMP	ΕR		ì
○	Heavy Duty (Big Bore) Complete with Fittings		SD29-840	
SD29	9-840 is supplied with two style Dispose of the pin that is no			
	UNDER RORY RUGU		-	
	SEE REAR UNDER BODY B			
				1
	COIL SPACER		D000 4044	
Ba_	15mm 30mm		PS29-4014 PS29-4015	
	3011111	2	P329-4013	



MODEL: TJ

YEAR: 10/1996 - 2007

DETAIL: 2.5L 4 Cyl. Sport, 4.0L 6 Cyl. Sahara 75mm (3" Lift)



	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
I	Linear Rate Raised Height (3" Lift)	1	C29-048	В
	SHOCK ABSORBE	R		
+	Heavy Duty Twin Tube Gas Suits (3" Lift)	2	GS29-420	
	STEERING DAMPI	ER		
	Heavy Duty (Big Bore) Complete with Fittings	1	SD29-840	
SD29	9-840 is supplied with two style Dispose of the pin that is no			

	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Linear Rate Raised Height (3" Lift)	1	C29-049	В
//////////	Linear Rate Raised Height (3" Lift) 150Kg Constant Load 1 C29-047		В	
·	SHOCK ABSORBE	R		
•	Heavy Duty Twin Tube Gas	2	GS29-425S	

WARNING - 75MM (3") OR HIGHER LIFT

The suspension components listed on this page are for off-road use only.



- Refer to Local Laws before Fitting to Registered/Road Vehicles An Engineering Certificate may be required
- Handling Characteristics will Diminish on Lifts Above 50mm (2")

The following modifications (but not limited to) need to be made to the vehicle before the kit is fitted.



- Adjustable Panhard Rods Modified Leading/Trailing Arms Brake Hoses
- Extended Bump Stops
- Gear Box & Drive Line Modifications
 - Steering ArmsSwaybar Modification

Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page.

These products do not come with any warranty or guarantee.



MODEL: JK

YEAR: 2007 on

D



	0 111111		TEAK:	2007 011
			DETAIL:	2 Door,
	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
	3.8L V6			
MWWWM	Linear Rate Raised Height (50mm Lift)		C29-074	В
	2.8LCRD Turbo Die	ese	1	
	Linear Rate Raised Height (50mm Lift)	1	C29-078	В
MWWW	Linear Rate Raised Height (50mm Lift) 70Kg Accessories (Bullbar OR Winch)	1	C29-088	В
\ 	STEERING DAMP	ER	1	
	RH Drive Only Complete with Fittings	1	SD45-022S	
	LH Drive Only Complete with Fittings	1	SD29-840	
\ 	SHOCK ABSORBI	ΕR	1	
_	Heavy Duty Twin Tube Gas	2	GS29-728	

Door				
	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
	2 Door			
	Linear Rate Raised Height (60mm Lift)	1	C29-073	В
	4 Door			
	Linear Rate Raised Height (50mm Lift)	1	C29-075	В
WWWW	Linear Rate Raised Height (50mm Lift) 200Kg Constant Load	1	C29-089	В
	Linear Rate Raised Height (50mm Lift)			
	350Kg Constant Load	1	C29-091	В
	SHOCK ABSORBE	R		
0	Heavy Duty Twin Tube Gas	2	GS29-729	



MODEL: JK

YEAR: 2007 on

DETAIL: 2 Door, 4 Door 65mm (2.5" Lift), 90mm (3.5" Lift), 100mm (4" Lift) 110mm (4.5" Lift)



	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING 4 DOOR			
	Variable Rate - Flexi Raised Height (65mm Lift) Extra Soft Option	1	C29-166V	В
**********	Variable Rate - Flexi Raised Height (65mm Lift)	1	C29-176V	В
	Variable Rate - Flexi Raised Height (90mm Lift) Extra Soft Option	1	C29-168V	В
	Variable Rate - Flexi Raised Height (90mm Lift)	1	C29-170V	В
	Linear Rate Raised Height (100mm Lift) Soft Option	1	C29-098	В
	Linear Rate Raised Height (100mm Lift)	1	C29-086	С
	Variable Rate - Flexi Raised Height (110mm Lift)	1	C29-182V	В
	2 DOOR			
	Variable Rate - Flexi Raised Height (65mm Lift)		C29-172V	В
	Variable Rate - Flexi Raised Height (90mm Lift)	1	C29-174V	В
	Variable Rate - Flexi Raised Height (65mm Lift) Extra Soft Option	m Lift)		В
	Variable Rate - Flexi Raised Height (90mm Lift) Extra Soft Option	1	C29-166V	В
	Variable Rate - Flexi Raised Height (110mm Lift) Extra Soft Option	1	C29-170V	В
	STEERING DAMP	₽R.		
·	RH Drive Only Complete with Fittings		SD45-022S	
	LH Drive Only Complete with Fittings	1	SD29-840	
	, ,			
	SHOCK ABSORBE	R		
	Medium Duty Twin Tube Gas Suits 65mm Lift	2	GS29-716	
·	Medium Duty Suits 90mm, 100mm, 110mm Lift (Also Suits 65mm Lift Extra Soft Coil Options)	2	GS29-718	

	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
	4 DOOR			
	Variable Rate - Flexi Raised Height (65mm Lift) Extra Soft Option	1	C29-167V	В
	Variable Rate - Flexi Raised Height (65mm Lift)	1	C29-177V	В
	Variable Rate - Flexi Raised Height (90mm Lift) Extra Soft Option	1	C29-169V	В
MWWWW	Variable Rate - Flexi Raised Height (90mm Lift)	1	C29-171V	В
	Linear Rate Raised Height (100mm Lift) Soft Option	1	C29-099	С
	Linear Rate Raised Height (100mm Lift)	1	C29-087	С
	Variable Rate - Flexi Raised Height (110mm Lift)	C29-181V	В	
	2 DOOR			
	Variable Rate - Flexi Raised Height (65mm Lift)	1	C29-173V	В
	Variable Rate - Flexi Raised Height (90mm Lift)	1	C29-175V	В
MWWW	Variable Rate - Flexi Raised Height (65mm Lift) Extra Soft Option	1	C29-179V	В
	Variable Rate - Flexi Raised Height (90mm Lift) Extra Soft Option	1	C29-167V	В
	Variable Rate - Flexi Raised Height (110mm Lift) Extra Soft Option		C29-171V	В
	SHOCK ABSORBE	R		
	Medium Duty Twin Tube Gas Suits 65mm Lift	2	GS29-717	
• ••	Medium Duty Twin Tube Gas Suits 90mm, 100mm, 110mm Lift			
	(Also Suits 65mm Lift Extra Soft Coil Options)	2	GS29-719	
V	VARNING - 100MM (4") OR	HI	GHER LIFT	
	on components listed on this pa	_		use only.
- Refe	er to Local Laws before Fitting to	o R	egistered/Road	Vehicles



- Refer to Local Laws before Fitting to Registered/Road Vehicles
- An Engineering Certificate may be required
- Handling Characteristics will Diminish on Lifts Above 50mm (2")

The following modifications (but not limited to) need to be made to the vehicle before the kit is fitted. - Gear Box & Drive Line



- Adjustable Panhard Rods
- Modified Leading/Trailing Arms - Brake Hoses
- Extended Bump Stops
- Modifications - Steering Arms
- Swaybar Modification
- Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page.

These products do not come with any warranty or guarantee.



TYPE: Commander

MODEL: XH

YEAR: 2006 on

Diesel



	Pers 2		YEAR:	2006 on
		,	DETAIL:	Petrol &
	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Linear Rate Raised Height (40mm Lift)	1	C21-020	А
N	Linear Rate Raised Height (40mm Lift) 80Kg Accessories (Bullbar OR Winch)	1	C21-054	В
	CHOCK ARCORR			
	SHOCK ABSORBE	IK		
	Heavy Duty Twin Tube Gas	2	GS29-726	

esei				
	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
wwww	Linear Rate Raised Height (40mm Lift) Linear Rate	1	C29-027	В
	Raised Height (40mm Lift) 180Kg Constant Load	1	C29-029	В
1	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas		GS29-727	



TYPE: Sportage

MODEL: JA

- 03/2002



0			YEAR: DETAIL:	04/1994 2.0L
	8			
	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
	SWB & LWB 2.0	_		
MWWWW	Raised Height (40mm Lift)	1	C31-002	Α
	Linear Rate Raised Height (70mm Lift)		C31-044	Α
When Fitting t	the Above Part Number, Suspen	sio	n Changes are I	Required.

	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
	2 Door (Soft & Hard 04/1994 - 2000 Short Bo			
	Spare Wheel Mounted on	Tai	gate	
WWWW	Linear Rate Raised Height (40mm Lift)	1	C31-003	А
	2000 - 03/2002 Long Boo	ly,	5 Door	
	Spare Wheel Mounted Insid	le \	ehicle/	
MWWW	Linear Rate Raised Height (40mm Lift)	1	C31-033	Α
	Linear Rate Raised Height (70mm Lift)	1	C31-049	Α
When Fitting	Above Part Number, Suspension	on	Changes are Re	quired.



TYPE: Sportage

MODEL: KM

YEAR: 08/2005 - 04/2010

DETAIL: 2.0L



	FRONT	QTY	PART NUMBER	PRICE		REAR	φTΥ	PART NUMBER	PRICE
	COIL SPRING					COIL SPRING			
MWWW	Linear Rate Raised Height (40mm Lift)	1	C31-062	В	MWWW	Variable Rate Raised Height (40mm Lift)	1	C31-063V	В



TYPE: Sportage

MODEL: SL, SL Platinum

YEAR: 04/2010 on

DETAIL: 2.0L/2.4L Unleaded, 2.0L Turbo Diesel



0	**	•	DETAIL:	2.0L/2.4	ŀL
	FRONT	QTY	PART NUMBER	PRICE	
	COIL SPRING				П
	AWD Vehicle Linear Rate				Ш
MWWWW	Raised Height (40mm Lift) 4x2 Vehicle	1	C25-096	В	
M	Linear Rate Raised Height (40mm Lift)		C31-076	В	

Unleaded, 2	.0L Turbo Diesel			
	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING AWD Vehicle			
IWWWWI	Linear Rate Raised Height (40mm Lift) 4x2 Vehicle	1	C25-097	В
MWWWW	Linear Rate Raised Height (40mm Lift)	1	C31-077	В



TYPE: Sorento

MODEL: BL

YEAR: 2003 -2007

DETAIL:



	FRONT	PART NUMBER	PRICE		REAR	QΤΥ	PART NUMBER	PRICE
	COIL SPRING 3.5L V6 Petrol				COIL SPRING 3.5L V6 Petro		NOMBER	
	2.5L Diesel				3.0L Diesel			
MWWWW	Linear Rate Raised Height (35mm Lift)	1 C31-024	В	MWWWW	Linear Rate Raised Height (35mm Lift)	1 (C31-025	В
					SHOCK ABSORB	ER		
					Heavy Duty Twin Tube Gas		GS33-635W	



TYPE: Sorento

MODEL: BL (LX, EX)

YEAR: 07/2007 - 2009

DETAIL:



0	W.	7								
	FRONT	QTY	PART NUMBER	PRICE		REAR		QTY	PART NUMBER	PRICE
	COIL SPRING						COIL SPRING			
MAAAAAA	Petrol Linear Rate				*********		Petrol & Diesel Linear Rate			
MWWWW	Raised Height	1	C31-024	В	MWWWW		Raised Height	1	C31-027	В
MAAAAAA	Diesel Linear Rate									
I	Raised Height	1	C31-026	В						



TYPE: Sorento

 $\textbf{MODEL:} \ \ \mathsf{LX,} \ \mathsf{EX,} \ \mathsf{SX}$

YEAR: 2010 on

DETAIL: 2nd Generation XMA




	EDONT	QTY	PART NUMBER	PRICE		DEAD	≥	PART	PRICE
	FRONT COIL SPRING	 5	NUMBER	PRICE		REAR COIL SPRING	QTY	NUMBER	PRICE
	2010 - 2015 Mode	els				2010 - 2015 MOD			
MWWW	Linear Rate					With self levelling Rear S	us	pension	
	Raised Height (35mm Lift)	1	C31-074	В	MMMMM	Linear Rate Raised Height (40mm Lift)			В
						Without self levelling Rear Linear Rate	Su	ispension	
					 	Raised Height (40mm Lift)	1	C31-075	В
	2016 on Models	5				2016 on Models	5		
*************************************	Linear Rate Raised Height (35mm Lift)	1	C31-042	В	M	Linear Rate Raised Height (35mm Lift)	1	C31-043	В




TYPE:

MODEL: Series II, IIA, III

YEAR: 1958 - 1984



Snatana 109, SWB Santana 88



09, ana 88	,			
	REAR	QTY	PART NUMBER	PRICE
	LEAF SPRING			
	Suits SWB			
0 0	11 Leaves	1	LAND-SWB-R RH	
	Raised Height (45mm Lift)	1	LAND-SWB-R LH	
	Suits LWB			
0 0	8 Leaves	1	LAND-8L-R RH	
	Raised Height (45mm Lift)	1	LAND-8L-R LH	
1	SHACKLE BUSH K	Ш		
	Kit Contains: 6 x SPF2154	1	PB51-1030K	
	U-BOLT KIT			
	Series II, IIA			
	Kit Contains: 2 x UB51-601-1	2	UB51-601-1K	
	Series III Kit Contains:			
	2 x UB51-904	2	UB51-904K	
	SHOCK ABSORBE	R		
	Suits SWB, (LWB pre		58)	
0	Heavy Duty Twin Tube Gas		GS21-015C	
	Suits LWB (1958			
•	Heavy Duty Twin Tube Gas	2	GS59-631	



TYPE: Range Rover

MODEL:

YEAR: 1971 - 1998

DETAIL: Coil Spring Suspension (Not With Air Suspension)



				(Not Wit
	FRONT	ŲΤΥ	PART NUMBER	PRICE
	COIL SPRING	O	NUMBER	
	Linear Rate Raised Height (20mm Lift)	1	C51-016	В
	Linear Rate Raised Height (45mm Lift)	_	C51-014	В
MWWWW	Linear Rate Raised Height (40mm Lift)	_	031 014	b
	Diesel Engine Up to 50Kg Accessories			
	(Bullbar OR Winch)		C51-018	В
	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas	2	GS51-116	
	STEERING DAMPI	ΕR		
	Heavy Duty (Big Bore) Complete with Fittings	1	SD51-811	
	UNDER BODY BUSH			
	See Rear Under Body Bu	JSN	KIT	
	CASTOR KIT			i
	Front Radius Arm Castor 4 x Polyurethane Eccenti			
	Pre 1986 Suits 38mm			
	Wide Leading Arm	1	PB51-501K	
	After 1986 Suits 44mm		DDE4 5021/	
Raising	Wide Leading Arm Vehicle Will Effect Castor Angle.		PB51-502K	t is
Reco	mmended to Determine if a Cas Fit to Automatic Models as \	tor	Kit is Required.	
	COIL SPACER			
	5mm		PS59-4001	
	10mm		PS59-4002	
	20mm		PS59-4003	
	30mm	2	PS59-4004	

· ·	ionij			
	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
S	Linear Rate Standard Height (20mm Lift)	1	C51-017	В
WWWW	Linear Rate Raised Height (45mm Lift)	1	C51-015	В
	Linear Rate Raised Height (45mm Lift) 150Kg Constant Load	1	C51-022	В
	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas		GS51-117	
	UNDER BODY BUSH	K	T	
ŀ	Kit Includes Front & Rear Unde			
	Non EFI, Pre 01/1	986	5	
4 x Fr 2 x Rear 2 x F	Radius Arm to Chassis Bush ront Radius Arm to Diff Bush 2 x Front Panhard Rod Bush Upper Arm to Chassis Bush Rear Lower Arm to Diff Bush Lower Arm to Chassis Bush	1	PB51-1242K	
	With EFI, 02/1986	or	1	
4 x Fr 2 x Rear 2 x F	Radius Arm to Chassis Bush ont Radius Arm to Diff Bush 2 x Front Panhard Rod Bush Upper Arm to Chassis Bush Rear Lower Arm to Diff Bush Lower Arm to Chassis Bush	1	PB51-1243K	
	COIL SPACER			
	5mm	2	PS59-4001	
	10mm	2	PS59-4002	
	20mm		PS59-4003	
	30mm	2	PS59-4004	



TYPE: Discovery

MODEL: Series I

YEAR: 1991 - 03/1999

DETAIL:



	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			V
:	Linear Rate Standard Height (20mm Lift)	1	C51-016	В
******	Linear Rate Raised Height (45mm Lift)	1	C51-014	В
MWWWMI	Linear Rate Raised Height (40mm Lift)			
	Diesel Engine Up to 50Kg Accessories (Bullbar OR Winch)	1	C51-018	В
1	SHOCK ABSORBE	R		Y
	Heavy Duty Twin Tube Gas	2	GS51-116	
	STEERING DAMP	ΕR		i e
_	Heavy Duty (Big Bore) Complete with Fittings	1	SD51-811	
	UNDER BODY BUSH			
	See Rear Under Body Bu	ush	Kit	
	CASTOR ADJUSTMEN	ГΡ	ART	Y
	Front Radius Arm Castor 4 x Polyurethane Eccenti	Kit	(±2.0°)	
	Suits 44mm Wide Leading Arm	1	PB51-502K	
	Raising Vehicle Will Effect Ca ignment is Recommended to De Required. Fit to Automatic Models as N	eter	mine if a Castor	
DONOT	Fit to Automatic Models as	VID	Tation May Oct	ui.
	COIL SPACER			
	5mm	2	PS59-4001	
	10mm	2	PS59-4002	
	20mm	2	PS59-4003	
	30mm	2	PS59-4004	

	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Variable Rate Standard Height (20mm Lift)	1	C51-023V	В
	Linear Rate Raised Height (35mm Lift)	1	C51-015	В
MWWW	Linear Rate Raised Height (50mm Lift) Up to 50Kg Constant Load	1	C51-022	В
	Variable Rate Raised Height (50mm Lift) Extra Heavy Duty 100-220Kg Constant Load	1	C51-027V	В
,	100-220kg Constant Load	_	C31-027 V	Ь
	SHOCK ABSORBE	R		
-	Heavy Duty Twin Tube Gas	2	GS51-117	
	UNDER BODY BUSH	ΚI	т	
	Kit Includes Front & Rear Under			
4 x F 2 x Rea 2 x	Radius Arm to Chassis Bush front Radius Arm to Diff Bush 2 x Front Panhard Rod Bush r Upper Arm to Chassis Bush Rear Lower Arm to Diff Bush r Lower Arm to Chassis Bush	1	PB51-1243K	
	COIL SPACER			
	5mm	2	PS59-4001	
	10mm	2	PS59-4002	
	20mm	2	PS59-4003	
	30mm	2	PS59-4004	



TYPE: Discovery II

MODEL: Series II

YEAR: 03/1999 - 2004



			DETAIL:	TD5, V8
	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Linear Rate Standard Height (20mm Lift)	1	C51-032	В
MWWW	Linear Rate Raised Height (45mm Lift) Up to 40Kg Accessories (Bullbar OR Winch) Recommended	1	C51-042	В
	Linear Rate Raised Height (45mm Lift) Extra Heavy Duty 40-100Kg Accessories (Bullbar AND Winch)	1	C51-052	В
1	CHOCK ARCORD			
	SHOCK ABSORBE	IK		
-	Heavy Duty Twin Tube Gas	2	GS51-118	
	STEERING DAMPI	ΞR		
·	Heavy Duty (Big Bore) Complete with Fittings		SD51-802	

2004				
	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING Variable Rate Standard Height (20mm Lift)	1	C51-023V	В
 	Linear Rate Raised Height (45mm Lift)	1	C51-015	В
/*************************************	Linear Rate Raised Height (50mm Lift) Variable Rate	1	C51-022	В
	Raised Height (50mm Lift) 200Kg Constant Load	1	C51-027V	В
1	SHOCK ABSORBE	R		
·	Heavy Duty Twin Tube Gas	2	GS51-119	



TYPE: Discovery III

MODEL: LR3

YEAR: 01/2005 - 2009

DETAIL: 2.7L V6 TD, 4.0L V6 Petrol



	(6)		D	PETAIL: 2	2.7L V6 T Coil Sprir	D ng	,
	FRONT	L SPRING		PART NUMBER	PRICE		
MWWWW		inear Rate	L C5	51-066	С		
	SHOCK	ABSORBER					N
	Heavy Duty Twin	Tube Gas 2	2 G S	551-120			•
						1	C

Models Onl	У			
	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING Linear Rate			
	Raised Height (45mm Lift)	1	C51-067	С
WWWW	Linear Rate Raised Height (45mm Lift) 200Kg Constant Load	1	C51-079	С
	Linear Rate Raised Height (45mm Lift) 400Kg Constant Load	1	C51-065	D
1	SHOCK ABSORBE	R		Y
	Heavy Duty Twin Tube Gas	2	GS51-121	
	, ,			



MODEL: 90 Series

YEAR: 1984 - 1990

DETAIL: SWB



	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Petrol			
	Linear Rate Raised Height (40mm Lift)	1	C51-014	В
M	Linear Rate Raised Height (45mm Lift) 50-80Kg Accessories (Bullbar AND Winch)	1	C51-018	В
	Diesel			
MMMM	Linear Rate Raised Height (45mm Lift) Up to 80Kg Accessories (Bullbar OR Winch)	1	C51-018	В
	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas	2	GS51-116	
1	STEERING DAMP	ER		ì
	Heavy Duty (Big Bore) Complete with Fittings	1	SD51-832	
	UNDER BODY BUSH	KI	1	
	See Rear Under Body Bu			
	CASTOR KIT			
	Front Radius Arm Castor 4 x Polyurethane Eccenti			
	Pre 1986			
	Suits 38mm Wide Leading Arm	1	PB51-501K	
	After 1986			
	Suits 44mm Wide Leading Arm	1	PB51-502K	
	Vehicle Will Effect Castor Angle mmended to Determine if a Cas			
	Fit to Automatic Models as \			
	COIL SPACER			
	5mm	2	PS59-4001	
_	10mm	2	PS59-4002	
-6	20mm	2	PS59-4003	
	30mm	2	PS59-4004	

	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING		NOMBER	
	Linear Rate Raised Height (45mm Lift) Up to 50Kg Constant Load	1	C51-015	В
	Variable Rate Raised Height (50mm Lift) 100-220Kg Constant Load		C51-027V	В
	SHOCK ABSORB	ΕR		
·	Heavy Duty Twin Tube Gas	2	GS51-117	
	UNDER BODY BUSH			
<u> </u>	Kit Includes Front & Rear Unde			
	Chassis Number up to I	.A9	30455	
4 x Fr 2 x Rear 2 x F	Radius Arm to Chassis Bush ont Radius Arm to Diff Bush 2 x Front Panhard Rod Bush Upper Arm to Chassis Bush Rear Lower Arm to Diff Bush Lower Arm to Chassis Bush	1	PB51-1244K	
	Chassis Number LA93	045	66 on	
4 x Front	Radius Arm to Chassis Bush			
4 x Fr 2 x Rear 2 x F	Radius Arm to Chassis Bush ont Radius Arm to Diff Bush 2 x Front Panhard Rod Bush Upper Arm to Chassis Bush Rear Lower Arm to Diff Bush Lower Arm to Chassis Bush	1	PB51-1243K	



MODEL: 110 Series

YEAR: 1984 - 1992

DETAIL: Pickup, 110 Country Wagon, Trayback



	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Suits: 110 V8 Peti 2.5L Diesel	rol		
	Linear Rate Raised Height (40mm Lift)	1	C51-017	В
MWWW	Linear Rate Raised Height (40mm Lift) 80-100Kg Accessories (Bullbar AND Winch)	1	C51-015	В
	Suits: 110 Isuzu Diesel	(Pi	ickup)	
	Linear Rate Raised Height (30mm Lift)	1	C51-015	В
MWWW	Linear Rate Raised Height (40mm Lift)			
	80-100Kg Accessories (Bullbar AND Winch)	1	C51-022	В
	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas	2	GS51-116	
1				
	STEERING DAMPI	ŧR		
	Heavy Duty (Big Bore) Complete with Fittings	1	SD51-832	
	UNDER BODY BUSH	KI	IT.	
	See Rear Under Body Bu			
	CASTOR ADJUSTMENT	ΓР	ART	
	Front Radius Arm Castor I 4 x Polyurethane Eccentr			
	Isuzu Diesel Engi	ne		
	Suits 38mm Wide Leading Arm	1	PB51-501K	
	Petrol Only			
	Suits 38mm Wide Leading Arm	1	PB51-501K	
	Suits 44mm Wide Leading Arm	1	PB51-502K	
A Wheel Ali	Raising Vehicle Will Effect Ca ignment is Recommended to De Required.			Kit is
	•			
	COIL SPACER			
	5mm	2	PS59-4001	
	10mm	2	PS59-4002	
 E &	20mm	2	PS59-4003	
	30mm	2		
	35,,,,,,	_		

	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Suits: 110 Wagon & Pic Self Levelling Suspe			
WWWW	Linear Rate Raised Height (30mm Lift)	1	C51-001	В
	Suits: 110 Wagon & Picku			
I	Self Levelling Suspe Linear Rate Raised Height (45mm Lift) Up to 250Kg Constant Load Linear Rate Raised Height (45mm Lift)	1	C51-019	В
	350Kg Constant Load	1	C51-011	С
1	SHOCK ABSORBE	R		Y
·	Heavy Duty Twin Tube Gas	2	GS51-117	
	UNDER BODY BUSH Kit Includes Front & Rear Under			
	Chassis Number up to L			
	Radius Arm to Chassis Bush ront Radius Arm to Diff Bush			
	2 x Front Panhard Rod Bush			
	r Upper Arm to Chassis Bush Rear Lower Arm to Diff Bush			
4 x Rea	r Lower Arm to Chassis Bush		PB51-1244K	
A Fuent	Chassis Number LA930	043	35 on	
4 x Fi 2 x Reai 2 x	Radius Arm to Chassis Bush ront Radius Arm to Diff Bush 2 x Front Panhard Rod Bush r Upper Arm to Chassis Bush Rear Lower Arm to Diff Bush r Lower Arm to Chassis Bush	1	PB51-1243K	



MODEL: 110 & 130 Series

YEAR: 1992 - 2001

DETAIL: LWB 110" Wheel Base 300 TDi 130" Wheel Base Double Cab



	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Suits: 110 Series 130 Series			
	Linear Rate Standard Height	1	C51-020	В
MWWW	Linear Rate Raised Height (30mm Lift) Up to 50Kg Accessories (Bullbar OR Winch)	1	C51-018	В
	Linear Rate Raised Height (45mm Lift) 80-120Kg Accessories (Bullbar AND Winch)	1	C51-026	В
	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas		GS51-116	
	STEERING DAMPI	ΕR		
	Heavy Duty (Big Bore) Complete with Fittings	1	SD51-832	
	UNDER BODY BUSH	K1	iT.	
	See Rear Under Body Bu			
	CASTOR KIT			
	Front Radius Arm Castor 4 x Polyurethane Eccenti			
	110 Series			
	Suits 38mm Wide Leading Arm	1	PB51-501K	
	Suits 44mm Wide Leading Arm	1	PB51-502K	
	130 Series			
	Suits 44mm Wide Leading Arm		PB51-502K	
A Wheel Al	Raising Vehicle Will Effect Ca ignment is Recommended to De Required.			r Kit is
	COIL SPACER	-	DOTO ::::	
	5mm		PS59-4001	
	10mm		PS59-4002	
	20mm	2	PS59-4003	

30mm 2 **PS59-4004**

	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Suits: 110 Serie	s		
	Linear Rate Standard Height	1	C51-051	В
M AAAAAAA	Linear Rate Raised Height (45mm Lift) Up to 250Kg Constant Load	1	C51-019	В
NWWWW	Linear Rate Raised Height (45mm Lift) Up to 350Kg Constant Load	1	C51-011	С
	Linear Rate Raised Height (50mm Lift) 500Kg Constant Load	1	C51-059T	С
	Suits: 130 Serie	s		
M	Linear Rate Raised Height (45mm Lift)	1	C51-009T	С
NWWWW	Linear Rate Raised Height (45mm Lift) 500Kg Constant Load	1	C51-059T	С
	Reuse Inner Coil Helper for Load Carrying Capac			
1	SHOCK ABSORBE	R		
·	Heavy Duty Twin Tube Gas	2	GS51-117	

UNDER BODY BUSH KIT

Kit Includes Front & Rear Under Body Bushes

Chassis Number LA930435 on

4 x Front Radius Arm to Chassis Bush 4 x Front Radius Arm to Diff Bush 2 x Front Panhard Rod Bush 2 x Rear Upper Arm to Chassis Bush 2 x Rear Lower Arm to Diff Bush 4 x Rear Lower Arm to Chassis Bush

1 PB51-1243K



MODEL: 110 & 130 Series

YEAR: 2007 on

DETAIL: TD4 2.4 Turbo Diesel



9				
	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			ı
	Linear Rate Standard Height	1	C51-020	В
	Linear Rate Raised Height (40mm Lift) Up to 50Kg Accessories (Bullbar OR Winch)	1	C51-018	В
MWWWI	Linear Rate Raised Height (50mm Lift) 50-80Kg Accessories (Bullbar OR Winch)	1	C51-017	В
	Linear Rate Raised Height (50mm Lift) 80-120Kg Accessories (Bullbar AND Winch)	1	C51-026	В
	STEERING DAMP	ΞR		
	Heavy Duty (Big Bore) Complete with Fittings		SD51-832	
	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas	2	GS51-116	
	UNDER BODY BUSH	K1	T	
	See Rear Under Body Bu	ush	Kit	
1				
	COIL SPACER 5mm	2	PS59-4001	
_	10mm		PS59-4001 PS59-4002	
	20mm		PS59-4003	
	30mm	2	PS59-4004	

	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Suits: 110 Serie	s		
	Linear Rate Standard Height	1 C51-051		В
MAAAAAA	Linear Rate Raised Height (45mm Lift) Up to 250Kg Constant Load	1	C51-019	В
I/////////	Linear Rate Raised Height (45mm Lift) Up to 350Kg Constant Load	1 C51-011		С
	Linear Rate Raised Height (50mm Lift) 500Kg Constant Load	1	C51-059T	С
	Suits: 130 Serie	s		
M AAAAAAA	Linear Rate Raised Height (45mm Lift)			С
I	Linear Rate Raised Height (45mm Lift) 500Kg Constant Load	1	C51-059T	С
Replace I	nner Coil Helper for Maximum L	.oad	d Carrying Capa	city.

Heavy Duty Twin Tube Gas 2 **GS51-117**

SHOCK ABSORBER

UNDER BODY BUSH KIT
Kit Includes Front & Rear Under Body Bushes

Chassis Number up to LA930435 on

4 x Front Radius Arm to Chassis Bush 4 x Front Radius Arm to Diff Bush 2 x Front Panhard Rod Bush 2 x Rear Upper Arm to Chassis Bush 2 x Rear Lower Arm to Diff Bush 4 x Rear Lower Arm to Chassis Bush



TYPE: Freelander

MODEL:

YEAR: 1997 - 1999, 1999 - 2006

DETAIL: Petrol & TD4



	FRONT	PART NUMBER	PRICE		REAR	PART NUMBER	PRICE
	COIL SPRING 1997 - 1999 1.8L Petrol 2.0L Turbo Diesel (To Chassis No WA624	944)			COIL SPRING 1997 - 1999 1.8L Petrol 2.0L Turbo Diese (To Chassis No WA62	el 4944)	
M	Linear Rate Raised Height (30mm Lift) 1999 - 2006 2.5L V6 Petrol 2.0L TD DOHC (From Chassis No WA62		В	 	Linear Rate Raised Height (30mm Lift) 1999 - 2006 2.5L V6 Petrol 2.0L TD DOHC (From Chassis No WA6		В
	Linear Rate Raised Height (30mm Lift)		В		Linear Rate Raised Height (30mm Lift)		В



TYPE: Scorpio (Goa, Getaway)

MODEL:

YEAR: 2002 on

DETAIL: 4x4 Wagon



FRONT	≻ PART			DEAD	>	PART	
	PART NUMBER	PRICE		REAR	QTY	PART NUMBER	PRICE
TORSION BAR				COIL SPRING			
Heavy Duty Rate Increased			MWWW	Linear Rate Raised Height (40mm Lift)			
Length 1063mm	1 TB38-1673		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Raised Height (40mm Lift) Up to 100Kg Constant Load	1 (C38-003	В
SHOCK ABSORBE	R		1	SHOCK ABSORB	ER		Y
Heavy Duty Twin Tube Gas			0	Heavy Duty Twin Tube Gas		3521_01EBC	
fleavy Duty Twill Tube Gas	2 G321-403			fleavy Duty Twill Tube Gas	2 0	3521-015BC	



TYPE: Scorpio (Getaway)

MODEL: CRDE Pick-Up

YEAR: 2008 on **DETAIL:** 4x4 2.5L



			DETAIL.	7A7 2.JL				
		QTY	PART NUMBER	PRICE				
	TORSION BAR Heavy Duty Rate Increased Length 1063mm	1	TB38-1673					
SHOCK ABSORBER								
-	Heavy Duty Twin Tube Gas	2	GS43-082S					

	REAR	QTY	PART NUMBER	PRICE			
ڡ	LEAF SPRING 4+2 Leaves Raised Height (40mm Lift) Up to 100Kg Constant Load		L38-220-R				
SHACKLE BUSH KIT							
	Kit Contains: 12 x SPF2260	1	PB59-1019K				
	U-BOLT KIT			i .			
Ü	Kit Contains: 2 x UB59-415	2	UB59-415K				
	SHOCK ABSORBE	R		1			
•	Heavy Duty Twin Tube Gas		GS21-015BC				
	SHACKLE						
	Right Hand Side (Anti-Reverse)	1	SK59-048				
# •	Left Hand Side	_					
	(Anti-Reverse)	1	SK59-047				



TYPE: Bravo

MODEL: B2200/2500/2600/4000

YEAR: 03/1987 - 11/2006

DETAIL: Pickup, Ford Raider/Courier, Proceed Suspension Fits 4x2 Highrider & 4x4 B4000 4.0L V6

- 1				Suspens
	FRONT	QTY	PART NUMBER	PRICE
	TORSION BAR Heavy Duty Rate Increased Length 926mm	1	TB39-1546	
	SHOCK ABSORBE	R	'	
	Heavy Duty Twin Tube Gas	2	GS19-082P	

n Fits 4x2 H	ighrider & 4x4 B4000 4	.0L	_ V6	
	REAR	QTY	PART NUMBER	PRICE
0 0	LEAF SPRING 5+2 Leaves Raised Height (35mm Lift) Up to 100Kg Constant Load 6+2 Leaves	2	MAZ-003-R	
	Heavy Duty Raised Height (35mm Lift) 200Kg Constant Load SHACKLE BUSH K		B2600-4X4-R	
	Kit Contains:	444		
OTI	2 x SPF311 4 x SPF502 4 x SPF753	1	PB39-1058K	
	U-BOLT KIT			
	Kit Contains: 2 x UB59-453-3		UB59-453-3K	
	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas	2	GS19-081T	
	SHACKLE			
なな」	Greasable: Fit In Pairs	2	SK59-010	



TYPE: BT-50 (Series I)

MODEL: BT-50

YEAR: 2007 - 10/2011

ual Cab, Ford Ranger PJ, PK on Fits 4x4 & 4x2 Highrider

		Š	DETAIL:	Pickup/[Suspens
	FRONT	QΤΥ	PART NUMBER	PRICE
	TORSION BAR			
	Heavy Duty Rate Increased Length 1024mm x 27mm	1	TB39-1551	
	Heavy Duty Rate Increased Length 926mm		TB39-1546	
Note: For Latir ordering, as	American models check the C there are some models with a	E T	orsion Bar leng 6mm long Torsi	th before on Bar.
3, 11				
	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas	2	GS19-082P	

	REAR	QTY	PART NUMBER	PRICE
	LEAF SPRING			
	3+2 Leaves Medium Duty Raised Height (40mm Lift) Up to 100Kg Constant Load	2	L39-030-R	
	4+2 Leaves Heavy Duty Raised Height (45mm Lift) 280Kg Constant Load	2	L39-031-R	
	5+2 Leaves Super Heavy Duty Raised Height (40mm Lift) 420Kg Constant Load	2	L39-032-R	
	SHACKLE BUSH K	ш		
OLI	Kit Contains: 2 x PB59-1503 4 x SPF502 4 x SPF753		PB39-1056K	
	4 X SPF/55	1	PD39-1030K	
	U-BOLT KIT			
_	Kit Contains:			
	2 x UB21-466	2	UB21-466K	
	SHOCK ABSORBE	R		
	SHOCK ABSOND	-11		
	Heavy Duty Twin Tube Gas	2	GS19-081T	
	SHACKLE			
なな!	Greasable: Fit in Pairs	2	SK59-010	
	PIN			
• ++-	Greasable: Fit in Pairs	2	SP59-060	



TYPE: BT-50 (Series II)

MODEL: BT-50

YEAR: 10/2011 on

DETAIL: 3.2L Pickup/Well Back/Tray Back Also Suits 4x2 Highrider



	FRONT	QTY	PART NUMBER	PRICE		REAR	QTY	PART NUMBER	PRICE
	COIL SPRING					LEAF SPRING			
	4x2 High Rider Linear Rate Raised Height (40mm Lift) No Accessories		C19-420	В		3+3 Leaves Medium Duty Raised Height (40mm Lift) Up to 100Kg Constant Load	2	L19-131-R	
MWWW	Linear Rate Raised Height (40mm Lift) 50-90Kg Accessories 4x4	1	C19-422	В	٥	4+3 Leaves Heavy Duty Raised Height (40mm Lift) 280Kg Constant Load	2	140 422 B	
	Linear Rate Raised Height (40mm Lift) No Accessories	1	C19-422	В		(Recommended) 5+3 Leaves Super Heavy Duty Raised Height (40mm Lift) 500Kg Constant Load		L19-132-R	
M	Linear Rate Raised Height (40mm Lift) 50-90Kg Accessories	1	C19-424	В		3+1 Leaves Parabolic Raised Height (60mm Lift)		L19-133-R L19-135-RP	
	Linear Rate	1	C19-422	В		3+1 Leaves Parabolic Raised Height (50mm Lift) 150Kg Constant Load Comfort Option	2	L19-135-RP	
	Raised Height (55mm Lift) 50-100Kg Accessories	1	C19-424	В		TAILSHAFT SPACE	. V	4-	
	SHOCK ABSORBI					Tailshaft Centre Bearing Spacer Kit Helps to Reduce Driveline			
	Heavy Duty Twin Tube Gas Monotube Remote Reservoir	2	GS19-092			Vibration in Lifted Vehicles		WA19-526K	
	Adjustable Spring Seat Heavy Duty					SHACKLE BUSH K	• •		
• 	Original Setting of X = 190mm/7.48" (X - Centre of Eye to Spring Seat)	2	MR19-50092			Kit Contains: 2 x PB19-1523 4 x PB19-1524 4 x PB19-1525	1	PB19-1104K	
	STRUT CAP		1		1	U-BOLT KIT			
:≣: 0	Strut Top Cap	2	SC19-009			Kit Contains: 2 x UB21-466	2	UB21-466K	
					,	SHOCK ABSORB	ĒR		
						Heavy Duty Twin Tube Gas	2	GS19-081T	
					•— —— •	Monotube Remote Reservoir Shock Heavy Duty	2	MR19-50081T	
						SHACKLE			
					なな!	Greasable: Fit in Pairs	2	SK19-058	
						PIN			
					•+-	Greasable: Fit in Pairs	2	SP59-060	



TYPE: BT-50 (Series II)

MODEL: BT-50

YEAR: 10/2011 on

DETAIL: 3.2L Pickup/Well Back/Tray Back Also Suits 4x2 Highrider 3" Lift

	FRONT	QTY	PART NUMBER	PRICE	REAR	PART NUMBER	PRICE
	COIL SPRING				PARABOLIC LEAF SPRI	NG	
	4x2 High Rider	•			3 + 1 Leaves		
N	Linear Rate Raised Height (3" Lift)	1	C19-442	В	Raised Height (60mm Lift) 2	L19-135-RP	
	4x4s				Raised Height (3" Lift) 2	L19-139-RP	
	Linear Rate						
	Raised Height (3" Lift) No Accessories	1	C10_4E8	В	TAILSHAFT SPACER K	(T	
MWWW	Linear Rate Raised Height (3" Lift)		C19-476	Б	Tailshaft Centre Bearing Spacer Kit Helps to Reduce Driveline Vibration in Lifted Vehicles 1	WA19-526K	
,				1	SHACKLE BUSH KIT		ì
	SHOCK ABSORBI	ER			Kit Contains:		
o -	Heavy Duty Twin Tube Gas Monotube Remote Reservoir Adjustable Spring Seat	2	GS19-092		2 x PB19-1523 4 x PB19-1524 4 x PB19-1525 1	PB19-1104K	
_	Heavy Duty				U-BOLT KIT		1
	Original Setting of $X = 190 \text{mm} / 7.48''$				Kit Contains:		
	X = Centre of Eye to Spring	2	MR19-50092		2 x UB21-466 2	UB21-466K	
1	STRUT CAP				SHOCK ABSORBER		
	SIRUI CAP				O Harry Pote Tota Take Con 2		
	Strut Top Caps	2	SC19-009		Heavy Duty Twin Tube Gas 2	GS19-081T	
					Monotube Remote Reservoir Shock Heavy Duty 2	MR19-50081T	
					SHACKLE		
					Greasable: Fit in Pairs 2	SK19-058	
					PIN		
					Greasable: Fit in Pairs 2	SP59-060	
					WARNING - LIFTS EXCEEDING	50MM (2")	
					The suspension components listed on this page		
					- Refer to Local Laws before Fitting to R - An Engineering Certificate may be req - Handling Characteristics will Diminish	uired on Lifts Above 5	50mm (2")
					The following modifications (but not limited the vehicle before the kit is		nade to
					- Upper Control Arms - Brake Hoses	Gear Box & D Modifications Steering Arms Swaybar Modi	s
					Dobinsons Spring & Suspension do not acc for injury caused to person or property th products listed on this pa	rough the use ge.	of the
					These products do not come with any war	anty or guarant	ee.



TYPE: Tribute, Escape

MODEL: BA, ZA, ZB

YEAR: 2001 on

DETAIL: 5 Door, 4 Cyl 2.0L Petrol, V6 3.0L Petrol



	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Suits V6 3.0L			
	Linear Rate Standard Height	1	C19-222	В
	Linear Rate Raised Height (35mm Lift) Comfort Option No Load	1	C19-266	В
I	Linear Rate Raised Height (45mm Lift) Comfort Option No Load	1	C19-264	В
	Linear Rate Raised Height (45mm Lift) Up to 50Kg Accessories	1	C19-224	В

COIL SPRING Linear Rate Standard Height Linear Rate Raised Height (35mm Lift) Up to 100Kg Constant Load Linear Rate Raised Height (50mm Lift) Up to 100Kg Constant Load 1 C19-225	
Standard Height Linear Rate Raised Height (35mm Lift) Up to 100Kg Constant Load Linear Rate Raised Height (50mm Lift)	
Raised Height (35mm Lift) Up to 100Kg Constant Load Linear Rate Raised Height (50mm Lift)	В
Raised Height (50mm Lift)	В
	В



TYPE: G-Class

MODEL: G230, G300

YEAR: 1982 - 2001

DETAIL: G230: 2.3L & 2.8L Petrol G300: 3.0L Turbo Diesel



				G300. 3.	υL
	FRONT	QTY	PART NUMBER	PRICE	
	COIL SPRING		ı		
MWWWW	Linear Rate Raised Height (45mm Lift)	1	C41-042	В	
	SHOCK ABSORB	R		1	$\ $
O	Heavy Duty Twin Tube Gas		G545-125B		

& 2.8L Petr Turbo Dies	rol el				
	REAR	QTY	PART NUMBER	PRICE	
WWWWW	Variable Rate Raised Height (45mm Lift) Comfort Spring Variable Rate		C43-045VE	В	
	Raised Height (45mm Lift) Extra Heavy Duty 250Kg Constant Load		C41-055V	В	
	SHOCK ABSORBE Heavy Duty Twin Tube Gas		GS43-784D		
	neavy Duty Iwiii Tube Gas	2	G543-784D		



TYPE: G-Wagon

MODEL: G55

YEAR: 2005 on

DETAIL: 4 Door Station Wagon



	FRONT	QTY	PART NUMBER	PRICE
MMMM	COIL SPRING Linear Rate Raised Height (45mm Lift) Linear Rate Raised Height (75mm Lift)		C41-060	B B
	SHOCK ABSORB	R		
O	Heavy Duty Twin Tube Gas	2	GS51-117S	

ion wagon				
	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Variable Rate Raised Height (45mm Lift) Comfort Spring	1	C43-045VE	В
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Variable Rate Raised Height (45mm Lift) Extra Heavy Duty 250Kg Constant Load	1	C41-055V	В
1	SHOCK ABSORBE	R		Y
	Heavy Duty Twin Tube Gas	2	GS43-784D	



TYPE: G-Wagon

MODEL: G550

YEAR: 2005 on

DETAIL: 5.6L V8



	FRONT	QTY	PART NUMBER	PRICE		REAR	QTY	PART NUMBER	PRICE
MANAAAA	COIL SPRING Linear Rate				MAAAAAA	COIL SPRING Linear Rate			
M	Raised Height (45mm Lift)	1	C41-048	В	MWWWW	Raised Height (50mm Lift)	1	C41-055V	В
· ·	SHOCK ABSORBI	ĒR				SHOCK ABSORBE	R		
-	Heavy Duty Twin Tube Gas	2	GS45-125B			Heavy Duty Twin Tube Gas	2	GS43-784D	



TYPE: Triton

MODEL: ME, MF, MG, MH, MJ, MK

YEAR: 1987 - 09/2006

DETAIL: Pickup, Colt Rodeo (South Africa) Mighty Max, L200 (PNG)



PRICE

		mignity ma	ix, L200 (FNG)	
FRONT	PART NUMBER	PRICE	REAR	PART NUMBER
TORSION BAR	1 1		LEAF SPRING	
Petrol & Diesel (Pre	1992)		3+2 Leaves	
Heavy Duty Rate Increased Length 1282mm				2 TRIT-3+2-R
Check Length Before	1 TB43-200		4+2 Leaves Raised Height (40mm Lift) 300Kg Constant Load	2 TRIT-003-R
V6 Petrol (06/1991 - Turbo Diesel (1992 Diesel (1997 - 200	on)		Above Springs Have a 36mm Fror For Bush Kit Use PB43-1	
Heavy Duty	ĺ			
Rate Increased			SHACKLE BUSH KI	
Length 1370mm Check Length Before	1 7040 004		Suits: 36mm Front Spri Check Eye ID Before Or	
Ordering	1 TB43-204		Kit Contains:	
			2 x SPF713 4 x SPF187	
SHOCK ABSORBE				1 PB43-1075K
1987 - 11/1996			Suits: 41mm Front Spri	ng Eye
- Usany Buty Tuin Tuha Cas	3 6643 683		Check Eye ID Before Or	dering
Heavy Duty Twin Tube Gas	2 GS43-U82		Kit Contains:	
11/1996 on			2 x PB43-1508	
Heavy Duty Twin Tube Gas	2 6543-0825		4 X SPF167	1 PB43-1085K
rieavy buty Iwiii Tube das	2 0343-0023			
STEERING DAMPE	=D		U-BOLT KIT	1
Heavy Duty			72mm Diameter (Pre 02	/2005)
Complete with Fittings	1 SD45-022		Kit Contains:	
			2 x UB43-671	2 UB43-671K
			77mm Diameter (MK 02/2	2005 on)
			Kit Contains:	
			2 x UB45-451	2 UB45-451K
			SHOCK ABSORBEI	2
			Heavy Duty Twin Tube Gas	2 GS43-081B
			SHACKLE	
			Greasable: Fit in Pairs	2 SK43-037



TYPE: Triton, L200

MODEL: ML, MN

YEAR: 05/2006 - 2015

DETAIL: Warrior, 4x2 Highrider



	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
	4x2 Highrider	o - 1	0	
	4x4 MN 2.5 T/D Single (Cat	Only	
M	Linear Rate Raised Height (40mm Lift) Up to 70Kg Accessories	1	C43-186	В
	Linear Rate Raised Height (45mm Lift) 70-120Kg Accessories (Bullbar AND Winch)	1	C43-192	В
	4x4 ML 3.5 V6 Pet 4x4 MN 2.5 T/D Dual Cab GL			
	•	./ G	LA/GLA-K	
MAAAAAAAAA	Linear Rate Raised Height (40mm Lift) Up to 70Kg Accessories	1	C43-192	В
MWWW	Linear Rate Raised Height (45mm Lift) 70-120Kg Accessories (Bullbar AND Winch)	1	C43-188	В
	4x4 ML 3.2 T/D			
	Linear Rate Raised Height (40mm Lift) Up to 70Kg Accessories		C43-188	В
MWWW	Linear Rate Raised Height (45mm Lift) 70-120Kg Accessories (Bullbar AND Winch)	1	C43-190	В
Due to Vas	tly Different OE Ride Heights a I			
Due to vus	Possible in Some Mod			idy be
	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas	2	GS43-800	
_	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty			
• 	Original Setting of $X = 210 \text{mm/8.26}^{\prime\prime}$			
	(X - Centre of Eye to Spring Seat)	2	MR43-50800	
	STRUT CAP			
::: 0	Strut Top Cap	2	SC43-005	

	REAR	QTY	PART NUMBER	PRICE
	LEAF SPRING			
	3+2 Leaves Raised Height (40mm Lift) Comfort Spring	2	L43-014-R	
	4+2 Leaves Raised Height (45mm Lift) Medium Duty 100Kg Constant Load	2	L43-015-R	
و٥	5+2 Leaves Raised Height (45mm Lift) Heavy Duty 350Kg Constant Load	2	L43-016-R	
	6+2 Leaves Raised Height (45mm Lift) Extra Heavy Duty 550Kg Constant Load	2	L43-017-R	
	After Fitting These Springs We			
	Adjusting the Brake Proportion	onii	ng Valve	
	SHACKLE BUSH K	117		
	Kit Contains:			
	2 x PB43-1508 4 x SPF187 4 x SPF192	1	PB43-1085K	
	U-BOLT KIT			
	05-2006 - 04/20	13		
	Kit Contains: 2 x UB43-701	2	UB43-701K	
	04/2013 on			
	Kit Contains: 2 x UB45-800	2	UB45-800K	
	SHOCK ABSORBE	R		
·	Heavy Duty Twin Tube Gas Heavy Duty Long Travel	2	GS43-801	
	Twin Tube Gas (Big Bore) Monotube Remote Reservoir	2	GS59-651	
	Shock Heavy Duty	2	MR43-50801	
	SHACKLE			
ななに	Greasable: Fit in Pairs	2	SK43-037	
	PIN			
●+	Greasable: Fit in Pairs	2	SP59-060	
	TAILSHAFT SPAC	ER		
	Tailshift Spacer	1	S43-001	
	laised Suspension a Tailshaft Sp aring and Prolong Life in Models			



TYPE: Triton, L200

MODEL: MQ 5th Generation

YEAR: 03/2015 on

DETAIL: 4x4 Also Suits 4x2 Highrider



	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
RAMAMA	Linear Rate Raised Height (30mm Lift) Up to 40Kg Accessories	1	C43-314	В
/*************************************	Linear Rate Raised Height (30mm Lift) 40-90Kg Accessories	1	C43-316	В
Can Not Exc	eed 30mm Lift Due to Suspensi	on	Geometry Resti	rictions
,				
	SHOCK ABSORBE	R		
O	Heavy Duty Twin Tube Gas	2	GS43-800	
1	STRUT CAP			
:E: 0	Strut Top Cap	2	SC43-005	

REAR LEAF SPRING 3+2 Leaves Raised Height (30mm Lift) Comfort Option Minimal Load 2 L43-163-R	
3+2 Leaves Raised Height (30mm Lift) Comfort Option	RICE
Raised Height (30mm Lift) Comfort Option	
4+1 Leaves Raised Height (30mm Lift) Medium Duty Up to 80Kg Constant Load 2 L43-162-R	
4+2 Leaves Raised Height (30mm Lift) 200-250Kg Constant Load 2 L43-164-R	
5+2 Leaves Raised Height (30mm Lift) Heavy Duty	
350-400Kg Constant Load 2 L43-165-R	
SHACKLE BUSH KIT	
Kit Contains: 2 x PB43-1550 4 x PB43-1551 4 x PB43-1528 1 PB43-1109K	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
U-BOLT KIT	
Kit Contains:	
L43-162-R 2 x UB59-453-2 2 UB59-453-2K	
L43-163-R 2 x UB59-453-2 2 UB59-453-2K	
L43-164-R 2 x UB59-437 2 UB59-437K	
L43-165-R 2 x UB59-437 2 UB59-437K	
SHOCK ABSORBER	
Heavy Duty Twin Tube Gas 2 GS43-801	
SHACKLE	
Greasable: Fit in Pairs 2 SK43-063	
PIN	
Greasable: Fit in Pairs 2 SP59-060	
Greasable: Fit in Pairs 2 SP59-060 TAILSHAFT SPACER	
Greasable: Fit in Pairs 2 SP59-060 TAILSHAFT SPACER When Fitting Raised Suspension a Tailshaft	
Greasable: Fit in Pairs 2 SP59-060 TAILSHAFT SPACER When Fitting Raised Suspension a Tailshaft Spacer is Required to Align the Centre Bearing and Prolong Life in Models with a	
Greasable: Fit in Pairs 2 SP59-060 TAILSHAFT SPACER When Fitting Raised Suspension a Tailshaft Spacer is Required to Align the Centre Bearing and Prolong Life in Models with a	
Greasable: Fit in Pairs 2 SP59-060 TAILSHAFT SPACER When Fitting Raised Suspension a Tailshaft Spacer is Required to Align the Centre Bearing and Prolong Life in Models with a	
Greasable: Fit in Pairs 2 SP59-060 TAILSHAFT SPACER When Fitting Raised Suspension a Tailshaft Spacer is Required to Align the Centre Bearing and Prolong Life in Models with a	



TYPE: Challenger

MODEL: PA

YEAR: 06/2000 - 2006

DETAIL: 2.8L TD, 3.0L V6, Nativa



	FRONT	QTY	PART NUMBER	PRICE		
	TORSION BAR			1		
==	Heavy Duty Rate Increased Length 1307mm	1	TB43-203			м
1	SHOCK ABSORBE			1	ľ	W
	Heavy Duty Twin Tube Gas	2	GS43-082S			
					1	

OL V6, Nativ	va			
	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
wwww	Variable Rate Raised Height (20mm Lift)	1	C43-065V	В
************	Variable Rate Raised Height (30mm Lift) 200Kg Constant Load	1	C43-043V	В
	SHOCK ABSORB	Ð		1
	Heavy Duty Twin Tube Gas		GS43-785	



TYPE: Challenger (Australia)

MODEL:

YEAR: 2008 - 2015 PB, PC

DETAIL: Montero Sport (South America), Nativa Pajero Sport (Thailand, USA)



				-
	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
	4x2 Variants 4x4 3.5 V6, 3.0 V6, 2.4 3 4x4 2.5 T/D	[4	Petrol	
MAAAAAAAA	Linear Rate Raised Height (40mm Lift) Up to 70Kg Accessories	1	C43-192	В
MWWW	Linear Rate Raised Height (45mm Lift) 70-120Kg Accessories (Bullbar AND Winch)	1	C43-188	В
	4x4 3.2 T/D			
RAMAMA	Linear Rate Raised Height (40mm Lift) Up to 70Kg Accessories	1	C43-188	В
I/////////	Linear Rate Raised Height (45mm Lift) 70-120Kg Accessories (Bullbar AND Winch)	1	C43-190	В
Due to Vast	ly Different OE Ride Heights a I Possible in Some Veh			May be
	, ossible in some ven		~	
SHOO	K ABSORBER HEAVY DUTY	TΛ	VIN TUBE GA	s
	Heavy Duty Twin Tube Gas	2	GS43-800	
<u> </u>	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 210mm/8.26"			
	(X - Centre of Eye to Spring Seat)	2	MR43-50800	
	STRUT CAP			
:	Strut Top Cap	2	SC43-005	


REAR	QT	PART NUMBER	PRICE
COIL SPRING			
Linear Rate Standard Height	1	C43-099	В
Raised Height (20mm Lift)	1	C43-097	В
Raised Height (35mm Lift)	1	C43-043V	В
Raised Height (40mm Lift)	1	C43-203	В
Raised Height (40mm Lift) 125Kg Constant Load	1	C43-045V	В
Linear Rate Raised Height (40mm Lift) 250Kg Constant Load	1	C43-165	В
SHOCK ABSORB	ĒR		
Heavy Duty Twin Tube Gas	2	GS43-785	
Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 210mm/8.26" (X - Centre of Eve to Spring			
Seat)	2	MR43-50785	
	COIL SPRING Linear Rate Standard Height Linear Rate Raised Height (20mm Lift) Variable Rate Raised Height (35mm Lift) Linear Rate Raised Height (40mm Lift) Variable Rate Raised Height (40mm Lift) 125Kg Constant Load Linear Rate Raised Height (40mm Lift) 250Kg Constant Load SHOCK ABSORB Heavy Duty Twin Tube Gas Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 210mm/8.26" (X - Centre of Eye to Spring	COIL SPRING Linear Rate Standard Height 1 Linear Rate Raised Height (20mm Lift) 1 Variable Rate Raised Height (35mm Lift) 1 Linear Rate Raised Height (40mm Lift) 1 Variable Rate Raised Height (40mm Lift) 1 Linear Rate Raised Height (40mm Lift) 1 SHOCK ABSORBER Heavy Duty Twin Tube Gas 2 Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 210mm/8.26" (X - Centre of Eye to Spring	COIL SPRING Linear Rate Standard Height Linear Rate Raised Height (20mm Lift) Variable Rate Raised Height (35mm Lift) Linear Rate Raised Height (40mm Lift) Variable Rate Raised Height (40mm Lift) 1 C43-043V Linear Rate Raised Height (40mm Lift) 1 25Kg Constant Load Linear Rate Raised Height (40mm Lift) 250Kg Constant Load 1 C43-045V Linear Rate Raised Height (40mm Lift) 250Kg Constant Load 1 C43-165 SHOCK ABSORBER Heavy Duty Twin Tube Gas Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 210mm/8.26" (X - Centre of Eye to Spring



TYPE: Pajero Sport

MODEL:

YEAR: 2016 on






			DETAIL:	Montero Pajero Sp
	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			1
M	Linear Rate Raised Height (35mm Lift) No Accessories	1	C43-186	В
	Linear Rate Raised Height (35mm Lift) 50-100Kg Accessories	1	C43-204	В
1	SHOCK ABSORBI	R		
	Heavy Duty Twin Tube Gas		GS43-800	
-	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 210mm/8.26"			
	(X - Centre of Eye to Spring Seat)	2	MR43-50800	
	STRUT CAP			
	Strut Top Caps	2	SC43-005	

port (South America), Nativa, ort (Thailand, USA)						
	REAR	QTY	PART NUMBER	PRICE		
	COIL SPRING					
	Linear Rate Standard Height	1	C43-099	В		
	Linear Rate Raised Height (20mm Lift)	1	C43-097	В		
	Variable Rate Raised Height (35mm Lift)	1	C43-043V	В		
MWWW	Linear Rate Raised Height (40mm Lift)	1	C43-203	В		
	Variable Rate Raised Height (40mm Lift) 125Kg Constant Load	1	C43-045V	В		
	Linear Rate Raised Height (40mm Lift) 250Kg Constant Load	1	C43-165	В		
	SHOCK ABSORBE	R				
	Heavy Duty Twin Tube Gas	2	GS43-785			
• 	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 210mm/8.26" (X - Centre of Eye to Spring Seat)	2	MR43-50785			



TYPE: Pajero

MODEL: NA - NF, NH, NJ, NK, NL



DETAIL: SWB & LWB Shogun, Montero

Rear Coil Spring Suspension



SWB & LWB (05/1991 - 1994) **Heavy Duty** Rate Increased Length 1282mm Check Length Before Ordering 1 TB43-200

> Suits: V6 & Tdi NF & NL (1995 on)


Heavy Duty Rate Increased Length 1307mm Check Length Before

1 TB43-203 Ordering

SHOCK ABSORBER NA-NF (Pre 05/1991) Heavy Duty Twin Tube Gas 2 GS43-082 NH, NJ, NK, NL (05/1991 - 2000) Heavy Duty Twin Tube Gas 2 GS43-082S

> STEERING DAMPER Heavy Duty

Complete with Fittings 1 SD43-017



SHOCK ABSORBER				
NA-NF (Pre 05/1991)				
•	Heavy Duty Twin Tube Gas	2	GS43-785	
	NH, NJ, NK, NL (05/1991	1 -	2000)	
	Heavy Duty Twin Tube Gas	2	GS43-781	
-	Heavy Duty Twin Tube Gas Big Bore	2	GS43-788	

UNDER BODY BUSH KIT Kit Includes Rear Bushes Only

4 x Radius Arm to Diff Mount Bush 2 x Panhard Rod Bush 2 x Swaybar Link Bush

Kit Contains Extra Trailing Arm Bushes to Suit Two Styles of Trailing Arms

4 x Trailing Arm to Chassis Bush (Suits Pressed Steel Bracket with Bushes) OR


4 x Trailing Arm to Chassis Bush (Suits Cast Steel Bracket without Washers)

1 PB43-1226K



TYPE: Pajero

MODEL: NA - NF, NH, NJ, NK



DETAIL: SWB & LWB Rear Leaf Spring Suspension



	FRONT	QTY	PART NUMBER	PRICE
	TORSION BAR			
	NA - NF 4 Cyl (1983 - NH, NJ 4 Cyl (1991 - NF - NG V6 (1988 - 1 LWB	199	94)	
=	Heavy Duty Rate Increased Length 1282mm Check Length Before Ordering	1	TB43-200	
	V6 & TDi (1995 - 20	000))	
=	Heavy Duty Rate Increased Length 1307mm Check Length Before Ordering	1	TB43-203	
	SHOCK ABSORBE	R		ï
	Pre 06/1991			
	Heavy Duty Twin Tube Gas	2	GS43-082	
	07/1991 on			
	Heavy Duty Twin Tube Gas	2	GS43-082S	
	STEERING DAMP	ER		1
	Pre 06/1991			
·	Heavy Duty Complete with Fittings	1	SD43-017	

Spring Susp	21131311			
	REAR	QTY	PART	PRICE
		O	NUMBER	PRICE
	LEAF SPRING SWB			
	3+1 Leaves			
م	Raised Height (40mm Lift)	_		
	Up to 100Kg Constant Load	2	PAJ-3+1-R	
	LWB			
و0	4+1 Leaves Raised Height (40mm Lift)			
	Up to 100Kg Constant Load	2	PAJ-4+1-R	
	SHACKLE BUSH K	•		
	Kit Contains: 4 x SPF244			
OLI	4 x SPF187			
	4 x SPF192	1	PB43-1015K	
	U-BOLT KIT			
	Kit Contains:			
	2 x UB43-671	2	UB43-671K	
	SHOCK ABSORBE	R		
	Comfort Option Twin Tube Gas			
	Medium Load	2	GS59-649	
	Heavy Duty Twin Tube Gas	2	GS59-651	
	SHACKLE			
441	Greasable: Fit in Pairs	2	SK43-037	
	Greasable. Fit in Fairs	_	3K43-037	



TYPE: Pajero V7

MODEL: NM, NP, NS, NT, NW

YEAR: 2000 on

DETAIL: SWB, LWB V78, Station Wagon 3.5L V6, 3.8L V6, 3.2L Tdi



	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
	SWB & LWB NM - NP 3.5L V6 NS - NW 3.8L V6			
	Linear Rate Standard Height (10mm Lift)	1	C43-122	В
M	Linear Rate Raised Height (45mm Lift) No Accessories Recommended	1	C43-124	В
	Linear Rate Raised Height (40mm Lift) Extra Heavy Duty Up to 100Kg Accessories (Bullbar AND Winch)	1	C43-126	В
	SWB & LWB NM - NW 3.2L To	li		
	Linear Rate Raised Height (40mm Lift) No Accessories	1	C43-126	В
MWWW	Linear Rate Raised Height (40mm Lift) 50-80Kg Accessories (Bullbar AND Winch)	1	C43-148	В
	Linear Rate Raised Height (40mm Lift) 80-120Kg Accessories (Bullbar AND Winch)	1	C43-144	В
We recomn	nend a wheel alignment be carrie	d o	ut after fitting s	springs.

	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas	2	GS43-783	
<u> </u>	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 241mm/9.49" (X - Centre of Eye to Spring Seat)	2	MR43-50783	

UNDER BODY BUSH KIT

See Rear Under Body Bush Kit

	STRUT CAP			
≖ : 0	Strut Top Cap	2	SC43-008	

	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
	SWB			
	Linear Rate Standard Height (10mm Lift)	1	C43-123	В
 	Linear Rate Raised Height (45mm Lift) Up to 100Kg Constant Load Recommended	1	C43-191	В
	Linear Rate Raised Height (50mm Lift) 200Kg Constant Load	1	C43-125	С
	LWB			
	Linear Rate Standard Height (10mm Lift)	1	C43-189	С
	Linear Rate Raised Height (50mm Lift) Up to 100Kg Constant Load Recommended	1	C43-125	С
I	Linear Rate Raised Height (45mm Lift) Extra Heavy Duty 180Kg Constant Load	1	C43-193	С
	Linear Rate Raised Height (45mm Lift) Extra Heavy Duty 250Kg Constant Load	1	C43-195	С
	Linear Rate Raised Height (45mm Lift) Extra Heavy Duty 400Kg Constant Load	1	C43-197	С
We recomm	nend a wheel alignment be carrie	d o	ut after fitting s	prings.

SHO	CK V	BSO	9 D E	D	
эпо	c_{RA}	1.1.1.1		•	

 Heavy Duty Twin Tube Gas	2	GS43-784	
 Monotube Remote Reservoir Shock Heavy Duty	2	MR43-50784	

UNDER BODY BUSH KIT

Kit Includes Front & Rear Under Body Bushes

		4 x Front Control Arm Lower Inner
		4 x Front Control Arm Upper Inner
		4 x Rear Control Arm Lower Inner & Outer
		4 x Rear Control Arm Upper Inner
		2 x Rear Toe Control Arm Inner
		2 x Rear Trailing Arm Lower Rear
1 PB43-1262	1	2 x Rear Trailing Arm Lower Front



TYPE: Pajero iO (Pinin)

MODEL: Pajero iO

YEAR: 03/1999 - 07/2003

DETAIL: SWB: 1.6L & 2.0L LWB: 1.8L & 2.0L



	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
	QA H65 1.6L SW QA H67 2.0L SW			
MWWWM	Linear Rate Standard Height	1	C43-120	В
,,,,,,,,,,,,,	Linear Rate Raised Height (28mm Lift)	1	C43-114	В
QA H76 1.8L LWB QA H77 2.0L LWB				
MWWWW	Linear Rate Raised Height (30mm Lift)	1	C43-240	В

CAMBER ADJUSTMENT KIT

Kit Contains:		
2 x Cam Bolts		
±1.2° for Lower Control Arm		
Camber Adjustment	1	WA57-506K

07/2003				
& 2.0L & 2.0L				
Q 2.0L				
	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING	D		
	QA H65 1.6L SW QA H67 2.0L SW	В		
WWWWW	Linear Rate Raised Height (35mm Lift)		C43-135	В
	QA H65 1.6L SW QA H67 2.0L SW	B B		
	Linear Rate Standard Height	1	C43-121	В
WWWWW	Linear Rate Raised Height (35mm Lift)	1	C43-115	В
	Raised Height (35mm Ent)	1	C+3-113	Б




TYPE: Outlander (Airtrek)

MODEL: Outlander

YEAR: 2002 - 2015

DETAIL: CU 4, 2.0L (2002 - 12/2006) ZG - ZH, 3.0L (2007 - 2011) ZJ - (2012 - 2015)

MWWW



- 2015)											
	REAR	QTY	PART NUMBER	PRICE							
COIL SPRING											
CU4 Platform 2002 - 12/2006											
MWWW	Linear Rate Standard Height	1	C43-145	В							
/********** W	Linear Rate Raised Height (30mm Lift)	1	C43-147	В							
	ZG, ZH 2007 - 201 GS Platform	l1									
WWWW	Linear Rate Raised Height (30mm Lift)	1	C43-255	В							
	ZJ 2012 - 2015										

Linear Rate

В

Raised Height (35mm Lift) 1 C43-147



TYPE: L300

MODEL: P23/24, V, W, P35 **YEAR:** 11/1986 - 1994





FRONT	QTY	PART UMBER	PRICE		REAR	QTY	PART NUMBER	PRICE
TORSION BAR	1				LEAF SPRING			
Heavy Duty				0 0	3+1 Leaves	_		
Rate Increased Length 971mm	1 TB4	3-300			Raised Height	2	M11-018-R	
,				1	SHACKLE BUSH K	П		
SHOCK ABSORBE	R				Kit Contains:			
Heavy Duty Twin Tube Gas	2 GS4	13-082			2 x SPF1323 4 x SPF187			
licary buty iminitable das	2 00 .	.5 002			4 x SPF192	1	PB43-1079K	
					U-BOLT KIT			
					Kit Contains: 2 x UB43-671	2	UB43-671K	
						_		
					SHACKLE KIT			
				公公	Consorbler Fit in Deire	_	CV42 027	
					Greasable: Fit in Pairs	2	SK43-U3/	



TYPE: L400 Spacegear, Delica

MODEL: MV - P Series

YEAR: 05/1994 - 03/2007

05 Ι

8			DETAIL:	4x4 Series I Series III
	FRONT	QTY	PART NUMBER	PRICE
	TORSION BAR 05-1994 - 05/199	99		
===	Heavy Duty Rate Increased Length 1165mm	1	TB43-031	
	06/1999 - 03/20	07		
==	Heavy Duty Rate Increased Length 1065mm	1	TB43-032	
	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas	2	GS43-082S	

	3/2002, Series IV	06/200	05/1999, 2 - 03/2007	•
	REAR	QTY	PART NUMBER	PRICE
	COIL SE	PRING		
	Standard	-	C43-111	В
I	Raised Height (40mi	r Rate m Lift) 1 r Rate	C43-109	В
	Raised Height (50mi		C43-163	В
	SHOCK AB	SORBER		
We recommer	nd a visual inspection to prior to o	rdering		absorber
	Suits Non-ECS Eye to		ion	
•	Heavy Duty Twin Tub		GS43-081B	
	Suits ECS S		1	
	Pin to			
	Heavy Duty Twin Tub	pe Gas 2	GS21-637S	
	ADJUSTABLE P	ANHARD	POD	
	Complete with B		PR43-1417	



TYPE: Delica

YEAR: 2007 on

MODEL: D5

DETAIL: 2.4L Petrol Van





	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
RAMMAM	Linear Rate Standard Height	1	C43-270	В
JVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVV	Linear Rate Raised Height (40mm Lift)	1	C43-272	В

l Van				
	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Linear Rate Standard Height	1	C43-271	В
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Linear Rate Raised Height (40mm Lift)	1	C43-273	В
	, , , , , , , , , , , , , , , , , , ,			



MODEL: D21 - D22, NP300







		J66 Hardboo	ду, ваккіе				
FRONT	PART NUMBER	PRICE		REAR	QTY	PART NUMBER	PRICE
TORSION BAR				LEAF SPRING			
D21 (1986 - 1997 Heavy Duty)			3+3 Leaves Raised Height (40mm Lift)			
Rate Increased Length 1202mm	1 TB45-1456			Up to 70Kg Constant Load 4+3 Leaves	2	NAV-4WD-R	
D22 (1997 on) J66 Hardbody, NP3	00		و	Raised Height (40mm Lift) 350Kg Constant Load	2	NAV-005-R	
Heavy Duty Rate Increased Length 892mm	1 TB45-1446			5+3 Leaves Raised Height (40mm Lift) 600Kg Constant Load	2	NAV-006-R	
SHOCK ABSORBE	R		1	SHACKLE BUSH K	ш		
				Kit Contains:			
Heavy Duty Twin Tube Gas	2 GS45-097			2 x PT255	1	PB45-1068K	
STEERING DAMPE			1				
D21 Model Only				U-BOLT KIT			
Heavy Duty				Kit Contains:	_	UD 45 700V	
Complete with Fittings	1 SD45-035			2 x UB45-788	2	UB45-788K	
			1	SHOCK ABSORBE	Б		
				Comfort Option	. ^		
				Twin Tube Gas			
				Medium Load	2	GS59-649	
				Heavy Duty Twin Tube Gas	2	GS59-651	
			1	SHACKLE			
				SHACKEE			
		,	# 1	Greasable: Fit in Pairs	2	SK45-052	
				PIN			
		4		Greasable: Fit in Pairs	2	SP45-061	
			•	Greasable. Tit iii Talis	_	3F43-001	



MODEL: D40 STX (Does Not Suit 550 Model)



YEAR: 11/2005 on

DETAIL: 4x4 Single Cab, Dual Cab, Extra Cab, Frontier 2.5l Turbo Diesel, 4.0L V6 Petrol

	FRONT	QTY	PART NUMBER	PRICE	REAR PART PRI	CE
	COIL SPRING				LEAF SPRING	
	2.5L Turbo Dieso 4.0L V6 Petrol	el			3+2 Leaves Raised Height (35mm Lift)	
	Linear Rate Standard Height (10mm Lift)	1	C45-252	В	Medium Duty Up to 70Kg Constant Load 2 L45-002-R 4+2 Leaves	
MWWW	Linear Rate Raised Height (40mm Lift) Up to 50Kg Accessories (Bullbar OR Winch)	1	C45-256	В	Raised Height (50mm Lift) Heavy Duty 250Kg Constant Load 2 L45-003-R	
	Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch)	1	C45-254	В	5+2 Leaves Raised Height (50mm Lift) Super Heavy Duty 380Kg Constant Load 2 L45-004-R	
	Note: The 550 Model has a Wider C The Front Spring and Shock Absor	rber	s ARE NOT the Sa		SHACKLE BUSH KIT	
	2.5L TD I	Mod	els		Kit Contains:	
C	SHOCK ABSORBE		CCAE CAD		2 x SPF972 4 x SPF203 4 x PB45-1507 1 PB45-1095K	
,	Heavy Duty Twin Tube Gas Monotube Remote Reservoir	2	GS45-642		U-BOLT KIT	
	Adjustable Spring Seat				Kit Contains:	
	Heavy Duty Original Setting of				L45-002-R 2 x UB59-667 2 UB59-667K	
-	X = 106mm/4.17" X - Centre of Eye to Spring				L45-003-R 2 x UB59-453-2 2 UB59-453-2K	
	Seat	2	MR45-50642		L45-004-R 2 x UB59-453-2 2 UB59-453-2K	
					Select Correct U-Bolt to Suit Appropriate Spring Selection	
	STRUT CAP					
	Strut Top Cap	2	SC45-004		SHOCK ABSORBER	
	Struct top Sup	_	50.500.		Heavy Duty Twin Tube Gas 2 GS45-645	
					Monotube Remote	
					Reservoir Shock Heavy Duty 2 MR45-50645	
					SHACKLE	
					Greasable: Fit in Pairs 2 SK45-054	
					PIN	
					Greasable: Fit in Pairs 2 SP59-060	



MODEL: D40A STX550 (Only Suits 550 Model)

YEAR: 04/2010 on

DETAIL: 3.0L V6 Turbo Diesel, 4x4 Single Cab




	FRONT	QTY	PART NUMBER	PRICE	REAR
	COIL SPRING		1	Y .	LEAF SE
	3.0L V6 Turbo Die	sel			3+2 l
	Linear Rate Standard Height (10mm Lift)	1	C45-276	В	Raised Height (35m Mediun Up to 70Kg Constan
MWWW	Linear Rate Raised Height (40mm Lift) Up to 50Kg Accessories (Bullbar OR Winch)	1	C45-278	В	4+2 L Raised Height (50mm Heavy 250Kg Constan
	Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch)		C45-280	В	5+2 l Raised Height (50mi Super Heav 380Kg Constan
	0 Model has a Wider Chassis to d Shock Absorbers are Not the				, , , , , , , , , , , , , , , , , , ,
Tronc Spring an	a Shock Absorbers are not the	Jul	ine us the 2.5L	TD Flodels.	SHACKLE I
·	SHOCK ABSORB	R	1	ì	Kit Cor
C	Heavy Duty Twin Tube Gas	2	GS45-644		2 x S 4 x S 4 x PB45
	STRUT CAP			1	U-BOL
: •	Strut Ton Con				0 001
1	Strut Top Cap	2	SC45-004		L45-002-R 2 x UB5
	Strut 10p Cap	2	SC45-004		
	Strut 10p Cap	2	SC45-004		L45-002-R 2 x UB5
	Strut 10p Cap	2	SC45-004		L45-002-R 2 x UB59-
	Strut 10p Cap	2	SC45-004		L45-002-R 2 x UB59- L45-004-R 2 x UB59-
	Strut 10p Cap	2	SC45-004		L45-002-R 2 x UB59- L45-004-R 2 x UB59-
	Strut тор Сар	2	SC45-004		L45-002-R 2 x UB59- L45-004-R 2 x UB59- L45-004-R 2 x UB59- Select Correct U-Bolt to Suit A SHOCK AE Heavy Duty Twin Tub
	Strut тор Сар	2	SC45-004		L45-002-R 2 x UB59- L45-004-R 2 x UB59- Select Correct U-Bolt to Suit A SHOCK AE
	Strut тор Сар	2	SC45-004		L45-002-R 2 x UB59- L45-004-R 2 x UB59- L45-004-R 2 x UB59- Select Correct U-Bolt to Suit A SHOCK AE Heavy Duty Twin Tub
	Strut тор Сар	2	SC45-004		L45-002-R 2 x UB59- L45-003-R 2 x UB59- L45-004-R 2 x UB59- Select Correct U-Bolt to Suit A SHOCK AB Heavy Duty Twin Tul Monotube Remote Res
	Strut тор Сар	2	SC45-004		L45-002-R 2 x UB59- L45-004-R 2 x UB59- L45-004-R 2 x UB59- Select Correct U-Bolt to Suit A SHOCK AB Heavy Duty Twin Tul Monotube Remote Res Heavy
	Strut тор Сар	2	SC45-004		L45-002-R 2 x UB59- L45-004-R 2 x UB59- Select Correct U-Bolt to Suit A SHOCK AB Heavy Duty Twin Tul Monotube Remote Res Heavy SHAC

REA	AR .	ÓΤΥ	PART NUMBER	PRICE
	LEAF SPRING			
	3+2 Leaves Height (35mm Lift) Medium Duty 70Kg Constant Load	2	L45-002-R	
	4+2 Leaves Height (50mm Lift) Heavy Duty 50Kg Constant Load 5+2 Leaves	2	L45-003-R	
	Height (50mm Lift) Super Heavy Duty 80Kg Constant Load		L45-004-R	
	SHACKLE BUSH K	11		
	Kit Contains: 2 x SPF972 4 x SPF203 4 x PB45-1507	1	PB45-1095K	
	U-BOLT KIT			
	Kit Contains:			
L45-002-			UB59-667K	
L45-003-			UB59-453-2K UB59-453-2K	
,	-R 2 x UB59-453-2			
Select Correct (J-Bolt to Suit Appropri	ate	Spring Selection	11
l	SHOCK ABSORBE			
	SHOCK ADSORDE	'		
Heavy	Duty Twin Tube Gas	2	GS45-645	
Monotub	e Remote Reservoir Shock			
	Heavy Duty	2	MR45-50645	
+	CHACKIE			
	SHACKLE			
さな! Gr	easable: Fit in Pairs	2	SK45-054	
	PIN			
Gr	reasable: Fit in Pairs	2	SP59-060	



MODEL: D23, NP300

YEAR: 08/2014 on



	3			Leaf Spri	ng
	FRONT	QTY	PART NUMBER	PRICE	
	COIL SPRING 2.3L & 2.5L Turbo D				
	Linear Rate Standard Height (10mm Lift)	ies	iei		
	Heavy Duty up to 80Kg Accessories	1	C45-440	В	
	Linear Rate Raised Height (25mm Lift)	1	C45-440	В	
M	Linear Rate Raised Height (35mm Lift) Up to 50Kg Accessories	1	C45-254	В	
	Linear Rate Raised Height (35-40mm Lift) 60-90Kg Accessories Comfort Option	1	C45-248X	С	
	Linear Rate Raised Height (40mm Lift) 80-120Kg Accessories (Bullbar AND Winch)	1	C45-442	В	
1	Due to the Restricted Suspensi 40mm Lift is Achievable in	on (Geometry, a Max Front of this Veh	imum of icle.	
	SHOCK ABSORBE				
C -	Heavy Duty Twin Tube Gas		GS45-642		
	STRUT CAP			v.	
:E: 0	Strut Top Cap	2	SC45-004		
					'

g Rear Susp	ension Models			
	REAR	QTY	PART NUMBER	PRICE
	LEAF SPRING		HOHDER	
	3+2 Leaves Raised Height (45mm Lift) Comfort Spring	2	L45-151-R	
	4+2 Leaves Raised Height (45mm Lift) Heavy Duty 100Kg Constant Load	2	L45-152-R	
	5+2 Leaves Raised Height (45mm Lift) Super Heavy Duty 250-300Kg Constant Load	2	L45-153-R	
	6+2 Leaves Raised Height (45mm Lift) Extra Super Heavy Duty 500-600Kg Constant Load	2	L45-154-R	
,				
	SHACKLE BUSH K	ш		
OLI	Kit Contains: 2 x SPF972 8 x SPF203	1	PB45-1108K	
	U-BOLT KIT			
Ü	Kit Contains: 2 x UB59-453-3	2	UB59-453-3K	
	SHOCK ABSORBE	R		1
•	Long Travel Heavy Duty Twin Tube Gas	2	GS43-081B	
## I	SHACKLE Greasable: Fit in Pairs	2	SK45-062	
	PIN			1
●+	Greasable: Fit in Pairs	2	SP59-060	





				Con Opri
	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
_	2.3L & 2.5L Turbo D Linear Rate	ies	el	
N	Standard Height Heavy Duty up to 80Kg Accessories	1	C45-440	В
	Linear Rate Raised Height (25mm Lift)	1	C45-440	В
	Linear Rate Raised Height (35mm Lift) Up to 50Kg Accessories	1	C45-254	В
	Linear Rate Raised Height (40mm Lift) 60-90Kg Accessories Comfort Option	1	C45-248X	С
	Linear Rate Raised Height (40mm Lift) 60-120Kg Accessories (Bullbar OR Winch)		C45-442	В
Du	e to the Restricted Suspension Geom 40mm Lift is Achievable in the Front			
1				1
	SHOCK ABSORB	E		
	Heavy Duty Twin Tube Gas	2	GS45-642	
<u> </u>	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty			
	Original Setting of X X - Centre of Eye to Sprii		MR45-50642	
	X Centre of Lye to Sprii	ilg .	Seat	
	STRUT CAP			ì
	Strut Top Cap	2	SC45-004	

	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
Remove O	E Coil Spring Insulator and Fit t	o D	obinsons Coil S	pring
	Variable Rate Raised Height (40mm Lift) Up to 80Kg Constant Load Comfort Option	1	C45-441V	В
MWWWW	Variable Rate Raised Height (40mm Lift) 250-300Kg Constant Load	1	C45-443V	В
	Variable Rate Raised Height (40mm Lift) 450-550Kg Constant Load	1	C45-445V	С
	SHOCK ABSORBE	R	i	1
·	Heavy Duty Twin Tube Gas	2	GS45-646	
• 	Heavy Duty Monotube Remote Reservoir	2	MR45-50646	
	ADJUSTABLE PANHAR	D	ROD	
	Adjustable Panhard Rod	1	PR45-1425	
SWAY BA	AR EXTENSION & BRAKE EX	ΚΤΕ	ENSION BRAC	KET

Sway Bar Extension & Brake

Extension Bracket 1 SE45-523K



MODEL: WD21

YEAR: 10/1987 - 1995

DETAIL: Terrano I, Bakkie, Tracker 4x4 2.4L, 3.0L V6, 2.7L TD



	FRONT	QTY	PART NUMBER	PRICE
	TORSION BAR			
	Heavy Duty Rate Increased Length 1232mm	1	TB45-1458	
	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas	2	GS43-082S	
	STEERING DAMPI	ER		
0	Heavy Duty Complete with Fittings	1	SD45-035	

	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Linear Rate Standard Height	1	C45-091	В
wwww	Linear Rate Raised Height (20mm Lift) Up to 100Kg Constant Load	1	C45-089	В
	Linear Rate Raised Height (35mm Lift) Extra Heavy Duty	1	C45-083	В
Damage will Occur to the Drive Line Carrier Bearing if More than 20mm Lift is Applied.				

	1		
SHOCK ABSORBE	R		
Comfort Option Twin Tube Gas Medium Load	2	GS59-649	
Harris Buta Fair Fals Car	_	0050 654	

	Mediuiii Load	2	G333-049	
	Heavy Duty Twin Tube Gas	2	GS59-651	
	UNDER BODY BUSH	K1	Т	
I	Kit Includes Front & Rear Under	Вс	dy Bushes	

2 x Front Lower Arm Bush 2 x Front Radius Rod Bush 8 x Rear Upper & Lower Trailing Arm Bush 2 x Rear Panhard Rod Bush 1 PB45-1229K

2 x Front Upper Arm Bush



MODEL: R50

YEAR: 1995 -2005

DETAIL: Terrano RX



	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Linear Rate Standard Height	1	C45-220	В
M	Linear Rate Raised Height (30mm Lift) 60-100Kg Accessories (Bullbar AND Winch)	1	C45-168	В
	Linear Rate Raised Height (35mm Lift) Extra Heavy Duty 50-90Kg Accessories (Bullbar AND Winch)	1	C45-170	В
	CAMBER ADJUSTMEN	T	(IT	

Kit Contains:		
2 x Cam Bolts		
±1.2° for Lower Control Arm		
Camber Adjustment	1	WA57-506K

	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
MAAAAAA	Linear Rate Standard Height	1	C45-221	В
MWWWM	Linear Rate			
	Raised Height (35mm Lift)	1	C45-169	В



MODEL: R51 (Does Not Suit Ti 550)

YEAR: 2005 on

DETAIL: Station Wa 4.0L V6 Pet



	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
	2.5L Tdi, 4 Cyl			
	Linear Rate Lowered Height	1	C45-250	В
M	Linear Rate Standard Height	1	C45-252	В
	Linear Rate Raised Height (40mm Lift) Up to 50Kg Accessories (Bullbar OR Winch)	1	C45-254	В
	SHOCK ABSORBE	R		
C	Heavy Duty Twin Tube Gas	2	GS45-642	
	STRUT CAP			
:E: 0	Strut Top Cap	2	SC45-004	
	Up to 50Kg Accessories (Bullbar OR Winch) SHOCK ABSORBE Heavy Duty Twin Tube Gas STRUT CAP	R 2	GS45-642	В

agon, Diesel 2.5L Tdi strol				
	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Linear Rate Lowered Height	1	C45-251	В
	Linear Rate Standard Height	1	C45-253	В
MWWWM	Linear Rate Raised Height (40mm Lift)	1	C45-255	В
•••••••	Linear Rate Raised Height (40mm Lift) 200Kg Constant Load	1	C45-257	С
	Linear Rate Raised Height (40mm Lift) 300Kg Constant Load	1	C45-265	С
	SHOCK ABSORBE			
0	Heavy Duty Twin Tube Gas	2	GS45-643	



MODEL: R51 Ti 550 (Only Suits Ti 550)

YEAR: 2010 - 2013

DETAIL: Station Wagon, Diesel 3.0L Tdi



			DETAIL:	Station V
	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
	3.0L Turbo Diese	el		
	Linear Rate Standard Height	1	C45-276	В
M	Linear Rate Raised Height (40mm Lift) Up to 50Kg Accessories (Bullbar OR Winch)			
,,,,,,,,,,,,,		1	C45-278	В
	Linear Rate Raised Height (40mm Lift) 50-100Kg Constant Load (Bullbar AND Winch)	1	C45-280	В
1	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas		GS45-644	
\ -	STRUT CAP			1
 0	Strut Top Cap	2	SC45-004	

gon, Diesel	3.0L Tdi			
	REAR	QΤΥ	PART NUMBER	PRICE
	COIL SPRING			
	Linear Rate Standard Height	1	C45-253	В
	Linear Rate Raised Height (40mm Lift)	1	C45-255	В
WWWW	Linear Rate Raised Height (40mm Lift) 200Kg Constant Load	1	C45-257	С
	Linear Rate Raised Height (40mm Lift) 300Kg Constant Load	1	C45-265	С
	SHOCK ABSORBE	R		
	SHOCK ADSORDE			
	Heavy Duty Twin Tube Gas	2	GS45-643	



MODEL: R52

YEAR: 2013 on

DETAIL: 4x4



	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Linear Rate Raised Height (30mm Lift)	1	C45-420	С
MMMM	Linear Rate Raised Height (30mm Lift) 50-80Kg Accessories (Bullbar OR Winch)	1	C45-422	С

	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Linear Rate Standard Height 150-250Kg Constant Load	1	C45-421	В
wwwww	Linear Rate Raised Height (30mm Lift) Linear Rate	1	C45-421	В
	Raised Height (30mm Lift) 150-250Kg Constant Load	1	C45-423	В



TYPE: Terrano

MODEL: R20



			Z.4L, Z./	_ '
FRONT	ΔT	PART NUMBER	PRICE	
TORSION			1	
Heavy	Duty			
 Rate Incre Length 123	ased 2mm 1	TB45-1458		N
SHOCK ABS	ORBER			
 Hanvy Duty Twin Tube	Cos 3	CC31 463		
Heavy Duty Twin Tube	Gas 2	G521-463		
				C
				1

REAR E PART NUMBER	
	PRICE
COIL SPRING	
Linear Rate Standard Height 1 C45-091 Linear Rate	В
Linear Rate Raised Height (20mm Lift) Up to 100Kg Constant Load 1 C45-089	В
SUBSY ADSORDED	
SHOCK ABSORBER	
Comfort Option Twin Tube Gas Medium Load 2 GS59-649	
Heavy Duty Twin Tube Gas 2 GS59-651	

Dobinsons



TYPE: Terrano

MODEL:

YEAR: 2013 on

on



			YEAR: DETAIL:	
	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
*************************************	Linear rate Raised Height (35mm Lift) 0-50kg Accessories	1	C52-010	В
	Linear Rate Raised Height (50mm Lift) Up to 70Kg Accessories	1	C52-004	В
	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas	2	GS52-056	
1	CAMBER ADJUSTMEN	ΙTΙ	KIT	
	Kit Contains: 2 x Cam Bolts ±1.2° for Lower Control Arm Camber Adjustment	1	WA57-505K	
It is Recom	Raising Vehicle Will Effect Whe mended that this Camber Adjust Wheel Alignment Carrie	me	nt Kit to be Fit	ted and a

	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Linear rate Raised Height (35mm Lift) 0-50kg Accessories	1	C52-011	В
***************************************	Linear Rate Raised Height (50mm Lift) 50-100Kg Constant Load	1	C52-005	В
	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas	2	GS52-057	
	CAMBER ADJUSTMEN	T	KIT	
	Kit Contains: 2 x Cam Bolts ±1.2° for Lower Control Arm Camber Adjustment	1	WA57-505K	
It is Recomm	Raising Vehicle Will Effect Whe nended that this Camber Adjustr Wheel Alignment Carrie	mer	nt Kit to be Fitte	ed and a



TYPE: Patrol

MODEL: G160 MQ (Ebro, Safari)

YEAR: 1980 - 11/1983

DETAIL: Round Headlights



		>	PART	
	FRONT	QT.	NUMBER	PRICE
	LEAF SPRING			
	MQ - Petrol & Dies			
	6 Leaves Raised Height (30mm Lift)	1	MQ-6L-F RH MQ-6L-F LH	
	7 Leaves			
	Raised Height (40mm Lift) Up to 50Kg Accessories		MQ-7L-F RH	
	(Bullbar OR Winch)	1	MQ-7L-F LH	
	SHACKLE BUSH K	ΙΤ		
	Suits MQ			
	Kit Contains:			
	2 x SPF2054 4 x (22x16x58)	1	PB45-1021K	
1	U-BOLT KIT			1
	Right Hand Side	•		
	Kit Contains:			
	2 x UB45-682	1	UB45-682K	
	Left Hand Side			
	Kit Contains:			
	2 x UB45-451	1	UB45-451K	
	SHOCK ABSORBE	R		
-	Heavy Duty Twin Tube Gas	2	GS45-077	
	neavy Duty Iwin Tube Gas	_	G343-077	
	STEERING DAMPI	₽R		
	Heavy Duty Complete with Fittings	1	SD45-022	
	SHACKLE			
	Suits MQ			
# 1	Kit Contains:			
	2 x Greasable Pins & Nuts x Plates & 2 x Metal Bushes	2	SK45-029	
	PIN			
	Fit in Pairs	2	SP45-027	

	REAR	QTY	PART NUMBER	PRICE
	LEAF SPRING			
	SWB & LWB Station Wagon			
_		1	MQ-WAG-R LH	
	5+2 Leaves		MQ-WAG-R	
	Raised Height (45mm Lift) Pickup	1	RH	
0 0	5+2 Leaves	1	MQ-UTE-R RH	
	Raised Height (35mm Lift)	1	MQ-UTE-R LH	
1	SHACKLE BUSH K			
	Kit Contains:			
	2 x SPF2054 4 x SPF5051			
	4 x SPF2052	1	PB45-1022K	
	U-BOLT KIT			
$\overline{}$	Kit Contains:			
<u> </u>	2 x UB45-453	2	UB45-453K	
1	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas	2	GS45-076	
	fleavy Duty Twill Tube Gas	2	G343-076	
	SHACKLE			
なな!	Greasable: Fit in Pairs	2	SK21-059	
	PIN			
	Greasable: Fit in Pairs	2	SP45-027	



TYPE: Patrol

MODEL: G160 MK SWB & LWB

YEAR: 08/1983 - 1988

DETAIL: Square Headlights



	FRONT	QTY	PART NUMBER	PRICE
	LEAF SPRING			
	MK - Petrol & Dies			
	6 Leaves		MK-6L-F RH	
	Raised Height (30mm Lift)	1	MK-6L-F LH	
	7 Leaves Raised Height (40mm Lift)			
	50-80Kg Accessories		MK-7L-F RH	
	(Bullbar OR Winch)	1	MK-7L-F LH	
1	SHACKLE BUSH K	Ш		1
	Suits MK			
	Kit Contains:			
OTI	4 x SPF2053 2 x SPF2054			
	2 x (22x16x58)	1	PB45-1024K	
	IL POLT KIT			
	U-BOLT KIT Right Hand Side	9		
_	Kit Contains:			
	2 x UB45-682	1	UB45-682K	
	Left Hand Side			
	Kit Contains: 2 x UB45-451	1	UB45-451K	
	2 X 0043-431	_	0543-431K	
,	SHOCK ABSORBE	R		1
	Heavy Duty Twin Tube Gas	2	GS45-077	
1	STEERING DAMP	ΞR		1
	Heavy Duty			
	Complete with Fittings	1	SD45-022	
,	CHACKIE			1
	SHACKLE Suits MK			
	Kit Contains:			
∣ ‡‡	2 x Greasable Pins & Nuts	_	CK4E 02E	
	x Plates & 1 x Metal Bushes	2	SK45-025	
	PIN			
4				
	Fit in Pairs	2	SP45-027	

	REAR	QTY	PART NUMBER	PRICE
1	LEAF SPRING			
	SWB & LWB Station Wagon			
0 0	5+2 Leaves	1	MQ-WAG-R LH	
س ا	Raised Height (45mm Lift)	1	MQ-WAG-R RH	
	Pickup			
0 0	5+2 Leaves	1	MQ-UTE-R RH	
	Raised Height (35mm Lift)	1	MQ-UTE-R LH	
1	SHACKLE BUSH K	IΤ		
	Kit Contains:			
OTI	2 x SPF2054 4 x SPF2051			
	4 x SPF2052	1	PB45-1022K	
, , , , , , , , , , , , , , , , , , ,	U-BOLT KIT			
	Kit Contains: 2 x UB45-453	2	UB45-453K	
	2 X 0B43-433	۷	UB45-455K	
	SHOCK ABSORBE	R		
-	Heavy Duty Twin Tube Gas	2	GS45-076	
		_	G343-070	
	SHACKLE			
なな。	Greasable: Fit in Pairs	2	SK21-059	
1	PIN			
	Greasable: Fit in Pairs	2	SP45-027	
4 —		2	SP45-027	
♣ ₩		2	SP45-027	
♣ ₩		2	SP45-027	
♣ ₩		2	SP45-027	
♣ ₩		2	SP45-027	
♣ ₩		2	SP45-027	
♣ ₩		2	SP45-027	
♣ ₩		2	SP45-027	
♣ ₩		2	SP45-027	
♣ ₩		2	SP45-027	
♣ ₩		2	SP45-027	
♣ ₩		2	SP45-027	
♣ ₩		2	SP45-027	
♣ ₩		2	SP45-027	
♣ ₩		2	SP45-027	
♣ ₩		2	SP45-027	
♣ ₩		2	SP45-027	
♣ ₩		2	SP45-027	
♣		2	SP45-027	
♣		2	SP45-027	
		2	SP45-027	



MODEL: Y260

YEAR: 1989 on

DETAIL: 2.8L TD, SWB & LWB Grand Sud, Baroud



	FRONT	QTY	PART NUMBER	PRICE
	LEAF SPRING			
<u></u>	6 Leaves Raised Height (35mm Lift)	2	NIS-260-F	
				Y
	SHACKLE BUSH K	Ш		
	Kit Contains: 4 x SPF2053			
OTI	2 x SPF2054			
	2 x (22x16x58)	1	PB45-1024K	
	U-BOLT KIT			ï
	Right Hand Side	9		
	Kit Contains:			
	2 x UB45-682	1	UB45-682K	
	Left Hand Side			
	Kit Contains:			
<u> </u>	2 x UB45-451	1	UB45-451K	
				}
	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas	2	GS51-116	
				Y
	STEERING DAMPI	ΞK		
	Heavy Duty (Big Bore) Complete with Fittings	1	SD45-810	
	SHACKLE			Y
	Kit Contains:			
ななこ	2 x Greasable Pins & Nuts			
	2 x Plates 1 x Metal Bushes	2	SK45-025	
	1 X Hetai Basiles	_	5K15 025	
	PIN			}
—	Fit in Pairs	2	SP45-027	

	REAR	QTY	PART NUMBER	PRICE
	LEAF SPRING			
0	5+2 Leaves	1	MQ-WAG-R RH	
	Raised Height (35mm Lift)	1	MQ-WAG-R LH	
	SHACKLE BUSH K	ш		
. – –	Kit Contains:			
	2 x SPF2054 4 x SPF2051			
	4 x SPF2052	1	PB45-1022K	
	U-BOLT KIT			
	Kit Contains:	_		
	2 x UB45-453	2	UB45-453K	
	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas	2	GS45-115A	
<u></u>				
	SHACKLE			
なな!	Greasable: Fit in Pairs	2	SK21-059	
	PIN			
		2	CD4E 027	
O F	Fit in Pairs	2	SP45-027	



MODEL: Y60 GQ

YEAR: 08/1987 - 1998

DETAIL: LWB Station Wagon, GR, Safari, WYG60



	FRONT	QTY	PART NUMBER	PRICE		PART PRICE
	COIL SPRING		NOMBER		COIL SPRING	PMDER
	3.0L Petrol				Linear Rate	
	Linear Rate Standard Height	1	C45-092	В	Standard Height 1 C45- Variable Rate	323 B
	Linear Rate Raised Height (40mm Lift)	1	C45-094	В	Standard Height (10mm Lift) Extra Heavy Duty	.145VT C
MWWW	Variable Rate Raised Height (40mm Lift)	1	C45-096V	В	100-200Kg Constant Load 1 C45- Linear Rate Raised Height (45mm Lift) 1 C45-	
	Linear Rate Raised Height (50mm Lift) 50-80Kg Accessories (Bullbar OR Winch)	1	C45-102	В	Variable Rate Raised Height (45mm Lift) Raised Height (45mm Lift) Up to 100Kg Constant Load 1 C45-	
	Linear Rate Raised Height (75mm Lift)			В	Variable Rate Raised Height (50mm Lift)	
	4.2L Petrol & 2.8L	TD			Extra Heavy Duty 100-150Kg Constant Load 1 C45-	115VT C
	Linear Rate Standard Height	1	C45-098	В	Linear Rate Raised Height (50mm Lift)	
MWWW	Linear Rate Raised Height (45mm Lift) Up to 50Kg Accessories (Bullbar OR Winch)	1	C45-102	В	250Kg Constant Load 1 C45- Linear Rate Raised Height (45mm Lift) Extra Heavy Duty	129 B
	Linear Rate Raised Height (75mm Lift)	1	C45-108	В	450Kg Constant Load 1 C45-	105T C
	4.2L Diesel				SHOCK ABSORBER	_
	Variable Rate Raised Height (45mm Lift)	1	C45-110V	В	Heavy Duty Twin Tube Gas 2 GS45 Extra Heavy Duty	5-115
M	Linear Rate Raised Height (45mm Lift) Extra Heavy Duty				Twin Tube Gas For Loaded Vehicles 2 GS59	9-703
	70-120Kg Accessories (Bullbar AND Winch)	1	C45-104	В	Heavy Duty Monotube Remote Reservoir 2 MR4	5-60115
1	SHOCK ABSORBE	R		1	RUBBER COIL SEAT	
	Heavy Duty Twin Tube Gas	2	GS45-114		Replacement upper rubber coil seat 2 RS45	5-4027
	Heavy Duty Monotube Remote Reservoir	2	MR45-60114		UNDER BODY BUSH KIT	
	STEERING DAMPI	ΞR			Kit Includes Front & Rear Under Body *Excludes Spherical Panhard Rod Bush for V 02/2000 on	
	1988 - 08/1989				Pre 1989	
·	,		SD45-834		4 x Front Radius Arm to Chassis Bush 4 x Front Radius Arm to Diff Bush 2 x Front Panhard Rod Bush	
	08/1989 - 1999 Heavy Duty (Big Bore)		CD45 026		2 x Rear Panhard Rod Bush 8 x Rear Trailing Arm Bush 1 PB45	5-1231K
	Complete with Fittings	1	סכס-נדעט		1989 on	
	RUBBER COIL SE	AΤ			4 x Front Radius Arm to Chassis Bush 4 x Front Radius Arm to Diff Bush	
Replace	ement upper rubber coil seat		RS45-4026		4 x Front & Rear Panhard Rod Bush 8 x Rear Upper & Lower Trailing Arm Bush 1 PB45	5-1239K
	UNDER BODY BUSH	K)	T		DIMP CTOP	
	See Rear Under Body Bu	ush	Kit		Adjustable Soft-hit bump stop (Suits 0-56mm extension) 2 BS45	5-529
	DRAGLINK					
	38mm Solid Adjustable	1	SA45-1422		CONTINUED ON NEXT PAGE	
	CONTINUED ON NEX	T F	PAGE			



MODEL: Y60 GQ

YEAR: 08/1987 - 1998

DETAIL: LWB Station Wagon, GR, Safari, WYG60



FRONT

PART NUMBER

PRICE

REAR

PART NUMBER

PRICE

CONTINUED FROM PREVIOUS PAGE

PANHARD ROD BUSH

Does Not Fit OE

Upper/Chassis Bush 1 RB45-6025

Does Not Fit OE

Lower/Diff Bush 1 RB45-6027

RADIUS ARM BUSH

0 Degree Standard Radius Arm Bush Kit Arm to Diff

1 RB59-536K 4 x Rubber Bushes

Arm to Chassis Bush Kit

1 RB45-535K 4 x Rubber Bushes

CASTOR ADJUSTMENT PART

Adjustable Front Radius Arm Castor Kit

Angle Settings: ±0°, ±2.5° or ±3.5°

4 x Polyurethane Eccentric Bushes 1 PB59-503K

Fixed Rubber Front Radius Arm Castor Kit

Angle Setting: ±2.5°

4 x Rubber Eccentric Bushes 1 **RB59-522K**

Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.

BUMP STOP

Adjustable Soft-hit bump stop

(Suits 0-56mm extension) 2 **BS45-528**

SWAYBAR EXTENSION

Adjustable Swaybar Extension (Suits 2-6" Lift) 2 SE45-520

GEARBOX SPACER KIT

Drive Line Vibration May Occur with Raised Suspension. To Reduce Vibration We

Recommend Fitting the Above Kit. 1 TC45-001K

COIL SPACER

15mm 2 **PS45-4010**

30mm 2 **PS45-4011**

SWAY BAR EXTENSION

CONTINUED FROM PREVIOUS PAGE

Adjustable Swaybar Extension Suits 2" - 6" Lift

Stem Upper/Right Angle Lower Joint 1* SE45-520

Adjustable Swaybar Extension

Suits 2" - 6" Lift

Right Angle Upper/Right Angle Lower Joint 1* SE45-521

*Check Swaybar Link Configuration - Some Vehicles Require 2 of the Same Swaybar and Other Vehicles Require 1 of Each Swaybar

BRAKE ADJUSTER

Recommended when Raising Vehicle

(Suits 2 - 6" Lift)

1 BA45-005

COIL SPACER

15mm 2 **PS45-4012**

30mm 2 **PS45-4013**



MODEL: Y60 GQ

YEAR: 02/1988 - 1998

DETAIL: SWB GR, Safari, KYY60



	FRONT	QTY	PART NUMBER	PRICE		REAR	QTY	PART NUMBER	PRICE
	COIL SPRING		HOHDER			COIL SPRING		NO. IDEN	
	Linear Rate Standard Height	1	C45-092	В		Linear Rate Standard Height	1	C45-093	В
MAAAAAAA	Linear Rate Raised Height (45mm Lift)	1	C45-094	В	MAAAAAAAA	Linear Rate Raised Height (45mm Lift)	1	C45-095	В
www	Variable Rate Raised Height (45mm Lift)	1	C45-096V	В	IWWWWW	Variable Rate Raised Height (45mm Lift)	1	C45-101V	С
	Variable Rate Raised Height (50mm Lift) 50-100Kg Constant Load	1	C45-110V			Linear Rate Raised Height (50mm Lift) 100-200Kg Constant Load	1	C45-189	В
	SHOCK ABSORBE	R			1	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas	2	GS45-114		0	Heavy Duty Twin Tube Gas	2	GS45-115	
	Heavy Duty Monotube Remote Reservoir	2	MR45-60114		•	Heavy Duty Monotube Remote Reservoir	2	MR45-60115	
	STEERING DAMP					RUBBER COIL SE	ΑT		
0	1988 - 08/1989 Heavy Duty (Big Bore) Complete with Fittings		SD45-834		Replace	ement upper rubber coil seat	2	RS45-4027	
	08/1989 - 1999		3543 034			UNDER BODY BUSH	K1	T	
	Heavy Duty (Big Bore) Complete with Fittings		SD45-836			Kit Includes Front & Rear Under pherical Panhard Rod Bush for			000 on
	DURDER COTI CE				4 v Front	Pre 1989 Radius Arm to Chassis Bush			
Replace	RUBBER COIL SE ement upper rubber coil seat	2				ront Radius Arm to Diff Bush 2 x Front Panhard Rod Bush 2 x Rear Panhard Rod Bush			
	UNDER BODY BUSH See Rear Under Body Bu					8 x Rear Trailing Arm Bush 1989 on	1	PB45-1231K	
	See Rear Officer Body Bi	usii	KIL		4 v Front	Radius Arm to Chassis Bush			
A	BUMP STOP djustable Soft-hit bump stop (Suits 0-56mm extension)	2	BS45-528		4 x Fr 4 x Fro	ront Radius Arm to Diff Bush int & Rear Panhard Rod Bush er & Lower Trailing Arm Bush	1	PB45-1239K	
	CASTOR ADJUSTMEN	ΓΡ	ART			BUMP STOP		1	
Angle Sett	Front Radius Arm Castor Kit tings: ±0°, ±2.5° or ±3.5° lyurethane Eccentric Bushes	1	PB59-503K		Ad	djustable Soft-hit bump stop (Suits 0-56mm extension)	2	BS45-529	
Fixed Rubber	Front Radius Arm Castor Kit					SWAY BAR EXTENS	10	N	
	Angle Setting: ±2.5° 4 x Rubber Eccentric Bushes	1	RB59-522K		Ac	djustable Swaybar Extension Suits 2" - 6" Lift			
A Wheel Ali	Raising Vehicle Will Effect Ca gnment is Recommended to De Reguired.			Kit is	1	pper/Right Angle Lower Joint djustable Swaybar Extension	1*	SE45-520	
						Suits 2" - 6" Lift pper/Right Angle Lower Joint	1*	SF45_521	
Ad	SWAYBAR EXTENS djustable Swaybar Extension (Suits 2-6" Lift)				*Check Swayba	ar Link Configuration - Some Ve bar and Other Vehicles Require	hic	les Require 2 of	
	GEARBOX SPACER	/4 ±	г			BRAKE ADJUSTE	R		
	ration May Occur with Raised sion. To Reduce Vibration We				Recomm	nended when Raising Vehicle (Suits 2 - 6" Lift)		BA45-005	

Recommend Fitting the Above Kit.

CONTINUED ON NEXT PAGE

1 TC45-001K

COIL SPACER

15mm 2 **PS45-4012** 30mm 2 **PS45-4013**



MODEL: Y60 GQ

YEAR: 02/1988 - 1998

DETAIL: SWB GR, Safari, KYY60



FRONT	QTY	PART NUMBER	PRICE	REAR	QTY	PART NUMBER	PRICE
CONTINUED FROM PREV	10	US PAGE					
DRAGLINK	1	CA4E 1422					
38mm Solid Adjustable	1	3A45-1422					
PANHARD ROD BU	SH		1				
Does Not Fit OE Upper/Chassis Bush	1	RB45-6025					
Does Not Fit OE		DD45 6027					
Lower/Diff Bush	1	RB45-602/					
RADIUS ARM BUS	SH						
0 Degree Standard Radius Arm Bush Kit Arm to Diff							
4 x Rubber Bushes	1	RB59-536K					
Arm to Chassis Bush Kit 4 x Rubber Bushes	1	RR45-535K					
T X Nubber Busiles		KD ID DOOK					
COIL SPACER							
		PS45-4012					
	2	PS45-4013					



MODEL: Y60 GQ/Y61 GU

YEAR: 1989 on

DETAIL: SWB

75mm (3"



	FRONT	QTY	PART NUMBER	PRICE							
	COIL SPRING										
PETROL ENGINE											
M	Linear Rate Raised Height (3" Lift) No Accessories	1	C45-136	В							
	Linear Rate Raised Height (3" Lift) 60-100Kg Accessories (Bullbar AND Winch)	1	C45-134	В							
	Linear Rate Raised Height (4" Lift) No Accessories	1	C45-304	В							
	Linear Rate Raised Height (4" Lift) 50-100kg Accessories	1	C45-314	В							
	DIESEL ENGINE										
	Linear Rate Raised Height (3" Lift) No Accessories	1	C45-134	В							
RAMAMAM	Linear Rate Raised Height (3" Lift) 50-100kg Accessories	1	C45-304	В							
NWWWWI	Linear Rate Raised Height (4" Lift) No Accessories	1	C45-314	В							
	Linear Rate Raised Height (<mark>4" Lift</mark>) 50-100kg Accessories	1	C45-316	В							
	SHOCK ABSORBE	R									

SHOCK ABSORBE	R	
 Heavy Duty Twin Tube Gas	2	GS51-116
Heavy Duty Monotube Remote Reservoir (3" Lift)	2	MR51-60116
(4" Lift)	2	MR45-60914

STEERING DAMPER

Heavy Duty (Big Bore) - Complete with Fittings

·	Y60 GQ	1988 - 08/1989	1	SD45-834
_	Y60 GQ	08/1989 - 1999	1	SD45-836
_	Y61 GU12	2/1997 - 02/2000	1	SD51-811
 	Y61 GU	02/2000 on	1	SD45-801

Some 02/2000 on Latin American Wagons may Require SD51-811. Check End Configuration before Ordering.

RUBBER COIL SEAT

Replacement upper rubber coil seat 2 RS45-4026

CONTINUED ON NEXT PAGE

Lift), 100mm	(4" Lift)			
	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
MMMMI	Linear Rate Raised Height (3" Lift)	1	C45-189	В
	Linear Rate Raised Height (4" Lift)	1	C45-193	С
1	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas		GS45-913	
•	Heavy Duty Monotube Remote Reservoir			
	(3" Lift)	_	MR45-60913	
	(4" Lift)	2	MR45-60915	
	UNDER BODY BUSH	KI	т	
	t Includes Front & Rear Unde	r Bo	dy Bushes	2000
*Excludes Sph	nerical Panhard Rod Bush for Post 1989	wag	jon Models 02/2	oud on
4 x Front R	adius Arm to Chassis Bush			
	nt Radius Arm to Diff Bush			
	t & Rear Panhard Rod Bush & Lower Trailing Arm Bush	1	PB45-1239K	
	RUBBER COIL SE	ΑТ		
Replacen	nent upper rubber coil seat	2	RS45-4027	
	ADJUSTABLE PANHAR	D	ROD	
5	Suits Y60 GQ & Y61 GU (to	0	2/2000)	
	RH Drive & LH Drive Complete with Bushes		PR45-1403	
	Suits Y61 GU Only (02/2 Ball Joint to Chassis			
Comple	te with Ball Joint and Bush		PR45-1415	
	PANHARD ROD BU	SH		
	Does Not Fit OE Upper/Chassis Bush	1	RB45-6025	
	Does Not Fit OE Lower/Diff Bush	1	RB45-6027	
Ball	Does Not Fit OE Joint-Upper/Chassis Bush	1	BJ45-6026	

SWAY BAR EXTENSION

Adjustable Swaybar Extension Suits 2" - 6" Lift

Stem Upper/Right Angle Lower Joint 1* SE45-520

Adjustable Swaybar Extension Suits 2" - 6" Lift

Right Angle Upper/Right Angle Lower Joint 1* **SE45-521**

*Check Swaybar Link Configuration - Some Vehicles Require 2 of the Same Swaybar and Other Vehicles Require 1 of Each Swaybar

2 x Upper Adjustable Trailing Arms with

Bushes 1 WA45-510K

BRAKE ADJUSTER

Recommended when Raising Vehicle (Suits 2-6" Lift) 1 BA45-005

CONTINUED ON NEXT PAGE



MODEL: Y60 GQ/Y61 GU

YEAR: 1989 on

DETAIL: SWB

75mm (3" Lift), 100mm (4" Lift)



FRONT

PART NUMBER

PRICE

CONTINUED FROM PREVIOUS PAGE

ADJUSTABLE PANHARD ROD Suits Y60 GQ & Y61 GU (to 02/2000)

RH Drive Complete with Bushes 1 PR45-1402
LH Drive Complete with Bushes 1 PR45-1407

Suits Y61 GU Only (02/2000 on) Ball Joint to Chassis Mount

RH Drive Complete with Ball Joint

and Bush

1 PR45-1416

LH DriveComplete with Ball Joint and Bush

1 PR45-1409

PANHARD ROD BUSH

Does Not Fit OE

Upper/Chassis Bush 1 RB45-6025

Does Not Fit OE

Lower/Diff Bush 1 RB45-6027

Does Not Fit OE

Ball Joint-Upper/Chassis Bush 1 BJ45-6026

CASTOR ADJUSTMENT PART

Adjustable Front Radius Arm Castor Kit

Angle Settings: ±0°, ±2.5° or ±3.5°

4 x Polyurethane Eccentric Bushes 1 **PB59-503K**

Fixed Rubber Front Radius Arm Castor Kit

Angle Setting: ±2.5°

4 x Rubber Eccentric Bushes 1 **RB59-522K**

Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.

COIL SPACER

15mm 2 **PS45-4012** 30mm 2 **PS45-4013** **REAR**

≥ PART O NUMBER

PRICE

CONTINUED FROM PREVIOUS PAGE

BUMP STOP

Adjustable Soft-hit bump stop (Suits 0-56mm extension) 2

2 **BS45-529**

WARNING - 75MM (3") OR HIGHER LIFT

The suspension components listed on this page are for off-road use only.



- Refer to Local Laws before Fitting to Registered/Road Vehicles - An Engineering Certificate may be required
- Handling Characteristics will Diminish on Lifts Above 50mm (2")

The following modifications (but not limited to) need to be made to the vehicle before the kit is fitted.



- Adjustable Panhard Rods
- Modified Leading/Trailing Arms
- Brake Hoses
- Extended Bump Stops
- Gear Box & Drive Line Modifications
- Steering Arms
- Swaybar Modification

Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page.

These products do not come with any warranty or guarantee.

COIL SPACER

.__

15mm 2 **PS45-4012**

30mm 2 **PS45-4013**



MODEL: Y60 GQ

YEAR: 1988 - 05/1999

DETAIL: Pickup, GR Leaf Spring Suspension



	FRONT	QTY	PART NUMBER	PRICE
	LEAF SPRING			
	7 Leaves Raised Height (45mm Lift) No Accessories 8 Leaves	2	Y60-7L-F	
	Raised Height (45mm Lift) 50-100Kg Accessories (Bullbar AND Winch) Recommended	2	Y60-8L-F	
	SHACKLE BUSH K			
	Kit Contains: 8 x SPF2260 4 x SPF2270	1	PB45-1018K	
	U-BOLT KIT			
	Kit Contains: 2 x UB45-669	2	UB45-669K	
	SHOCK ABSORBE	R		
·	Heavy Duty Twin Tube Gas		GS45-640	
	STEERING DAMP	ER		
	Heavy Duty Complete with Fittings		SD45-022	
	SHACKLE KIT			
#:1	Greasable: Fit in Pairs	2	SK59-019	
#	Can be substituted by: Right Hand Side (Anti-Reverse) Left Hand Side	1	SK59-048	
,	(Anti-Reverse)	1	SK59-047	
	PIN			
	Greasable: Fit in Pairs	2	SP45-026	

	REAR	QTY	PART NUMBER	PRICE
	LEAF SPRING			
	5+2 Leaves	1	Y60-5+2-R RH	
	Raised Height (50mm Lift) Up to 150Kg Constant Load	_	Y60-5+2-R LH	
	6+2 Leaves	-	100 5 12 11 211	
0 0	Raised Height (50mm Lift)	1	Y60-6+2-R RH	
	300Kg Constant Load Recommended		Y60-6+2-R LH	
	7+2 Leaves			
	Raised Height (50mm Lift)		Y60-7+2-R RH	
	500Kg Constant Load	1	Y60-7+2-R LH	
	SHACKLE BUSH K			
	Kit Contains:			
	12 x SPF2260	1	PB59-1019K	
	U-BOLT KIT			
	Kit Contains: 2 x UB45-670-1	2	UB45-670-1K	
	2 X 0D43-070-1	2	0B43-070-1R	
	SHOCK ABSORBE	R		
0	Heavy Duty Twin Tube Gas			
	(Big Bore)	2	GS45-125	
-	SHACKLE			
	SHACKLE			
## I	Greasable: Fit in Pairs	2	SK59-019	
	Greasable: Fit in Pairs			
11:	Right Hand Side (Anti-Reverse)	1	SK59-048	
	eft Hand Side (Anti-Reverse)	1		
	ert riana side (Anti-Reverse)	1	3K39-047	
	PIN			
	Greasable: Fit in Pairs	2	SP45-026	



MODEL: Y60 GQ

YEAR: 1992 - 05/1999

DETAIL: Pickup Coil Spring Suspension



	FRONT	QTY	PART NUMBER	PRICE	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING				COIL SPRING			
	Linear Rate Raised Height (20mm Lift) Up to 30Kg Accessories (Bullbar OR Winch)	1	C45-098	В	Variable Rate Standard Height (20mm Lift) Up to 100Kg Constant Load	1	C45-145VT	С
	Linear Rate Raised Height (35mm Lift) Up to 50Kg Accessories				Linear Rate Raised Height (45mm Lift) Recommended	1	C45-103	В
MWWW	(Bullbar OR Winch) Recommended	1	C45-102	В	Variable Rate Raised Height (50mm Lift) Variable Rate	1	C45-115VT	С
	Linear Rate Raised Height (60mm Lift) Extra Heavy Duty 70-120Kg Accessories				Raised Height (50mm Lift) 200Kg Constant Load Linear Rate	1	C45-123VT	С
	(Bullbar AND Winch) Linear Rate	1	C45-104	В	Raised Height (45mm Lift) Extra Heavy Duty		C4E 10ET	6
	Raised Height (75mm Lift)		C45-108	В	450Kg Constant Load	1	C45-105T	С
	4.2L Petrol & 2.8L	. TC)		Linear Rate Raised Height (75mm Lift)	1	C45-129	В
	Linear Rate Standard Height	1	C45-098	В				
	Linear Rate				SHOCK ABSORB	ER		
	Raised Height (45mm Lift)				Heavy Duty Twin Tube Gas	2	GS45-115	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Up to 50Kg Accessories (Bullbar OR Winch)	1	C45-102	В	Extra Heavy Duty			
	Linear Rate				Twin Tube Gas For Loaded Vehicles	2	GS59-703	
	Raised Height (75mm Lift)	1	C45-108	В	Heavy Duty Monotube			
	4.2L Diesel				Remote Reservoir	2	MR45-60115	
	Variable Rate Raised Height (45mm Lift)	1	C45-110V	В				
	Linear Rate Raised Height (45mm Lift)				RUBBER COIL SE Replacement upper rubber coil seat		RS45-4027	
MWWWW	Extra Heavy Duty 70-120Kg Accessories	s) 1 e)			BUMP STOP			
,,,,,,,,,,,,,	(Bullbar AND Winch)		C45-104	В	Adjustable Soft-hit bump stop			
	Linear Rate Raised Height (75mm Lift) Heavy Duty				(Suits 0-56mm extension)		BS45-529	
	60-110Kg Accessories (Bullbar AND Winch)	1	C45-108	В	UNDER BODY BUSH Kit Includes Front & Rear Unde			
					*Excludes Spherical Panhard Rod Bush for			000 on
	SHOCK ABSORBE	R			4 x Front Radius Arm to Chassis Bush			
	Heavy Duty Twin Tube Gas	2	GS45-114		4 x Front Radius Arm to Diff Bush 4 x Front & Rear Panhard Rod Bush 8 x Rear Upper & Lower Trailing Arm Bush	1	PB45-1239K	
	Heavy Duty Monotube Remote Reservoir	2	MR45-60114		,			
	Remote Reservoir	_	PIK45-00114		COIL SPACER			
	STEERING DAMP	ER		\	15mm		PS45-4012	
	Heavy Duty (Big Bore)		SD45-836		30mm	2	PS45-4013	
	RUBBER COIL SE							
Replace	ement upper rubber coil seat	2	RS45-4026					
	UNDER BODY BUSH	K	T					
	See Rear Under Body B							
Donlass	BUMP STOP	2	RS/15-F29					
керіас	ement upper rubber coil seat							
	CONTINUED ON NEX		PAGE					



MODEL: Y60 GQ

YEAR: 1992 - 05/1999

DETAIL: Pickup Coil Spring Suspension



FRONT	QTY	PART NUMBER	PRICE	REAR	QTY	PART NUMBER	PRICE
CONTINUED FROM PREV	10	US PAGE					
CASTOR ADJUSTMEN	ГР	ART	1				
Adjustable Front Radius Arm Castor Kit Angle Settings: ±0°, ±2.5° or ±3.5° 4 x Polyurethane Eccentric Bushes							
Fixed Rubber Front Radius Arm Castor Kit Angle Setting: ±2.5° 4 x Rubber Eccentric Bushes	1	RB59-522K					
Raising Vehicle Will Effect Ca A Wheel Alignment is Recommended to Determ	sto ine	r Angle. if a Castor Kit is	Required.				
COIL SPACER			1				
15mm	2	PS45-4010					
30mm	2	PS45-4011					
DRAGLINK			1				
38mm Solid Adjustable	1	SA45-1422					
PANHARD ROD BU	Si						
Does Not Fit OE Upper/Chassis Bush	1	RB45-6025					
Does Not Fit OE Lower/Diff Bush	1	RB45-6027					
RADIUS ARM BUS	зн						
0 Degree Standard Radius Arm Bush Kit Arm to Diff 4 x Rubber Bushes	1	RB59-536K					
Arm to Chassis Bush Kit 4 x Rubber Bushes	1	RB45-535K					



MODEL: Y61 GU, VRGY61, TCSY61, WRGY61,

WYY61, WTY61, WGY61

YEAR: 12/1997 on

DETAIL: SWB & LWB Station Wagon



	FRONT	Τ	PART NUMBER	PRICE
	COIL SPRING		NOMBER	
	SWB			
MWWWM	Linear Rate Raised Height (30mm Lift)	1	C45-004	В
	LWB			
	Suits 2.8L & 3.0L TD, 4.	.2 [Diesel	
	Linear Rate Standard Height	1	C45-140	В
	Linear Rate Raised Height (40mm Lift) Recommended	1	C45-138	В
MWWWW	Linear Rate Raised Height (50mm Lift) No Accessories	1	C45-130	В
	Linear Rate Raised Height (50mm Lift) 60-100Kg Accessories (Bullbar AND Winch)	1	C45-232	В
	Suits 4.5L & 4.8L Petrol			_
	Linear Rate Standard Height		C45-132	В
MMMMM	Linear Rate Raised Height (30mm Lift) Recommended	1	C45-130	В
	Linear Rate Raised Height (50mm Lift) 0-50Kg Accessories	1	C45-232	В
	Linear Rate Raised Height (60mm Lift) No Accessories	1	C45-134	В
	Linear Rate Raised Height (45mm Lift) 60-110Kg Accessories (Bullbar AND Winch)	1	C45-134	В
\ 	SHOCK ABSORBE	R		
			CEAE 111	
	Heavy Duty Twin Tube Gas Heavy Duty Monotube Remote Reservoir		GS45-114 MR45-60114	
	Nemote Neser VIII	_		
	STEERING DAMP	ER		
	12/1997 - 02/20	00		
	Heavy Duty (Big Bore) Complete with Fittings	1	SD51-811	
	02/2000 on			
	Heavy Duty (Big Bore) Complete with Fittings	1	SD45-801	
Some 02/2000	on Latin American Wagons ma End Confiiguration Before			.1. Check
	DUDDED COTH CE			
Danis	RUBBER COIL SE		DC4E 4036	
керіасє	ement upper rubber coil seat	2	RS45-4026	

	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
	SWB			
MWWWM	Linear Rate Raised Height (40mm Lift)	1	C45-121	В
LV	VB GU Patrol Series I, II, I	II,	IV (97-06)	
	Linear Rate Standard Height	1	C45-323	В
MAAAAAAA	Linear Rate Raised Height (45mm Lift) Up to 100Kg Constant Load (Recommended)	1	C45-103	В
MWWW	Linear Rate Raised Height (60mm Lift) No Load	1	C45-129	В
	Linear Rate Raised Height (45mm Lift) 200Kg Constant Load	1	C45-129	В
	GU Patrol Series V on	(07	on)	
wwww	Raised Height (45mm Lift) No Accessories	1	C45-129	В
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Raised Height (45mm Lift) 200Kg Constant Load	1	C45-329	С
+	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas	2	GS45-115	
·	Extra Heavy Duty Twin Tube Gas For Loaded Vehicles	2	GS59-703	
•	Heavy Duty Monotube Remote Reservoir	2	MR45-60115	
	RUBBER COIL SE	ΑT		
Replace	ement upper rubber coil seat	2	RS45-4027	
	UNDER BODY BUSH	Κī	т	

Kit Includes Front & Rear Under Body Bushes *Excludes Spherical Panhard Rod Bush for Wagon Models 02/2000 on

4 x Front Radius Arm to Chassis Bush 4 x Front Radius Arm to Diff Bush 4 x Front & Rear Panhard Rod Bush

8 x Rear Upper & Lower Trailing Arm Bush 1 PB45-1239K

SWAY BAR EXTENSION

Adjustable Swaybar Extension Suits 2" - 6" Lift

Stem Upper/Right Angle Lower Joint 1* **SE45-520**

Adjustable Swaybar Extension Suits 2" - 6" Lift

Right Angle Upper/Right Angle Lower Joint 1* **SE45-521**

*Check Swaybar Link Configuration - Some Vehicles Require 2 of the Same Swaybar and Other Vehicles Require 1 of Each Swaybar

BUMP STOP

Adjustable Soft-hit bump stop 2 **BS45-529** (Suits 0-56mm extension)

CONTINUED ON NEXT PAGE

UNDER BODY BUSH KIT

See Rear Under Body Bush Kit

CONTINUED ON NEXT PAGE



MODEL: Y61 GU, VRGY61, TCSY61, WRGY61, WYY61, WTY61, WGY61

YEAR: 12/1997 or



		DETAIL:	SWB & L
FRONT	QTY	PART NUMBER	PRICE
CONTINUED FROM PREV	TΩ	LIC DACE	
CONTINUED FROM PREV	10	US PAGE	
PANHARD ROD BU	SH		
Does Not Fit OE Upper/Chassis Bush	1	RB45-6025	
Does Not Fit OE Lower/Diff Bush	1	RB45-6027	
Does Not Fit OE Ball Joint-Upper/Chassis Bush	1	BJ45-6026	
DARTIG ADM DIG			
RADIUS ARM BUS 0 Degree Standard Radius Arm Bush Kit Arm to Diff		DDE0 E36K	
4 x Rubber Bushes Arm to Chassis Bush Kit 4 x Rubber Bushes		RB59-536K RB45-535K	
BUMP STOP			
Adjustable Soft-hit bump stop (Suits 0-56mm extension)	2	BS45-528	
DRAGLINK			
38mm Solid Adjustable	1	SA45-1424	
CASTOR KIT			
Adjustable Front Radius Arm Castor Kit Angle Settings: ±0°, ±2.5° or ±3.5° 4 x Polyurethane Eccentric Bushes	1	PB59-503K	
Fixed Rubber Front Radius Arm Castor Kit Angle Setting: ±2.5° 4 x Rubber Eccentric Bushes	1	RB59-522K	
Raising Vehicle Will Effect Castor Angle. Recommended to Determine if a Cas			
SWAYBAR EXTENS		N.	
Adjustable Swaybar Extension (Suits 2-6" Lift)		SE45-520	
COIL SPACER			
15mm	2	PS45-4010	

30mm 2 **PS45-4011**

Station Wagon			
REAR	QTY	PART NUMBER	PRICE
CONTINUED EDOM DDEV	TO	US DAGE	
CONTINUED FROM PREV	10	US PAGE	
BRAKE ADJUSTE	R		1
Recommended when Raising Vehicle (Suits 2-6" Lift)	1	BA45-005	
COIL SPACER			1
15mm		PS45-4012	
30mm	2	PS45-4013	



MODEL: Y61 GU, UCLY61, UELY61

YEAR: 01/1999 on

DETAIL: Pickup Front - Coil Spring, Rear - Leaf Spring




			DADT	
	FRONT	P	PART NUMBER	PRICE
	COIL SPRING	Ļ		
	3.0L TD (2008 or 4.2L Diesel	n)		
	Linear Rate Standard Height	1	C45-140	В
	Linear Rate Raised Height (40mm Lift)	1	C45-138	В
I/////////	Linear Rate Raised Height (50mm Lift) No Accessories	1	C45-130	В
	Linear Rate Raised Height (50mm Lift) 60Kg Accessories (Bullbar OR Winch)	1	C45-232	В
	4.2L TD			
	Linear Rate Standard Height	1	C45-132	В
	Linear Rate Raised Height (30mm Lift)	1	C45-130	В
M	Linear Rate Raised Height (50mm Lift) 0-50Kg Accessories	1	C45-232	В
	Linear Rate Raised Height (60mm Lift) No Accessories	1	C45-134	В
	Linear Rate Raised Height (45mm Lift) 60-100Kg Accessories (Bullbar AND Winch)	1	C45-134	В
	SHOCK ABSORBE	R		Y
	SHOCK ABSORBE Heavy Duty Twin Tube Gas		GS45-114	
		2	GS45-114 MR45-60114	
-	Heavy Duty Twin Tube Gas Heavy Duty Monotube Remote Reservoir	2		
	Heavy Duty Twin Tube Gas Heavy Duty Monotube	2 2 E R		
	Heavy Duty Twin Tube Gas Heavy Duty Monotube Remote Reservoir STEERING DAMP Heavy Duty (Big Bore) Complete with Fittings	2 2 ER 1	MR45-60114	
Replace	Heavy Duty Twin Tube Gas Heavy Duty Monotube Remote Reservoir STEERING DAMP Heavy Duty (Big Bore)	2 2 ER 1	MR45-60114	
Replace	Heavy Duty Twin Tube Gas Heavy Duty Monotube Remote Reservoir STEERING DAMP Heavy Duty (Big Bore) Complete with Fittings	2 2 ER 1 AT 2	MR45-60114 SD51-811 RS45-4026	
Replace	Heavy Duty Twin Tube Gas Heavy Duty Monotube Remote Reservoir STEERING DAMP Heavy Duty (Big Bore) Complete with Fittings RUBBER COIL SE	2 2 ER 1 AT 2	MR45-60114 SD51-811 RS45-4026	
Replace	Heavy Duty Twin Tube Gas Heavy Duty Monotube Remote Reservoir STEERING DAMP Heavy Duty (Big Bore) Complete with Fittings RUBBER COIL SE ement upper rubber coil seat ADJUSTABLE PANHAR RH Drive	2 2 ER 1 AT 2 1	MR45-60114 SD51-811 RS45-4026	
Replace	Heavy Duty Twin Tube Gas Heavy Duty Monotube Remote Reservoir STEERING DAMP Heavy Duty (Big Bore) Complete with Fittings RUBBER COIL SE ement upper rubber coil seat ADJUSTABLE PANHAR RH Drive Complete with Bushes LH Drive	2 2 ER 1 2 2 1 1 1	MR45-60114 SD51-811 RS45-4026 ROD PR45-1402 PR45-1407	
Replace	Heavy Duty Twin Tube Gas Heavy Duty Monotube Remote Reservoir STEERING DAMP Heavy Duty (Big Bore) Complete with Fittings RUBBER COIL SE Ement upper rubber coil seat ADJUSTABLE PANHAR RH Drive Complete with Bushes LH Drive Complete with Bushes	2 2 ER 1 2 2 1 1 1	MR45-60114 SD51-811 RS45-4026 ROD PR45-1402 PR45-1407	
Replace	Heavy Duty Twin Tube Gas Heavy Duty Monotube Remote Reservoir STEERING DAMP Heavy Duty (Big Bore) Complete with Fittings RUBBER COIL SE Ement upper rubber coil seat ADJUSTABLE PANHAR RH Drive Complete with Bushes LH Drive Complete with Bushes PANHARD ROD BU Does Not Fit OE Upper/Chassis Bush Does Not Fit OE	2 2 ER 1 2 2 1 1 1 1 SH	MR45-60114 SD51-811 RS45-4026 ROD PR45-1402 PR45-1407	
Replace	Heavy Duty Twin Tube Gas Heavy Duty Monotube Remote Reservoir STEERING DAMP Heavy Duty (Big Bore) Complete with Fittings RUBBER COIL SE THE DESTRUCTION OF THE PANHAR RH Drive Complete with Bushes LH Drive Complete with Bushes PANHARD ROD BU Does Not Fit OE Upper/Chassis Bush	2 2 ER 1 2 2 1 1 1 1 SH	MR45-60114 SD51-811 RS45-4026 ROD PR45-1402 PR45-1407	
Replace	Heavy Duty Twin Tube Gas Heavy Duty Monotube Remote Reservoir STEERING DAMP Heavy Duty (Big Bore) Complete with Fittings RUBBER COIL SE Ement upper rubber coil seat ADJUSTABLE PANHAR RH Drive Complete with Bushes LH Drive Complete with Bushes PANHARD ROD BU Does Not Fit OE Upper/Chassis Bush Does Not Fit OE	2 2 ER 1 1 1 1 SH 1	MR45-60114 SD51-811 RS45-4026 ROD PR45-1402 PR45-1407	
	Heavy Duty Twin Tube Gas Heavy Duty Monotube Remote Reservoir STEERING DAMP Heavy Duty (Big Bore) Complete with Fittings RUBBER COIL SE THE PANHAR RH Drive Complete with Bushes LH Drive Complete with Bushes PANHARD ROD BU Does Not Fit OE Upper/Chassis Bush Does Not Fit OE Lower/Diff Bush	2 2 ER 1 1 1 1 SH 1 1	MR45-60114 SD51-811 RS45-4026 ROD PR45-1402 PR45-1407	

REAR LEAF SPRING 5+2 Leaves Raised Height (40mm Lift) Comfort Option 6+2 Leaves Raised Height (50mm Lift) Heavy Duty 300kg Constant Load (Recommended) 7+2 Leaves Raised Height (50mm Lift) Heavy Duty 500kg Constant Load (Recommended) 7+3 Leaves Raised Height (50mm Lift) Heavy Duty 650kg Constant Load 7+3 Leaves Raised Height (50mm Lift) Heavy Duty 650kg Constant Load 7+3 Leaves Raised Height (50mm Lift) Heavy Duty 650kg Constant Load 7+3 Leaves Raised Height (50mm Lift) Heavy Duty 650kg Constant Load 7+3 Leaves Raised Height (50mm Lift) Heavy Duty 650kg Constant Load 7+3 Leaves Raised Height (50mm Lift) Heavy Duty 650kg Constant Load 7+3 Leaves Raised Height (50mm Lift) Heavy Duty 650kg Constant Load 7+3 Leaves Raised Height (50mm Lift) Heavy Duty 650kg Constant Load 7+3 Leaves Raised Height (50mm Lift) Heavy Duty 650kg Constant Load 7+3 Leaves Raised Height (50mm Lift) Heavy Duty 650kg Constant Load 7+3 Leaves Raised Height (50mm Lift) 1 Y60-5+2-R LH 1 Y60-6+2-R LH 1 Y60-7+2-R LH 1 Y60-6+2-R LH 1 Y60-6+2-R LH 1 Y60-7+2-R LH 1 Y60-6+2-R LH 1 Y60-7+2-R LH 1 Y60-7+2-R LH 1 Y60-7+2-R LH 1 Y60-6+2-R LH 1 Y60-7+2-R LH 1 Y60-7-4-R LH 1
S+2 Leaves Raised Height (40mm Lift) Comfort Option 6+2 Leaves Raised Height (50mm Lift) Heavy Duty S00Kg Constant Load (Recommended) 7+2 Leaves Raised Height (50mm Lift) Heavy Duty S00Kg Constant Load (Recommended) 7+2 Leaves Raised Height (50mm Lift) Heavy Duty S00Kg Constant Load 7+3 Leaves Raised Height (50mm Lift) Heavy Duty 650Kg Constant Load 7+3 Leaves Raised Height (50mm Lift) Heavy Duty 650Kg Constant Load 2 L45-061-R SHACKLE BUSH KIT Kit Contains: 12 x SPF2260 1 PB59-1019K U-BOLT KIT Kit Contains: 2 x UB45-454 2 UB45-454K SHOCK ABSORBER Heavy Duty Twin Tube Gas (Big Bore) 2 GS45-125 SHACKLE Greasable: Fit in Pairs Right Hand Side (Anti-Reverse) 1 SK59-048 Left Hand Side (Anti-Reverse) 1 SK59-047
Raised Height (40mm Lift) Comfort Option 1 6+2 Leaves Raised Height (50mm Lift) Heavy Duty 300Kg Constant Load (Recommended) 7+2 Leaves Raised Height (50mm Lift) Heavy Duty 500Kg Constant Load 7+3 Leaves Raised Height (50mm Lift) Heavy Duty 650Kg Constant Load 2 L45-061-R SHACKLE BUSH KIT Kit Contains: 12 x SPF2260 1 PB59-1019K U-BOLT KIT Kit Contains: 2 x UB45-454 2 UB45-454K SHOCK ABSORBER Heavy Duty Twin Tube Gas (Big Bore) Greasable: Fit in Pairs Right Hand Side (Anti-Reverse) Left Hand Side (Anti-Reverse) Left Hand Side (Anti-Reverse) 1 SK59-048 SK59-047
Raised Height (50mm Lift) Heavy Duty 300Kg Constant Load (Recommended) 7+2 Leaves Raised Height (50mm Lift) Heavy Duty 500Kg Constant Load 1 Y60-6+2-R LH 7+3 Leaves Raised Height (50mm Lift) Heavy Duty 500Kg Constant Load 7+3 Leaves Raised Height (50mm Lift) Heavy Duty 650Kg Constant Load 2 L45-061-R SHACKLE BUSH KIT Kit Contains: 12 x SPF2260 1 PB59-1019K U-BOLT KIT Kit Contains: 2 x UB45-454 2 UB45-454K SHOCK ABSORBER Heavy Duty Twin Tube Gas (Big Bore) Greasable: Fit in Pairs Right Hand Side (Anti-Reverse) Left Hand Side (Anti-Reverse) 1 SK59-048 Left Hand Side (Anti-Reverse) 1 SK59-047
Raised Height (50mm Lift) Heavy Duty 300Kg Constant Load (Recommended) 7+2 Leaves Raised Height (50mm Lift) Heavy Duty 500Kg Constant Load 7+3 Leaves Raised Height (50mm Lift) Heavy Duty 650Kg Constant Load 7+3 Leaves Raised Height (50mm Lift) Heavy Duty 650Kg Constant Load 7+3 Leaves Raised Height (50mm Lift) Heavy Duty 650Kg Constant Load 2 L45-061-R SHACKLE BUSH KIT Kit Contains: 12 x SPF2260 1 PB59-1019K U-BOLT KIT Kit Contains: 2 x UB45-454 2 UB45-454K SHOCK ABSORBER Heavy Duty Twin Tube Gas (Big Bore) CF SHACKLE Greasable: Fit in Pairs Right Hand Side (Anti-Reverse) 1 SK59-048 Left Hand Side (Anti-Reverse) 1 SK59-047
Raised Height (50mm Lift) Heavy Duty 300Kg Constant Load (Recommended) 7+2 Leaves Raised Height (50mm Lift) Heavy Duty 500Kg Constant Load 7+3 Leaves Raised Height (50mm Lift) Heavy Duty 650Kg Constant Load 2 L45-061-R SHACKLE BUSH KIT Kit Contains: 12 x SPF2260 1 PB59-1019K U-BOLT KIT Kit Contains: 2 x UB45-454 2 UB45-454K SHOCK ABSORBER Heavy Duty Twin Tube Gas (Big Bore) SHACKLE Greasable: Fit in Pairs Right Hand Side (Anti-Reverse) 1 SK59-048 Left Hand Side (Anti-Reverse) 1 SK59-047 PIN
Raised Height (50mm Lift) Heavy Duty 300Kg Constant Load (Recommended) 7+2 Leaves Raised Height (50mm Lift) Heavy Duty 500Kg Constant Load 7+3 Leaves Raised Height (50mm Lift) Heavy Duty 650Kg Constant Load 2 L45-061-R SHACKLE BUSH KIT Kit Contains: 12 x SPF2260 1 PB59-1019K U-BOLT KIT Kit Contains: 2 x UB45-454 2 UB45-454K SHOCK ABSORBER Heavy Duty Twin Tube Gas (Big Bore) SHACKLE Greasable: Fit in Pairs Right Hand Side (Anti-Reverse) 1 SK59-048 Left Hand Side (Anti-Reverse) 1 SK59-047 PIN
Heavy Duty 300Kg Constant Load (Recommended) 7+2 Leaves Raised Height (50mm Lift) Heavy Duty 500Kg Constant Load 1 Y60-7+2-R RH Y60-7+2-R RH Y60-7+2-R LH 7+3 Leaves Raised Height (50mm Lift) Heavy Duty 650Kg Constant Load 2 L45-061-R SHACKLE BUSH KIT Kit Contains: 12 x SPF2260 1 PB59-1019K U-BOLT KIT Kit Contains: 2 x UB45-454 2 UB45-454K SHOCK ABSORBER Heavy Duty Twin Tube Gas (Big Bore) SHACKLE SK59-019 Greasable: Fit in Pairs Right Hand Side (Anti-Reverse) 1 SK59-048 Left Hand Side (Anti-Reverse) 1 SK59-047
300Kg Constant Load (Recommended) 7+2 Leaves Raised Height (50mm Lift) Heavy Duty 500Kg Constant Load 7+3 Leaves Raised Height (50mm Lift) Heavy Duty 650Kg Constant Load 2 L45-061-R SHACKLE BUSH KIT Kit Contains: 12 x SPF2260 1 PB59-1019K U-BOLT KIT Kit Contains: 2 x UB45-454 2 UB45-454K SHOCK ABSORBER Heavy Duty Twin Tube Gas (Big Bore) Greasable: Fit in Pairs Right Hand Side (Anti-Reverse) Left Hand Side (Anti-Reverse) 1 SK59-048 SK59-047
(Recommended) 7+2 Leaves Raised Height (50mm Lift) Heavy Duty 500Kg Constant Load 7+3 Leaves Raised Height (50mm Lift) Heavy Duty 650Kg Constant Load 2 L45-061-R SHACKLE BUSH KIT Kit Contains: 12 x SPF2260 1 PB59-1019K U-BOLT KIT Kit Contains: 2 x UB45-454 2 UB45-454K SHOCK ABSORBER Heavy Duty Twin Tube Gas (Big Bore) SHACKLE Greasable: Fit in Pairs Greasable: Fit in Pairs Right Hand Side (Anti-Reverse) Left Hand Side (Anti-Reverse) 1 SK59-048 SK59-047 PIN
Raised Height (50mm Lift) Heavy Duty 500Kg Constant Load 7+3 Leaves Raised Height (50mm Lift) Heavy Duty 650Kg Constant Load 2 L45-061-R SHACKLE BUSH KIT Kit Contains: 12 x SPF2260 1 PB59-1019K U-BOLT KIT Kit Contains: 2 x UB45-454 2 UB45-454K SHOCK ABSORBER Heavy Duty Twin Tube Gas (Big Bore) 2 GS45-125 SHACKLE Greasable: Fit in Pairs Right Hand Side (Anti-Reverse) 1 SK59-048 Left Hand Side (Anti-Reverse) 1 PIN
Raised Height (50mm Lift) Heavy Duty 500Kg Constant Load 7+3 Leaves Raised Height (50mm Lift) Heavy Duty 650Kg Constant Load 2 L45-061-R SHACKLE BUSH KIT Kit Contains: 12 x SPF2260 1 PB59-1019K U-BOLT KIT Kit Contains: 2 x UB45-454 2 UB45-454K SHOCK ABSORBER Heavy Duty Twin Tube Gas (Big Bore) SHACKLE Greasable: Fit in Pairs Right Hand Side (Anti-Reverse) 1 SK59-048 Left Hand Side (Anti-Reverse) 1 PIN
Heavy Duty 500Kg Constant Load 7+3 Leaves Raised Height (50mm Lift) Heavy Duty 650Kg Constant Load 2 L45-061-R SHACKLE BUSH KIT Kit Contains: 12 x SPF2260 1 PB59-1019K U-BOLT KIT Kit Contains: 2 x UB45-454 2 UB45-454K SHOCK ABSORBER Heavy Duty Twin Tube Gas (Big Bore) 2 GS45-125 SHACKLE SHACKLE Greasable: Fit in Pairs Right Hand Side (Anti-Reverse) 1 SK59-048 Left Hand Side (Anti-Reverse) 1 SK59-047
SHACKLE SHACKLE BUSH KIT Kit Contains: 12 x SPF2260 1 BHOCK ABSORBER Heavy Duty Twin Tube Gas (Big Bore) SHACKLE Greasable: Fit in Pairs Right Hand Side (Anti-Reverse) 1 Left Hand Side (Anti-Reverse) 1 SKOPT ALSON ARE SET SK59-047 PIN
Raised Height (50mm Lift) Heavy Duty 650Kg Constant Load SHACKLE BUSH KIT Kit Contains: 12 x SPF2260 1 PB59-1019K U-BOLT KIT Kit Contains: 2 x UB45-454 2 UB45-454K SHOCK ABSORBER Heavy Duty Twin Tube Gas (Big Bore) 2 GS45-125 SHACKLE SHACKLE Greasable: Fit in Pairs Greasable: Fit in Pairs Right Hand Side (Anti-Reverse) 1 SK59-048 Left Hand Side (Anti-Reverse) 1 SK59-047
Raised Height (50mm Lift) Heavy Duty 650Kg Constant Load SHACKLE BUSH KIT Kit Contains: 12 x SPF2260 1 PB59-1019K U-BOLT KIT Kit Contains: 2 x UB45-454 2 UB45-454K SHOCK ABSORBER Heavy Duty Twin Tube Gas (Big Bore) 2 GS45-125 SHACKLE SHACKLE Greasable: Fit in Pairs Greasable: Fit in Pairs Right Hand Side (Anti-Reverse) 1 SK59-048 Left Hand Side (Anti-Reverse) 1 SK59-047
Heavy Duty 650Kg Constant Load SHACKLE BUSH KIT Kit Contains: 12 x SPF2260 1 PB59-1019K U-BOLT KIT Kit Contains: 2 x UB45-454 2 UB45-454K SHOCK ABSORBER Heavy Duty Twin Tube Gas (Big Bore) 2 GS45-125 SHACKLE SHACKLE Greasable: Fit in Pairs Greasable: Fit in Pairs Right Hand Side (Anti-Reverse) 1 SK59-048 Left Hand Side (Anti-Reverse) 1 SK59-047 PIN
SHACKLE BUSH KIT Kit Contains: 12 x SPF2260 1 PB59-1019K U-BOLT KIT Kit Contains: 2 x UB45-454 2 UB45-454K SHOCK ABSORBER Heavy Duty Twin Tube Gas (Big Bore) 2 GS45-125 SHACKLE Greasable: Fit in Pairs Greasable: Fit in Pairs Right Hand Side (Anti-Reverse) 1 SK59-048 Left Hand Side (Anti-Reverse) 1 SK59-047 PIN
Kit Contains: 12 x SPF2260 1 PB59-1019K U-BOLT KIT Kit Contains: 2 x UB45-454 2 UB45-454K SHOCK ABSORBER Heavy Duty Twin Tube Gas (Big Bore) 2 GS45-125 SHACKLE Greasable: Fit in Pairs Greasable: Fit in Pairs Right Hand Side (Anti-Reverse) 1 SK59-048 Left Hand Side (Anti-Reverse) 1 SK59-047 PIN
Kit Contains: 12 x SPF2260 1 PB59-1019K U-BOLT KIT Kit Contains: 2 x UB45-454 2 UB45-454K SHOCK ABSORBER Heavy Duty Twin Tube Gas (Big Bore) 2 Greasable: Fit in Pairs Greasable: Fit in Pairs Right Hand Side (Anti-Reverse) 1 Left Hand Side (Anti-Reverse) 1 SK59-048 PIN
U-BOLT KIT Kit Contains: 2 x UB45-454 2 UB45-454K SHOCK ABSORBER Heavy Duty Twin Tube Gas (Big Bore) 2 GS45-125 SHACKLE Greasable: Fit in Pairs Greasable: Fit in Pairs Right Hand Side (Anti-Reverse) 1 SK59-048 Left Hand Side (Anti-Reverse) 1 SK59-047 PIN
U-BOLT KIT Kit Contains: 2 x UB45-454 2 UB45-454K SHOCK ABSORBER Heavy Duty Twin Tube Gas (Big Bore) 2 GS45-125 SHACKLE Greasable: Fit in Pairs Greasable: Fit in Pairs Right Hand Side (Anti-Reverse) 1 SK59-048 Left Hand Side (Anti-Reverse) 1 SK59-047 PIN
Kit Contains: 2 x UB45-454 2 UB45-454K SHOCK ABSORBER Heavy Duty Twin Tube Gas (Big Bore) 2 GS45-125 SHACKLE Greasable: Fit in Pairs Greasable: Fit in Pairs Right Hand Side (Anti-Reverse) 1 SK59-048 Left Hand Side (Anti-Reverse) 1 SK59-047 PIN
Kit Contains: 2 x UB45-454 2 UB45-454K SHOCK ABSORBER Heavy Duty Twin Tube Gas (Big Bore) 2 GS45-125 SHACKLE Greasable: Fit in Pairs Greasable: Fit in Pairs Right Hand Side (Anti-Reverse) 1 SK59-048 Left Hand Side (Anti-Reverse) 1 SK59-047 PIN
Kit Contains: 2 x UB45-454 2 UB45-454K SHOCK ABSORBER Heavy Duty Twin Tube Gas (Big Bore) 2 GS45-125 SHACKLE Greasable: Fit in Pairs Greasable: Fit in Pairs Right Hand Side (Anti-Reverse) 1 SK59-048 Left Hand Side (Anti-Reverse) 1 SK59-047 PIN
SHOCK ABSORBER Heavy Duty Twin Tube Gas (Big Bore) SHACKLE Greasable: Fit in Pairs Greasable: Fit in Pairs Right Hand Side (Anti-Reverse) Left Hand Side (Anti-Reverse) PIN
SHOCK ABSORBER Heavy Duty Twin Tube Gas (Big Bore) 2 GS45-125 SHACKLE Greasable: Fit in Pairs Greasable: Fit in Pairs Right Hand Side (Anti-Reverse) 1 SK59-048 Left Hand Side (Anti-Reverse) 1 SK59-047 PIN
Heavy Duty Twin Tube Gas (Big Bore) 2 GS45-125 SHACKLE Greasable: Fit in Pairs Greasable: Fit in Pairs Right Hand Side (Anti-Reverse) 1 SK59-048 Left Hand Side (Anti-Reverse) 1 SK59-047 PIN
Heavy Duty Twin Tube Gas (Big Bore) 2 GS45-125 SHACKLE Greasable: Fit in Pairs Greasable: Fit in Pairs Right Hand Side (Anti-Reverse) 1 SK59-048 Left Hand Side (Anti-Reverse) 1 SK59-047 PIN
SHACKLE Greasable: Fit in Pairs Greasable: Fit in Pairs Right Hand Side (Anti-Reverse) Left Hand Side (Anti-Reverse) PIN GS45-125 SK59-019 SK59-048 SK59-047
SHACKLE Greasable: Fit in Pairs Greasable: Fit in Pairs Greasable: Fit in Pairs Right Hand Side (Anti-Reverse) Left Hand Side (Anti-Reverse) PIN
Greasable: Fit in Pairs Greasable: Fit in Pairs Right Hand Side (Anti-Reverse) Left Hand Side (Anti-Reverse) PIN
Greasable: Fit in Pairs Greasable: Fit in Pairs Right Hand Side (Anti-Reverse) Left Hand Side (Anti-Reverse) PIN
Greasable: Fit in Pairs Right Hand Side (Anti-Reverse) Left Hand Side (Anti-Reverse) PIN
Greasable: Fit in Pairs Right Hand Side (Anti-Reverse) Left Hand Side (Anti-Reverse) PIN
Right Hand Side (Anti-Reverse) 1 SK59-048 Left Hand Side (Anti-Reverse) 1 SK59-047
(Anti-Reverse) 1 SK59-048 Left Hand Side (Anti-Reverse) 1 SK59-047 PIN
Left Hand Side (Anti-Reverse) 1 SK59-047 PIN
PIN
Greasable: Fit in Pairs 2 SP45-026



MODEL: Y61 GU, UCLY61, UELY61



DETAIL: Pickup Front - Coil Spring, Rear - Leaf Spring



FRONT	QTY	PART NUMBER	PRICE
CONTINUED FROM PREV	10	US PAGE	
RADIUS ARM BU	S		
0 Degree Standard Radius Arm Bush Kit Arm to Diff			
4 x Rubber Bushes	1	RB59-536K	
Arm to Chassis Bush Kit		DD4F FOFW	
4 x Rubber Bushes	1	RB45-535K	
DRACITNI			
DRAGLINK 38mm Solid Adjustable	1	SA45-1424	
Somm Som Adjustable	1	3A45-1424	
CASTOR ADJUSTMEN	ГΡ	ΔRT	
Adjustable Front Radius Arm Castor Kit			
Angle Settings: ±0°, ±2.5° or ±3.5°			
4 x Polyurethane Eccentric Bushes	1	PB59-503K	
Fixed Rubber Front Radius Arm Castor Kit Angle Setting: ±2.5°			
4 x Rubber Eccentric Bushes			
Raising Vehicle Will Effect Castor Angle	. A	Wheel Alignme	nt is
Recommended to Determine if a Cas	Stor	Kit is Required	
COIL SPACER			
15mm	2	PS45-4010	
30mm	2	PS45-4011	



MODEL: Y61 GU

YEAR: 05/1999 on

DETAIL: Pickup

(Coil Spring Suspension)



	FRONT	Ł	PART	PRICE				
	COIL SPRING	10	NUMBER					
	2.8L TD, 4.2L Die	sel						
	Linear Rate Standard Height	1	C45-140	В				
	Linear Rate Raised Height (40mm Lift) (Recommended)	1	C45-138	В				
wwww	Linear Rate Raised Height (<i>75mm</i> Lift)	1	C45-134	В				
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Linear Rate Raised Height (50mm Lift) No Accessories	1	C45-130	В				
	Linear Rate Raised Height (50mm Lift) 60-100Kg Accessories (Bullbar OR Winch)	1	C45-232	В				
	4.5L & 4.8L Petrol, 4			D				
	Linear Rate Standard Height		C45-132	В				
	Linear Rate Raised Height (30mm Lift) (Recommended)	1	C45-130	В				
MWWW	Linear Rate Raised Height (50mm Lift) 0-50Kg Accessories	1	C45-232	В				
	Linear Rate Raised Height (75mm Lift)	1	C45-108	В				
	Linear Rate Raised Height (60mm Lift) No Accessories	1	C45-134	В				
	Linear Rate Raised Height (45mm Lift) 60-110Kg Accessories (Bullbar AND Winch)	1	C45-134	В				
1	SHOCK ABSORBE	R		1				
_	Heavy Duty Twin Tube Gas		GS45-114					
	Heavy Duty Monotube Remote Reservoir	2	MR45-60114					
	STEERING DAMP Heavy Duty (Big Bore) Complete with Fittings		SD51-811					
	· ·		0202 022					
Donlass	RUBBER COIL SE		DS/15-4026					
керіасе	ement upper rubber coil seat	2	K343-4U26					
	UNDER BODY BUSH							
	See Rear Under Body B	ush	Kit					
	ADJUSTABLE PANHAR	in.	ROD					
	RH Drive Complete with Bushes		PR45-1402					
	LH Drive	1	DD45_1407					

	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Linear Rate Standard Height	1	C45-323	В
	Linear Rate Raised Height (45mm Lift) (Recommended)	1	C45-103	В
	Linear Rate Raised Height (75mm Lift)	1	C45-129	В
	Variable Rate Raised Height (50mm Lift)	1	C45-115VT	С
	Variable Rate Raised Height (50mm Lift) 200Kg Constant Load	1	C45-123VT	С
	Linear Rate Raised Height (45mm Lift) Extra Heavy Duty 450Kg Constant Load	1	C45-105T	С
	RUBBER COIL SE	ΔΤ		1
Replace	ement upper rubber coil seat	2	RS45-4027	
	SHOCK ABSORBE	R		1
	Heavy Duty Twin Tube Gas	2	GS45-115	
	Extra Heavy Duty Twin Tube Gas For Loaded Vehicles	2	GS59-703	
•	Heavy Duty Monotube Remote Reservoir	2	MR45-60115	
	SWAY BAR EXTENS	10	N	
	ljustable Swaybar Extension Suits 2" - 6" Lift per/Right Angle Lower Joint	1*	SE45-520	
·	ljustable Swaybar Extension	-	3243 320	
	Suits 2" - 6" Lift oper/Right Angle Lower Joint	1*	SE45-521	
	or Link Configuration - Some Ve bar and Other Vehicles Require			
Swayi	sa. and other venicles require		Lacii Swaybai	
	BRAKE ADJUSTE	R .		
Recomm	nended when Raising Vehicle			
Reconni	(Suits 2 - 6" Lift)	1	BA45-005	

BUMP STOP

Adjustable Soft-hit bump stop (Suits 0-56mm extension) 2 **BS45-529**

UNDER BODY BUSH KIT

Kit Includes Front & Rear Under Body Bushes *Excludes Spherical Panhard Rod Bush for Wagon Models 02/2000 on

4 x Front Radius Arm to Chassis Bush 4 x Front Radius Arm to Diff Bush

4 x Front & Rear Panhard Rod Bush 8 x Rear Upper & Lower Trailing Arm Bush 1 PB45-1239K

ADJUSTABLE PANHARD ROD

Complete with Bushes 1 PR45-1403

CONTINUED ON NEXT PAGE

Complete with Bushes 1 PR45-1407

CONTINUED ON NEXT PAGE



MODEL: Y61 GU

YEAR: 05/1999 on

DETAIL: Pickup

(Coil Spring Suspension)



PART NUMBER **FRONT PRICE CONTINUED FROM PREVIOUS PAGE PANHARD ROD BUSH** Does Not Fit OE Upper/Chassis Bush 1 RB45-6025 **Does Not Fit OE** Lower/Diff Bush 1 RB45-6027 **RADIUS ARM BUSH** 0 Degree Standard Radius Arm Bush Kit Arm to Diff 4 x Rubber Bushes 1 RB59-536K Arm to Chassis Bush Kit 1 RB45-535K 4 x Rubber Bushes **BUMP STOP** Adjustable Soft-hit bump stop 2 **BS45-528** (Suits 0-56mm extension) **DRAGLINK** 38mm Solid Adjustable 1 SA45-1424

CASTOR ADJUSTMENT PART

Adjustable Front Radius Arm Castor Kit Angle Settings: ±0°, ±2.5° or ±3.5°

4 x Polyurethane Eccentric Bushes 1 PB59-503K

Fixed Rubber Front Radius Arm Castor Kit Angle Setting: ±2.5°

4 x Rubber Eccentric Bushes 1 **RB59-522K**

Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.

SWAYBAR EXTENSION

Adjustable Swaybar Extension

(Suits 2-6" Lift) 2

2 **SE45-520**

COIL SPACER

15mm 2 **PS45-4010**

30mm 2 **PS45-4011**

REAR B PART PRICE

CONTINUED FROM PREVIOUS PAGE

PANHARD ROD BUSH

Does Not Fit OE

Upper/Chassis Bush 1 RB45-6025

Lower/Diff Bush 1 RB45-6027

COIL SPACER

15mm 2 **PS45-4012**

30mm 2 **PS45-4013**



MODEL: Y60 GQ/Y61 GU

YEAR: 08/1987 on

DETAIL: Station Wagon & Pickup 75mm (3" Lift)



	FRONT	QTY	PART NUMBER	PRICE		REAR	QTY	PART NUMBER	PRICE
	COIL SPRING		1			COIL SPRING			
4.5	5L Petrol, 2.8L & 3.0L T/Die	sel	, 4.2L Diesel			GQ - GU Series I, II,	III	, IV	
	No Accessories	1	C45-134	В		No Load	1	C45-129	В
MWWW	50-100Kg Accessories				MAAAAAAAAA	50-100Kg Constant Load	1	C45-329	С
	(Bullbar AND Winch)			В	 	100-250Kg Constant Load	1	C45-309T	С
	4.8L Petrol, 4.2L T/I					250-350Kg Constant Load	1	C45-325T	С
	Up to 40Kg Accessories	1	C45-308	В		GU Series V			
MMMMM	50-100Kg Accessories	1	C45-310	В		No Load	1	C45-329	С
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	80-120Kg Accessories	1	C4E 100	В	MMMMM	50-100Kg Constant Load	1	C45-309T	С
	Extra Heavy Duty	1	C45-108	Б		150-250Kg Constant Load	1	C45-325T	С
	SHOCK ABSORB	ΕR	(SHOCK ABSORB	ΞR		
	Heavy Duty Twin Tube Gas	2	GS51-116		0	Heavy Duty Twin Tube Gas		GS45-913	
	Monotube Remote					Monotube Remote			
	Reservoir Shock Heavy Duty	2	MR51-60116			Reservoir Shock Heavy Duty	2	MR45-60913	
						Heavy Duty		MK45-00915	
	STEERING DAMP					UNDER BODY BUSH			
HEAVY	DUTY (BIG BORE) - COMPL	31 3	WITH FILLI	NGS		Kit Includes Front & Rear Under pherical Panhard Rod Bush for			000 on
0	Y60 GQ 1988 - 08/1989 (Wagon)	1	SD45-834		Excidues 5	Post 1989	vva	Joh Models 02/2	000 011
	Y60 GQ					Radius Arm to Chassis Bush			
_	08/1989 - 1999		CD 45 006			ront Radius Arm to Diff Bush ont & Rear Panhard Rod Bush			
	(Wagon & Pickup)	1	SD45-836			er & Lower Trailing Arm Bush	1	PB45-1239K	
	Y61 GU 12/1997 - 02/2000 (Wagon)	1	SD51-811			DUDDED COTL CE			
	Y60 GQ & Y61 GU				Damlas	RUBBER COIL SE		DC4F 4027	
	01/1999 on (Pickup)	1	SD51-811		Керіас	ement upper rubber coil seat	2	K545-4U2/	
ii	Y61 GU 02/2000 on (Wagon)	1	SD45-801			ADJUSTABLE PANHAI	_		
Som	ne 02/2000 on Latin American W					Suits Y60 GQ & Y6	1 G	U	
	51-811. Check End Configuration				Comple	ete with Bushes to 02/2000 (Wagon)	1	PR45-1403	
					Complete wi	ith Bushes 1992 on (Pickup)			
	RUBBER COIL SE	ΑT			-	s Y61 GU Only (Ball Joint to			
Replac	ement upper rubber coil seat	2	RS45-4026			e with Ball Joint and Bush			
	ADJUCTABLE DANIJAS		ROD			02/2000 on (Wagon)	1	PR45-1415	
Suit	ADJUSTABLE PANHAR ts Y60 GQ & Y61 GU - Comp	_				PANHARD ROD BI	JSH		
RH Drive	to 02/2000 (Wagon)					Does Not Fit OE			
RH Drive	1992 on (Pickup)					Upper/Chassis Bush	1	RB45-6025	
LH Drive	to 02/2000 (Wagon)					Does Not Fit OE Lower/Diff Bush	1	DR45-6027	
LH Drive	1992 on (Pickup)					Does Not Fit OE	-	KB-13 0027	
	Y61 GU Only - Complete wit			ch	В	Ball Joint-Upper/Chassis Bush	1	BJ45-6026	
RH Drive	02/2000 on (Wagon)								
LH Drive	02/2000 on (Wagon)					SWAY BAR EXTENS	SIO	N	
LII DIIVE	02,2000 on (wagon)	1	. NTJ-1707		Ad	justable Swaybar Extension Suits 2" - 6" Lift			
1	PANHARD ROD BU	ISI			Stem Up	oper/Right Angle Lower Joint	1*	SE45-520	

Ball Joint-Upper/Chassis Bush

PANHARD ROD BUSH

1 RB45-6025

1 **RB45-6027**

1 BJ45-6026

Does Not Fit OE Upper/Chassis Bush

Does Not Fit OE

Does Not Fit OE

Lower/Diff Bush

CONTINUED ON NEXT PAGE

*Check Swaybar Link Configuration - Some Vehicles Require 2 of the Same

Swaybar and Other Vehicles Require 1 of Each Swaybar

CONTINUED ON NEXT PAGE

with Bushes

1 WA45-510K

Adjustable Swaybar Extension
Suits 2" - 6" Lift
Right Angle Upper/Right Angle Lower Joint 1* SE45-521

2 x Upper Adjustable Trailing Arms



MODEL: Y60 GQ/Y61 GU

YEAR: 08/1987 on

DETAIL: Station Wagon & Pickup

75mm (3" Lift)



FRONT

PART NUMBER

PRICE

CONTINUED FROM PREVIOUS PAGE

DRAGLINK

Suits GQ/Y60

38mm Solid Adjustable 1 SA45-1422

Suits GU/Y61

38mm Solid Adjustable 1 SA45-1424

RADIUS ARM BUSH

Adjustable Front Radius Arm Castor Kit

Angle Settings: ±0°, ±2.5° or ±3.5°

4 x Polyurethane Eccentric Bushes 1 PB59-503K

Fixed Rubber Front Radius Arm Castor Kit

Angle Setting: ±2.5°

4 x Rubber Eccentric Bushes 1 RB59-522K

Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.

BUMP STOP

Adjustable Soft-hit bump stop

(Suits 0-56mm extension) 2 BS45-528

DROP BOX KIT

5° Drop Box Kit - Sold as Pair

(1 LH & 1 RH) 1 WA45-509K

May be Required for Vehicles Lifted Closer to 4". Extensive Modifications are Required to Fit the RH and LH Drop Box. Gives a 5° of Castor Adjustment. Leading Arm Modifications are not Required when Fitting this Part Number.

CASTOR PLATE KIT

5° Castor Plate Kit (Suits Both Arms) 1 WA45-513K

SWAYBAR EXTENSION

Adjustable Swaybar Extension

(Suits 2-6" Lift) 2 SE45-520

GEARBOX SPACER KIT

Drive Line Vibration May Occur with Raised Suspension. To Reduce Vibration We

Recommend Fitting the Above Kit. 1 TC45-001K

RADIUS ARM BUSH

0 Degree Standard Radius Arm Bush Kit

Arm to Diff

4 x Rubber Bushes 1 RB59-536K

Arm to Chassis Bush Kit

4 x Rubber Bushes 1 RB45-535K **REAR**

PART NUMBER

PRICE

CONTINUED FROM PREVIOUS PAGE

BRAKE ADJUSTER

Recommended when Raising Vehicle

(Suits 2-6" Lift) 1 BA45-005

BUMP STOP

Adjustable Soft-hit bump stop

2 **BS45-529** (Suits 0-56mm extension)

WARNING - 75MM (3") OR HIGHER LIFT

The suspension components listed on this page are for off-road use only.

- Refer to Local Laws before Fitting to Registered/Road Vehicles - An Engineering Certificate may be required

- Handling Characteristics will Diminish on Lifts Above 50mm (2")

The following modifications (but not limited to) need to be made to the vehicle before the kit is fitted.

- Adjustable Panhard Rods

- Modified Leading/Trailing Arms

- Brake Hoses - Extended Bump Stops - Gear Box & Drive Line Modifications

Steering Arms

- Swaybar Modification

Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page.

These products do not come with any warranty or guarantee.



MODEL: Y60 GQ/Y61 GU

YEAR: 1987 on

DETAIL: Station Wagon & Pickup

100mm (4" Lift)



	FRONT	QTY	PART NUMBER	PRICE	
	COIL SPRING				
	Variable Rate Raised Height (4" Lift) 0-70Kg Accessories	1	C45-270V	С	
	Linear Rate Raised Height (<mark>4″ Lift)</mark> Light Duty 0-70Kg Accessories	1	C45-314	В	
	Linear Rate Raised Height (<mark>4″ Lift</mark>) Medium Duty 50-100Kg Accessories	1	C45-316	В	M
	Linear Rate Raised Height (4" Lift) Heavy Duty 80-120Kg Accessories	1	C45-100	В	
	SHOCK ABSORBE	R		1	

	R	SHOCK ABSORBE
GS51-116	2	Heavy Duty Twin Tube Gas (Suits All Coils)
GS45-912	2	Heavy Duty Twin Tube Gas (Suits C45-270V)
MR45-60914	2	Heavy Duty Monotube Remote Reservoir (Suits All Coils)
MR59-60683	2	Heavy Duty Monotube Remote Reservoir (Suits C45-270V)

GS45-912 Used with C45-270V Allows Coil to Stay Trapped at Full Extension.

STEERING DAMPER HEAVY DUTY (BIG BORE) - COMPLETE WITH FITTINGS

Y60 GQ
1988 - 08/1989 (Wagon)
1 SD45-834

Y60 GQ
08/1989 - 1999
(Wagon & Pickup)
1 SD45-836

Y61 GU
12/1997 - 02/2000 (Wagon)
1 SD51-811

Y60 GQ & Y61 GU
01/1999 on (Pickup)
1 SD51-811

Y61 GU

02/2000 on (Wagon) 1 **SD45-801**Some 02/2000 on Latin American Wagons May Require SD51-811. Check End Configuration Before Ordering.

RUBBER COIL SEAT

Replacement upper rubber coil seat 2 RS45-4026

ADJUSTABLE PANHARD ROD Suits Y60 GQ & Y61 GU - Complete with Bushes

RH Drive	to 02/2000 (Wagon)	1	PR45-1402
RH Drive	1992 on (Pickup)	1	PR45-1402
LH Drive	to 02/2000 (Wagon)	1	PR45-1407
LH Drive	1992 on (Pickup)	1	PR45-1407

Suits Y61 GU Only - Complete with Ball Joint & Bush

 RH Drive
 02/2000 on (Wagon)
 1
 PR45-1416

 LH Drive
 02/2000 on (Wagon)
 1
 PR45-1409

CONTINUED ON NEXT PAGE

	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Variable Rate Raised Height (4" Lift) 0-150Kg Accessories	1	C45-271V	С
I	Linear Rate Raised Height (4" Lift) Medium Duty 0-100Kg Constant Load	1	C45-311T	С
	Linear Rate Raised Height (4" Lift) Extra Heavy Duty 100-250Kg Constant Load	1	C45-313T	С
	Linear Rate Raised Height (4" Lift) Extra Extra Heavy Duty 250-400Kg Constant Load	1	C45-315T	С
	DURRED COTL CE			

RUBBER COIL SEAT

Replacement upper rubber coil seat 2 RS45-4027

SHOCK ABSORBER

Heavy Duty Twin Tube Gas (Suits All Coils)	2	GS45-913
Heavy Duty Twin Tube Gas (Suits C45-271V)	2	GS45-915
Heavy Duty Monotube Remote Reservoir (Suits All Coils)	2	MR45-60913

Heavy Duty Monotube Remote Reservoir (Suits C45-271V) 2 **MR45-60915**

GS45-915 Used with C45-271V Allows Coil to Stay Trapped at Full Extension.

UNDER BODY BUSH KIT

Kit Includes Front & Rear Under Body Bushes
*Excludes Spherical Panhard Rod Bush for Wagon Models 02/2000 on

Post 1989

4 x Front Radius Arm to Chassis Bush 4 x Front Radius Arm to Diff Bush 4 x Front & Rear Panhard Rod Bush

8 x Rear Upper & Lower Trailing Arm Bush 1 **PB45-1239K**

ADJUSTABLE PANHARD ROD

Suits Y60 GQ & Y61 GU (to 02/2000)

RH Drive & LH Drive Complete with Bushes 1 **PR45-1403**

Suits Y61 GU Only (02/2000 on)

Ball Joint to Chassis Mount Complete with Bull Joint and Bush 1 PR45-1415

PANHARD ROD BUSH

Does Not Fit OE Upper/Chassis Bush 1 RB45-6025

Does Not Fit OE Lower/Diff Bush 1 RB45-6027

Does Not Fit OE
Ball Joint-Upper/Chassis Bush 1 BJ45-6026

CONTINUED ON NEXT PAGE



MODEL: Y60 GQ/Y61 GU

YEAR: 1987 on

DETAIL: Station Wagon & Pickup

100mm (4" Lift)



FRONT

PART NUMBER

PRICE

REAR

PRICE

CONTINUED FROM PREVIOUS PAGE

PANHARD ROD BUSH

Does Not Fit OE

Upper/Chassis Bush 1 RB45-6025

Does Not Fit OE

Lower/Diff Bush 1 RB45-6027

Does Not Fit OE

Ball Joint-Upper/Chassis Bush 1 BJ45-6026

RADIUS ARM BUSH

0 Degree Standard Radius Arm Bush Kit

Arm to Diff

1 RB59-536K 4 x Rubber Bushes

Arm to Chassis Bush Kit

4 x Rubber Bushes 1 RB45-535K

DRAGLINK

Suits GQ/Y60

38mm Solid Adjustable 1 SA45-1422

Suits GU/Y61

38mm Solid Adjustable 1 SA45-1424

BUMP STOP

Adjustable Soft-hit bump stop

2 **BS45-528** (Suits 0-56mm extension)

CASTOR CORRECTION BUSH

Adjustable Front Radius Arm Castor Kit

Angle Settings: ±0°, ±2.5° or ±3.5° 4 x Polyurethane Eccentric Bushes

1 PB59-503K

Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.

DROP BOXES

5° Drop Box Kit (Sold as a Pair)

(1 LH & 1 RH) 1 WA45-509K

Extensive Modifications are Required to fit the LH & RH Drop Box. Gives a 5° of Castor Adjustment. Leading Arm Modifications are not Required when Fitting this Part Number.

CASTOR PLATE KIT

5° Castor Plate Kit (Suits Both Arms)

1 WA45-513K

SWAYBAR EXTENSION

Adjustable Swaybar Extension

(Suits 2-6" Lift) 2 **SE45-520**

GEARBOX SPACER KIT

Drive Line Vibration May Occur with Raised

Suspension. To Reduce Vibration We

Recommend Fitting the Above Kit. 1 TC45-001K

COIL SPACER

15mm 2 **PS45-4010** 30mm 2 **PS45-4011**

PART **NUMBER**

CONTINUED FROM PREVIOUS PAGE

SWAY BAR EXTENSION

Adjustable Swaybar Extension

Suits 2" - 6" Lift

Stem Upper/Right Angle Lower Joint 1* SE45-520

Adjustable Swaybar Extension

Suits 2" - 6" Lift

Right Angle Upper/Right Angle Lower Joint 1* SE45-521

*Check Swaybar Link Configuration - Some Vehicles Require 2 of the Same Swaybar and Other Vehicles Require 1 of Each Swaybar

2 x Upper Adjustable Trailing Arms with

1 WA45-510K Bushes

BUMP STOP

Adjustable Soft-hit bump stop (Suits 0-56mm extension)

2 **BS45-529**

BRAKE ADJUSTER

Recommended when Raising Vehicle

(Suits 2-6" Lift)

1 BA45-005

COIL SPACER

15mm 2 **PS45-4012**

30mm 2 **PS45-4013**

WARNING - 75MM (3") OR HIGHER LIFT

The suspension components listed on this page are for off-road use only.



- Refer to Local Laws before Fitting to Registered/Road Vehicles
- An Engineering Certificate may be required
- Handling Characteristics will Diminish on Lifts Above 50mm (2")

The following modifications (but not limited to) need to be made to the vehicle before the kit is fitted.



- Adjustable Panhard Rods
- Modified Leading/Trailing Arms
- Brake Hoses - Extended Bump Stops
- Gear Box & Drive Line Modifications
- Steering Arms
- Swaybar Modification

Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page.

These products do not come with any warranty or guarantee.



MODEL: Y60 GQ/Y61 GU

YEAR: 1987 on

DETAIL: Station Wagon & Pickup

150mm (6" Lift)



	FRONT	QTY	PART NUMBER	PRICE	REAR PART NUMBER	PRICE
	COIL SPRING			,	COIL SPRING	
	Linear Rate Raised Height (<mark>6″ Lift</mark>) Light Duty 0-50Kg Accessories	1	C45-320	В	Linear Rate Raised Height (6" Lift) Light Duty 0-100Kg Constant Load 1 C45-319	С
MMMM	Linear Rate Raised Height (<mark>6" Lift)</mark> Heavy Duty 50-90Kg Accessories	1	C45-128	С	Raised Height (6" Lift) Heavy Duty 100-250Kg Constant Load 1 C45-131T	С
	Linear Rate Raised Height (6" Lift) Extra Heavy Duty 80-120Kg Accessories	1	C45-322	С	Linear Rate Raised Height (6" Lift) Extra Heavy Duty 300-500Kg Constant Load 1 C45-317T	С
1	SHOCK ABSORBI	ΕR		i i	SHOCK ABSORBER	
	Heavy Duty Twin Tube Gas Heavy Duty Monotube	2	GS45-912		Heavy Duty Twin Tube Gas 2 GS45-915 Heavy Duty Monotube	
	Remote Reservoir		MR59-60683		Remote Reservoir 2 MR45-60917	
HEAVY I	STEERING DAMP DUTY (BIG BORE) - COMPL		WITH FITTI	NGS	UNDER BODY BUSH KIT	
0-0	Y60 GQ 1988 - 08/1989 (Wagon)		SD45-834		*Excludes Spherical Panhard Rod Bush for Wagon Models 02/20	000 on
-	Y60 G 08/1989 - 1999 (Wagon & Pickup)	1	SD45-836		4 x Front Radius Arm to Chassis Bush 4 x Front Radius Arm to Diff Bush 4 x Front & Rear Panhard Rod Bush 8 x Rear Upper & Lower Trailing Arm Bush 1 PB45-1239K	
	Y61 GU 12/1997 - 02/2000 (Wagon)	1	SD51-811		RUBBER COIL SEAT	
-	Y60 GQ & Y61 GU 01/1999 on (Pickup)	1	SD51-811		Replacement upper rubber coil seat 2 RS45-4027	
	Y61 GU 02/2000 on (Wagon)	1	SD45-801		ADJUSTABLE PANHARD ROD	
Some	e 02/2000 on Latin American W				Suits Y60 GQ & Y61 GU (to 02/2000)	
	1-811. Check End Configuration				RH Drive & LH Drive Complete with Bushes 1 PR45-1403	
				1	Suits Y61 GU Only (02/2000 on) Ball Joint to Chassis Mount	
Replace	RUBBER COIL SE ement upper rubber coil seat		RS45-4026		Complete with Ball Joint and Bush 1 PR45-1415	
	ADJUSTABLE PANHAR	ь	200	1	PANHARD ROD BUSH	
Suits	s Y60 GQ & Y61 GU - Comp	_			Does Not Fit OE	
RH Drive	to 02/2000 (Wagon)				Upper/Chassis Bush 1 RB45-6025	
RH Drive	1992 on (Pickup)				Does Not Fit OE Lower/Diff Bush 1 RB45-6027	
LH Drive	to 02/2000 (Wagon)				Does Not Fit OE	
LH Drive	1992 on (Pickup)				Ball Joint-Upper/Chassis Bush 1 BJ45-6026	
Suits Y	61 GU Only - Complete wit	h B	all Joint & Bu	ısh	CWAY BAR EVIENCION	
RH Drive	02/2000 on (Wagon)	1	PR45-1416		SWAY BAR EXTENSION Adjustable Swaybar Extension	

02/2000 on (Wagon)

PANHARD ROD BUSH

Upper/Chassis Bush 1 RB45-6025

Does Not Fit OE

Does Not Fit OE

Does Not Fit OE

Lower/Diff Bush

1 PR45-1409

1 RB45-6027

1 **BJ45-6026**

LH Drive

Adjustable Swaybar Extension

Adjustable Swaybar Extension

2 x Upper Adjustable Trailing Arms with

Right Angle Upper/Right Angle Lower Joint 1* **SE45-521**

Suits 2" - 6" Lift
Stem Upper/Right Angle Lower Joint 1* **SE45-520**

Suits 2" - 6" Lift

*Check Swaybar Link Configuration - Some Vehicles Require 2 of the Same

Swaybar and Other Vehicles Require 1 of Each Swaybar

Bushes

Ball Joint-Upper/Chassis Bush

1 WA45-510K



MODEL: Y60 GQ/Y61 GU

YEAR: 1987 on

DETAIL: Station Wagon & Pickup

150mm (6" Lift)



FRONT

PART NUMBER

PRICE

REAR

PART NUMBER

PRICE

CONTINUED FROM PREVIOUS PAGE

RADIUS ARM BUSH

0 Degree Standard Radius Arm Bush Kit

Arm to Diff

4 x Rubber Bushes 1 RB59-536K

Arm to Chassis Bush Kit

4 x Rubber Bushes 1 RB45-535K

DRAGLINK

Suits GQ/Y60

38mm Solid Adjustable 1 SA45-1422

Suits GU/Y61

38mm Solid Adjustable 1 SA45-1424

BUMP STOP

Adjustable Soft-hit bump stop

(Suits 0-56mm extension) 2 BS45-528

DROP BOXES

5° Drop Box Kit (Sold as a Pair)

(1 LH & 1 RH) 1 WA45-509K

Extensive Modifications are Required to fit the LH & RH Drop Box. Gives a 5° of Castor Adjustment. Leading Arm Modifications are not Required when Fitting this Part Number.

CASTOR PLATE KIT

5° Castor Plate Kit

(Suits Both Arms) 1 WA45-513K

SWAYBAR EXTENSION

Adjustable Swaybar Extension

(Suits 2-6" Lift) 2 SE45-520

GEARBOX SPACER KIT

Drive Line Vibration May Occur with Raised Suspension. To Reduce Vibration

We Recommend Fitting the Above Kit. 1 TC45-001K

CONTINUED FROM PREVIOUS PAGE

BRAKE ADJUSTER

Recommended when Raising Vehicle

(Suits 2-6" Lift) 1 BA45-005

BUMP STOP

Adjustable Soft-hit bump stop

2 **BS45-529** (Suits 0-56mm extension)

WARNING - 75MM (3") OR HIGHER LIFT

The suspension components listed on this page are for off-road use only.



- Refer to Local Laws before Fitting to Registered/Road Vehicles
- An Engineering Certificate may be required
- Handling Characteristics will Diminish on Lifts Above 50mm (2")

The following modifications (but not limited to) need to be made to the vehicle before the kit is fitted.



- Adjustable Panhard Rods - Modified Leading/Trailing Arms
- Brake Hoses
- Extended Bump Stops
- Gear Box & Drive Line Modifications
- Steering Arms
- Swaybar Modification

Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page.

These products do not come with any warranty or guarantee.



MODEL: Y60 GQ/Y61 GU

YEAR: 08/1987 on

DETAIL: Station Wagon & Pickup

75mm (3" FLEXI Lift)



COIL SPRING								
All Caile Variable Date								
All Coils Variable Rate 2.8L & 3.0L T/Diesel, 4.2L Diesel								
No Accessories 1 C45-610V C								
50-100Kg Accessories 1 C45-612V C								
80-120Kg Accessories 1 C45-710V C								
4.5L & 4.8L Petrol, 4.2L T/Diesel								
No Accessories 1 C45-612V C								
50-100Kg Accessories 1 C45-710V C								
80-120Kg Accessories 1 C45-730V C								

*Due to the flexi coils design requirements they are not recommended for heavily laden vehicles. The vehicle bump stops MUST be extended regardless of the shock absorber length by a minimum of 40mm to prevent coil bind & over stressing.

SHOCK ABSORBER						
_	Heavy Duty Twin Tube Gas	2	GS59-683			
	Heavy Duty Monotube Remote Reservoir	2	MR59-60683			
RUBBER COIL SEAT						

Replacement upper rubber coil seat 2 RS45-4026

STEERING DAMPER
Heavy Duty (Big Bore) - Complete with Fittings

Y60 GQ
1988 - 08/1989 (Wagon) 1
Y60 GQ
08/1989 - 1999 (Wagon & Pickup) 1
SD45-836
Y61 GU
12/1997 - 02/2000 (Wagon) 1
Y60 GQ & Y61 GU
01/1999 on (Pickup) 1
SD51-811
Y61 GU
Y61 GU

02/2000 on (Wagon) 1 SD45-801

Some 02/2000 on Latin American Wagons may Require SD51-811. Check End Configuration before Ordering.

ADJUSTABLE PANHARD ROD

Suits Y60 GQ & Y61 GU - Complete with Bushes

1 PR45-1409

RH Drive to 02/2000 (Wagon) 1 PR45-1402 **RH Drive** 1992 on (Pickup) 1 PR45-1402 **LH Drive** to 02/2000 (Wagon) 1 PR45-1407 **LH Drive** 1992 on (Pickup) 1 PR45-1407 Suits Y61 GU Only - Complete with Ball Joint & Bush **RH Drive** 02/2000 on (Wagon) 1 PR45-1416

PANHARD ROD BUSH

02/2000 on (Wagon)

Does Not Fit OE

Upper/Chassis Bush 1 RB45-6025

Does Not Fit OE

Lower/Diff Bush 1 RB45-6027

Does Not Fit OE

Ball Joint-Upper/ChassisBush 1 BJ45-6026

CONTINUED ON NEXT PAGE

	REAR	QT	PART NUMBER	PRICE
	COIL SPRING			
	All Coils Variable Ra	te		
	No Load	1	C45-729V	С
	100-200Kg Constant Load	1	C45-731V	С
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	200-300Kg Constant Load Heavy Duty	1	C45-725V	С

*Due to the flexi coils design requirements they are not recommended for heavily laden vehicles. The vehicle bump stops MUST be extended regardless of the shock absorber length by a minimum of 40mm to prevent coil bind & over stressing.

SHOCK ABSORBER

	Heavy Duty Twin Tube Gas	2	GS45-915
•	Heavy Duty Monotube Remote Reservoir	2	MR59-60915

UNDER BODY BUSH KIT

Kit Includes Front & Rear Under Body Bushes
*Excludes Spherical Panhard Rod Bush for Wagon Models 02/2000 on

4 x Front Radius Arm to Chassis Bush 4 x Front Radius Arm to Diff Bush 4 x Front & Rear Panhard Rod Bush

8 x Rear Upper & Lower Trailing Arm Bush 1 **PB45-1239K**

RUBBER COIL SEAT

Replacement upper rubber coil seat 2 RS45-4027

ADJUSTABLE PANHARD ROD

Suits Y60 GQ & Y61 GU

Complete with Bushes to 02/2000 (Wagon) 1 PR45-1403 Complete with Bushes

1992 on (Pickup) 1 **PR45-1403**

Suits Y61 GU Only Ball Joint to Chassis Mount

Complete with Bull Joint and Bush

02/2000 on (Wagon) 1 **PR45-1415**

PANHARD ROD BUSH

Does Not Fit OE

Upper/Chassis Bush 1 RB45-6025

Does Not Fit OE

Lower/Diff Bush 1 RB45-6027

Does Not Fit OE

Ball Joint-Upper/Chassis Bush 1 BJ45-6026

SWAY BAR EXTENSION

Adjustable Swaybar Extension

Suits 2" - 6" Lift

Stem Upper/Right Angle Lower Joint 1* **SE45-520**

Adjustable Swaybar Extension

Suits 2" - 6" Lift

Right Angle Upper/Right Angle Lower Joint 1* **SE45-521**

*Check Swaybar Link Configuration - Some Vehicles Require 2 of the Same Swaybar and Other Vehicles Require 1 of Each Swaybar

2 x Upper Adjustable Trailing Arms

with Bushes 1 WA45-510K

CONTINUED ON NEXT PAGE

LH Drive



MODEL: Y60 GQ/Y61 GU

YEAR: 08/1987 on

DETAIL: Station Wagon & Pickup

75mm (3" FLEXI Lift)



FRONT

PART NUMBER

PRICE

CONTINUED FROM PREVIOUS PAGE

DRAGLINK

Suits GQ/Y60

38mm Solid Adjustable 1 SA45-1422

Suits GU/Y61

38mm Solid Adjustable 1 SA45-1424

RADIUS ARM BUSH

0 Degree Standard Radius Arm Bush Kit

Arm to Diff

4 x Rubber Bushes 1 RB59-536K

Arm to Chassis Bush Kit

4 x Rubber Bushes 1 RB45-535K

RADIUS ARM BUSH

Adjustable Front Radius Arm Castor Kit

Angle Settings: ±0°, ±2.5° or ±3.5°

4 x Polyurethane Eccentric Bushes 1 PB59-503K

Fixed Rubber Front Radius Arm Castor Kit

Angle Setting: ±2.5°

4 x Rubber Eccentric Bushes 1 RB59-522K

Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required

BUMP STOP

Adjustable Soft-hit bump stop

(Suits 0-56mm extension) 2 **BS45-528**

*Due to the flexi coils design requirements they are not recommended for heavily laden vehicles. The vehicle bump stops MUST be extended regardless of the shock absorber length by a minimum of 40mm to prevent coil bind & over stressing.

DROP BOX KIT

5° Drop Box Kit - Sold as Pair

(1 LH & 1 RH) 1 WA45-509K

May be Required for Vehicles Lifted Closer to 4"

Extensive Modifications are Required to Fit the RH and LH Drop Box. Gives a 5° of Castor Adjustment.

Leading Arm Modifications are not Required when Fitting this Part Number.

CASTOR PLATE KIT

(Suits Both Arms) 1 WA45-513K 5° Castor Plate Kit

SWAYBAR EXTENSION

Adjustable Swaybar Extension (Suits 2-6" Lift) 2 **SE45-520**

GEARBOX SPACER KIT

Drive Line Vibration May Occur with Raised Suspension. To Reduce Vibration

We Recommend Fitting the Above Kit. 1 TC45-001K **REAR**

PART NUMBER

PRICE

CONTINUED FROM PREVIOUS PAGE

BUMP STOP

Adjustable Soft-hit bump stop (Suits 0-56mm extension)

2 **BS45-529**

BRAKE ADJUSTER

Recommended when Raising Vehicle

(Suits 2-6" Lift) 1 BA45-005

WARNING - 75MM (3") OR HIGHER LIFT

The suspension components listed on this page are for off-road use only.

- Refer to Local Laws before Fitting to Registered/Road Vehicles - An Engineering Certificate may be required

- Handling Characteristics will Diminish on Lifts Above 50mm (2")

The following modifications (but not limited to) need to be made to the vehicle before the kit is fitted.

- Adjustable Panhard Rods

- Modified Leading/Trailing Arms

Modifications

- Brake Hoses

- Extended Bump Stops

- Gear Box & Drive Line Steering Arms

- Swaybar Modification

Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page.

These products do not come with any warranty or guarantee.



MODEL: Y60 GQ/Y61 GU

YEAR: 08/1987 on

DETAIL: Station Wagon & Pickup

100mm (4" FLEXI Lift)



	FRONT	QTY	PART NUMBER	PRICE				
COIL SPRING								
All Coils Variable Rate 2.8L & 3.0L T/Diesel, 4.2L Diesel								
	No Accessories	1	C45-710V	С				
MWWW	50-100Kg Accessories	1	C45-730V	С				
	80-120Kg Accessories	1	C45-270V	С				
4.5L & 4.8L Petrol, 4.2L T/Diesel								
	No Accessories	1	C45-730V	С				
MWWW	50-100Kg Accessories	1	C45-270V	С				
	80-120Kg Accessories	1	C45-754V	С				

*Due to the flexi coils design requirements they are not recommended for heavily laden vehicles. The vehicle bump stops MUST be extended regardless of the shock absorber length by a minimum of 40mm to prevent coil bind & over stressing.

SHOCK ABSORBE	R		
Heavy Duty Twin Tube Gas	2	GS45-912	
Heavy Duty Monotube Remote Reservoir	2	MR59-60683	

STEERING DAMPER

	Heavy Duty (Big Bore) - (mplete with Fittings	
0	Y60 GQ 1988 - 08/1989 (Wagon)	1	SD45-834
	Y60 GQ 08/1989 - 1999 (Wagon & Pickup)	1	SD45-836
	Y61 GU 12/1997 - 02/2000 (Wagon)	1	SD51-811
	Y60 GQ & Y61 GU 01/1999 on (Pickup)	1	SD51-811
	Y61 GU 02/2000 on (Wagon)	1	SD45-801

Some 02/2000 on Latin American Wagons may Require SD51-811. Check End Configuration before Ordering.

RUBBER COIL SEAT

Replacement upper rubber coil seat 2 RS45-4026

ADJUSTABLE PANHARD ROD

Suits Y60 GQ & Y61 GU - Complete with Bushes								
RH Drive	to 02/2000 (Wagon)	1	PR45-1402					
RH Drive	1992 on (Pickup)	1	PR45-1402					
LH Drive	to 02/2000 (Wagon)	1	PR45-1407					
LH Drive	1992 on (Pickup)	1	PR45-1407					
Suits Y61 G	U Only - Complete wit	h B	all Joint & Bush					
RH Drive	02/2000 on (Wagon)	1	PR45-1416					
LH Drive	02/2000 on (Wagon)	1	PR45-1409					

PANHARD ROD BUSH

RB45-6025	1	Upper/Chassis Bush
RB45-6027	1	Does Not Fit OE

Does Not Fit OE Ball Joint-Upper/Chassis Bush 1 BJ45-6026

CONTINUED ON NEXT PAGE

	REAR	QTY	PART NUMBER	PRICE			
COIL SPRING							
	All Coils Variable Ra	te					
M	No Load	1	C45-725V	С			
	100-200Kg Constant Load	1	C45-271V	С			
	200-300Kg Constant Load	1	C45-273V	С			
	300-400Kg Constant Load	1	C45-775V	С			

*Due to the flexi coils design requirements they are not recommended for heavily laden vehicles. The vehicle bump stops MUST be extended regardless of the shock absorber length by a minimum of 40mm to prevent coil bind & over stressing.

SHOCK ABSORBER

Heavy Duty Twin Tube Gas	2	GS45-915
 Heavy Duty Monotube Remote Reservoir	2	MR45-60917

UNDER BODY BUSH KIT

Kit Includes Front & Rear Under Body Bushes *Excludes Spherical Panhard Rod Bush for Wagon Models 02/2000 on

4 x Front Radius Arm to Chassis Bush 4 x Front Radius Arm to Diff Bush 4 x Front & Rear Panhard Rod Bush

8 x Rear Upper & Lower Trailing Arm Bush 1 PB45-1239K

RUBBER COIL SEAT

Replacement upper rubber coil seat 2 RS45-4027

ADJUSTABLE PANHARD ROD

Suits Y60 GQ & Y61 GU

Complete with Bushes to 02/2000 (Wagon) 1 PR45-1403

Complete with Bushes 1 PR45-1403 1992 on (Pickup)

Suits Y61 GU Only **Ball Joint to Chassis Mount**

Complete with Ball Joint and Bush

02/2000 on (Wagon) 1 PR45-1415

PANHARD ROD BUSH

Does Not Fit OE Upper/Chassis Bush 1 RB45-6025 Does Not Fit OE Lower/Diff Bush 1 RB45-6027 Does Not Fit OE

Ball Joint-Upper/Chassis Bush 1 BJ45-6026

SWAY BAR EXTENSION

Adjustable Swaybar Extension Suits 2" - 6" Lift Stem Upper/Right Angle Lower Joint 1* SE45-520

Adjustable Swaybar Extension Suits 2" - 6" Lift Right Angle Upper/Right Angle Lower Joint 1* **SE45-521**

*Check Swaybar Link Configuration - Some Vehicles Require 2 of the Same

Swaybar and Other Vehicles Require 1 of Each Swaybar 2 x Upper Adjustable Trailing Arms with Bushes

1 WA45-510K



MODEL: Y60 GQ/Y61 GU

YEAR: 08/1987 on

DETAIL: Station Wagon & Pickup

100mm (4" FLEXI Lift)



- Gear Box & Drive Line

FRONT

PART NUMBER

PRICE

CONTINUED FROM PREVIOUS PAGE

DRAGLINK

Suits GQ/Y60

38mm Solid Adjustable 1 SA45-1422

Suits GU/Y61

38mm Solid Adjustable 1 SA45-1424

RADIUS ARM BUSH

0 Degree Standard Radius Arm Bush Kit

Arm to Diff

4 x Rubber Bushes 1 RB59-536K

Arm to Chassis Bush Kit

4 x Rubber Bushes 1 RB45-535K

RADIUS ARM BUSH

Adjustable Front Radius Arm Castor Kit Angle Settings: ±0°, ±2.5° or ±3.5°

1 PB59-503K 4 x Polyurethane Eccentric Bushes

Fixed Rubber Front Radius Arm Castor Kit

Angle Setting: ±2.5°

4 x Rubber Eccentric Bushes 1 RB59-522K

Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required

BUMP STOP

Adjustable Soft-hit bump stop

(Suits 0-56mm extension) 2 **BS45-528**

DROP BOX KIT

5° Drop Box Kit - Sold as Pair

(1 LH & 1 RH) 1 WA45-509K

May be Required for Vehicles Lifted Closer to 4" Extensive Modifications are Required to Fit the RH and LH Drop Box. Gives a 5° of Castor Adjustment.

Leading Arm Modifications are not Required when Fitting this Part Number.

CASTOR PLATE KIT

5° Castor Plate Kit

(Suits Both Arms) 1 WA45-513K

SWAYBAR EXTENSION

Adjustable Swavbar Extension

(Suits 2-6" Lift) 2 **SE45-520**

GEARBOX SPACER KIT

Drive Line Vibration May Occur with Raised Suspension. To Reduce Vibration We

Recommend Fitting the Above Kit.

1 TC45-001K

REAR

PART NUMBER

PRICE

CONTINUED FROM PREVIOUS PAGE

BRAKE ADJUSTER

Recommended when Raising Vehicle

(Suits 2-6" Lift) 1 BA45-005

BUMP STOP

Adjustable Soft-hit bump stop

2 **BS45-529** (Suits 0-56mm extension)

WARNING - 75MM (3") OR HIGHER LIFT

The suspension components listed on this page are for off-road use only.

- Refer to Local Laws before Fitting to Registered/Road Vehicles - An Engineering Certificate may be required

- Handling Characteristics will Diminish on Lifts Above 50mm (2")

The following modifications (but not limited to) need to be made to the vehicle before the kit is fitted.

- Adjustable Panhard Rods

- Modified Leading/Trailing Arms

- Brake Hoses

Modifications Steering Arms

- Swaybar Modification - Extended Bump Stops Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page.

These products do not come with any warranty or guarantee.



MODEL: Y62

YEAR: 2010 on

DETAIL: LWB Wagon, 5.6L V8 Petrol





These parts do not suit vehicles with Hydraulic Body Motion Control System

	FRONT	QTY	PART NUMBER	PRICE		
	COIL SPRING					
MWWW	Linear Rate Raised Height (45mm Lift) No Accessories	1	C45-354	С		
	Linear Rate Raised Height (45mm Lift) 50-100Kg Accessories (Bullbar AND Winch)	1	C45-356	С		
other internat	dle Eastern released Y62's are 45i ional models. To raise those mode e coils listed above will provide an	ls 4	5mm use the coil			
MMMM	Linear Rate Raised Height (45mm Lift) 0-50Kg Accessories	1	C45-352	В		
	SHOCK ABSORBE	R		l		
	Heavy Duty Twin Tube Gas	2	GS45-110			
MONSTER SHOCK ABSORBER						
	a Heavy Duty Twin Tube Gas creased to Suit Heavy Loads 45mm Piston					

45mm Piston

Adjustable Spring Seat
4mm Wall Thickness 2 **GS45-112**

and Cooling Capacity

70mm Body for Increased Quantity of Oil

		REAR	QTY	PART NUMBER	PRICE	
l		COIL SPRING				
	MWWW	Linear Rate Raised Height (45mm Lift)	1	C45-355	С	
		e Wear May Occur if the Load is e Fitted. 4-Wheel Alignment is				
		Linear Rate Raised Height (45mm Lift) 150-250Kg Constant Load	1	C45-357	С	
	/*************************************	Linear Rate Raised Height (45mm Lift) 250-350Kg Constant Load	1	C45-359	С	
	NOTE: Some Middle Eastern released Y62's are 45mm lower from the factory then other international models. To raise those models 45mm use the coils below. The coils listed above will provide an 80m - 90mm lift.					
	MWWWW	Linear Rate Raised Height (45mm Lift) 0-100Kg Accessories	1	C45-353	В	
		SHOCK ABSORBE	R			
		Heavy Duty Twin Tube Gas	2	GS45-111		

MONSTER SHOCK ABSORBER Extra Heavy Duty Twin Tube Gas Valve Force Increased to Suit Heavy Loads 45mm Piston 70mm Body for Increased Quantity of Oil and Cooling Capacity 4mm Wall Thickness 2 GS45-113



TYPE: Xterra MODEL: N50

YEAR: 2005 on

DETAIL: Station Wagon



	0								
	FRONT	QΤΥ	PART NUMBER	PRICE		REAR	QTY	PART NUMBER	PRICE
	COIL SPRING					LEAF SPRING			
MAAAAAAAA	Linear Rate Raised Height (40mm Lift)	1	C45-256	В	0 0	4+2 Leaves Raised Height (40mm Lift)	2	L45-8185-R	
/*************************************	Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories	1	C45-254	В		5+2 Leaves Raised Height (40mm Lift) 200Kg Constant Load	2	L45-8192-R	
	SHOCK ABSORBI	ΕR				SHACKLE BUSH K			
	SHOCK ABSORD	- 1\				Kit Contains:			
	Heavy Duty Twin Tube Gas	2	GS45-642		OLE	2 x SPF972 4 x SPF203 4 x PB45-1507	1	PB45-1095K	
						U-BOLT KIT			
						Kit Contains: 2 x UB59-453-3	2	UB59-453-3K	
						SHACKLE			
					*****	Greasable: Fit in Pairs	2	SK45-054	
					1	SHOCK ABSORBE	R		
					0	Heavy Duty Twin Tube Gas		GS45-645	



TYPE: Duster

MODEL:

YEAR: 2010 on

DETAIL: 4x4 Wagon



	FRONT	6	NUMBER	PRICE
	COIL SPRING			
M	Linear rate Raised Height (35mm Lift) 0-50kg Accessories	1	C52-010	В
	Linear Rate Raised Height (50mm Lift) Up to 70Kg Accessories	1	C52-004	В

	SHOCK ABSORBER
-	

Heavy Duty Twin Tube Gas 2 **GS52-056**

CAMBER ADJUSTMENT KIT

 $\begin{tabular}{ll} Kit Contains: \\ 2 x Cam Bolts \\ \pm 1.2 ^o for Lower Control Arm \\ \end{tabular}$

Camber Adjustment 1 WA57-505K

Raising Vehicle Will Effect Wheel Alignment. It is Recommended that this Camber Adjustment Kit to be Fitted and a Wheel Alignment Carried Out.

	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
wwwww	Linear rate Raised Height (35mm Lift) 0-50kg Accessories	1	C52-011	В
	Linear Rate Raised Height (50mm Lift) 50-100Kg Constant Load	1	C52-005	В

SHOCK ABSORBER

-44-	Heavy Duty Twin Tube Gas	2	GS52-057

CAMBER ADJUSTMENT KIT

 $\begin{tabular}{ll} Kit Contains: \\ 2 x Cam Bolts \\ \pm 1.2 ^o for Lower Control Arm \\ \end{tabular}$

Camber Adjustment 1 WA57-505K

Raising Vehicle Will Effect Wheel Alignment. It is Recommended that this Camber Adjustment Kit to be Fitted and a Wheel Alignment Carried Out.



TYPE: Musso

MODEL: SUV

YEAR: 1995 - 2006

DETAIL: Station Wagon, Sports Dual Cab Pickup



0			DETAIL:	Station '	W	а
	FRONT	QTY	PART NUMBER	PRICE		
	TORSION BAR			1		
	Heavy Duty Rate Increased Length 1040mm		TB53-1800			
	SHOCK ABSORB	ER				I
	Heavy Duty Twin Tube Gas	2	GS21-463			

	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Station Wagon			
	Linear Rate Standard Height (10mm Lift)	1	C53-003	В
www	Linear Rate Raised Height (40mm Lift) Up to 100Kg Constant Load (Recommended)	1	C53-001	В
	Sports Dual Cab Pi	cku	p	
www	Linear Rate Raised Height (40mm Lift) Up to 100Kg Constant Load		C53-005	В
1	SHOCK ABSORBI	R		Y
	Heavy Duty Twin Tube Gas		GS21-637S	



TYPE: Rexton (Series I)

MODEL: RX270, RX290, RX320



DETAIL: Station Wagon RX270 2.7L TD, RX290 2.9L TD, RX320 3.2L Petrol



	FRONT	QTY	PART NUMBER	PRICE		REAR	QTY	PART NUMBER	PRI
	COIL SPRING					COIL SPRING			
I	Linear Rate Raised Height (30mm Lift)	1	C53-010	В	MWWW	Linear Rate Raised Height (30mm Lift)	1	C53-011	В
SHOCK ABSORBER SHOCK ABSORBER									
	Heavy Duty Twin Tube Gas	2	GS53-200			Heavy Duty Twin Tube Gas	2	GS59-225A	




MMMMM

MWWW

TYPE: Rexton (Series II)


В

MODEL: RX270 XDI, RX270 SPR, SX7



DETAIL: Station Wagon RX270 XDI Rigid Axle

RX270 SPR Independant Suspension



Suits 2012 on SX M	ode	els	
Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch)	1	C53-010	В
Linear Rate Raised Height (35mm Lift)	1	C53-004	В
Standard Height	1	C53-002	В

1 **C53-006**

	SHOCK ABSORBER						
•	Heavy Duty Twin Tube Gas	2	GS53-202				

Linear Rate Raised Height (35mm Lift)

	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Rigid Axle Mode	ls		
MWWW	Linear Rate Standard Height	1	C53-009	В
,,,,,,,,,,,,,,,	Linear Rate Raised Height (35mm Lift)	1	C53-011	В
	Independent Suspe	nsi	on	
MWWWW	Linear Rate Raised Height (40mm Lift)	1	C53-013	В
	Suits 2012 on SX Mo	ode	els	
I	Linear Rate Raised Height (35mm Lift)	1	C53-029	В
1	SHOCK ABSORBE	R		ì
	Rigid Axle Mode	ls		
	Heavy Duty Twin Tube Gas	2	GS57-621	
	Independent Suspe	nsi	on	
-	Heavy Duty Twin Tube Gas	2	GS57-639S	

NOTE: Lifting higher than 35mm may cause rear tailshaft vibration



TYPE: Kyron

MODEL: M200 XVT

YEAR: 2006 on

DETAIL: D100 Series



•	8		DETAIL:	D100 Ser
	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
MWWW	Linear Rate Standard Height	1	C53-006	В
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Linear Rate Raised Height (40mm Lift)	1	C53-008	В
	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas	2	GS53-200S	
	ricavy bacy rivin rabe das	_	0000 2000	

5				
	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING Suits Rigid Axle Mode			
***************************************	Linear Rate Standard Height		C53-007	В
WWWW	Linear Rate Raised Height	1	C53-009	В
1	SHOCK ABSORBE	R		
-	Heavy Duty Twin Tube Gas	2	GS57-621	



TYPE: Actyon (Sports)

MODEL: A200S, Q100 Series

YEAR: 2007 to 04/2012

DETAIL: Dual Cab Ut (Suitable for



FRONT	QTY	PART NUMBER	PRICE
COIL SPRING			
Linear Rate Raised Height (40mm Lift)	1	C53-008	В
Linear Rate Raised Height (40mm Lift) Up to 70Kg Accessories (Bullbar OR Winch)	1	C53-004	В
Linear Rate Raised Height (40mm Lift) 70-120Kg Accessories (Bullbar AND Winch)	1	C53-010	В
SHOCK ABSORBE	R		
Heavy Duty Twin Tube Gas Suits only 4x4	2	GS53-200	

tility, 4 Door 2.0L Diesel r 4x4 Vehicles Only)						
	REAR	QTY	PART NUMBER	PRICE		
wwww	COIL SPRING Linear Rate Raised Height (40mm Lift) Linear Rate	1	C53-003	В		
	Raised Height (50mm Lift) 200Kg Constant Load		C53-005	В		
	SHOCK ABSORBE Heavy Duty Twin Tube Gas		GS57-639S			



TYPE: Actyon (Compact SUV)

MODEL: A200 XDI

YEAR: 2007 - 03/2012

DETAIL: 5 Door Lift Back, Rigid Rear Axle, 2.0L Diesel



	FRONT	QTY	PART NUMBER	PRICE	
MAAAAAA	COIL SPRING Linear Rate				
MWWWW	Raised Height (40mm Lift)	1	C53-002	В	W
	SHOCK ABSORB	ER			
	Heavy Duty Twin Tube Gas	2	GS53-200		

	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING Suits Rigid Rear A	vle		
wwww	Linear Rate			
*********	Raised Height (45mm Lift)	1	C53-011	В
	SHOCK ABSORB	ER		
	Heavy Duty Twin Tube Gas		GS57-621	
	rieavy Duty Iwiii Tube Gas	2	G557-021	



TYPE: Korando

MODEL:

YEAR: 1995 -2006



			DETAIL:	1995 -20
FRONT	-	QTY	PART NUMBER	PRICE
	TORSION BAR		NOFIDER	
	Heavy Duty			
	Rate Increased ength 1040mm	1	TB53-1800	
_	engan 1040mm	_	1000	
SI	HOCK ABSORBE	R		
Heavy Duty	/ Twin Tube Gas	2	GS21-463	

	REAR	QTY	PART NUMBER	PRICE
1	COIL SPRING		NONDER	i e
MWWW	Linear Rate Raised Height (30mm Lift) Up to 100Kg Constant Load	1	C53-003	В
	Linear Rate Raised Height (50mm Lift) Up to 100Kg Constant Load	1	C53-001	В
	SHOCK ABSORB	ER		1
-	Heavy Duty Twin Tube Gas	2	GS21-637S	



TYPE: Forester

MODEL: X, XS, XT - SF, SG, SH

YEAR: 1997 - 2013

DETAIL: 2.0L, 2.5L, 3.0L



	FRONT	QTY	PART NUMBER	PRICE		
	COIL SPRING					
	1997 - 06/2002 SF Models	!				
	Linear Rate Raised Height (25mm Lift)	1	C55-044	Α		
M	Linear Rate Raised Height (30mm Lift) 40-80Kg Accessories (Bullbar OR Winch)	1	C55-046	A		
	07/2002 - 2013 SG & SH, X, XS Models 2.0L & 3.0L (Excluding Turbo)					
	Linear Rate Raised Height (25mm Lift)	1	C55-044	Α		
M	Linear Rate Raised Height (30mm Lift) 40-80Kg Accessories (Bullbar OR Winch)	1	C55-046	A		
07/2002 - 2013 SG & SH, XT Models 2.0L & 2.5L Turbo						
MWWW	Linear Rate Raised Height (30mm Lift) Up to 50Kg Accessories (Bullbar/Nudge Bar)	1	C55-046	A		
	CAMBER ADJUSTMEN	П	KIT			

Kit Contains: 2 x Cam Bolts

Camber Adjustment 1 WA57-506K

±1.2° for Lower Control Arm

, 3.0L				
	REAR	QΤΥ	PART	PRICE
	COIL SPRING	0	NUMBER	
	1997 - 07/2002 SF Models	2		
I	Linear Rate Raised Height (30mm Lift) Up to 80Kg Constant Load	1	C55-045	А
	07/2002 - 02/20 SG Models (Without Self Levelling S		ension)	
 	Linear Rate Raised Height (35mm Lift) Up to 80Kg Constant Load		C55-065	В
	03/2008 - 2013 SH Models (Without Self Levelling So		ension)	
IWWWWI	Linear Rate Raised Height (30mm Lift)	1	C55-091	Α
	CAMBER ADJUSTMEN	П	KIT	
	Kit Contains: 2 x Cam Bolts ±1.2° for Lower Control Arm Camber Adjustment	1	WA57-506K	



TYPE: Sierra, Drover QB

MODEL: SJ410, SJ413, SJ50, SJ51, LJ410, LJ413



YEAR: 1981 on

DETAIL: Santana, S Different F

			Direcen
FRONT	QTY	PART NUMBER	PRICE
LEAF SPRING			
Petrol			
5 Leaves Raised Height (40mm Lift)			
0-50Kg Accessories	_		
Fit in Pairs	2	SUZ-5L-F	
Diesel 6 Leaves			
Raised Height (40mm Lift)			
0-50kg			
Fit in Pairs Accessories	2	SUZ-6L-F	
SHACKLE BUSH K	ΙΤ		
Kit Contains:			
2 x SPF176 8 x SPF173	1	PB57-1034K	
U-BOLT KIT			
Kit Contains:			
SJ410 Models			
Right Hand Side 2 x UB57-655	1	UB57-655K	
Left Hand Side 2 x UB29-900	1	UB29-900K	
SJ413, SJ50, SJ51 Models (1	198	35 - 1996)	
Right Hand Side2 x UB57-654	1	UB57-654K	
Left Hand Side 2 x UB57-655	1	UB57-655K	
,			1
SHOCK ABSORBE	R		
Heavy Duty Twin Tube Gas	2	GS57-085	
STEERING DAMPI	ΕR		
Heavy Duty	1	CDE7 030	
Complete with Fittings	1	SD57-030	
SHACKLE			
			
Fit in Pairs	2	SK57-041	
,			1
PIN			
Fit in Pairs	2	SP57-042	
	_	0.02 0.1	
I			

Samurai, Rhino, Jimny Front U-Bolts on 410 Model					
	REAR	QTY	PART NUMBER	PRICE	
	LEAF SPRING				
	4+1 Leaves Raised Height (40mm Lift) 0-100Kg Accessories Fit in Pairs		SUZ-4+1-R RH SUZ-4+1-R LH		
	SHACKLE BUSH K	ш			
	Kit Contains: 2 x SPF176 8 x SPF173	1	PB57-1034K		
	U-BOLT KIT				
	SJ410, SJ413, SJ50, SJ5	1 1	1odels		
	Kit Contains:				
U	2 x UB57-655		UB57-655K		
	SHOCK ABSORBE	ER			
	Heavy Duty Twin Tube Gas	2	GS57-086		
	SHACKLE		1		
# 1	Fit in Pairs	2	SK57-041		
	PIN				
●+	Fit in Pairs	2	SP57-042		



TYPE: Sierra **MODEL:** SJ80

YEAR: 1995 - 11/1998

DETAIL: Coil Spring Suspension



	FRONT	PART NUMBER	PRICE		REAR	QTY	PART NUMBER	PRICE
	COIL SPRING				COIL SPRING	-		
MWWWW	Linear Rate Raised Height (30mm Lift)	1 C57-024	Α	MWWW	Linear Rate Raised Height (30mm Lift)		C57-025	А
	UNDER BODY BUSH				UNDER BODY BUSH			
	See Rear Under Body Bu	ish Kit			Kit Includes Front & Rear Unde	r Bo	ody Busnes	
				4 x Front and	and Rear Panhard Rod Bush I Rear Radius Arm to Chassis Mount			
				4 x Front	and Rear Radius Arm to Diff Mount	1	PB57-1253K	



TYPE: Jimny

MODEL: SN413, FJB33V

YEAR: 1998 on

DETAIL: 3 Door 1.3L Hard Top/Soft Top, 1.5L TDi



	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
	G13BB 1.3L Engi	1e		
M	Linear Rate Raised Height (30mm Lift) Up to 35Kg Accessories (Bullbar OR Winch)	1	C57-028	А
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Linear Rate Raised Height (40mm Lift) 35-85Kg Accessories (Bullbar AND Winch)	1	C57-046	А
Fit Long T	ravel Shock Absorber GS57-617	7 W	ith the Above S	pring
	M13A 1.3L Petro	ı		
MWWW	Linear Rate Raised Height (40mm Lift)	1	C57-046	Α
Fit Long T	ravel Shock Absorber GS57-617	7 W	ith the Above S	pring
	K9K 1.5L Turbo Die	ese	el	
MWWW	Linear Rate Raised Height (40mm Lift)	1	C57-048	Α
Fit Long Ti	ravel Shock Absorber GS57-617	7 W	ith the Above S	pring
				1
	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas	2	GS57-615	
То В	e Used With Original Suzuki Sp	rin	gs OR C57-028	
-	Heavy Duty Twin Tube Gas Long Travel	2	GS57-617	
(Can Only Be Used With C57-040	5 O	R C57-048	
				1
	ADJUSTABLE PANHAR	D	ROD	
	Complete with Bushes	1	PR57-1412	
	Suits Right-Hand Drive	Or	nly	
	CASTOR ADJUSTMEN	П	KIT	
	Kit Contains:			
	4 x Eccentric Bushes ±2 ½ - 3° Adjustment	1	WA57-511K	
It is Recomm	Raising Vehicle Will Effect Whe nended that this Castor Adjustn Wheel Alignment Carrie	ner	nt Kit to be Fitte	d and a

	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
MWWWW	Linear Rate Raised Height (30mm Lift)	1	C57-029	Α
/vvvvvvvvv	Linear Rate Raised Height (40mm Lift)	1	C57-053	А
Fit Long Tr	avel Shock Absorber GS57-618	3 wi	th the Above Sp	ring.
	SHOCK ABSORBE	R		
•	Heavy Duty Twin Tube Gas	2	GS57-616	
To Be	e Used With Original Suzuki Sp	ring	gs OR C57-029	
·	Heavy Duty Twin Tube Gas Long Travel	2	GS57-618	
	Can Only Be Used With C	57-	-053	
	ADJUSTABLE PANHAR	D	ROD	
• • ••	Complete with Bushes	1	PR57-1413	




8__

TYPE: Vitara SWB

MODEL: Escudo, Sidekick

YEAR: 1988 - 1997

DETAIL: 1.6L, 2.0L, 3 Door, SW



30mm 2 **PS29-4015**


2 OL V6/TC	.			
VB Santana,	Sidekick, Escudo, Geo	Tra	acker	
	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
IWWWWI	Linear Rate Raised Height (30mm Lift)	1	C57-013	А
	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas	2	GS57-621	
	UNDER BODY BUSH	KI	Т	
	Kit Includes Front & Rear Under	r Bo	dy Bushes	
	Front Lower Control Arm 2 x Front Bush 2 x Rear Bush			
	Rear Control Arm 2 x Upper Bush 4 x Lower Bush	1	PB57-1252K	
	COIL SPACER			
	15mm	2	PS29-4014	
	30mm		PS29-4014 PS29-4015	



TYPE: Vitara LWB

MODEL: Escudo, Sidekick

YEAR: 1991 -1998





	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
	1.6L 8 Valve Engi	ne		
N	Linear Rate Raised Height (30mm Lift) Up to 35Kg Accessories (Bullbar OR Winch)	1	C57-012	A
	1.6L 16 Valve Eng	ine		
	Linear Rate Raised Height (30mm Lift)	1	C57-016	А
MWWW	Linear Rate Raised Height (30mm Lift) 40-80Kg Accessories (Bullbar AND Winch)	1	C57-018	A
	2.0L 4 Cyl, 2.0L \	/6		
	Linear Rate Raised Height (30mm Lift) Up to 40Kg Accessories (Bullbar OR Winch)	1	C57-018	А
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Linear Rate Raised Height (25mm Lift) 40-80Kg Accessories (Bullbar AND Winch)	1	C57-034	A
	2.0L TDi, 2.5L V	6		
I	Linear Rate Raised Height (35mm Lift)	1	C57-034	Α
	SHOCK ABSORBE	R		
 	Heavy Duty Twin Tube Gas		GS57-620	
	UNDER BODY BUSH	K1	T	
	See Rear Under Body Bu	ush	Kit	
	CAMBER ADJUSTMEN	П	KIT	
	Kit Contains: 2 x Cam Bolts ±1.2° for Lower Control Arm Camber Adjustment	1	WA57-505K	
It is Recomm	Raising Vehicle Will Effect Whe nended that this Camber Adjust Wheel Alignment Carrie	mei	nt Kit to be Fitte	ed and a
	Wheel Alighment Carrie	u O	uc.	
	COIL SPACER			
_	15mm	2	PS29-4014	
	30mm	2	PS29-4015	

	DEAD	≻	PART	DDIGE
	REAR	QTY	NUMBER	PRICE
	COIL SPRING			
	Linear Rate Raised Height (30mm Lift)			
*****	No Load	1	C57-017	Α
*************************************	Linear Rate			
	Raised Height (35mm Lift)			
	50-100Kg Constant Load	1	C57-047	Α
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	SHOCK ABSORBE			1
	SHUCK ABSURBE	K		
	Heavy Duty Twin Tube Gas	2	GS57-621	
	, ,			
	UNDER BODY BUSH	KI	Т	
	Kit Includes Front & Rear Under	r Bo	dy Bushes	
	Front Lower Control Arm			
	2 x Front Bush 2 x Rear Bush			
	Rear Control Arm			
	2 x Upper Bush			
	4 x Lower Bush	1	PB57-1252K	
1	COIL SPACER			1
_	15mm	2	PS29-4014	
1	30mm		PS29-4015	
	3011111	_	1 525 4015	




TYPE: Grand Vitara (Escudo)


MODEL: SQ420W 3 & 5 Door 4 Cyl, SQ625W 5 Door 2.5L V6,

SQ416 3 D

YEAR: 1998 - 200

1.6





000r 06/2000 05) on			
5L 4 Cyl, 2.0	L 4 Cyl, 2.0L TDi Cyl, 2.0L TDi			
	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
	SWB & LWB			
	Linear Rate Raised Height (30mm Lift) Heavy Duty	1	C57-027	Α
MWWW	Linear Rate Raised Height (35mm Lift) Heavy Duty 35-65Kg Constant Load	1	C57-045	A
	Linear Rate Raised Height (35mm Lift) Heavy Duty			
	100-150Kg Constant Load	1	C57-111	В
	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas	2	GS57-621	

Dobinsons



TYPE: Grand Vitara XL7

MODEL: JA627

YEAR: 10/2001 - 08/2005

DETAIL: 7 Seater 2.7L V6 H27A, 2.0L TD



8		7	DETAIL:	7 Seater
	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Linear Rate Standard Height	1	C57-034	Α
MWWWW	Linear Rate Raised Height (45mm Lift)			
	Up to 50Kg Accessories (Bullbar OR Winch)	1	C57-036	А
1	SHOCK ABSORBE	R		1
Tuf -	Heavy Duty Twin Tube Gas	2	GS57-620	
	CAMBER ADJUSTMEN	П	KIT	
	Kit Contains:			
	2 x Cam Bolts ±1.2° for Lower Control Arm Camber Adjustment	1	WA57-505K	
It is Recomr	Raising Vehicle Will Effect Whe nended that this Camber Adjust Wheel Alignment Carrie	me	nt Kit to be Fitte	ed and a


	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING		NOMBER	
	Linear Rate Standard Height	1	C57-033	Α
WWWW	Linear Rate Raised Height (40mm Lift) Up to 100Kg Constant Load	1	C57-039	А
	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas	2	GS57-621	



TYPE: Grand Vitara

MODEL: JT Series

YEAR: 08/2005 to 2015



COIL SPRING SWB 1.61 4 Cyl Linear Rate Raised Height (50mm Lift) 1 C57-118 Raised Height (50mm Lift) 1 C57-118 Raised Height (50mm Lift) 1 C57-116 Raised Height (50mm Lift) 50-100Kg Accessories (Bullbar AND Winch) 1 C57-116 Raised Height (40mm Lift) 1 C57-116 Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) 1 C57-116 Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) 1 C57-112 Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) 1 C57-112 Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) 1 C57-112 Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) 1 C57-112 B 3.2L V6 Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) 1 C57-112 B SHOCK ABSORBER Heavy Duty Twin Tube Gas 2 GS57-622 CAMBER ADJUSTMENT KIT Kit Contains: 2 x Cam Bolts ±1.2° for Lower Arm Control Camber Adjustment Kit to be Fitted and a Wheel Alignment. It is Recommended Wheel Klement Carried Out.					LIVE.
Raised Height (40mm Lift) 1 C57-118 B Linear Rate Raised Height (50mm Lift) 1 C57-118 B Linear Rate Raised Height (50mm Lift) 1 C57-116 B Linear Rate Raised Height (50mm Lift) 1 C57-116 B Linear Rate Raised Height (50mm Lift) 50-100Kg Accessories (Bullbar AND Winch) 1 C57-064 B LWB 1.9L TDi, 2.4L 4 Cyl, 2.7L V6 Linear Rate Raised Height (40mm Lift) 1 C57-116 B Linear Rate Raised Height (40mm Lift) 1 C57-116 B Linear Rate Raised Height (40mm Lift) 1 C57-112 B 2.0L 4 Cyl Linear Rate Raised Height (40mm Lift) 1 C57-112 B Linear Rate Raised Height (40mm Lift) 1 C57-112 B Linear Rate Raised Height (40mm Lift) 1 C57-112 B Linear Rate Raised Height (40mm Lift) 1 C57-112 B Shouth AND Winch) 1 C57-112 B Shouth AND Winch) 1 C57-114 B SHOCK ABSORBER Heavy Duty Twin Tube Gas 2 G557-622 CAMBER ADJUSTMENT KIT Kit Contains: 2 × Cam Bolts ±1.2° for Lower Arm Control Camber Adjustment 1 WA57-506K Raising Vehicle Will Effect Wheel Alignment. It is Recommended that this Camber Adjustment Kit to be Fitted and a		FRONT	QTY	PART NUMBER	PRICE
1.6L 4 Cyl Linear Rate Raised Height (50mm Lift) 1 C57-118 B 2.4L 4 Cyl Linear Rate Raised Height (40mm Lift) 1 C57-118 B Linear Rate Raised Height (50mm Lift) 1 C57-116 B Linear Rate Raised Height (50mm Lift) 50-100Kg Accessories (Bullbar AND Winch) 1 C57-064 B Linear Rate Raised Height (40mm Lift) 1 C57-116 B Linear Rate Raised Height (40mm Lift) 1 C57-116 B Linear Rate Raised Height (40mm Lift) 1 C57-116 B Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) 1 C57-112 B 2.0L 4 Cyl Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) 1 C57-112 B 3.2L V6 Linear Rate Raised Height (40mm Lift) 1 C57-112 B 3.2L V6 Linear Rate Raised Height (40mm Lift) 1 C57-112 B 3.2L V6 Linear Rate Raised Height (40mm Lift) 1 C57-112 B 3.2L V6 Linear Rate Raised Height (40mm Lift) 1 C57-112 B 3.2L V6 Linear Rate Raised Height (40mm Lift) 1 C57-112 B 3.2L V6 Linear Rate Raised Height (40mm Lift) 1 C57-112 B 3.2L V6 Linear Rate Raised Height (40mm Lift) 1 C57-112 B 3.2L V6 Linear Rate Raised Height (40mm Lift) 1 C57-114 B WHATH RATE RATE Raised Height (40mm Lift) 1 C57-114 B SHOCK ABSORBER Heavy Duty Twin Tube Gas 2 G557-622 CAMBER ADJUSTMENT KIT Kit Contains: 2 × Cam Bolts ±1.2° for Lower Arm Control Camber Adjustment 1 WA57-506K Raising Vehicle Will Effect Wheel Alignment. It is Recommended that this Camber Adjustment Kit to be Fitted and a		COIL SPRING			
Linear Rate Raised Height (50mm Lift) 1 C57-118 B 2.4L 4 Cyl Linear Rate Raised Height (40mm Lift) 1 C57-118 B Linear Rate Raised Height (50mm Lift) 1 C57-116 B Linear Rate Raised Height (50mm Lift) 50-100Kg Accessories (Bullbar AND Winch) 1 C57-064 B LWB 1.9L TDi, 2.4L 4 Cyl, 2.7L V6 Linear Rate Raised Height (40mm Lift) 1 C57-116 B Linear Rate Raised Height (40mm Lift) 1 C57-116 B Linear Rate Raised Height (40mm Lift) 1 C57-116 B Linear Rate Raised Height (40mm Lift) 1 C57-112 B 2.0L 4 Cyl Linear Rate Raised Height (40mm Lift) 1 C57-112 B Linear Rate Raised Height (40mm Lift) 1 C57-112 B Linear Rate Raised Height (40mm Lift) 1 C57-112 B Linear Rate Raised Height (40mm Lift) 1 C57-112 B 3.2L V6 Linear Rate Raised Height (40mm Lift) 1 C57-112 B SHOCK ABSORBER Heavy Duty Twin Tube Gas 2 GS57-622 CAMBER ADJUSTIMENT KIT Kit Contains: 2 × Cam Bolts ±1.2° for Lower Arm Control Camber Adjustment 1 WA57-506K Raising Vehicle Will Effect Wheel Alignment. It is Recommended that this Camber Adjustment Kit to be Fitted and a		~			
Raised Height (50mm Lift) 1 C57-118 B 2.4L 4 Cyl Linear Rate Raised Height (40mm Lift) 1 C57-118 B Linear Rate Raised Height (50mm Lift) 1 C57-116 B Linear Rate Raised Height (50mm Lift) 50-100Kg Accessories (Bullbar AND Winch) 1 C57-064 B LWB 1.9L TDi, 2.4L 4 Cyl, 2.7L V6 Linear Rate Raised Height (40mm Lift) 1 C57-116 B Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) 1 C57-112 B 2.0L 4 Cyl Linear Rate Raised Height (40mm Lift) 1 C57-112 B 2.0L 4 Cyl Linear Rate Raised Height (40mm Lift) 1 C57-112 B 3.2L V6 Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) 1 C57-112 B 3.2L V6 Linear Rate Raised Height (40mm Lift) 1 C57-112 B SHOCK ABSORBER Heavy Duty Twin Tube Gas 2 G557-622 CAMBER ADJUSTMENT KIT Kit Contains: 2 x Cam Bolts ±1.2° for Lower Arm Control Camber Adjustment I WA57-506K Raising Vehicle Will Effect Wheel Alignment. It is Recommended that this Camber Adjustment Kit to be Fitted and a		•			
Linear Rate Raised Height (40mm Lift) 1 C57-118 B Linear Rate Raised Height (50mm Lift) 1 C57-116 B Linear Rate Raised Height (50mm Lift) 50-100Kg Accessories (Bullbar AND Winch) 1 C57-064 B Linear Rate Raised Height (40mm Lift) 1 C57-116 B Linear Rate Raised Height (40mm Lift) 1 C57-116 B Linear Rate Raised Height (40mm Lift) 1 C57-116 B Linear Rate Raised Height (40mm Lift) 1 C57-112 B 2.0L 4 Cyl Linear Rate Raised Height (40mm Lift) 1 C57-112 B 2.0L 4 Cyl Linear Rate Raised Height (40mm Lift) 1 C57-112 B Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) 1 C57-112 B 3.2L V6 Linear Rate Raised Height (40mm Lift) 1 C57-112 B Shock Absorber Heavy Duty Twin Tube Gas 2 G557-622 CAMBER ADJUSTMENT KIT Kit Contains: 2 x Cam Bolts ±1.2° for Lower Arm Control Camber Adjustment 1 WA57-506K Raising Vehicle Will Effect Wheel Alignment. It is Recommended that this Camber Adjustment Kit to be Fitted and a	www	Raised Height (50mm Lift)	1	C57-118	В
Raised Height (40mm Lift) Linear Rate Raised Height (50mm Lift) S0-100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) S0-100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) S0-100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) S0-100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) S0-100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) S0-100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) S0-100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) S0-100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) S0-100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) S0-100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) S0-10Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) S0-10Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) S0-10Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) S0-10Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) Linea		•			
Raised Height (50mm Lift) Linear Rate Raised Height (50mm Lift) 50-100Kg Accessories (Bullbar AND Winch) LIWB 1.9L TDi, 2.4L 4 Cyl, 2.7L V6 Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) L		Raised Height (40mm Lift)	1	C57-118	В
Linear Rate Raised Height (50mm Lift) 50-100Kg Accessories (Bullbar AND Winch) LWB 1.9L TDi, 2.4L 4 Cyl, 2.7L V6 Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) 50-1100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) 50-1100Kg Accessories (Bullbar AND Winch) Linear R	wwww		1	C57-116	В
S0-100Kg Accessories (Bullbar AND Winch) 1 LWB 1.9L TDi, 2.4L 4 Cyl, 2.7L V6 Linear Rate Raised Height (40mm Lift) 1 S0-100Kg Accessories (Bullbar AND Winch) 1 Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) 1 Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) 1 Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) 1 Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) 1 Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) 1 C57-112 B SHOCK ABSORBER Heavy Duty Twin Tube Gas 2 GS57-622 CAMBER ADJUSTMENT KIT Kit Contains: 2 x Cam Bolts ±1.2° for Lower Arm Control Camber Adjustment 1 WA57-506K Raising Vehicle Will Effect Wheel Alignment. It is Recommended that this Camber Adjustment Kit to be Fitted and a					
LWB 1.9L TDi, 2.4L 4 Cyl, 2.7L V6 Linear Rate Raised Height (40mm Lift) 1 C57-116 B Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) 1 C57-112 B 2.0L 4 Cyl Linear Rate Raised Height (40mm Lift) 1 C57-118 B Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) 1 C57-112 B 3.2L V6 Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) 1 C57-112 B SACL V6 Linear Rate Raised Height (40mm Lift) 1 C57-112 B SHOCK ABSORBER Heavy Duty Twin Tube Gas 2 GS57-622 CAMBER ADJUSTMENT KIT Kit Contains: 2 x Cam Bolts ±1.2° for Lower Arm Control Camber Adjustment 1 WA57-506K Raising Vehicle Will Effect Wheel Alignment. It is Recommended that this Camber Adjustment Kit to be Fitted and a					
1.9L TDi, 2.4L 4 Cyl, 2.7L V6 Linear Rate Raised Height (40mm Lift) 1 C57-116 B Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) 1 C57-112 B 2.0L 4 Cyl Linear Rate Raised Height (40mm Lift) 1 C57-118 B Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) 1 C57-112 B 3.2L V6 Linear Rate Raised Height (40mm Lift) 1 C57-112 B 3.2L V6 Linear Rate Raised Height (40mm Lift) 1 C57-112 B SHOCK ABSORBER Heavy Duty Twin Tube Gas 2 GS57-622 CAMBER ADJUSTMENT KIT Kit Contains: 2 x Cam Bolts ±1.2° for Lower Arm Control Camber Adjustment 1 WA57-506K Raising Vehicle Will Effect Wheel Alignment. It is Recommended that this Camber Adjustment Kit to be Fitted and a		,	1	C57-064	В
Linear Rate Raised Height (40mm Lift) Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) Linear Rate Raised Height (40mm Lift) 1 C57-112 B 2.0L 4 Cyl Linear Rate Raised Height (40mm Lift) 1 C57-118 B Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) 1 C57-112 B 3.2L V6 Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) 1 C57-112 B Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) 1 C57-114 B SHOCK ABSORBER Heavy Duty Twin Tube Gas 2 GS57-622 CAMBER ADJUSTMENT KIT Kit Contains: 2 x Cam Bolts ±1.2° for Lower Arm Control Camber Adjustment 1 WA57-506K Raising Vehicle Will Effect Wheel Alignment. It is Recommended that this Camber Adjustment Kit to be Fitted and a					
Raised Height (40mm Lift) Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) 2.0L 4 Cyl Linear Rate Raised Height (40mm Lift) 1 C57-112 B Linear Rate Raised Height (40mm Lift) 1 C57-118 B Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) 1 C57-112 B 3.2L V6 Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) 1 C57-112 B Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) 1 C57-112 B SHOCK ABSORBER Heavy Duty Twin Tube Gas 2 GS57-622 CAMBER ADJUSTMENT KIT Kit Contains: 2 x Cam Bolts ±1.2° for Lower Arm Control Camber Adjustment 1 WA57-506K Raising Vehicle Will Effect Wheel Alignment. It is Recommended that this Camber Adjustment Kit to be Fitted and a		, , ,	2.71	_ V6	
Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) 2.0L 4 Cyl Linear Rate Raised Height (40mm Lift) 1 C57-118 B Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) 1 C57-112 B 3.2L V6 Linear Rate Raised Height (40mm Lift) Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) 1 C57-112 B SHOCK ABSORBER Heavy Duty Twin Tube Gas 2 GS57-622 CAMBER ADJUSTMENT KIT Kit Contains: 2 × Cam Bolts ±1.2° for Lower Arm Control Camber Adjustment Raising Vehicle Will Effect Wheel Alignment. It is Recommended that this Camber Adjustment Kit to be Fitted and a			1	C57-116	В
So-100Kg Accessories (Bullbar AND Winch) 2.0L 4 Cyl Linear Rate Raised Height (40mm Lift) 1 C57-118 B Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) 1 C57-112 B 3.2L V6 Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) 1 C57-112 B Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) 1 C57-114 B SHOCK ABSORBER Heavy Duty Twin Tube Gas 2 GS57-622 CAMBER ADJUSTMENT KIT Kit Contains: 2 x Cam Bolts ±1.2° for Lower Arm Control Camber Adjustment 1 WA57-506K Raising Vehicle Will Effect Wheel Alignment. It is Recommended that this Camber Adjustment Kit to be Fitted and a	www				
Linear Rate Raised Height (40mm Lift) Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) 3.2L V6 Linear Rate Raised Height (40mm Lift) Linear Rate Raised Height (40mm Lift) Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) SHOCK ABSORBER Heavy Duty Twin Tube Gas 2 GS57-622 CAMBER ADJUSTMENT KIT Kit Contains: 2 x Cam Bolts ±1.2° for Lower Arm Control Camber Adjustment Raising Vehicle Will Effect Wheel Alignment. It is Recommended that this Camber Adjustment Kit to be Fitted and a		50-100Kg Accessories	1	C57-112	В
Raised Height (40mm Lift) Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) 3.2L V6 Linear Rate Raised Height (40mm Lift) Linear Rate Raised Height (40mm Lift) Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) SHOCK ABSORBER Heavy Duty Twin Tube Gas 2 GS57-622 CAMBER ADJUSTMENT KIT Kit Contains: 2 x Cam Bolts ±1.2° for Lower Arm Control Camber Adjustment Raising Vehicle Will Effect Wheel Alignment. It is Recommended that this Camber Adjustment Kit to be Fitted and a		2.0L 4 Cyl			
Raised Height (40lml Lift) 50-100Kg Accessories (Bullbar AND Winch) 3.2L V6 Linear Rate Raised Height (40mm Lift) Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) SHOCK ABSORBER Heavy Duty Twin Tube Gas 2 GS57-622 CAMBER ADJUSTMENT KIT Kit Contains: 2 x Cam Bolts ±1.2° for Lower Arm Control Camber Adjustment Raising Vehicle Will Effect Wheel Alignment. It is Recommended that this Camber Adjustment Kit to be Fitted and a				C57-118	В
Raised Height (40lml Lilt) 50-100Kg Accessories (Bullbar AND Winch) 3.2L V6 Linear Rate Raised Height (40mm Lift) Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) SHOCK ABSORBER Heavy Duty Twin Tube Gas 2 GS57-622 CAMBER ADJUSTMENT KIT Kit Contains: 2 x Cam Bolts ±1.2° for Lower Arm Control Camber Adjustment Raising Vehicle Will Effect Wheel Alignment. It is Recommended that this Camber Adjustment Kit to be Fitted and a					
(Bullbar AND Winch) 1 C57-112 B 3.2L V6 Linear Rate Raised Height (40mm Lift) 1 C57-112 B Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) 1 C57-114 B SHOCK ABSORBER Heavy Duty Twin Tube Gas 2 GS57-622 CAMBER ADJUSTMENT KIT Kit Contains: 2 x Cam Bolts ±1.2° for Lower Arm Control Camber Adjustment 1 WA57-506K Raising Vehicle Will Effect Wheel Alignment. It is Recommended that this Camber Adjustment Kit to be Fitted and a					
Linear Rate Raised Height (40mm Lift) Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) SHOCK ABSORBER Heavy Duty Twin Tube Gas 2 GS57-622 CAMBER ADJUSTMENT KIT Kit Contains: 2 x Cam Bolts ±1.2° for Lower Arm Control Camber Adjustment Raising Vehicle Will Effect Wheel Alignment. It is Recommended that this Camber Adjustment Kit to be Fitted and a			1	C57-112	В
Raised Height (40mm Lift) 1 C57-112 B Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch) 1 C57-114 B SHOCK ABSORBER Heavy Duty Twin Tube Gas 2 GS57-622 CAMBER ADJUSTMENT KIT Kit Contains: 2 × Cam Bolts ±1.2° for Lower Arm Control Camber Adjustment 1 WA57-506K Raising Vehicle Will Effect Wheel Alignment. It is Recommended that this Camber Adjustment Kit to be Fitted and a		3.2L V6			
SHOCK ABSORBER SHOCK ABSORBER Heavy Duty Twin Tube Gas 2 GS57-622 CAMBER ADJUSTMENT KIT Kit Contains: 2 x Cam Bolts ±1.2° for Lower Arm Control Camber Adjustment Raising Vehicle Will Effect Wheel Alignment. It is Recommended that this Camber Adjustment Kit to be Fitted and a				C57-112	В
SHOCK ABSORBER SHOCK ABSORBER Heavy Duty Twin Tube Gas 2 GS57-622 CAMBER ADJUSTMENT KIT Kit Contains: 2 x Cam Bolts ±1.2° for Lower Arm Control Camber Adjustment 1 WA57-506K Raising Vehicle Will Effect Wheel Alignment. It is Recommended that this Camber Adjustment Kit to be Fitted and a	MAMAMA				
SHOCK ABSORBER Heavy Duty Twin Tube Gas 2 GS57-622 CAMBER ADJUSTMENT KIT Kit Contains: 2 x Cam Bolts ±1.2° for Lower Arm Control Camber Adjustment 1 WA57-506K Raising Vehicle Will Effect Wheel Alignment. It is Recommended that this Camber Adjustment Kit to be Fitted and a					
Heavy Duty Twin Tube Gas 2 GS57-622 CAMBER ADJUSTMENT KIT Kit Contains: 2 x Cam Bolts ±1.2° for Lower Arm Control Camber Adjustment 1 WA57-506K Raising Vehicle Will Effect Wheel Alignment. It is Recommended that this Camber Adjustment Kit to be Fitted and a			1	C57-114	В
Heavy Duty Twin Tube Gas 2 GS57-622 CAMBER ADJUSTMENT KIT Kit Contains: 2 x Cam Bolts ±1.2° for Lower Arm Control Camber Adjustment 1 WA57-506K Raising Vehicle Will Effect Wheel Alignment. It is Recommended that this Camber Adjustment Kit to be Fitted and a					
CAMBER ADJUSTMENT KIT Kit Contains: 2 x Cam Bolts ±1.2° for Lower Arm Control Camber Adjustment 1 WA57-506K Raising Vehicle Will Effect Wheel Alignment. It is Recommended that this Camber Adjustment Kit to be Fitted and a		SHOCK ABSORE	ER		
Kit Contains: 2 x Cam Bolts ±1.2° for Lower Arm Control Camber Adjustment 1 WA57-506K Raising Vehicle Will Effect Wheel Alignment. It is Recommended that this Camber Adjustment Kit to be Fitted and a		Heavy Duty Twin Tube Gas	2	GS57-622	
Kit Contains: 2 x Cam Bolts ±1.2° for Lower Arm Control Camber Adjustment 1 WA57-506K Raising Vehicle Will Effect Wheel Alignment. It is Recommended that this Camber Adjustment Kit to be Fitted and a	1	CAMBER ADJUSTME	NT	(IT	ly.
2 x Cam Bolts ±1.2° for Lower Arm Control Camber Adjustment 1 WA57-506K Raising Vehicle Will Effect Wheel Alignment. It is Recommended that this Camber Adjustment Kit to be Fitted and a					
Camber Adjustment 1 WA57-506K Raising Vehicle Will Effect Wheel Alignment. It is Recommended that this Camber Adjustment Kit to be Fitted and a		2 x Cam Bolts			
Raising Vehicle Will Effect Wheel Alignment. It is Recommended that this Camber Adjustment Kit to be Fitted and a	:			WA57-506K	
It is Recommended that this Camber Adjustment Kit to be Fitted and a					
	It is Recomm	nended that this Camber Adjus	tmei	nt Kit to be Fitt	ed and a

	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
	SWB			
WWWW	Linear Rate Raised Height (40mm Lift)	1	C57-067	В
	LWB			
	Linear Rate Raised Height (40mm Lift)	1	C57-065	В
MWWWI	Linear Rate Raised Height (40mm Lift) 100Kg Constant Load	1	C57-075	В
-				
	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas	2	GS57-623	



MODEL: LN/RN 36/46/105, LN/YN 65/67/106, SR5




YEAR: 1979 - 11/1997

DETAIL: Leaf Spring Suspension

	FRONT	QΤζ	PART NUMBER	PRICE		REAR	QTY	PART NUMBER	PRICE	
	LEAF SPRING	IO	NUMBER		,	LEAF SPRING	ľ	NUMBER		
	Single Cab					4+2 Leaves		HIL-4+2-R RH		1
	5 Leaves		HIL-002-F RH			Raised Height (50mm Lift) Medium Duty				
وو	Raised Height (50mm Lift) Linear Rate		HIL-002-F LH		وو	Up to 100Kg Constant Load	1	HIL-4+2-R LH		
	Raised Height (50mm Lift)		HIL-003-F RH			5+2 Leaves Raised Height (50mm Lift)	1	HIL-5+2-R RH		1
	Diesel (Bullbar OR Winch) Dual Cab	1	HIL-003-F LH			Heavy Duty 200Kg Constant Load				
	5 Leaves	1	HIL-003-F RH			105/106 (1988 - 11/1997)	Si	ngle Cab		
	Raised Height (45mm Lift) Petrol & Diesel					4+2 Leaves Raised Height (50mm Lift)				
						Medium Duty Up to 100Kg Constant Load	2	HTI -4+2-R I H		
	SHACKLE BUSH K	Ш			م	5+2 Leaves	_			
	Kit Contains: 8 x SPF2231					Raised Height (50mm Lift) Heavy Duty				1
	4 x SPF2240	1	PB59-1032K			200Kg Constant Load				
	U-BOLT KIT				Fitment of 2 Le	eft Hand Springs for the 105/100	5 Si	ngle Cab Model	is Correct	$\frac{1}{2}$
	Right Hand Side	•			1	SHACKLE BUSH K	ΙТ			
	Kit Contains:					Kit Contains:				1
	1 x UB59-437 1 x UB59-449-3	1	IIDE0-440-3V			12 x SPF2231	1	PB59-1033K		
	Left Hand Side	1	0639-449-3K		1	U-BOLT KIT				
	Kit Contains:					Pre 07/1988				1
	2 x UB59-667	1	UB59-667K			Kit Contains: 2 x UB59-667	2	UB59-667K		1
	SHOCK ABSORBE	R				105/106 (1988 - 11/				i
						Kit Contains:	2	LIDEO 4E2 2K		
	Heavy Duty Twin Tube Gas	2	GS59-639			2 x UB59-453-2	2	UB39-433-2K		
	STEERING DAMPI	ΕR				SHOCK ABSORBE	R			
	Heavy Duty (Big Bore) Complete with Fittings	1	SD59-821			Comfort Option Twin Tube Gas				1
•	complete with rittings	_	3039-021				2	GS59-649		1
	SHACKLE					Extra Heavy Duty Twin Tube Gas				
なな!	Greasable: Fit in Pairs	2	SK59-001			(Big Bore) 350Kg Constant Load	2	GS59-651		
	Or casasier in term in and	_	0.105 001			550kg Constant Loud	_	d555 051		
_	PIN					SHACKLE				
	Greasable: Fit in Pairs	2	SP59-005		│ ## I	Greasable: Fit in Pairs	2	SK59-009		1
					,					
						PIN				4
						Greasable: Fit in Pairs	2	SP59-005		
										1
										1



MODEL: LN/RN/YN 110, LN111 SR5



DETAIL: Independent Front Suspension, Extra Cab



FRONT	QTY	PART NUMBER	PRICE	REAR	F	PART JMBER	PRICE
TORSION BAR		HOMBER		LEAF SPRING	, 140	JPIDER	
Heavy Duty Rate Increased Length 1064mm	1	TB59-1646		Linear Rate Raised Height (45mm Lift) Medium Duty Up to 100Kg Constant Load	2 HIL-	034-R	
SHOCK ABSORBE	R			Linear Rate			
Heavy Duty Twin Tube Gas	2	GS59-088		Raised Height (45mm Lift) Heavy Duty 200Kg Constant Load	HIL-	035-R	
STEERING DAMPE	ER			SHACKLE BUSH KIT			
Complete with Fittings		SD59-833		Kit Contains: 2 x SPF972 4 x SPF2231 4 x SPF2231A 1		9-1084K	
				U-BOLT KIT			
				Kit Contains: 2 x UB59-453-2	2 UB59	9-453-2K	
				SHOCK ABSORBER			
					2 GS59	9-649	
				Extra Heavy Duty Twin Tube Gas (Big Bore) 350Kg Constant Load	2 GS59	9-651	
				SHACKLE			
				SHACKLE Greasable: Fit in Pairs 2	2 SK59	9-010	
				40 4 3 9	2 SK59	9-010	
				Greasable: Fit in Pairs 2			
				Greasable: Fit in Pairs 2			
				Greasable: Fit in Pairs 2			
				Greasable: Fit in Pairs 2			
				Greasable: Fit in Pairs 2			
				Greasable: Fit in Pairs 2			
				Greasable: Fit in Pairs 2			
				Greasable: Fit in Pairs 2			



MODEL: LN107 SR5, LN108, RN106

YEAR: 09/1991 - 2005

DETAIL: Single Cab, Dual Cab Independent Front Suspension



		Independent Front	Suspension		
FRONT	PART NUMBER	PRICE	REAR	PART NUMBER	PRICE
TORSION BAR			LEAF SPRING		
Heavy Duty Rate Increased	1 TB59-1646	Q	3+2 Leaves Raised Height (45mm Lift) Medium Duty Up to 100Kg Constant Load	2 HIL-034-R	
SHOCK ABSORBE	ł .		4+2 Leaves		
Heavy Duty Twin Tube Gas			Raised Height (45mm Lift) Heavy Duty 200Kg Constant Load	2 HIL-035-R	
STEERING DAMPE	R		SHACKLE BUSH K	IT	
Heavy Duty Complete with Fittings	1 SD59-833	OI.		1 PB59-1084K	
			U-BOLT KIT		
			Kit Contains: 2 x UB59-453-2	2 UB59-453-2K	
			SHOCK ABSORBE	R	
			Comfort Option Twin Tube Gas Medium Load	2 GS59-649	
			Extra Heavy Duty Twin Tube Gas (Big Bore) 350Kg Constant Load	2 GS59-651	
			SHACKLE		
		***	Greasable: Fit in Pairs	2 SK59-010	
			PIN		
		•++	Greasable: Fit in Pairs	2 SP59-060	




MODEL: KZN/LN/RN 165/166/167,

LN170 (2.4L TD), LN172 3.0L D, RZN169

YEAR: 10/1997 - 2005


DETAIL: Single Cab, Dual Cab, Extra Cab





TYPE: Hilux, Vigo (150 Series)

MODEL: KUN/GGN 25/26, KZN 35/36



DETAIL: 4x4 - Single Cab, Extra Cab, Dual Cab



	FRONT	QTY	PART NUMBER	PRICE	
*Vohiclos Fi	COIL SPRING tted with this Part Number MUS	Τh	o Fitted with GS	50-220	It is a F
Verificies 11	Shock Absorber.	1 0	e i itted with 65		it is a r
	Single Cab 4.0L V6 Petrol KUN26 3.0L TD				
	Linear Rate Standard Height	1	C59-134	В	U
	Linear Rate Raised Height (40mm Lift)	1	C59-296	В	
	Linear Rate Raised Height (50mm Lift)*	1	C59-300	В	
	Linear Rate Raised Height (50mm Lift) 50-100Kg Accessories (Bullbar AND Winch)*	1	C59-302	В	ا مے
	Extra Cab, Dual C GGN25 Petrol	ab			U
	Linear Rate				
	Standard Height Linear Rate	1	C59-134	В	
	Raised Height (35mm Lift)	1	C59-300	В	,
MWWW	Linear Rate Raised Height (50mm Lift)*	1	C59-302	В	
	Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories		CEO 202	D	When Usin 2nd Stage Th
	(Bullbar AND Winch)* Extra Cab, Dual C		C59-302	В	
	KUN26 3.0L TD Linear Rate				
	Raised Height (45mm Lift) Up to 70Kg Accessories (Bullbar Only)*	1	C59-302	В	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Linear Rate Raised Height (45mm Lift) 80-120Kg Accessories (Bullbar AND Winch)*	1	C59-350	В	L59 L59 L59
1	SHOCK ABSORBE	R			L59
	Heavy Duty Twin Tube Gas	2	GS59-220		100
	Adjustable Spring Seat Heavy Duty Twin Tube Gas	2	GS59-224		
_	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty				·
·——	Original Setting of $X = 226 \text{mm}/8.89^{\circ}X - \text{Centre of Eye to Spring Seat}$	2	MR59-50220		
	STRUT CAP				
:	Strut Top Caps	2	SC59-001		Recommer Not Required fo
					なな!
1					

LEAF SPRING It is a Requirement that the Brake Adjuster BA59-001 be Fitted when Using These Leaf Springs 4+3 Leaves (25mm Lift) Heavy Duty Up to 280Kg Constant Load 4+3 Leaves Raised Height (50mm Lift) Heavy Duty No Load 2 L59-039-R 3+3 Leaves Raised Height (50mm Lift) Heavy Duty Up to 100Kg Constant Load 3+1 Leaves Parabolic Raised Height (50mm Lift) Comfort Option Up to 100Kg Constant Load 4+3 Leaves Raised Height (50mm Lift) Super Heavy Duty 280Kg Constant Load 2 L59-047-RP 4+3 Leaves Raised Height (50mm Lift) Super Heavy Duty 280Kg Constant Load 2 L59-042-R Stage may be Turned Upside Down to give a Softer Ride. This will Reduce Load Carrying Capacity SHACKLE BUSH KIT Kit Contains: 4 x PB59-1501 4 x PB59-1501 4 x PB59-1502 2 x PB59-1503 1 PB59-1094K U-BOLT KIT Kit Contains: 4 x PB59-1502 2 x PB59-453-2 2 UB59-453-2K L59-042-R 2 x UB59-453-2 2 UB59-453-2K L59-042-R 2 x UB59-453-2 2 UB59-453-2K L59-042-R 2 x UB59-453-2 2 UB59-437K L59-047-RP 2 x UB59-437 2 UB59-437K L59-047-RP 2 x UB59-457 2 UB59-453-2K L59-047-RP 2 x UB59-457 2 UB59-457-2K L59-047-RP 2 x	REAR	≥	PART	PRICE
It is a Requirement that the Brake Adjuster BA59-001 be Fitted when Using These Leaf Springs 4+3 Leaves (25mm Lift) Heavy Duty Up to 280Kg Constant Load 4+3 Leaves Raised Height (50mm Lift) Medium Duty Up to 100Kg Constant Load 3+1 Leaves Parabolic Raised Height (50mm Lift) Comfort Option Up to 100Kg Constant Load 3+1 Leaves Parabolic Raised Height (50mm Lift) Medium Duty 280Kg Constant Load 2 L59-040-R 4+3 Leaves Raised Height (50mm Lift) Heavy Duty 280Kg Constant Load 5+3 Leaves Raised Height (50mm Lift) Heavy Duty 450Kg Constant Load 5+3 Leaves Raised Height (50mm Lift) Super Heavy Duty 450Kg Constant Load 5+3 Leaves Raised Height (50mm Lift) Heavy Duty 450Kg Constant Load 2 L59-041-R 5+3 Leaves Raised Height (50mm Lift) Reavy Duty 450Kg Constant Load 2 L59-041-R 5+3 Leaves Raised Height (50mm Lift) Reavy Duty 450Kg Constant Load 2 L59-041-R 5+3 Leaves Raised Height (50mm Lift) Reavy Duty 450Kg Constant Load 2 L59-041-R 5+3 Leaves Raised Height (50mm Lift) Reavy Duty Kit Contains: 4 x PB59-1501 4 x PB59-1501 4 x PB59-1502 2 x PB59-1503 1 PB59-1094K U-BOLT KIT Kit Contains: 4 x PB59-1502 2 x PB59-1503 1 PB59-1094K U-BOLT KIT Kit Contains: 4 x PB59-1502 2 x PB59-1503 1 PB59-1094K U-BOLT KIT Kit Contains: 4 x PB59-1502 2 x PB59-1503 3 pB59-453-2 x UB59-437-x UB59-437		P	NUMBER	PRICE
4+3 Leaves (25mm Lift) (25mm L		Adju	ıster BA59-001	
(25mm Lift) Heavy Duty Up to 280Kg Constant Load 4+3 Leaves Raised Height (50mm Lift) No Load 3+3 Leaves Raised Height (50mm Lift) Medium Duty Up to 100Kg Constant Load 3+1 Leaves Parabolic Raised Height (50mm Lift) Comfort Option Up to 100Kg Constant Load 4+3 Leaves Raised Height (50mm Lift) Comfort Option Up to 10Kg Constant Load 2 L59-040-R 4+3 Leaves Raised Height (50mm Lift) Super Heavy Duty 280Kg Constant Load 2 L59-041-R 5+3 Leaves Raised Height (50mm Lift) Super Heavy Duty 450Kg Constant Load 2 L59-041-R 5+3 Leaves Raised Height (50mm Lift) Super Heavy Duty 450Kg Constant Load 2 L59-042-R When Using L59-040-R or L59-041-R, the Longer Leaf on the 2nd Stage may be Turned Upside Down to give a Softer Ride. This will Reduce Load Carrying Capacity SHACKLE BUSH KIT Kit Contains: 4 × P859-1501 4 × P859-1501 4 × P859-1501 1 × P859-1501 2 × P859-1501 2 × WB59-453-2 2 UB59-453-2K L59-040-R 2 × UB59-453-2 2 UB59-453-2K L59-041-R 2 × UB59-453-2 2 UB59-453-2K L59-047-RP 2 × UB59-437 2 UB59-437K L59-047-RP 2 × UB59-437 2 UB59-453-2K L59-047-RP 2 × UB59-437 2 UB59-453-2K L59-047-RP 2 × UB59-437 2 UB59-453-2K L59-047-RP 2 × UB59-453-2 2 UB59-453-2K L59-047-RP 2 × UB59-453-2 2 UB59-453-2K L59-047-RP 2 × UB59-453-2 2 UB59-453-2K L59-047-RP 3 × UB59-453-2 3 UB59-453-		_eat	Springs	
Up to 280Kg Constant Load 2 L59-039-R 4+3 Leaves Raised Height (50mm Lift) Heavy Duty No Load 3+3 Leaves Raised Height (50mm Lift) Medium Duty Up to 100Kg Constant Load 3+1 Leaves Parabolic Raised Height (50mm Lift) Comfort Option Up to 100Kg Constant Load 4+3 Leaves Raised Height (50mm Lift) Comfort Option Up to 100Kg Constant Load 2 L59-047-RP 4+3 Leaves Raised Height (50mm Lift) Heavy Duty 280Kg Constant Load 5+3 Leaves Raised Height (50mm Lift) Super Heavy Duty 450Kg Constant Load 2 L59-041-R 5+3 Leaves Raised Height (50mm Lift) Super Heavy Duty 450Kg Constant Load 2 L59-041-R 5+3 Leaves Raised Height (50mm Lift) Super Heavy Duty 450Kg Constant Load 2 L59-042-R When Using L59-040-R or L59-041-R, the Longer Leaf on the 2nd Stage may be Turned Upside Down to give a Softer Ride. This will Reduce Load Carrying Capacity SHACKLE BUSH KIT Kit Contains: 4 x PB59-1501 4 x PB59-1501 4 x PB59-1502 2 x PB59-1503 1 PB59-1094K UB61-KIT Kit Contains: 4 x PB59-1502 2 x PB59-1503 1 PB59-1094K UB69-453-2K UB59-453-2 2 UB59-453-2K UB59-453-2K UB59-437-X UB59-453-2K UB59-437-X UB59-437-X UB59-437-X UB59-437-X UB59-453-2K UB59-437-X UB59-437-X UB59-437-X UB59-437-X UB59-453-2K UB59-437-X UB59-437-X UB59-453-2K UB59-437-X UB59-437-X UB59-437-X UB59-453-2K UB59-453-2K UB59-453-2K UB59-437-X UB59-453-2K UB59-437-K UB59-453-2K UB	(25mm Lift)			
Raised Height (50mm Lift) Heavy Duty No Load 3+3 Leaves Raised Height (50mm Lift) Medium Duty Up to 100Kg Constant Load 3+1 Leaves Parabolic Raised Height (50mm Lift) Comfort Option Up to 100Kg Constant Load 4+3 Leaves Raised Height (50mm Lift) Comfort Option Up to 100Kg Constant Load 2 L59-047-RP 4+3 Leaves Raised Height (50mm Lift) Heavy Duty 280Kg Constant Load 2 L59-041-R 5+3 Leaves Raised Height (50mm Lift) Super Heavy Duty 450Kg Constant Load 2 L59-041-R 5+3 Leaves Raised Height (50mm Lift) Super Heavy Duty 450Kg Constant Load 2 L59-041-R 5+3 Leaves Raised Height (50mm Lift) Super Heavy Duty 450Kg Constant Load 2 L59-041-R 5+3 Leaves Raised Height (50mm Lift) Super Heavy Duty 450Kg Constant Load 2 L59-041-R 2 NB59-1501 3 YB59-1501 4 × PB59-1501 4 × PB59-1501 2 × PB59-1501 1 × PB59-1501 2 × PB59-1501 1 × PB59-1502 2 × PB59-1503 1 PB59-1094K U-BOLT KIT Kit Contains: L59-039-R 2 × UB59-453-2 2 UB59-453-2K L59-040-R 2 × UB59-453-2 2 UB59-453-2K L59-041-R 2 × UB59-453-2 2 UB59-453-2K L59-041-R 2 × UB59-453-2 2 UB59-453-2K L59-041-R 2 × UB59-437 2 UB59-437K L59-047-RP 2 × UB59-437 2 UB59-437K L59-047-RP 2 × UB59-437 2 UB59-437K L59-047-RP 2 × UB59-437 2 UB59-437K SHOCK ABSORBER Comfort Option Twin Tube Gas Medium Load 2 G559-649 Extra Heavy Duty Twin Tube Gas Medium Load 2 G559-651 Heavy Duty Monotube Remote Reservoir 2 MR59-50649 BRAKE ADJUSTER Recommended when Raising Vehicle Not Required for Vehicles with ABS Brake System 1 BA59-002 SHACKLE		2	L59-039-R	
Heavy Duty No Load 3+3 Leaves Raised Height (50mm Lift) Medium Duty Up to 100Kg Constant Load 3+1 Leaves Parabolic Raised Height (50mm Lift) Comfort Option Up to 100Kg Constant Load 4+3 Leaves Raised Height (50mm Lift) Heavy Duty 280Kg Constant Load 5+3 Leaves Raised Height (50mm Lift) Super Heavy Duty 450Kg Constant Load 5+3 Leaves Raised Height (50mm Lift) Super Heavy Duty 450Kg Constant Load 2 L59-041-R 5+3 Leaves Raised Height (50mm Lift) Super Heavy Duty 450Kg Constant Load 2 L59-041-R 5+3 Leaves Raised Height (50mm Lift) Super Heavy Duty 450Kg Constant Load 2 L59-042-R When Using L59-040-R or L59-041-R, the Longer Leaf on the 2nd Stage may be Turned Upside Down to give a Softer Ride. This will Reduce Load Carrying Capacity SHACKLE BUSH KIT Kit Contains: L59-039-R 2 x UB59-453-2 2 UB59-453-2K L59-040-R 2 x UB59-453-2 2 UB59-453-2K L59-041-R 2 x UB59-453-2 2 UB59-437K L59-041-R 2 x UB59-437-2 2 UB59-437K L59-047-RP 2 x UB59-437 2 UB59-437K L59-047-RP 2 x UB59-437 2 UB59-437K U59-047-RP 2 x UB59-437 2 U59-0437K U59-047-RP 2 x U59-043-R 2 U5	4+3 Leaves			
3+3 Leaves Raised Height (50mm Lift) Medium Duty Up to 100Kg Constant Load 3+1 Leaves Parabolic Raised Height (50mm Lift) Comfort Option Up to 100Kg Constant Load 4+3 Leaves Raised Height (50mm Lift) Heavy Duty 280Kg Constant Load 5+3 Leaves Raised Height (50mm Lift) Super Heavy Duty 450Kg Constant Load 5+3 Leaves Raised Height (50mm Lift) Super Heavy Duty 450Kg Constant Load 2 L59-041-R 5+3 Leaves Raised Height (50mm Lift) Super Heavy Duty 450Kg Constant Load 5+3 Leaves Raised Height (50mm Lift) Super Heavy Duty 450Kg Constant Load 2 L59-041-R 5+3 Leaves Raised Height (50mm Lift) Super Heavy Duty 450Kg Constant Load 2 L59-041-R 5+3 Leaves Raised Height (50mm Lift) Super Heavy Duty 450Kg Constant Load 2 L59-042-R 2 x UB59-41-R 2 x UB59-453-2 2 UB59-453-2K L59-040-R 2 x UB59-453-2 2 UB59-453-2K L59-040-R 2 x UB59-453-2 2 UB59-437K L59-041-R 2 x UB59-437 2 UB59-437K L59-047-RP 2 x UB59-437 2 UB59-437K L59-047-RP 2 x UB59-437 2 UB59-437K L59-047-RP 2 x UB59-437 2 UB59-437K SHOCK ABSORBER Comfort Option Twin Tube Gas Medium Load 2 G559-649 Extra Heavy Duty Twin Tube Gas (Big Bore) 350Kg Constant Load 2 G559-649 Extra Heavy Duty Monotube Remote Reservoir 2 MR59-50649 BRAKE ADJUSTER Recommended when Raising Vehicle Not Required for Vehicles with ABS Brake System 1 BA59-002 SHACKLE				
Raised Height (50mm Lift) Medium Duty Up to 100Kg Constant Load 3+1 Leaves Parabolic Raised Height (50mm Lift) Comfort Option Up to 100Kg Constant Load 4+3 Leaves Raised Height (50mm Lift) Heavy Duty 280Kg Constant Load 2 L59-041-R 5+3 Leaves Raised Height (50mm Lift) Super Heavy Duty 450Kg Constant Load 2 L59-041-R 5+3 Leaves Raised Height (50mm Lift) Super Heavy Duty 450Kg Constant Load 2 L59-042-R When Using L59-040-R or L59-041-R, the Longer Leaf on the 2nd Stage may be Turned Upside Down to give a Softer Ride. This will Reduce Load Carrying Capacity SHACKLE BUSH KIT Kit Contains: 4 x PB59-1501 4 x PB59-1501 4 x PB59-1501 2 x PB59-1503 1 PB59-1094K U-BOLT KIT Kit Contains: L59-039-R 2 x UB59-453-2 2 UB59-453-2K L59-041-R 2 x UB59-453-2 2 UB59-453-2K L59-041-R 2 x UB59-453-2 2 UB59-453-2K L59-047-RP 2 x UB59-437 2 UB59-437K L59-047-RP 2 x UB59-437 2 UB59-437K SHOCK ABSORBER Comfort Option Twin Tube Gas Medium Load 2 G559-649 Extra Heavy Duty Twin Tube Gas Medium Load 2 G559-651 Heavy Duty Monotube Remote Reservoir 2 MR59-50649 BRAKE ADJUSTER Recommended when Raising Vehicle Not Required for Vehicles with ABS Brake System 1 BA59-002 SHACKLE		2	L59-039-R	
Up to 100Kg Constant Load 3+1 Leaves Parabolic Raised Height (Somm Lift) Comfort Option Up to 100Kg Constant Load 4+3 Leaves Raised Height (Somm Lift) Heavy Duty 280Kg Constant Load 5+3 Leaves Raised Height (Somm Lift) Heavy Duty 450Kg Constant Load 5+3 Leaves Raised Height (Somm Lift) Super Heavy Duty 450Kg Constant Load 5+3 Leaves Raised Height (Somm Lift) Super Heavy Duty 450Kg Constant Load 5+3 Leaves Raised Height (Somm Lift) Super Heavy Duty 450Kg Constant Load 5+3 Leaves Raised Height (Somm Lift) Super Heavy Duty 450Kg Constant Load 2 L59-041-R 2h L59-040-R or L59-041-R, the Longer Leaf on the 2nd Stage may be Turned Upside Down to give a Softer Ride. This will Reduce Load Carrying Capacity SHACKLE BUSH KIT Kit Contains: 4 x PB59-1501 4 x PB59-1501 4 x PB59-1502 2 x PB59-1503 1 PB59-1094K U-BOLT KIT Kit Contains: 4 x PB59-1502 2 x UB59-453-2 2 UB59-453-2 K L59-040-R 2 x UB59-453-2 2 UB59-453-2K L59-041-R 2 x UB59-453-2 2 UB59-453-2K L59-042-R 2 x UB59-437 2 UB59-437K L59-047-RP 2 x UB59-437 2 UB59-437K L59-047-RP 2 x UB59-437 2 UB59-437K SHOCK ABSORBER Comfort Option Twin Tube Gas Medium Load 2 GS59-649 Extra Heavy Duty Twin Tube Gas Medium Load 2 GS59-649 Extra Heavy Duty Twin Tube Gas Medium Load 2 GS59-651 Heavy Duty Monotube Remote Reservoir 2 MR59-50649 BRAKE ADJUSTER Recommended when Raising Vehicle Not Required for Vehicles with ABS Brake System 1 BA59-002 SHACKLE Greasable: Fit in Pairs 2 SK59-053	Raised Height (50mm Lift)			
Raised Height (50mm Lift) Comfort Option Up to 100Kg Constant Load 2 4+3 Leaves Raised Height (50mm Lift) Heavy Duty 280Kg Constant Load 2 5+3 Leaves Raised Height (50mm Lift) Heavy Duty 450Kg Constant Load 2 L59-041-R Super Heavy Duty 450Kg Constant Load 2 L59-042-R When Using L59-040-R or L59-041-R, the Longer Leaf on the 2nd Stage may be Turned Upside Down to give a Softer Ride. This will Reduce Load Carrying Capacity SHACKLE BUSH KIT Kit Contains: 4 x PB59-1501 4 x PB59-1501 4 x PB59-1501 2 x VB59-453-2 2 2 x PB59-1503 1 L59-039-R 2 x UB59-453-2 2 L59-041-R 2 x UB59-453-2 2 L59-041-R 2 x UB59-453-2 2 L59-041-R 2 x UB59-453-2 2 L59-047-RP 2 x UB59-437 2 L59-047-RP 2 x UB59-437 2 UB59-437K L59-047-RP 2 x UB59-437 2 UB59-437K SHOCK ABSORBER Comfort Option Twin Tube Gas Medium Load 2 GS59-649 Extra Heavy Duty Twin Tube Gas (Big Bore) 350Kg Constant Load 2 GS59-651 Heavy Duty Monotube Remote Reservoir 2 MR59-50649 BRAKE ADJUSTER Recommended when Raising Vehicle Not Required for Vehicles with ABS Brake System 1 BA59-002 SHACKLE		2	L59-040-R	
Comfort Option Up to 100Kg Constant Load 4+3 Leaves Raised Height (50mm Lift) Heavy Duty 280Kg Constant Load 5+3 Leaves Raised Height (50mm Lift) Super Heavy Duty 450Kg Constant Load 2 L59-041-R Super Heavy Duty 450Kg Constant Load 2 L59-042-R When Using L59-040-R or L59-041-R, the Longer Leaf on the 2nd Stage may be Turned Upside Down to give a Softer Ride. This will Reduce Load Carrying Capacity SHACKLE BUSH KIT Kit Contains: 4 x P859-1501 4 x P859-1501 4 x P859-1501 2 x x P859-1503 1 PB59-1094K U-BOLT KIT Kit Contains: L59-039-R 2 x U859-453-2 2 U859-453-2K L59-040-R 2 x U859-453-2 2 U859-453-2K L59-041-R 2 x U859-437-2 2 U859-453-2K L59-042-R 2 x U859-437-2 2 U859-437K L59-047-RP 2 x U859-437 2 U859-437K SHOCK ABSORBER Comfort Option Twin Tube Gas (Big Bore) 350Kg Constant Load 2 GS59-649 Extra Heavy Duty Twin Tube Gas (Big Bore) 350Kg Constant Load 2 GS59-651 Heavy Duty Monotube Remote Reservoir Recommended when Raising Vehicle Not Required for Vehicles with ABS Brake System 1 BA59-002 SHACKLE Greasable: Fit in Pairs 2 SK59-053				
A+3 Leaves Raised Height (50mm Lift) Heavy Duty 280Kg Constant Load 5+3 Leaves Raised Height (50mm Lift) Super Heavy Duty 450Kg Constant Load 2 L59-041-R Super Heavy Duty 450Kg Constant Load 2 L59-042-R When Using L59-040-R or L59-041-R, the Longer Leaf on the 2nd Stage may be Turned Upside Down to give a Softer Ride. This will Reduce Load Carrying Capacity SHACKLE BUSH KIT Kit Contains: 4 x PB59-1501 4 x PB59-1502 2 x PB59-1503 1 PB59-1094K When Using L59-040-R or L59-041-R, the Longer Leaf on the 2nd Stage may be Turned Upside Down to give a Softer Ride. This will Reduce Load Carrying Capacity SHACKLE BUSH KIT Kit Contains: 4 x PB59-1501 4 x PB59-1502 2 x VB59-1503 1 PB59-1094K When Using L59-041-R 2 x UB59-453-2 2 UB59-453-2K UB59-453-2K UB59-045-3-2 2 UB59-453-2K UB59-453-2K UB59-437K UB59-437K UB59-437K UB59-437K UB59-437K UB59-437K UB59-437K UB59-437K UB59-437K UB59-649 Extra Heavy Duty Twin Tube Gas Medium Load Medium Load Medium Load Medium Load Medium Load UBGSP-649 Extra Heavy Duty Twin Tube Gas Medium Load UBGSP-649 Extra Heavy Duty Twin Tube Gas Medium Load UBGSP-649 Extra Heavy Duty Twin Tube Gas Medium Load UBSP-650649 Extra Heavy Duty Twin Tube Gas Medium Load UBSP-650649 BRAKE ADJUSTER Recommended when Raising Vehicle Not Required for Vehicles with ABS Brake System 1 BA59-002 SHACKLE SHACKLE SHACKLE	Comfort Option			
Raised Height (50mm Lift) Heavy Duty 280Kg Constant Load 5+3 Leaves Raised Height (50mm Lift) Super Heavy Duty 450Kg Constant Load 2 L59-041-R Super Heavy Duty 450Kg Constant Load 2 L59-042-R When Using L59-040-R or L59-041-R, the Longer Leaf on the 2nd Stage may be Turned Upside Down to give a Softer Ride. This will Reduce Load Carrying Capacity SHACKLE BUSH KIT Kit Contains: 4 x PB59-1501 4 x PB59-1501 4 x PB59-1502 2 x PB59-1503 1 PB59-1094K U-BOLT KIT Kit Contains: L59-039-R 2 x UB59-453-2 2 UB59-453-2K L59-041-R 2 x UB59-453-2 2 UB59-453-2K L59-041-R 2 x UB59-453-2 2 UB59-453-2K L59-041-R 2 x UB59-437-2 2 UB59-437K L59-047-RP 2 x UB59-437 2 UB59-437K SHOCK ABSORBER Comfort Option Twin Tube Gas Medium Load Medium Load Extra Heavy Duty Twin Tube Gas Medium Load (Big Bore) 350Kg Constant Load 2 GS59-649 Extra Heavy Duty Monotube Remote Reservoir 2 MR59-50649 BRAKE ADJUSTER Recommended when Raising Vehicle Not Required for Vehicles with ABS Brake System 1 BA59-002 SHACKLE		2	L59-047-RP	
280Kg Constant Load 5+3 Leaves Raised Height (50mm Lift) Super Heavy Duty 450Kg Constant Load 2 L59-042-R When Using L59-040-R or L59-041-R, the Longer Leaf on the 2nd Stage may be Turned Upside Down to give a Softer Ride. This will Reduce Load Carrying Capacity SHACKLE BUSH KIT Kit Contains: 4 x PB59-1501 4 x PB59-1502 2 x PB59-1503 1 PB59-1094K U-BOLT KIT Kit Contains: L59-040-R 2 x UB59-453-2 2 UB59-453-2K L59-041-R 2 x UB59-453-2 2 UB59-453-2K L59-041-R 2 x UB59-453-2 2 UB59-453-2K L59-047-RP 2 x UB59-437 2 UB59-437K L59-047-RP 2 x UB59-437 2 UB59-437K SHOCK ABSORBER Comfort Option Twin Tube Gas Medium Load Extra Heavy Duty Twin Tube Gas (Big Bore) 350Kg Constant Load 2 GS59-649 Extra Heavy Duty Monotube Remote Reservoir 2 MR59-50649 BRAKE ADJUSTER Recommended when Raising Vehicle Not Required for Vehicles with ABS Brake System 1 BA59-002 SHACKLE	Raised Height (50mm Lift)			
Raised Height (50mm Lift) Super Heavy Duty 450Kg Constant Load 2 L59-042-R When Using L59-040-R or L59-041-R, the Longer Leaf on the 2nd Stage may be Turned Upside Down to give a Softer Ride. This will Reduce Load Carrying Capacity SHACKLE BUSH KIT Kit Contains: 4 x PB59-1501 4 x x PB59-1502 2 x x PB59-1503 1 PB59-1094K U-BOLT KIT Kit Contains: L59-039-R 2 x UB59-453-2 2 UB59-453-2K L59-040-R 2 x UB59-453-2 2 UB59-453-2K L59-041-R 2 x UB59-453-2 2 UB59-453-2K L59-047-RP 2 x UB59-437 2 UB59-437K L59-047-RP 2 x UB59-437 2 UB59-437K SHOCK ABSORBER Comfort Option Twin Tube Gas Medium Load 2 GS59-649 Extra Heavy Duty Twin Tube Gas (Big Bore) 350Kg Constant Load 2 GS59-651 Heavy Duty Monotube Remote Reservoir 2 MR59-50649 BRAKE ADJUSTER Recommended when Raising Vehicle Not Required for Vehicles with ABS Brake System 1 BA59-002 SHACKLE Greasable: Fit in Pairs 2 SK59-053	280Kg Constant Load	2	L59-041-R	
Super Heavy Duty 450Kg Constant Load 2 L59-042-R When Using L59-040-R or L59-041-R, the Longer Leaf on the 2nd Stage may be Turned Upside Down to give a Softer Ride. This will Reduce Load Carrying Capacity SHACKLE BUSH KIT Kit Contains: 4 x PB59-1501 4 x PB59-1502 2 x PB59-1503 1 PB59-1094K U-BOLT KIT Kit Contains: L59-039-R 2 x UB59-453-2 2 UB59-453-2K L59-040-R 2 x UB59-453-2 2 UB59-453-2K L59-041-R 2 x UB59-453-2 2 UB59-453-2K L59-047-R 2 x UB59-437 2 UB59-437K L59-047-R 2 x UB59-437 2 UB59-437K SHOCK ABSORBER Comfort Option Twin Tube Gas Medium Load Extra Heavy Duty Twin Tube Gas (Big Bore) 350Kg Constant Load 2 GS59-649 Extra Heavy Duty Monotube Remote Reservoir 2 MR59-50649 BRAKE ADJUSTER Recommended when Raising Vehicle Not Required for Vehicles with ABS Brake System 1 BA59-002 SHACKLE Greasable: Fit in Pairs 2 SK59-053				
When Using L59-040-R or L59-041-R, the Longer Leaf on the 2nd Stage may be Turned Upside Down to give a Softer Ride. This will Reduce Load Carrying Capacity SHACKLE BUSH KIT Kit Contains: 4 x PB59-1501 4 x PB59-1502 2 x PB59-1503 1 PB59-1094K U-BOLT KIT Kit Contains: L59-039-R 2 x UB59-453-2 2 UB59-453-2K L59-040-R 2 x UB59-453-2 2 UB59-453-2K L59-041-R 2 x UB59-457-2 2 UB59-453-2K L59-042-R 2 x UB59-437 2 UB59-437K L59-047-RP 2 x UB59-437 2 UB59-437K SHOCK ABSORBER Comfort Option Twin Tube Gas Medium Load Extra Heavy Duty Twin Tube Gas Medium Load Extra Heavy Duty Twin Tube Gas (Big Bore) 350Kg Constant Load 2 GS59-649 Extra Heavy Duty Twin Tube Gas (Big Bore) 350Kg Constant Load 2 GS59-651 Heavy Duty Monotube Remote Reservoir 2 MR59-50649 BRAKE ADJUSTER Recommended when Raising Vehicle Not Required for Vehicles with ABS Brake System 1 BA59-002 SHACKLE	Super Heavy Duty	2	L59-042-P	
SHACKLE BUSH KIT	,			the
SHACKLE BUSH KIT Kit Contains: 4 x PB59-1501 4 x PB59-1502 2 x PB59-1503 1 PB59-1094K U-BOLT KIT Kit Contains: L59-039-R 2 x UB59-453-2 2 UB59-453-2K L59-040-R 2 x UB59-453-2 2 UB59-453-2K L59-041-R 2 x UB59-437 2 UB59-437K L59-047-RP 2 x UB59-437 2 UB59-437K L59-047-RP 2 x UB59-437 2 UB59-437K SHOCK ABSORBER Comfort Option Twin Tube Gas Medium Load 2 GS59-649 Extra Heavy Duty Twin Tube Gas (Big Bore) 350Kg Constant Load 2 GS59-651 Heavy Duty Monotube Remote Reservoir 2 MR59-50649 BRAKE ADJUSTER Recommended when Raising Vehicle Not Required for Vehicles with ABS Brake System 1 BA59-002 SHACKLE				de.
Kit Contains: 4 x PB59-1501			capacity	
## A x PB59-1502 2 x PB59-1503 1 PB59-1094K U-BOLT KIT				
D-BOLT KIT Kit Contains: L59-039-R 2 x UB59-453-2 2 UB59-453-2 L59-040-R 2 x UB59-453-2 2 UB59-453-2 L59-041-R 2 x UB59-437 2 UB59-453-2 L59-042-R 2 x UB59-437 2 UB59-437 L59-047-RP 2 x UB59-437 2 UB59-437				
Kit Contains: L59-039-R 2 x UB59-453-2 2 UB59-453-2K L59-040-R 2 x UB59-453-2 2 UB59-453-2K L59-041-R 2 x UB59-453-2 2 UB59-437K L59-042-R 2 x UB59-437 2 UB59-437K L59-047-RP 2 x UB59-437 2 UB59-437K SHOCK ABSORBER Comfort Option Twin Tube Gas Medium Load Extra Heavy Duty Twin Tube Gas (Big Bore) 350Kg Constant Load 2 GS59-649 Extra Heavy Duty Monotube Remote Reservoir 2 MR59-50649 BRAKE ADJUSTER Recommended when Raising Vehicle Not Required for Vehicles with ABS Brake System 1 BA59-002 SHACKLE Greasable: Fit in Pairs 2 SK59-053		1	PB59-1094K	
L59-039-R 2 x UB59-453-2 2 UB59-453-2K L59-040-R 2 x UB59-453-2 2 UB59-453-2K L59-041-R 2 x UB59-453-2 2 UB59-437K L59-042-R 2 x UB59-437 2 UB59-437K L59-047-RP 2 x UB59-437 2 UB59-437K SHOCK ABSORBER Comfort Option Twin Tube Gas Medium Load 2 GS59-649 Extra Heavy Duty Twin Tube Gas (Big Bore) 350Kg Constant Load 2 GS59-651 Heavy Duty Monotube Remote Reservoir 2 MR59-50649 BRAKE ADJUSTER Recommended when Raising Vehicle Not Required for Vehicles with ABS Brake System 1 BA59-002 SHACKLE Greasable: Fit in Pairs 2 SK59-053	U-BOLT KIT			1
L59-040-R 2 x UB59-453-2 2 UB59-453-2K L59-041-R 2 x UB59-453-2 2 UB59-437K L59-042-R 2 x UB59-437 2 UB59-437K L59-047-RP 2 x UB59-437 2 UB59-437K SHOCK ABSORBER Comfort Option Twin Tube Gas Medium Load 2 GS59-649 Extra Heavy Duty Twin Tube Gas (Big Bore) 350Kg Constant Load 2 GS59-651 Heavy Duty Monotube Remote Reservoir 2 MR59-50649 BRAKE ADJUSTER Recommended when Raising Vehicle Not Required for Vehicles with ABS Brake System 1 BA59-002 SHACKLE Greasable: Fit in Pairs 2 SK59-053	Kit Contains:			
L59-041-R 2 x UB59-453-2 2 UB59-437K L59-042-R 2 x UB59-437 2 UB59-437K L59-047-RP 2 x UB59-437 2 UB59-437K SHOCK ABSORBER Comfort Option Twin Tube Gas Medium Load Extra Heavy Duty Twin Tube Gas (Big Bore) 350Kg Constant Load Remote Reservoir BRAKE ADJUSTER Recommended when Raising Vehicle Not Required for Vehicles with ABS Brake System 1 BA59-002 SHACKLE Greasable: Fit in Pairs 2 SK59-053		_		
SHACKLE SHOCK ABSORBER Comfort Option Twin Tube Gas Medium Load Extra Heavy Duty Twin Tube Gas (Big Bore) 350Kg Constant Load 2 GS59-649 Extra Heavy Duty Monotube Remote Reservoir 2 MR59-50649 BRAKE ADJUSTER Recommended when Raising Vehicle Not Required for Vehicles with ABS Brake System 1 BA59-002 SHACKLE				
SHOCK ABSORBER Comfort Option Twin Tube Gas Medium Load Extra Heavy Duty Twin Tube Gas (Big Bore) 350Kg Constant Load 2 GS59-649 Heavy Duty Monotube Remote Reservoir 2 MR59-50649 BRAKE ADJUSTER Recommended when Raising Vehicle Not Required for Vehicles with ABS Brake System 1 BA59-002 SHACKLE Greasable: Fit in Pairs 2 SK59-053	L59-042-R 2 x UB59-437	2	UB59-437K	
Comfort Option Twin Tube Gas Medium Load Extra Heavy Duty Twin Tube Gas (Big Bore) 350Kg Constant Load 2 GS59-649 Heavy Duty Monotube Remote Reservoir BRAKE ADJUSTER Recommended when Raising Vehicle Not Required for Vehicles with ABS Brake System 1 BA59-002 SHACKLE Greasable: Fit in Pairs 2 SK59-053	L59-047-RP 2 x UB59-437	2	UB59-437K	
Twin Tube Gas Medium Load Extra Heavy Duty Twin Tube Gas (Big Bore) 350Kg Constant Load 2 GS59-649 Heavy Duty Monotube Remote Reservoir 2 MR59-50649 BRAKE ADJUSTER Recommended when Raising Vehicle Not Required for Vehicles with ABS Brake System 1 BA59-002 SHACKLE Greasable: Fit in Pairs 2 SK59-053		R		
Extra Heavy Duty Twin Tube Gas (Big Bore) 350Kg Constant Load 2 GS59-651 Heavy Duty Monotube Remote Reservoir 2 MR59-50649 BRAKE ADJUSTER Recommended when Raising Vehicle Not Required for Vehicles with ABS Brake System 1 BA59-002 SHACKLE Greasable: Fit in Pairs 2 SK59-053	Twin Tube Gas			
Twin Tube Gas (Big Bore) 350Kg Constant Load 2 GS59-651 Heavy Duty Monotube Remote Reservoir 2 MR59-50649 BRAKE ADJUSTER Recommended when Raising Vehicle Not Required for Vehicles with ABS Brake System 1 BA59-002 SHACKLE Greasable: Fit in Pairs 2 SK59-053	^ 	2	GS59-649	
(Big Bore) 350Kg Constant Load 2 GS59-651 Heavy Duty Monotube Remote Reservoir 2 MR59-50649 BRAKE ADJUSTER Recommended when Raising Vehicle Not Required for Vehicles with ABS Brake System 1 BA59-002 SHACKLE Greasable: Fit in Pairs 2 SK59-053				
Heavy Duty Monotube Remote Reservoir 2 MR59-50649 BRAKE ADJUSTER Recommended when Raising Vehicle Not Required for Vehicles with ABS Brake System 1 BA59-002 SHACKLE Greasable: Fit in Pairs 2 SK59-053	(Big Bore)	2	GS59-651	
Remote Reservoir 2 MR59-50649 BRAKE ADJUSTER Recommended when Raising Vehicle Not Required for Vehicles with ABS Brake System 1 BA59-002 SHACKLE Greasable: Fit in Pairs 2 SK59-053	•	_	2007 001	
Recommended when Raising Vehicle Not Required for Vehicles with ABS Brake System 1 SHACKLE Greasable: Fit in Pairs 2 SK59-053		2	MR59-50649	
Not Required for Vehicles with ABS Brake System 1 BA59-002 SHACKLE Greasable: Fit in Pairs 2 SK59-053	BRAKE ADJUSTE	R		
System 1 BA59-002 SHACKLE Greasable: Fit in Pairs 2 SK59-053				
Greasable: Fit in Pairs 2 SK59-053		1	BA59-002	
Sicustification 2	SHACKLE			
Sicustification 2	パな 1		01/26 27-	
PIN	Greasable: Fit in Pairs	2	SK59-053	
	PIN			
Greasable: Fit in Pairs 2 SP59-060	Greasable: Fit in Pairs	2	SP59-060	



TYPE: Hilux, Vigo (150 Series)

MODEL: KUN, GGN 25/26, KZN 35/36

YEAR: 2005 - Mid 2015

DETAIL: 4x4 Single Cab, Extra Cab, Dual Cab 75mm (3" Lift)



	FRONT	QΤΥ	PART NUMBER	PRICE	REAR
	COIL SPRING				LEAF SPRING
	Linear Rate Raised Height (3" Lift)	1	C59-354	В	It is a Requirement that the E BA59-002 be Fitted When Using T
MMMMI	Linear Rate Raised Height (3" Lift) 80-120Kg Accessories (Bullbar AND Winch)	1	C59-318	В	3+1 Leaves Raised Height (50mm Lift) Medium Duty Up to 100Kg Constant Load
					L59-047-RP Lifts Only 50mm to Prov
<u> </u>	SHOCK ABSORB Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of	ER			3+1 Leaves Raised Height (75mm Lift) Medium Duty Up to 100Kg Constant Load
	X = 226mm/8.89"X - Centre of Eye to Spring Seat	2	MDE0_E0220		SHACKLE BUSH
F	Please Note That the Diff Drop be Fitted When Using The Abo	Kit			Kit Contains: 4 x PB59-1501 4 x PB59-1502
o -	Adjustable Spring Seat Heavy Duty Twin Tube Gas	2	GS59-224		2 x PB59-1503
,					U-BOLT KIT
	DIFF DROP KIT				Kit Contains:
,	Recommended When Raising Vehicle Above 50mm	1	DD59-527K		2 x UB59-437
1					SHOCK ABSORB
:E: 0	STRUT CAP	2	5550 001		Heavy Duty Twin Tube Gas (Big Bore)
	Strut Top Caps	2	SC59-001		Heavy Duty Monotube Remote Reservoir
					BRAKE ADJUST
					Recommended when Raising Vehicle. Not required for vehicles with ABS Brake System
					Not Required For Vehicles with A
					SHACKLE
					Greasable: Fit in Pairs

	REAR	QTY	PART NUMBER	PRICE
	LEAF SPRING			
ВА	It is a Requirement that the Br 59-002 be Fitted When Using Th			
م_	3+1 Leaves Raised Height (50mm Lift) Medium Duty Up to 100Kg Constant Load	2	L59-047-RP	
L59-0	47-RP Lifts Only 50mm to Provide	de a	More Level Loc	ok
م	3+1 Leaves Raised Height (75mm Lift) Medium Duty Up to 100Kg Constant Load	2	L59-049-RP	
	SHACKLE BUSH K	П		
OLI	Kit Contains: 4 x PB59-1501 4 x PB59-1502 2 x PB59-1503	1	PB59-1094K	
	U-BOLT KIT			
	Kit Contains: 2 x UB59-437	2	UB59-437K	
	SHOCK ABSORBE	R		1
•	Heavy Duty Twin Tube Gas (Big Bore)		GS59-651	
	Heavy Duty Monotube Remote Reservoir	2	MR59-50649	
	BRAKE ADJUSTE			1
	nended when Raising Vehicle. Not required for vehicles with ABS Brake System		BA59-002	
No	ot Required For Vehicles with AB	SS E	Brake System	
	•		· · · · · · · · · · · · · · · · · · ·	
	SHACKLE			
なな!	Greasable: Fit in Pairs	2	SK59-053	
	PIN			
• ++-	Greasable: Fit in Pairs	2	SP59-060	
	WARNING - 75MM (3") OR I	110	HER LIFT	
	on components listed on this pa			use only.
CAUTION - An E	er to Local Laws before Fitting to Engineering Certificate may be r dling Characteristics will Dimini	equ	uired	
The followin	ng modifications (but not limite the vehicle before the kit			nade to

the vehicle before the kit is fitted.

Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page. These products do not come with any warranty or guarantee.

- Diff Drop Kits

- Upper Control Arms - Brake Hoses

- Extended Bump Stops

- Gear Box & Drive Line

Modifications
- Steering Arms
- Swaybar Modification



TYPE: Hilux Revo

MODEL: KUN/GGN/GUN 125, KUN/GUN 126,

JN13

YEAR: 2015 on DETAIL: 4x4



	FRONT	QTY	PART NUMBER	PRICE
1	COIL SPRING			
	Single Cab			
	Linear Rate Standard Height (15mm Lift) 50 - 100Kg Accessories	1	C59-718	В
MMMMM	Linear Rate Raised Height (45mm Lift) Up to 60Kg Accessories	1	C59-296	В
	Linear Rate Raised Height (45mm Lift) 80-100Kg Accessories	1	C59-300	В
	Dual Cab			
	Linear Rate Standard Height 50 - 100Kg Accessories	1	C59-718	В
	Linear Rate Raised Height (45mm Lift) Comfort Option Up to 40Kg Accessories	1	C59-302	В
M	Linear Rate Raised Height (45mm Lift) Heavy Duty		GEO 353	
	Up to 40Kg Accessories Linear Rate	1	C59-350	В
	Raised Height (45mm Lift) Heavy Duty Up to 40-80Kg Accessories	1	C59-354	В
	Linear Rate Raised Height (45mm Lift) Heavy Duty 80-120Kg Accessories	1	C59-736	В
	GUAGK ARGARA			
•	SHOCK ABSORBE	R		
O	Heavy Duty Twin Tube Gas Monotube Remote Reservoir	2	GS59-228	
<u> </u>	Adjustable Spring Seat Heavy Duty Original Setting of X = 226mm/8.89"X - Centre of Eye to Spring Seat	2	MR59-50228	
1	STRUT CAP			
	STROT CAP			
T 0	Strut Top Caps	2	SC59-001	

	REAR	Σ	PART NUMBER	PRICE
	LEAF SPRING	7	NOMBER	
	4+3 Leaves			
	Raised Height (45mm Lift)			
	Medium Duty			
	Up to 100Kg Constant Load	2	L59-174-R	
	5+3 Leaves			
0 0	Raised Height (45mm Lift)			
	Heavy Duty 250-300Kg Constant Load	2	L59-175-R	
		2	L39-1/3-K	
	6+3 Leaves			
	Raised Height (45mm Lift) Super Heavy Duty			
	580Kg Constant Load	2	L59-176-R	
	2+1 Leaves Parabolic			
0	Raised Height (50mm Lift)			
	Comfort Option	_		
	Up to 60Kg Constant	2	L59-178-RP	
1				
	SHACKLE BUSH K	ΙT		
1	Kit Contains:			
	2 x PB59-1503			
	4 x PB59-1501 4 x PB59-1502	1	PB59-1094K	
	4 X PB39-1302	1	PD39-1094K	
	JI BOLT KIT			
_	U-BOLT KIT			
	Kit Contains:	2	UDEO 427K	
	2 x UB59-437	2	UB59-437K	
1	CHOCK ARCORRE			
	SHOCK ABSORBE	ĸ		
0	Heavy Duty Twin Tube Gas	2	GS59-229	
		_		
	Heavy Duty Monotube Remote Reservoir	2	MR59-50229	
	Remote Reservoir	-	11105 50225	
+	SHACKLE			ì
## 1	Rear of Rear Spring	2	SK59-064	
	PIN			
	Front of Rear Spring			
	Greasable: Fit in Pairs		SP59-060	
This part	is recommended with all kits a inhibits original bolt ren			ition
	יייייייייייייייייייייייייייייייייייייי	1100	ai.	
1				



TYPE: Hilux Revo

MODEL: KUN/GGN/GUN 125, KUN/GUN 126,

YEAR: 2015 on **DETAIL:** 4x4

75mm (3" Lift)



	FRONT	QTY	PART NUMBER	PRICE			
COIL SPRING							
	Single Cab						
MWWWM	Linear Rate Raised Height (75mm Lift) 50-100Kg Accessories	1	C59-350	В			
	Dual Cab						
MAAAAAAAA	Linear Rate Raised Height (75mm Lift) Heavy Duty 40-60Kg Accessories	1	C59-354	В			
M	Linear Rate Raised Height (75mm Lift) Heavy Duty 60-90Kg Accessories	1	C59-318	В			
1	SHOCK ABSORBE	R					
• -	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 233mm/8.9"X - Centre of Eye to Spring Seat	2	MR59-50228				
İ	STRUT CAP						
ਜ਼ 0	Strut Top Caps	2	SC59-001				
Diff Drop	recommended to improve CV an recommended to improve whe			Arms			



Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page. These products do not come with any warranty or guarantee.

- Drop Diff Kits

- Brake Hoses

- Upper Control Arms

- Extended Bump Stops

- Gear Box & Drive Line

- Swaybar Modification

Modifications

- Steering Arms



TYPE: 4 Runner (1st Generation)

MODEL: LN60, RN60, YN60

YEAR: Pre 08/1985

DETAIL: Leaf Spring Suspension



	FRONT	QTY	PART	PRICE
	LEAF SPRING	lo	NUMBER	
	5 Leaves Raised Height (50mm Lift)	1	HIL-002-F RH	
	Petrol Diesel (No Accessories)	1		
		1	HIL-UUZ-F LH	
	5 Leaves Raised Height (50mm Lift)	1	HIL-003-F RH	
	Diesel (Bullbar OR Winch)	1	HIL-003-F LH	
	SHACKLE BUSH K			
	Kit Contains:			
	8 x SPF2231		1000V	
	4 x SPF2240	1	PB59-1032K	
	U-BOLT KIT			
	Right Hand Side	•		
	Kit Contains: 1 x UB59-437			
	1 x UB59-449-3	1	UB59-449-3K	
	Left Hand Side			
	Kit Contains:			
	2 x UB59-667	1	UB59-667K	
1	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas	2	GS59-639	
	STEERING DAMPE	RS		
	Heavy Duty (Big Bore) Complete with Fittings	1	SD59-821	
	Complete with Fittings	1	3039-021	
ı	SHACKLE			
22.22.1	Cuanable, Fit in Daine	2	CKEO 001	
	Greasable: Fit in Pairs	2	SK59-001	
· · · · · · · · · · · · · · · · · · ·	PIN			
	Greasable: Fit in Pairs	2	SP59-005	

	REAR	QTY	PART	PRICE
	LEAF SPRING	TO	NUMBER	
		1	TOY-470-R RH	
م	4+2 Leaves Raised Height (50mm Lift)		TOY-470-R LH	
	raisea rieight (Somm Ent)		101 170 K 211	
1	SHACKLE BUSH K	ш		
	Kit Contains:			
	12 x SPF2231	1	PB59-1033K	
	U POLT KIT			
	U-BOLT KIT Kit Contains:			
	2 x UB59-667	2	UB59-667K	
	SHOCK ABSORBE	R		
	Comfort Option			
	Twin Tube Gas Medium Load	2	GS59-649	
	Extra Heavy Duty			
	Twin Tube Gas			
	(Big Bore) 350Kg Constant Load	2	GS59-651	
	, , , , , , , , , , , , , , , , , , ,			
	SHACKLE			
# 1			OV. 20 -	
4-+- •	Greasable: Fit in Pairs	2	SK59-009	
	PIN			
	1211			
	Greasable: Fit in Pairs	2	SP59-005	



TYPE: 4 Runner

MODEL: LN61, YN63

YEAR: 08/1985 - 1989

DETAIL: Independent Front Suspension



FRONT	QTY	PART NUMBER	PRICE		REAR	QTY	PART NUMBER	PRICE
TORSION BAR					LEAF SPRING			
_ Heavy Duty					4+2 Leaves		TOY-470-R RH	
Rate Increased				م	Raised Height (50mm Lift)			
Length 1064mm	1	TB59-1646			Up to 100Kg Constant Load	1	TOY-470-R LH	
SHOCK ABSORBE	R			1	SHACKLE BUSH K	Ш		
- Tube Co	_	6650 000			Kit Contains:			
Heavy Duty Twin Tube Gas	2	GS59-088			12 x SPF2231	1	PB59-1033K	
STEERING DAMPE	₹R				U-BOLT KIT			
Heavy Duty		CDE0 022			Kit Contains:			
Complete with Fittings	1	SD59-833			2 x UB59-667	2	UB59-667K	
					SHOCK ABSORBE	Б		
					Comfort Option			
					Twin Tube Gas			
				l	Medium Load	2	GS59-649	
					Extra Heavy Duty			
					Twin Tube Gas (Big Bore)			
					350Kg Constant Load	2	GS59-651	
				,				
					SHACKLE			
				# 1	Greasable: Fit in Pairs	2	SK59-009	
					PIN			
					Greasable: Fit in Pairs	2	SP59-005	



TYPE: 4 Runner (2nd Generation)

MODEL: LN130, RN130, YN130, VZN130 (V6)

YEAR: 11/1989 - 1997

DETAIL: Surf Independent Front Suspension




0		DETAIL.	Suit Illu
FRONT	QTY	PART NUMBER	PRICE
TORSION BAR			
Heavy Duty Rate Increased Length 1064mm	1	TB59-1646	
SHOCK ABSORBE	R		
 Heavy Duty Twin Tube Gas	2	GS59-088	
STEERING DAMPI	ER		
Heavy Duty Complete with Fittings	1	SD59-833	

	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Linear Rate Standard Height	1	C59-163	В
	Linear Rate Raised Height (50mm Lift)	1	C59-161	В
www	Variable Rate Raised Height (50mm Lift)	1	C59-159V	В
	Linear Rate Raised Height (50mm_Lift)			
	Extra Heavy Duty 150Kg Constant Load	1	C59-165	В
	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas (Big Bore)		GS59-225	
	UNDER BODY BUSH Kit Includes Front & Rear Under			
	2 x Rear Panhard Rod Bush 2 x Rear Trailing Arm Bush		PB59-1254K	
	2 x rear Training 7th Dash	_	. 555 125 IK	



TYPE: 4 Runner / Surf (3rd Generation)

MODEL: KZN185 3.0L TD, RZN185 2.7L Petrol, VZN185 3.4L V6



YEAR: 1996 - 2003 Vagon



	0		DETAIL:	Station '
	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING RZN185/VZN18	E		
	Linear Rate Standard Height		C59-132	В
WWWW	Linear Rate Raised Height (20mm Lift) (Recommended)	1	C59-274	В
	Linear Rate Raised Height (45mm Lift)	1	C59-276	В
	KZN185 TD			
	Linear Rate Standard Height	1	C59-274	В
WWWW	Linear Rate Raised Height (30mm Lift) (Recommended)	1	C59-276	В
	Linear Rate Raised Height (50mm Lift)	1	C59-134	В
1	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas		GS59-222	
	STRUT CAP			
:E: 0	Strut Top Cap	2	SC59-002	

gon				
	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING Linear Rate Raised Height (50mm Lift) Variable Rate	1	C59-131	В
***************************************	Raised Height (50mm Lift) Heavy Duty	1	C59-137V	В
	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas	2	GS59-225	



TYPE: 4 Runner (4th Generation)

MODEL: GRN215, KDN215, TRN215

YEAR: 2003 - 2009

DETAIL: 4.0L V6 Petrol, 4.7L V8, 3.0L Diesel



	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
	4.0L V6 Petrol 3.0L Diesel			
MAAAAAAAA	Linear Rate Raised Height (45mm Lift)	1	C59-300	В
I	Linear Rate Raised Height (45mm Lift) 50-100Kg Accessories	1	C59-302	В
	4.7L V8			
M AAAAAAA	Linear Rate Raised Height (45mm Lift)	1	C59-302	В
IWWWWI	Linear Rate Raised Height (45mm Lift) 50-100Kg Accessories	1	C59-314	В
1	SHOCK ABSORBE	R		
			0050 55:	
-	Heavy Duty Twin Tube Gas	2	GS59-221	
	Monotube Remote Reservoir Adjustable Spring Seat			
<u> </u>	Heavy Duty			
	Original Setting of $X = 213mm/8.38"X$ -			
	Centre of Eye to Spring Seat	2	MR59-50221	
				·
•==	STRUT CAP			
	Strut Top Caps	2	SC59-001	

	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Linear Rate Raised Height (45mm Lift)	1	C59-325	В
wwww.	Linear Rate Raised Height (45mm Lift) 100-300Kg Constant Load	1	C59-327	В
	Linear Rate Raised Height (45mm Lift) Extra Heavy Duty 300-400Kg Constant Load	1	C59-329	В
,	SHOCK ABSORBE	D		
	Heavy Duty Twin Tube Gas		GSE0-637	
	Monotube Remote	2	GS59-637	
o— ——	Reservoir Shock Heavy Duty	2	MR59-50637	
	ADJUSTABLE PANHAR	D	ROD	
	Complete with Bushes	1	PR59-1423	



TYPE: 4 Runner (5th Generation)

MODEL: GRN285

YEAR: 2009 on

DETAIL: 4.0L V6 Petrol

45mm Lift 75mm Lift (3")



				75mm L			
	FRONT	QTY	PART NUMBER	PRICE			
	COIL SPRING						
	Linear Rate Raised Height (45mm Lift)	1	C59-300	В			
I	Linear Rate Raised Height (45mm Lift) 50-100Kg Accessories (Bullbar AND Winch)	1	C59-302	В			
	If above Coil Springs are fitted with GS59-574, they will provide approximately 3" lift						
	Linear Rate Raised Height (75mm Lift) No Accessories Comfort Option	1	C59-448	В			
	Linear Rate Raised Height (75mm Lift) 40-70Kgs Accessories	1	C59-314	В			
	Linear Rate Raised Height (75mm Lift) 60-120Kg Accessories	1	C59-352	В			
These Coil suitable loi	Springs will provide appoximate ng travel shock absorbers with o	ly :	3" lift when fitte inal spring seat	d with height			
,							
	SHOCK ABSORBE Suits 0-50mm Li	_					
. •	Suits 0-Suillii Li						
	Heavy Duty Twin Tube Gas	2	GS59-700				
<u> </u>	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of						
	X = 213mm/8.38"X -	2	MR59-50700				
	Centre of Eye to Spring Seat Suits 75mm Lift		טט/טכ-ככאויו				
_ •	Heavy Duty Twin Tube Gas						
·	Extra Long Travel	2	GS59-574				
	DIFF DROP KIT						
	Diff Drop Kit	1	DD59-527K				
	SWAY BAR RELOCAT	10	N				
	Sway Bar Relocation Kit		SE59-524K				

. (3)				
	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Linear Rate Raised Height (20mm Lift) No Accessories	1	C59-599	В
	Linear Rate Raised Height (35mm Lift) Without 3rd Row Seat	1	C59-505	
	Linear Rate Raised Height (30mm Lift) With 3rd Row Seat	1	C59-505	
	Linear Rate Raised Height (50mm Lift) Without 3rd Row Seat	1	C59-325	В
MWWW	Linear Rate Raised Height (45mm Lift) With 3rd Row Seat	1	C59-325	В
	Linear Rate Raised Height (45mm Lift) 100-300Kg Constant Load	1	C59-327	В
	Linear Rate Raised Height (45mm Lift) Extra Heavy Duty 300-400Kg Constant Load	1	C59-329	В
	Variable Rate Raised Height (75mm Lift) 0-100Kg Accessories Comfort Option	1	C59-675V	В
	Variable Rate Raised Height (75mm Lift) 200-300Kg Accessories Comfort Option	1	C59-677V	В
1	SHOCK ABSORBE	R		
	Suits 0-50mm Li			
	Heavy Duty Twin Tube Gas	2	GS59-701	
•	Monotube Remote Reservoir Shock Heavy Duty	2	MR59-50701	
	Suits 75mm Lift	t		
	Heavy Duty Twin Tube Gas Extra Long Travel	2	GS59-575	
	ADJUSTABLE CONTRO	L A	ARM	
	Rear Lower Adjustable Control Arms (Pair)	1	WA59-520K	
	Rear Lower Adjustable			

Control Arms (Pair) 1 WA59-522K

SWAYBAR EXTENSION

Extended Swaybar Link Suits 2-4" Lift 2 **SE59-529**

WARNING - 75MM (3") OR HIGHER LIFT

The suspension components listed on this page are for off-road use only.



- Refer to Local Laws before Fitting to Registered/Road Vehicles - An Engineering Certificate may be required

- Handling Characteristics will Diminish on Lifts Above 50mm (2")

The following modifications (but not limited to) need to be made to the vehicle before the kit is fitted.



- Drop Diff Kits - Control Arms
- Brake Hoses
- Panhard Rod
- Extended Bump Stops
- Gear Box & Drive Line Modifications
- Steering Arms - Swaybar Modification

Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page.

These products do not come with any warranty or guarantee.



TYPE: Tacoma

MODEL:





FRONT COIL SPRING Linear Rate Standard Height Linear Rate Raised Height (35mm Lift) Up to 60Kg Accessories (Bullbar OR Winch) Linear Rate Raised Height (35mm Lift) Up to 90Kg Accessories (Bullbar OR Winch) Linear Rate Raised Height (35mm Lift) Up to 90Kg Accessories (Bullbar OR Winch) SHOCK ABSORBER Heavy Duty Twin Tube Gas STRUT CAP Strut Top Caps 2 SC59-002
COIL SPRING Linear Rate Standard Height 1 C59-274 B Linear Rate Raised Height (35mm Lift) Up to 60Kg Accessories (Bullbar OR Winch 1 Linear Rate Raised Height (35mm Lift) Up to 90Kg Accessories (Bullbar OR Winch) 1 C59-276 B SHOCK ABSORBER CHAP STRUT CAP
Linear Rate Standard Height Linear Rate Raised Height (35mm Lift) Up to 60Kg Accessories (Bullbar OR Winch Linear Rate Raised Height (35mm Lift) Up to 90Kg Accessories (Bullbar OR Winch)
Raised Height (35mm Lift) Up to 60Kg Accessories (Bullbar OR Winch Linear Rate Raised Height (35mm Lift) Up to 90Kg Accessories (Bullbar OR Winch) 1 C59-276 B SHOCK ABSORBER CELL Heavy Duty Twin Tube Gas 2 GS59-222 STRUT CAP
Raised Height (35mm Lift) Up to 90Kg Accessories (Bullbar OR Winch) 1 C59-134 B SHOCK ABSORBER Heavy Duty Twin Tube Gas 2 GS59-222 STRUT CAP
Heavy Duty Twin Tube Gas 2 GS59-222
Heavy Duty Twin Tube Gas 2 GS59-222
·E· A
Strut Top Caps 2 SC59-002

4 Cylinder Pre-Runner	4x2 models			
	REAR	QTY	PART NUMBER	PRICE
	QUICK RIDE KI	T		1
	Quick Ride Kit (50mm Lift)	1	QR59-551K	
	SHOCK ABSORB	R		
	Heavy Duty Twin Tube Gas Big Bore	2	GS59-649	
• •• •	Extra Heavy Duty Twin Tube Gas			
	Big Bore Heavy Duty Twin Tube Gas		GS59-651	
	Long Travel	2	GS59-229	



TYPE: Tacoma (240 Series)

MODEL: TRN/GRN 240,245,250

YEAR: 2005 - 2015

DETAIL: 4x4 Single Cab, Extra Cab, Dual Cab



	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Single Cab 2.71	-		
MMMM	Linear Rate Raised Height (45mm Lift) No Accessories	1	C59-238	В
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Linear Rate Raised Height (50mm Lift) 80-120Kg Accessories	1	C59-300	В
	Dual Cab 4.0L			
MMMMI	Linear Rate Raised Height (40mm Lift) No Accessories	1	C59-302	В
,,,,,,,,,,,,	Linear Rate Raised Height (45mm Lift) 80-120Kg Accessories	1	C59-314	В
	SHOCK ABSORBI	ER.		1
0====			0050 224	
	Heavy Duty Twin Tube Gas Monotube Remote Reservoir	2	GS59-221	
	Adjustable Spring Seat			
<u> </u>	Heavy Duty Original Setting of			
	X = 213mm/8.38"X - Centre of Eye to Spring Seat	2	MR59-50221	
1				
	STRUT CAP			
	Strut Top Caps	2	SC59-001	


	REAR	QTY	PART NUMBER	PRICE
	LEAF SPRING	-5		
	3+2 Leaves			
	Raised Height (55mm Lift) Medium Duty			
	Up to 100Kg Constant Load	2	L59-110-R	
0	4+2 Leaves Raised Height (55mm Lift)			
ك	Heavy Duty 280Kg Constant Load	2	L59-111-R	
	3+1 Leaves Parabolic	2	L39-111-K	
	Raised Height (55mm Lift)			
	0 - 50Kg Constant Load Smooth Ride	2	L59-116-RP	
	SHACKLE BUSH K	11		
	Kit Contains: 6 x PB59-1503	1	PB59-1101K	
	7222 2000			
	U-BOLT KIT			
	Kit Contains: 2 x UB59-453-2	1	UB59-453-2K	
	2 7 0037 433 2	_	0D39-433-2K	
	SHOCK ABSORB	R		
	Heavy Duty Twin Tube Gas	2	GS59-940	
	Monotube Remote	_	2333 370	
	Reservoir Shock	2	MDE0 50040	
	Heavy Duty	2	MR59-50940	
	PIN			
0 +++		2	SDE0-060	
•+-	PIN Greasable: Fit in Pairs	2	SP59-060	
•+ •		2	SP59-060	
●+		2	SP59-060	
•+		2	SP59-060	
●+		2	SP59-060	
•+		2	SP59-060	
•+		2	SP59-060	
•+		2	SP59-060	
•+		2	SP59-060	
•+		2	SP59-060	
•+		2	SP59-060	
•+		2	SP59-060	
•+		2	SP59-060	
•+		2	SP59-060	
•+		2	SP59-060	
•+		2	SP59-060	
•+		2	SP59-060	
•+		2	SP59-060	
•+		2	SP59-060	
•+		2	SP59-060	
•+		2	SP59-060	



TYPE: Tacoma (240 Series)

MODEL:

YEAR: 2016 on



4x4 2.7L i4, 3.5L V6

				2.7L i4,
	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Single Cab			
	Linear Rate Raised Height (45mm Lift) No Accessories	1	C59-238	В
	Linear Rate Raised Height (50mm Lift) 80-120Kg Accessories	1	C59-300	В
	Dual Cab			
	Linear Rate Raised Height (40mm Lift) No Accessories	1	C59-302	В
	Linear Rate Raised Height (50mm Lift) 0-50Kg Accessories	1	C59-314	В
I	Linear Rate Raised Height (50mm Lift) Comfort Option - Reduced Rate			
	0-40Kg Accessories Linear Rate Raised Height (50mm Lift)	1	C59-448	В
	Heavy Duty 80-120Kg Accessories		C59-352	В
	SHOCK ABSORBE	R		
-	Heavy Duty Twin Tube Gas	2	GS59-221	
<u> </u>	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of			
	X = 210mm/8.25"X - Centre of Eye to Spring Seat	2	MR59-50221	
	STRUT CAP			
	Strut Top Caps	2	SC59-001	


5L V6				
	REAR	QTY	PART NUMBER	PRICE
	LEAF SPRING		HOHDER	
	3+2 Leaves Raised Height (55mm Lift) Medium Duty Up to 100Kg Constant Load	2	L59-110-R	
ڡ	4+2 Leaves Raised Height (55mm Lift) Heavy Duty 280Kg Constant Load	2	L59-111-R	
	3+1 Leaves Parabolic Raised Height (55mm Lift) 0 - 50Kg Constant Load Smooth Ride	2	L59-116-RP	
	SHACKLE BUSH K	ΙΤ		
OLI	Kit Contains: 6 x PB59-1503		PB59-1101K	
	U-BOLT KIT			
	Kit Contains: 2 x UB59-453-2	1	UB59-453-2K	
	SHOCK ABSORBE	R		
·	Heavy Duty Twin Tube Gas	2	GS59-940	
•	Monotube Remote Reservoir Shock Heavy Duty	2	MR59-50940	
	,			
	PIN			
•+-	PIN Greasable: Fit in Pairs	2	SP59-060	
•+-		2	SP59-060	
●+		2	SP59-060	
•+-		2	SP59-060	
•+-		2	SP59-060	
•+-		2	SP59-060	
•+-		2	SP59-060	
•+		2	SP59-060	
•+		2	SP59-060	
•+		2	SP59-060	
•+		2	SP59-060	



TYPE: Tacoma (240 Series)

MODEL:

YEAR: 2016 on



4x4 2.7L i4, 3.5L V6 75mm (3" Lift)

	_			75mm (3	3" Lift)	
	FRONT	QTY	PART NUMBER	PRICE	REAR D PART PRI	CE
	COIL SPRING				LEAF SPRING	
	Dual Cab				3+1 Leaves	
	Linear Rate Raised Height (75mm Lift) No Accessories	1	C59-314	В	Raised Height (75mm Lift) Medium Duty Up to 50kg Constant Load 2 L59-117-RP	
	Linear Rate					
M	Raised Height (75mm Lift) Comfort Option - Reduced Rate No Accessories	1	C59-448	В	SHACKLE BUSH KIT Kit Contains: 6 x PB59-1503 1 PB59-1101K	
	Linear Rate					
	Raised Height (75mm Lift) Heavy Duty 50-100Kg Accessories	1	C59-352	В	U-BOLT KIT Kit Contains: 2 x UB59-453-2 1 UB59-453-2K	
	SHOCK ABSORB	ER			SHOCK ABSORBER	
	Heavy Duty Twin Tube Gas		GS59-220		SHOCK ADSORBER	
o 	Heavy Duty Twin Tube Gas Extra Long Travel				Heavy Duty Twin Tube Gas 2 GS59-940 Monotube Remote	
_	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty				Reservoir Shock Heavy Duty 2 MR59-50940	
	Original Setting of				DIN	
	$X = 226 \text{mm} / 8.9^{"}X -$	_			PIN	
	Centre of Eye to Spring Seat	2	MR59-50220		Greasable: Fit in Pairs 2 SP59-060	
	STRUT CAP		(
	STROT CAL				WARNING - 75MM (3") OR HIGHER LIFT	
	Strut Top Caps	2	SCE0-001		The suspension components listed on this page are for off-road use or	ıly.
	Struct top caps	_	3033 001		- Refer to Local Laws before Fitting to Registered/Road Vehicl	es
					- An Engineering Certificate may be required	(2//)
					- Handling Characteristics will Diminish on Lifts Above 50mm	
					The following modifications (but not limited to) need to be made the vehicle before the kit is fitted.	:О
					- Drop Diff Kits - Gear Box & Drive Li	n o
					- Upper Central Arms Medifications	ne
					- Brake Hoses - Steering Arms	
					- Extended Bump Stops - Swaybar Modification	
					Dobinsons Spring & Suspension do not accept any responsibilit for injury caused to person or property through the use of the	
					products listed on this page. These products do not come with any warranty or quarantee.	
					These products do not come with any warranty or guarantee.	



TYPE: Tundra

MODEL: UCK, UPK, USK 55/56

x4, 4.7L & 5.7L



			YEAR:	03/2007
		9	DETAIL:	Pickup 4x
	FRONT	δŢ	PART NUMBER	PRICE
	COIL SPRING			
	Linear Rate Standard Height	1	C59-478	С
MWWW	Linear Rate Raised Height (55mm Lift)	1	C59-610	В
	Linear Rate Raised Height (75mm Lift)		C59-578	В
CEO E70 may	Comfort Option			
C39-578 may	y require longer shock absorbe	ı tC	manicalii down	travel.
	SHOCK ABSORBE	R		1
○	Heavy Duty Twin Tube Gas		GS59-710	

	REAR	QTY	PART NUMBER	PRICE
	LEAF SPRING			
	4+2 Leaves			
	Raised Height (55m Lift)			
0 0	Heavy Duty	2	L59-120-R	
	5+2 Leaves			
	Raised Height (55m Lift)	_		
	Heavy Duty	2	L59-121-R	
1				
	SHACKLE BUSH K	111		
	Kit Contains:			
ОДІ	2 x PB59-1540 2 x PB59-1503			
-	2 x PB59-1514	1	PB59-1102K	
	U-BOLT KIT			Y
	Kit Contains:			
	2 x UB59-437	2	UB59-437K	
	2 x 0037 437	_	2200 40/K	
	SHOCK ABSORBI	R		
	Heavy Duty Twin Tube Gas	2	GS59-711	
	PIN			
• • • •	Greasable: Fit in Pairs	2	SP59-060	



TYPE: Sequoia **MODEL:** 4.7L V8

YEAR: 2001 - 2007

DETAIL: Station Wagon



	EDONE	≻	PART	DDTGE		DEAD	≻	PART	DDTGT
	FRONT	QTY	NUMBER	PRICE			QTY	NUMBER	PRICE
	COIL SPRING Linear Rate Lowered Height	1	C59-340	В		COIL SPRING Linear Rate Lowered Height	1	C59-341	В
MWWWW	Linear Rate Standard Height			В	MWWW	Linear Rate Standard Height			В
	Linear Rate Raised Height (45mm Lift)	1	C59-344	В		Linear Rate Raised Height (45mm Lift)	1	C59-345	В
1	SHOCK ABSORBI	R		1		SHOCK ABSORBE	R		1
o 	Heavy Duty Twin Tube Gas	2	GS59-710		-	Heavy Duty Twin Tube Gas	2	GS59-682	



TYPE: Sequoia

MODEL: UCK65 4.7L, USK 5.7L

YEAR: 2008 on

DETAIL: 4x4 Station Wagon Does Not Suit Airbag Suspension



		> PART				 	PART	
	FRONT	PART NUMBER	PRICE		REAR	OTY	PART NUMBER	PRICE
MAAAAAA	COIL SPRING				COIL SPRING Linear Rate			
MWWWW	Linear Rate Raised Height (45mm Lift)	1 C59-476	В		Raised Height (45mm Lift)	1	C59-477	С
1				1				1
	SHOCK ABSORBI	ER			SHOCK ABSORB	ΕR		
O	Heavy Duty Twin Tube Gas	2 GS59-710			Heavy Duty Twin Tube Gas	2	GS59-713	



TYPE: Landcruiser 40 Series

MODEL: BJ40, FJ40, HJ40

YEAR: 1960 - 1980

DETAIL: SWB 25mm Spring Eye



	FRONT	QTY	PART NUMBER	PRICE
	LEAF SPRING			
	25mm Spring Eye			
	7 Leaves	2	HJ40-7L-F	
	Raised Height (45mm Lift)	2	NJ4U-/L-F	
	7 Leaves Raised Height (45mm Lift)			
	200Kg Accessories			
	(Bullbar AND Winch)	2	HJ45-7L-F	
	SHACKLE BUSH K	ш		
	Kit Contains:	1	DDE0 1013V	
	12 x SPF2230	1	PB59-1013K	
1	U-BOLT KIT			
	Right Hand Side	2		
	Kit Contains:			
	Nic Contains.			
UU	1 x UB59-453-1			
<u> </u>	1 x UB59-453-3	1	UB59-450K	
	Left Hand Side			
	Kit Contains:			
<u> </u>	2 x UB59-453-3	1	UB59-453-3K	
1				
	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas	2	GS59-635	
	ricavy bacy runn rabe cas	_	0000	
1	STEERING DAMP	ER		
11	Heavy Duty (Big Bore)			
•	Complete with Fittings	1	SD59-823	
	SHACKLE			
#	Greasable: Fit in Pairs	2	SK59-002	
	Greasable: Fit III Pairs	2	3K39-UU2	
	PIN			
	1 111			
	Greasable: Fit in Pairs	2	SP59-006	

	REAR	QTY	PART NUMBER	PRICE
	LEAF SPRING		HOHDER	
	25mm Spring Eye			
0 0	6 Leaves Raised Height (45mm Lift) 25mm Longer Main Leaf	2	TOY-034-R	
	7 Leaves Raised Height (50mm Lift) 150Kg Constant Load 25mm Longer Main Leaf	2	TOY-029-R	
	25mm Longer Flam Lear	_	101 023 K	
1	SHACKLE BUSH K	ш		
	Kit Contains: 12 x SPF2230	1	PB59-1013K	
1	U-BOLT KIT			
Ü	Kit Contains: 2 x UB59-453-3	2	UB59-453-3K	
	SHOCK ABSORBE	R		
	Pre 01/1975			
0	_			
	Heavy Duty Twin Tube Gas	2	GS59-635	
	01/1975 on			
	Heavy Duty Twin Tube Gas (Big Bore)	2	GS59-651	
	SHACKLE			
#!	Greasable: Fit in Pairs	2	SK59-002	
	PIN			
	Greasable: Fit in Pairs	2	SP59-006	



TYPE: Landcruiser 40 Series

MODEL: BJ42, FJ40 **YEAR:** 1980 - 1984

DETAIL: SWB 35mm Spring Eye



			,	55111111
	FRONT	QTY	PART NUMBER	PRICE
	LEAF SPRING	ľ	NUMBER	
	35mm Spring Eye			
	7 Leaves			
	Raised Height (45mm Lift)	2	BJ42-7L-F	
	7 Leaves Raised Height (45mm Lift)			
	200Kg Accessories			
	(Bullbar AND Winch)	2	HJ47-7L-F	
1	SHACKLE BUSH K			
	Kit Contains:			
OTI	12 x SPF2260	1	PB59-1019K	
	U-BOLT KIT			
	Right Hand Side	•		
	Kit Contains:			
	1 x UB59-453-3 1 x UB59-449	1	UB59-449K	
	Left Hand Side	1	UB59-449K	
	Kit Contains:			
	2 x UB59-453-3	1	UB59-453-3K	
	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas	2	GS59-635	
	fleavy Duty Twill Tube Gas	2	d359-035	
	STEERING DAMP	ĒR		
1——1	Heavy Duty (Big Bore)			
·—	Complete with Fittings	1	SD59-823	
1	SHACKLE			
	Greasable: Fit in Pairs			
II I	Right Hand Side			
4	(Anti-Reverse)	1	SK59-048	
L	eft Hand Side (Anti-Reverse)	1	SK59-047	
1	DIN			
	PIN			
	Greasable: Fit in Pairs	2	SP59-007	

ng Eye				
	REAR	QTY	PART NUMBER	PRICE
	LEAF SPRING			i
	35mm Spring Eye			
	6 Leaves Raised Height (50mm Lift) 25mm Longer Main Leaf	2	TOY-035-R	
	7 Leaves Raised Height (50mm Lift) Heavy Duty			
	150Kg Constant Load 25mm Longer Main Leaf	2	TOY-036-R	
	SHACKLE BUSH K	ш		
	Kit Contains: 12 x SPF2260	1	PB59-1019K	
	U-BOLT KIT			
	Kit Contains:			
	2 x UB59-453-3		UB59-453-3K	
	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas (Big Bore)	2	GS59-651	
	SHACKLE			
SI	Use HJ47 Shackle Kits (Left ightly Longer Than Original, Ass			
	Greasable: Fit in Pairs			
	Right Hand Side (Anti-Reverse)	1	SK59-048	
ι	Left Hand Side (Anti-Reverse)		SK59-047	
	PIN			
\$ —	Greasable: Fit in Pairs	2	SP59-007	



TYPE: Landcruiser 45 Series

MODEL: FJ45, HJ45 YEAR: Pre 08/1980

DETAIL: LWB Pickup, Troop Carrier Note Spring Eye Sizes 25mm Spring Eye



				23111111 3
	FRONT	QTY	PART NUMBER	PRICE
1	LEAF SPRING		NOMBLK	
	25mm Spring Eye			
0 0	7 Leaves Raised Height (40mm Lift) No Accessories 8 Leaves	2	HJ45-7L-F	
	Raised Height (40mm Lift) Heavy Duty 50-80Kg Accessories (Bullbar AND Winch) (Recommended)	2	HJ45-8L-F	
1	SHACKLE BUSH K			
OLI	Kit Contains: 12 x SPF2230		PB59-1013K	
	U-BOLT KIT			
	Right Hand Side	•		
	Kit Contains:			
	1 x UB59-453-1 1 x UB59-453-3	1	UB59-450K	
	Left Hand Side			
Ü	Kit Contains: 2 x UB59-453-3	1	UB59-453-3K	
1	SHOCK ABSORBE	ь		
·	Heavy Duty Twin Tube Gas		GS59-635	
1	STEERING DAMP	ER.		
	Heavy Duty (Big Bore) Complete with Fittings	1	SD59-823	
·	SHACKLE			
#1	Greasable: Fit in Pairs	2	SK59-002	
	PIN			
♣ ₩	Greasable: Fit in Pairs	2	SP59-006	

ng Eye				
	REAR	QTY	PART NUMBER	PRICE
	LEAF SPRING			
	25mm Spring Eye			
	6+3 Leaves	1	HJ45-6+3-RRH	
	Raised Height (40mm Lift)	1	HJ45-6+3-RLH	
<u>_</u> _	7+3 Leaves			
	Raised Height (40mm Lift) Heavy Duty	1	HJ45-7+3-R RH	
	200Kg Constant Load	1	HJ45-7+3-R LH	
1	CHACKLE BUCH K			
	SHACKLE BUSH K Kit Contains:	411		
	12 x SPF2231A	1	PB59-1014K	
1	II POLT KIT			
	U-BOLT KIT			
	Kit Contains: 2 x UB59-453-1	2	UB59-453-1K	
	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas	_	0050 651	
	(Big Bore)	2	GS59-651	
	SHACKLE			
	Greasable: Fit in Pairs			
# 1	Right Hand Side	1	SK59-016	
- 	Left Hand Side	1	SK59-015	
		Ī		
	PIN			
	Fit in Pairs	2	SP59-022	
•	TICIII Falls	_	3F39-022	



TYPE: Landcruiser 45 Series

MODEL: FJ45, HJ47, BJ45, BJ46

YEAR: 07/1980 - 1985

DETAIL: LWB Pickup, Troop Carrier 35mm Spring Eye



	FRONT	QTY	PART NUMBER	PRICE
	LEAF SPRING			
	35mm Spring Eye 7 Leaves			
	Raised Height (40mm Lift)	2	HJ47-7L-F	
0 0	8 Leaves Raised Height (40mm Lift)			
	Heavy Duty 40Kg Accessories			
	(Bullbar OR Winch)	2	11147 01 5	
	(Recommended)	2	HJ47-8L-F	
	SHACKLE BUSH K	ш		
OLI	Kit Contains: 12 x SPF2260	1	PB59-1019K	
	12 X 3F1 2200	_	PB39-1019K	
	U-BOLT KIT			
	Right Hand Side	9		
	Kit Contains: 1 x UB59-453-3			
	1 x UB59-449		UB59-449K	
	Left Hand Side Kit Contains:			
	2 x UB59-453-3	1	UB59-453-3K	
1				
	SHOCK ABSORBE	= IK		
	Heavy Duty Twin Tube Gas	2	GS59-635	
	STEERING DAMP	ΕR		
;	Heavy Duty (Big Bore) Complete with Fittings	1	SD59-823	
,	p 5.			
	SHACKLE			
	Greasable: Fit in Pairs			
## 6	Right Hand Side (Anti-Reverse)	1	SK59-048	
	Left Hand Side		CKEO 047	
	(Anti-Reverse)	1	SK59-047	
	PIN			
	Greasable: Fit in Pairs	2	SP59-007	
	Greasuble. The III T all 5	_	51 55 007	

	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
	35mm Spring Eye	9		
	6+3 Leaves	1	HJ47-6+3-R RH	
	Raised Height (40mm Lift)	1	HJ47-6+3-R LH	
ڡ	7+3 Leaves			
	Raised Height (40mm Lift)	1	HJ47-7+3-R RH	
	Heavy Duty 200Kg Constant Load	1	HJ47-7+3-R LH	
	•			
	SHACKLE BUSH K	ш		
	Kit Contains:			
	12 x SPF2260	1	PB59-1019K	
1	U POLT KIT			
	U-BOLT KIT			
	Kit Contains: 2 x UB59-453-1	2	UB59-453-1K	
	2 X UDJ5-4JJ-1	2	2527-433-IK	
	SHOCK ABSORBE	R		
0	Heavy Duty Twin Tube Gas			
	(Big Bore)	2	GS59-651	
	CHACK!			
	SHACKLE Dight Hand Side			
	Right Hand Side (Anti-Reverse)	1	SK59-048	
# •	Left Hand Side			
	(Anti-Reverse)	1	SK59-047	
	PIN			
♣ +→	PIN Greasable: Fit in Pairs	2	SP59-007	
& —		2	SP59-007	
♣ ₩		2	SP59-007	
♣₩		2	SP59-007	
♣ ₩		2	SP59-007	
♣ ₩		2	SP59-007	
♣ ₩		2	SP59-007	
♣ ₩		2	SP59-007	
♣ ₩		2	SP59-007	
♣ ₩		2	SP59-007	
♣ ₩		2	SP59-007	
♣ ₩		2	SP59-007	
♣ ₩		2	SP59-007	
♣ ₩		2	SP59-007	
♣ ₩		2	SP59-007	
♣ +→		2	SP59-007	
♣ ₩		2	SP59-007	
♣ ₩		2	SP59-007	
♣ ₩		2	SP59-007	
		2	SP59-007	
♣		2	SP59-007	
♣		2	SP59-007	
♣ ₩		2	SP59-007	
		2	SP59-007	



TYPE: Landcruiser 55 Series

MODEL: FJ55

YEAR: 1970 - 1980

DETAIL: Station Wagon



FRONT LEAF SPRING 6 Leaves Raised Height (45mm Lift) 2 TOY-055-F SHACKLE BUSH KIT Kit Contains: 12 x SPF2231A 1 PB59-1014K U-BOLT KIT Right Hand Side Kit Contains: 1 x UB59-453-1 1 x UB59-453-3 1 UB59-450K Left Hand Side Kit Contains: 2 x UB59-453-3 1 UB59-453-3K SHOCK ABSORBER Heavy Duty Twin Tube Gas 2 GS15-639S STEERING DAMPER Heavy Duty (Big Bore) Complete with Fittings 1 SD59-823 SHACKLE Greasable: Fit in Pairs Right Hand Side 1 SK59-015 Left Hand Side 1 SK59-016
Asised Height (45mm Lift) 2 TOY-055-F SHACKLE BUSH KIT Kit Contains: 12 x SPF2231A 1 PB59-1014K U-BOLT KIT Right Hand Side Kit Contains: 1 x UB59-453-3 1 UB59-450K Left Hand Side Kit Contains: 2 x UB59-453-3 1 UB59-453-3K SHOCK ABSORBER Heavy Duty Twin Tube Gas 2 GS15-639S STEERING DAMPER Heavy Duty (Big Bore) Complete with Fittings 1 SD59-823 SHACKLE Greasable: Fit in Pairs Right Hand Side 1 SK59-015
Raised Height (45mm Lift) 2 TOY-055-F SHACKLE BUSH KIT Kit Contains: 12 x SPF2231A 1 PB59-1014K U-BOLT KIT Right Hand Side Kit Contains: 1 x UB59-453-1 1 x UB59-453-3 1 UB59-450K Left Hand Side Kit Contains: 2 x UB59-453-3 1 UB59-453-3K SHOCK ABSORBER Heavy Duty Twin Tube Gas 2 GS15-639S STEERING DAMPER Heavy Duty (Big Bore) Complete with Fittings 1 SD59-823 SHACKLE Greasable: Fit in Pairs Right Hand Side 1 SK59-015
Kit Contains: 12 x SPF2231A 1 PB59-1014K U-BOLT KIT Right Hand Side Kit Contains: 1 x UB59-453-1 1 x UB59-453-3 1 UB59-450K Left Hand Side Kit Contains: 2 x UB59-453-3 1 UB59-453-3K SHOCK ABSORBER Heavy Duty Twin Tube Gas 2 GS15-639S STEERING DAMPER Heavy Duty (Big Bore) Complete with Fittings 1 SD59-823 SHACKLE Greasable: Fit in Pairs Right Hand Side 1 SK59-015
U-BOLT KIT Right Hand Side Kit Contains: 1 x UB59-453-1 1 x UB59-453-3 1 UB59-450K Left Hand Side Kit Contains: 2 x UB59-453-3 1 UB59-453-3K SHOCK ABSORBER Heavy Duty Twin Tube Gas STEERING DAMPER Heavy Duty (Big Bore) Complete with Fittings 1 SD59-823 SHACKLE Greasable: Fit in Pairs Right Hand Side 1 SK59-015
Right Hand Side Kit Contains: 1 x UB59-453-1 1 x UB59-453-3 1 UB59-450K Left Hand Side Kit Contains: 2 x UB59-453-3 1 UB59-453-3K SHOCK ABSORBER Heavy Duty Twin Tube Gas 2 GS15-639S STEERING DAMPER Heavy Duty (Big Bore) Complete with Fittings 1 SD59-823 SHACKLE Greasable: Fit in Pairs Right Hand Side 1 SK59-015
Right Hand Side Kit Contains: 1 x UB59-453-1 1 x UB59-453-3 1 UB59-450K Left Hand Side Kit Contains: 2 x UB59-453-3 1 UB59-453-3K SHOCK ABSORBER Heavy Duty Twin Tube Gas 2 GS15-639S STEERING DAMPER Heavy Duty (Big Bore) Complete with Fittings 1 SD59-823 SHACKLE Greasable: Fit in Pairs Right Hand Side 1 SK59-015
Kit Contains: 1 x UB59-453-1 1 x UB59-453-3 1 UB59-450K Left Hand Side Kit Contains: 2 x UB59-453-3 1 UB59-453-3K SHOCK ABSORBER Heavy Duty Twin Tube Gas 2 GS15-639S STEERING DAMPER Heavy Duty (Big Bore) Complete with Fittings 1 SD59-823 SHACKLE Greasable: Fit in Pairs Right Hand Side 1 SK59-015
1 x UB59-453-3 1 UB59-450K Left Hand Side Kit Contains: 2 x UB59-453-3 1 UB59-453-3K SHOCK ABSORBER Heavy Duty Twin Tube Gas 2 GS15-639S STEERING DAMPER Heavy Duty (Big Bore) Complete with Fittings 1 SD59-823 SHACKLE Greasable: Fit in Pairs Right Hand Side 1 SK59-015
Kit Contains: 2 x UB59-453-3 1 UB59-453-3K SHOCK ABSORBER Heavy Duty Twin Tube Gas 2 GS15-639S STEERING DAMPER Heavy Duty (Big Bore) Complete with Fittings 1 SD59-823 SHACKLE Greasable: Fit in Pairs Right Hand Side 1 SK59-015
SHOCK ABSORBER Heavy Duty Twin Tube Gas 2 GS15-639S STEERING DAMPER Heavy Duty (Big Bore) Complete with Fittings 1 SD59-823 SHACKLE Greasable: Fit in Pairs Right Hand Side 1 SK59-015
Heavy Duty Twin Tube Gas 2 GS15-639S STEERING DAMPER Heavy Duty (Big Bore) Complete with Fittings 1 SD59-823 SHACKLE Greasable: Fit in Pairs Right Hand Side 1 SK59-015
Heavy Duty Twin Tube Gas 2 GS15-639S STEERING DAMPER Heavy Duty (Big Bore) Complete with Fittings 1 SD59-823 SHACKLE Greasable: Fit in Pairs Right Hand Side 1 SK59-015
STEERING DAMPER Heavy Duty (Big Bore) Complete with Fittings 1 SD59-823 SHACKLE Greasable: Fit in Pairs Right Hand Side 1 SK59-015
Heavy Duty (Big Bore) Complete with Fittings 1 SD59-823 SHACKLE Greasable: Fit in Pairs Right Hand Side 1 SK59-015
Complete with Fittings 1 SD59-823 SHACKLE Greasable: Fit in Pairs Right Hand Side 1 SK59-015
Greasable: Fit in Pairs Right Hand Side 1 SK59-015
Right Hand Side 1 SK59-015

	REAR	QTY	PART NUMBER	PRICE
	LEAF SPRING			
٩	8 Leaves Raised Height (45mm Lift)	2	TOY-056-R	
1	SHACKLE BUSH K	4		
	Kit Contains:	711		
OTI	12 x SPF2231A	1	PB59-1014K	
	U-BOLT KIT			
$\overline{}$	Kit Contains:			
<u> </u>	2 x UB59-453-3	2	UB59-453-3K	
	SHOCK ABSORBE	ĒR		
	Heavy Duty Twin Tube Gas	2	GS59-636	
	SHACKLE			
	Greasable: Fit in Pairs			
#1	Right Hand Side	1	SK59-015	
	Left Hand Side		SK59-016	



TYPE: Landcruiser 60 Series

MODEL: FJ60, FJ62, HJ60, HJ61

YEAR: 1980 - 1990

DETAIL: Station Wagon



	FRONT	QTY	PART NUMBER	PRICE		REAR	QTY	PART NUMBER	PRICE
	LEAF SPRING					LEAF SPRING			
	5 Leaves Raised Height (45mm Lift) Petrol (No Accessories)	2	HJ61-5L-F		For LH	I Drive Vehicles fit the Higher C LH Side of the Vehi		ber Spring to the	e
<u>_</u>	6 Leaves Raised Height (45mm Lift) Petrol (With Accessories) Diesel (No Accessories)		HJ61-6L-F		<u>_</u>	7 Leaves Raised Height (50mm Lift) Plus 1 Spacer Leaf (Top of Spring Pack) HJ61 Turbo Dies	1	HJ61-7L-R RH HJ61-7L-R LH	
		_	11501-01-1				eı		
	7 Leaves Raised Height (45mm Lift) Diesel (50-100Kg Accessories)		HJ61-7L-F		<u></u>	7 Leaves Raised Height (45mm Lift) Plus 1 Spacer Leaf (Bottom of Spring Pack)		HJ61-7L-R RH HJ61-7L-R LH	
	HJ61 Turbo Dies	eı				8 Leaves			
	7 Leaves Raised Height (45mm Lift)		HJ61-7L-F			Raised Height (45mm Lift) Heavy Duty 300Kg Constant Load		HJ61-8L-R RH HJ61-8L-R LH	
	SHACKLE BUSH K	•				SHACKLE BUSH R	4		
OLI	Kit Contains: 12 x SPF2260	1	PB59-1019K		OLI	Kit Contains: 12 x SPF2260		PB59-1019K	
	U-BOLT KIT				1				
	Kit Contains: 2 x UB59-436	2	UB59-436K			U-BOLT KIT Kit Contains: 2 x UB59-453-1	2	UB59-453-1K	
1	SUBSY ARCORD								
	SHOCK ABSORB	-K			1	SHOCK ABSORB	ER	1	
•	Heavy Duty Twin Tube Gas	2	GS59-637		0	Comfort Option Twin Tube Gas		GS59-649	
0	STEERING DAMP Heavy Duty (Big Bore) Complete with Fittings		SD59-824			Heavy Duty Twin Tube Gas (Big Bore)	2	GS59-651	
	complete with ritings	-	3535 324			SHACKLE		1	
1	SHACKLE	1				Greasable: Fit in Pairs	2	SK59-019	
	Greasable: Fit in Pairs	2	SK59-019			Right Hand Side	_		
						(Anti-Reverse)	1	SK59-048	
→	Right Hand Side		SK59-048			Left Hand Side			
	Left Hand Side	1	SK59-047			(Anti-Reverse)	1	SK59-047	
	PIN					PIN			
	Greasable: Fit in Pairs	2	SP59-007		4	Greasable: Fit in Pairs	2	SP59-007	



TYPE: Landcruiser 70 Series - Bundera

MODEL: LJ70, LJ73, RJ70, RJ73

YEAR: 11/1984 - 12/1989

DETAIL: Round Headlights



	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Linear Rate Standard Height	1	C59-084	В
MWWW	Linear Rate Raised Height (45mm Lift) 60-100Kg Accessories (Bullbar AND Winch)	1	C59-082	В
	Linear Rate Raised Height (60mm Lift) 60-100Kg Accessories (Bullbar AND Winch)	1	C59-404	В
ľ	SHOCK ABSORBE	R		
-	Heavy Duty Twin Tube Gas	2	GS45-114	
·	STEERING DAMPI	ER		
	Heavy Duty (Big Bore) Complete with Fittings	1	SD59-824	
	UNDER BODY BUSH	K)	T	
	See Rear Under Body Bu	ısh	Kit	
	RADIUS ARM BUS		(12.50)	
4 -	Front Radius Arm Castor	Kit	(±2.5°)	
4 x Po	lyurethane Eccentric Bushes			

(+ 1 Grease Tube) 1 **WA59-512K**

Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.

Complete with Steel Inner Sleeve

	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Linear Rate Standard Height	1	C59-085	В
I	Linear Rate Raised Height (50mm Lift) Up to 100Kg Constant Load	1	C59-083	В
	Linear Rate Raised Height (65mm Lift) Up to 100Kg Constant Load	1	C59-405	В
	SHOCK ABSORBE	R		
	Kit Contains: 2 Different Part Numbers Heavy Duty Twin Tube Gas (Big Bore)			
•	Right Hand Side 1 x GS59-651 (Eye to Eye)			
·	Left Hand Side 1 x GS45-640 (Eye to Pin)	1	GS59-652K	
	as 2 Different Shock Absorbers Please Make Sure that the Corr			

UNDER BODY BUSH	K1	ΙΤ
Kit Includes Front & Rear Under	Вс	ody Bushes
2 x Front Radius Arm to Chassis Bush 4 x Front Radius Arm to Diff Bush 2 x Front Panhard Rod Bush 2 x Rear Radius Arm to Chassis Bush 4 x Rear Radius Arm to Diff Bush 2 x Rear Panhard Rod Bush	1	PB59-1255K



MODEL: LJ70, LJ72, LJ73, LJ77,

(RJ70, RJ73, KZJ 70/73 - 1994 on)

YEAR: 01/1990 - 05/1993 **DETAIL:** Square Headlights



	FRONT	Ę	PART NUMBER	PRICE
	COIL SPRING			
	Linear Rate Raised Height (40mm Lift) Up to 50Kg Accessories (Bullbar OR Winch)	1	C59-288	В
I	Linear Rate Super Raised Height (60mm Lift) Up to 50Kg Accessories (Bullbar AND Winch)			
	(Recommended)	1	C59-244	В
Fit Long T	ravel Shock Absorber GS59-634	1 w	ith the Above S _l	oring
	<u> </u>			
	SHOCK ABSORBE	R		

·		Heavy Duty Twin Tube Gas	2	GS59-632	
	То Ве	Used With Original Toyota Spi	ring	gs OR C59-288	
	_	Heavy Duty Twin Tube Gas Long Travel	2	GS59-634	
		Can Only Be Used with C	59-	244	

STEERING DAMPER

Heavy Duty (Big Bore) Complete with Fittings 1 SD59-824

UNDER BODY BUSH KIT

See Rear Under Body Bush Kit

RADIUS ARM BUSH

Adjustable Front Radius Arm Castor Kit

Angle Settings:±0°, ±2.5° or ±3.5°
4 x Polyurethane Eccentric Bushes 1 PB59-503K

Fixed Rubber Front Radius Arm Castor Kit

Angle Setting: ±2.5°

4 x Rubber Eccentric Bushes 1 RB59-522K

Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.

RADIUS ARM BUSH

0 Degree Standard Radius Arm Bush Kit

Arm to Diff 4 x Rubber Bushes

1 RB59-536K

Arm to Chassis Bush Kit

2 x Rubber Bushes 1 RB59-534K

	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Linear Rate Raised Height (40mm Lift) (Recommended) Linear Rate	1	C59-289	В
	Super Raised Height (65mm Lift) Up to 100Kg Constant Load	1	C59-247	В
Fit Long	Travel Shock Absorber GS59-633	3 w	ith the Above S	oring

		SHOCK ABSORBE	R		
•	-	Heavy Duty Twin Tube Gas	2	GS59-631	
	То В	e Used With Original Toyota Sp	rin	gs OR C59-289	
-	-	Heavy Duty Twin Tube Gas Long Travel	2	GS59-633	
		Can Only Be Used with C	59	-247	

UNDER BODY BUSH KIT

Kit Includes Front & Rear Under Body Bushes

2 x Front Radius Rod to Chassis Bush 4 x Front Radius Rod to Diff Bush 2 x Front Panhard Rod Bush 2 x Rear Radius Rod to Chassis Bush 4 x Rear Radius Rod to Diff Bush 2 x Rear Panhard Rod Bush

1 PB59-1260K



TYPE: 70 Series Prado I, Landcruiser II

MODEL: LJ78/79, RJ77, KZJ78

YEAR: 1987 - 1996

DETAIL: Station Wagon SX5, 2.4L Petrol, 2.4L TD



	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Linear Rate Standard Height	1	C59-290	В
	Linear Rate Raised Height (45mm Lift) Up to 50Kg Accessories (Bullbar OR Winch)	1	C59-288	В
wwww	Linear Rate Raised Height (45mm Lift) 50-110Kg Accessories (Bullbar AND Winch)	1	C59-206	В
	Linear Rate Raised Height (60mm Lift) Up to 50Kg Accessories (Bullbar AND Winch) (Recommended)	1	C59-244	В
Fit Long T	ravel Shock Absorber GS59-634			orina
The Long T	14401 311301 71301 713 113		ien ene ribove s	Jillig
,	SHOCK ABSORBER			
-	Heavy Duty Twin Tube Gas		GS59-632	
To Be Used wi	ith Original Toyota Springs OR (259	-290, C59-288,	C59-206
·	Heavy Duty Twin Tube Gas Long Travel	2	GS59-634	
	Can Only Be Used with C	59-	-244	
	STEERING DAMPE	₹		
 	Heavy Duty (Big Bore) Complete with Fittings	1	SD59-824	
	CASTOR KIT			
Ang	Front Radius Arm Castor Kit gle Settings: ±0° or ±2.5° lyurethane Eccentric Bushes	1	РВ59-503К	
	Front Radius Arm Castor Kit Angle Setting: ±2.5° 4 x Rubber Eccentric Bushes	1	RB59-522K	
A Wh	Raising Vehicle Will Effect Ca neel Alignment is Recommended Castor Kit is Require	d to		

	REAR	QΤΥ	PART	PRICE
	COIL SPRING	O	NUMBER	
	Linear Rate Standard Height	1	C59-291	В
wwww	Linear Rate Raised Height (45mm Lift)	1	C59-289	В
/********** *	Linear Rate Super Raised Height (65mm			
	Lift) Up to 100Kg Constant Load	1	C59-247	В
Fit Long 1	Travel Shock Absorber GS59-63	3 w	ith the Above S	pring
	SHOCK ABSORBE			
To Do He	Heavy Duty Twin Tube Gas		GS59-631	200
10 Be Us	sed with Original Toyota Springs Heavy Duty Twin Tube Gas	OF	C59-291, C59-	289
	Long Travel		GS59-633	
	Can Only Be Used with (259-	-247	
	UNDER BODY BUSH	KTT		1
	Kit Includes Front & Rear Unde			
4 x F 2 x Rea	t Radius Rod to Chassis Bush Front Radius Rod to Diff Bush 2 x Front Panhard Rod Bush r Radius Rod to Chassis Bush Rear Radius Rod to Diff Bush 2 x Rear Panhard Rod Bush	1	PB59-1260K	



MODEL: FJ/BJ 70, BJ71, FJ/BJ 73, FJ/BJ 74

YEAR: 1985 - 12/1989

DETAIL: Short Wheel Base/Mid Wheel Base



	FRONT	QTY	PART NUMBER	PRICE
	LEAF SPRING 7 Leaves			
	Raised Height (45mm Lift)	2	HJ75-7L-F	
	8 Leaves Raised Height (45mm Lift) 60-100Kg Accessories			
	(Bullbar AND Winch)	2	HJ75-8L-F	
\ 	SHACKLE BUSH K	111		
OLI	Kit Contains: 12 x SPF2260	1	PB59-1019K	
1	U-BOLT KIT			7
	Kit Contains: 2 x UB59-436	2	UB59-436K	
			0639-430K	1
0	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas	2	GS59-637	
	STEERING DAMP	ĒR		1
† 	Heavy Duty (Big Bore) Complete with Fittings	1	SD59-824	
	SHACKLE			1
	Greasable: Fit in Pairs			
## •	Right Hand Side (Anti-Reverse)	1	SK59-048	
	Left Hand Side (Anti-Reverse)	1	SK59-047	
1	PIN)
& +-	Greasable: Fit in Pairs	2	SP59-007	
	Greasable. Tit iii Fairs	۷	3733-007	

	REAR	QTY	PART NUMBER	PRICE
	LEAF SPRING			
	7 Leaves	1	HJ60-7L-R RH	
	Plus 1 Spacer Leaf	_		
	Raised Height (50mm Lift)	1	HJ60-7L-R LH	
	7 Leaves			
0 0	Plus 1 Spacer Leaf	1	HJ61-7L-R RH	
	Raised Height (50mm Lift) 150Kg Constant Load	1	HJ61-7L-R LH	
	-	-	IIJOI-7L-IK EII	
	8 Leaves Raised Height (50mm Lift)			
	Heavy Duty	1	HJ61-8L-R RH	
	300Kg Constant Load	1	HJ61-8L-R LH	
	SHACKLE BUSH K	ш		
	Kit Contains:			
	12 x SPF2260	1	PB59-1019K	
	U-BOLT KIT			
$\overline{}$	Kit Contains:			
	2 x UB59-453-3	2	UB59-453-3K	
	SHOCK ABSORBE	R		
	Comfort Option			
	Twin Tube Gas	2	GS59-649	
	Heavy Duty Twin Tube Gas			
	(Big Bore)	2	GS59-651	
	SHACKLE			
	Greasable: Fit in Pairs	2	SK59-019	
	Right Hand Side			
₩	(Anti-Reverse)	1	SK59-048	
	Left Hand Side			
	(Anti-Reverse)	1	SK59-047	
1				
	PIN			
♣ ₩	Greasable: Fit in Pairs	2	SP59-023	
_	Greasable. The in Fairs	_	5. 55 525	



MODEL: HZJ70, HZJ73, PZJ70, PZJ73

YEAR: 1990 - 1999

DETAIL: Short Wheel Base / Mid Wheel Base



	FRONT	QTY	PART NUMBER	PRICE
	LEAF SPRING			
	7 Leaves Raised Height (45mm Lift)	2	HJ75-7L-F	
<u></u>	8 Leaves			
	Raised Height (45mm Lift) 60-100Kg Accessories (Bullbar AND Winch)	2	HZJ75-8L-F	
	(Buildal AND WIIICII)		HZJ/3-8L-F	
	SHACKLE BUSH K	П		
OTI	Kit Contains: 12 x SPF2260	1	PB59-1019K	
	II POLT VIT	1		
_	U-BOLT KIT Kit Contains:			
—	2 x UB59-436	1	UB59-436K	
	SHOCK ABSORBE	R		
-	Heavy Duty Twin Tube Gas	2	GS59-637	
	ricavy buty (will lube dus	_	4557 057	
	STEERING DAMP	ΞR		
	Heavy Duty (Big Bore) Complete with Fittings	1	SD59-824	
	SHACKLE			
	Greasable: Fit in Pairs			
	Right Hand Side			
		1	SK59-048	
# •	(Anti-Reverse) Left Hand Side (Anti-Reverse)		SK59-048 SK59-047	
# 2	(Anti-Reverse) Left Hand Side (Anti-Reverse)			
	(Anti-Reverse) Left Hand Side (Anti-Reverse) PIN	1	SK59-047	
# b	(Anti-Reverse) Left Hand Side (Anti-Reverse)	1	SK59-047	
# b	(Anti-Reverse) Left Hand Side (Anti-Reverse) PIN	1	SK59-047	
♣ ₩	(Anti-Reverse) Left Hand Side (Anti-Reverse) PIN	1	SK59-047	
# b	(Anti-Reverse) Left Hand Side (Anti-Reverse) PIN	1	SK59-047	
# b	(Anti-Reverse) Left Hand Side (Anti-Reverse) PIN	1	SK59-047	
# b	(Anti-Reverse) Left Hand Side (Anti-Reverse) PIN	1	SK59-047	
# b	(Anti-Reverse) Left Hand Side (Anti-Reverse) PIN	1	SK59-047	
	(Anti-Reverse) Left Hand Side (Anti-Reverse) PIN	1	SK59-047	
	(Anti-Reverse) Left Hand Side (Anti-Reverse) PIN	1	SK59-047	
	(Anti-Reverse) Left Hand Side (Anti-Reverse) PIN	1	SK59-047	
	(Anti-Reverse) Left Hand Side (Anti-Reverse) PIN	1	SK59-047	
	(Anti-Reverse) Left Hand Side (Anti-Reverse) PIN	1	SK59-047	
	(Anti-Reverse) Left Hand Side (Anti-Reverse) PIN	1	SK59-047	
	(Anti-Reverse) Left Hand Side (Anti-Reverse) PIN	1	SK59-047	
	(Anti-Reverse) Left Hand Side (Anti-Reverse) PIN	1	SK59-047	
	(Anti-Reverse) Left Hand Side (Anti-Reverse) PIN	1	SK59-047	

	REAR	QΤΥ	PART	PRICE
	LEAF SPRING	O	NUMBER	
	7 Leaves			
	Plus 1 Spacer Leaf	1	HJ60-7L-R RH	
	Raised Height (50mm Lift)	1	HJ60-7L-R LH	
	7 Leaves Plus 1 Spacer Leaf		11164 71 D DII	
عو	Raised Height (50mm Lift)	1	HJ61-7L-R RH	
	150Kg Constant Load	1	HJ61-7L-R LH	
	8 Leaves Raised Height (50mm Lift)			
	Heavy Duty		HJ61-8L-R RH	
	300Kg Constant Load	1	HJ61-8L-R LH	
	SHACKLE BUSH K			
	Kit Contains:			
OTI	12 x SPF2260	1	PB59-1019K	
	·			
	U-BOLT KIT			
	Kit Contains: 2 x UB59-453-3	2	UB59-453-3K	
	2 X 0D35-433-3	_	0B39-433-3K	
	SHOCK ABSORBE	R		
	Comfort Option			
	Twin Tube Gas	2	GS59-649	
	Heavy Duty Twin Tube Gas			
	(Big Bore)	2	GS59-651	
	1			
	SHACKLE			
	Greasable: Fit in Pairs	2	SK59-019	
	Right Hand Side (Anti-Reverse)	1	SK59-048	
	Left Hand Side (Anti-Reverse)		SK59-047	
		_		
	PIN			
		_		
	Greasable: Fit in Pairs	2	SP59-023	
l				



MODEL: FZJ77, HZJ77, PZJ77

YEAR: 1993 - 1999

DETAIL: Station Wagon, 5 Door



•				
	FRONT	QTY	PART NUMBER	PRICE
	LEAF SPRING			
	7 Leaves Raised Height (45mm Lift)	2	HZJ75-7L-F	
0	8 Leaves Raised Height (50mm Lift)	2	HZJ75-8L-F	
	8 Leaves Raised Height (45mm Lift)			
	Up to 80Kg Accessories (Bullabr OR Winch)	2	HJ75-8L-F	
	, -			
	SHACKLE BUSH K Kit Contains:	141		
OTI	12 x SPF2260	1	PB59-1019K	
	U-BOLT KIT			
	Kit Contains: 2 x UB59-668	1	UB59-668K	
			5539-000K	
	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas	2	GS59-637	
	STEERING DAMP	ER		
•	Heavy Duty (Big Bore) Complete with Fittings	1	SD59-824	
	·	_	3537 024	
	SHACKLE Greasable: Fit in Pairs			
41	Right Hand Side			
	(Anti-Reverse) Left Hand Side (Anti-Reverse)		SK59-048 SK59-047	
	PIN			
81	Greasable: Fit in Pairs	2	SP59-007	

			2425	
	REAR	6	PART NUMBER	PRICE
	LEAF SPRING			
	4+2 Leaves Raised Height (50mm Lift)			
	Standard Duty Up to 100-150Kg Constant			
	Load	2	L59-020-R	
	5+2 Leaves			
ك	Raised Height (50mm Lift) Heavy Duty			
	300Kg Constant Load	2	L59-021-R	
	6+2 Leaves Raised Height (50mm Lift)			
	Super Heavy Duty 450Kg Constant Load	2	L59-022-R	
	450kg Constant Load	_	L33-022-K	
	SHACKLE BUSH K	ΙΤ		
	Kit Contains:		DDE0 10201	
	12 x SPF2270	1	PB59-1020K	
	U-BOLT KIT			
	Kit Contains:			
	L59-020-R 2 x UB59-453-3	2	UB59-453-3K	
	L59-021-R 2 x UB59-453-3	2	UB59-453-3K	
	L59-022-R 2 x UB59-453-1	2	UB59-453-1K	
1	SHOCK ABSORBE	Б		
	Soft Option Twin Tube Gas			
	Big Bore (Not for Loaded Vehicles)	2	GS45-115	
	Heavy Duty Twin Tube Gas	_	G343-113	
<u> </u>	Big Bore	2	GS59-079	
	Heavy Duty Twin Tube Gas Big Bore (Long Travel)	2	GS59-703	
	big bore (Long Traver)	_	0333-703	
1	SHACKLE			
	Greasable: Fit in Pairs		SK59-019	
# 1	Right Hand Side (Anti-Reverse)	1	SK59-048	
	Left Hand Side (Anti-Reverse)		SK59-047	
	zore mana orac (rimer moverse)	_	0.100	
	PIN			
	Greasable: Fit in Pairs	2	SP59-023	
	Greasable. Tit iii Talis	_	3133-023	



TYPE: Landcruiser

MODEL: FZJ/HZJ 71, 74, 76

YEAR: 1999 - 2004

DETAIL: SWB, MWB, LWB



	FRONT	OTY	PART NUMBER	PRICE		REA	R	QTY	PART NUMBER	PRICE
	COIL SPRING		1				LEAF SPRING		1	
	Linear Rate						FZJ/HZJ 71 SWI	3		
	Standard Height	1	C59-250	В			7 Leaves	1	L59-071-R RH	
	Linear Rate)	Plus 1 Spacer Leaf			
	Raised Height (50mm Lift) Comfort Option					Raised	Height (50mm Lift)		L59-071-R LH	
	Up to 50Kg Accessories						FZJ/HZJ 74 MW	В		
	(Bullbar OR Winch)	1	C59-246	В	ال د	•	7 Leaves	1	L59-074-R RH	
MWWW	Linear Rate					Raised	Plus 1 Spacer Leaf Height (50mm Lift)	1	L59-074-R LH	
	Raised Height (50mm Lift)			_		Ruiscu	FZJ/HZJ 76 LWI		LOS OF ICEN	
	Up to 50Kg Accessories	1	C59-248	В			7 Leaves	,		
	Linear Rate Raised Height (50mm Lift)				Q	Raised	Height (50mm Lift)			
	Super Heavy Duty						0Kg Constant Load	2	L59-021-R	
	50-100Kg Accessories									
	(Bullbar and Winch)	1	C59-252	В		İ	SHACKLE BUSH K	ΙT	1	
							Kit Contains:			
	SHOCK ABSORBE	ΕR					4 x SPF1781			
							2 x SPF1782 4 x SPF1798	1	PB59-1090K	
	Heavy Duty Twin Tube Gas	2	GS45-114				4 X SPF1/90	1	PP29-1090K	
						1				
	STEERING DAMP	ER					U-BOLT KIT			
•	Heavy Duty (Big Bore)						Kit Contains:			
1	Complete with Fittings	1	SD59-824		—	71 SWB	2 x UB59-453-3	2	UB59-453-3K	
				1		74 MWB	2 x UB59-453-3	2	UB59-453-3K	
	UNDER BODY BUSH					76 LWB	2 x UB59-453-1	2	UB59-453-1K	
	Kit Includes Front & Rear Unde	r Bo	ody Bushes					_		
2 v Er	2 x Front Panhard Rod Bush ont Leading Arm to Diff Bush						SHOCK ABSORBE	R	(
	Leading Arm to Chassis Bush	1	PB59-1261K				Comfort Option			
	3						Twin Tube Gas			
	RADIUS ARM BUS	SH	(1)	Light Load	2	GS59-649	
Adjustable	Front Radius Arm Castor Kit					Heavy [Outy Twin Tube Gas			
Ang	gle Settings: ±0° or ±2.5°						(Big Bore)	2	GS59-651	
4 x Po	olyurethane Eccentric Bushes	1	PB59-503K							
Fixed Rubber	Front Radius Arm Castor Kit						SHACKLE			
	Angle Setting: ±2.5° 4 x Rubber Eccentric Bushes	1	RB59-522K		22.22.1	1		_		
				- b i -	 	Gre	easable: Fit in Pairs	2	SK59-051	
Reco	Vehicle Will Effect Castor Angle mmended to Determine if a Cas	. A stor	· Kit is Required			1				
							PIN			
						Cr	easable: Fit in Pairs	2	SP59-044	
						GIE	easable. Fit iii Fali S	2	3P39-044	



MODEL: GRJ71, HZJ71

YEAR: 08/2009 on

DETAIL: 4x4



	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Variable Rate		CEO 454V	В
	Standard Height Linear Rate	1	C59-454V	В
	Raised Height (40mm Lift)			
	Comfort Option No Accessories	1	C59-246	В
MMMMM	Linear Rate			
	Raised Height (40mm Lift) 50Kg Accessories (Bullbar)	1	C59-250	В
	Linear Rate	-	C33 230	D
	Raised Height (50mm Lift)			
	Up to 100Kg Accessories (Bullbar AND Winch)	1	C59-248	В
	SHOCK ABSORBE	R		
-	Heavy Duty Twin Tube Gas	2	GS45-114	
	Heavy Duty Monotube			
	Remote Reservoir	2	MR45-60114	
1	STEERING DAMP	ΕR		
11	Heavy Duty (Big Bore)			
•——•	Complete with Fittings	1	SD59-825	
	UNDER BODY BUSH	K	T T	
	Kit Includes Front & Rear Under			
2 v Erd	2 x Front Panhard Rod Bush ont Leading Arm to Diff Bush			
	Leading Arm to Chassis Bush	1	PB59-1261K	
	0.4 GTOD //TT			
Adjustable	CASTOR KIT Front Radius Arm Castor Kit			
Ang	gle Settings: ±0° or ±2.5° lyurethane Eccentric Bushes	1	PB59-503K	
	Front Radius Arm Castor Kit	1	PB39-303K	
	Angle Setting: ±2.5° 4 x Rubber Eccentric Bushes		DDE0 5221/	
	Vehicle Will Effect Castor Angle		RB59-522K Wheel Alignmen	ıt is
	mmended to Determine if a Cas			

	REAR	QTY	PART NUMBER	PRICE
	LEAF SPRING			
	7 Leaves + 1 Spacer		L59-071-R RH	
ڡ	Raised Height (50mm Lift) 7 Leaves + 1 Spacer		L59-071-R LH L59-074-R RH	
	Raised Height (50mm Lift) 250-350Kg Constant Load		L59-074-R KH	
	SHACKLE BUSH K	ш		
	Kit Contains: 8 x SPF1798			
	4 x SPF1781	1	PB59-1100K	
	U-BOLT KIT			
	Kit Contains:			
<u> </u>	2 x UB59-453-3	2	UB59-453-3K	
	SHOCK ARSORRE			
	SHOCK ABSORBE Soft Option Twin Tube Gas	IK.		
	(Big Bore)	_		
	Not For Loaded Vehicles	2	GS45-115	
	Heavy Duty Twin Tube Gas (Big Bore)	2	GS59-079	
	Heavy Duty Twin Tube Gas			
	(Big Bore) Long Travel	2	GS59-703	
. =	Heavy Duty Monotube			
• 	Remote Reservoir	2	MR45-60115	
1	SHACKLE			
なない	SHACKLE Greasable: Fit in Pairs	2	SK59-051	
4.4.1	Greasable: Fit in Pairs	2	SK59-051	
本本1		2	SK59-051	
☆ ₩	Greasable: Fit in Pairs		SK59-051 SP59-057	
♣ ₩	Greasable: Fit in Pairs			
♣ ₩	Greasable: Fit in Pairs			
♣ ₩	Greasable: Fit in Pairs			
☆ ₩	Greasable: Fit in Pairs			
###I	Greasable: Fit in Pairs			
♣ ₩	Greasable: Fit in Pairs			
#####################################	Greasable: Fit in Pairs			
###I	Greasable: Fit in Pairs			
###I	Greasable: Fit in Pairs			
###I	Greasable: Fit in Pairs			
☆ ₩	Greasable: Fit in Pairs			
₹ \$₹1	Greasable: Fit in Pairs			
₹	Greasable: Fit in Pairs			
♣ ₩	Greasable: Fit in Pairs			
≯ \$\\	Greasable: Fit in Pairs			
♣ ₩	Greasable: Fit in Pairs			



MODEL: FJ75, HJ75, BJ75



DETAIL: Pickup, Troop Carrier Rear Drum Brake




			DETAIL:	Rear Dru
	FRONT	QTY	PART NUMBER	PRICE
	LEAF SPRING			
	7 Leaves Raised Height (45mm Lift) No Accessories	2	HJ75-7L-F	
<u></u>	8 Leaves Raised Height (50mm Lift) Heavy Duty			
	40-70Kg Accessories (Bullbar OR Winch) (Recommended	2	HJ75-8L-F	
	SHACKLE BUSH K	1		1
OLI	Kit Contains: 12 x SPF2260	1	PB59-1019K	
	U-BOLT KIT			
	Kit Contains:			
<u> </u>	2 x UB59-668		UB59-668K	
	SHOCK ABSORBE	R		
·	Heavy Duty Twin Tube Gas	2	GS59-637	
	STEERING DAMP	₹R		
 	Heavy Duty (Big Bore) Complete with Fittings	1	SD59-824	
	SHACKLE			
	Greasable: Fit in Pairs			
	Right Hand Side (Anti-Reverse)	1	SK59-048	
ι	eft Hand Side (Anti-Reverse)	1	SK59-047	
	PIN			
& +	Greasable: Fit in Pairs	2	SP59-007	
1				

	REAR	ΣŢ	PART NUMBER	PRICE
	LEAF SPRING			
ВА	It is a Requirement that the Br 59-001 be Fitted when Using th	ake	e Adjuster e Leaf Springs	
	6+2 Leaves Raised Height (50mm Lift) Up to 100Kg Constant Load	2	HJ75-6+2-R	
ڡ_	7+2 Leaves Raised Height (50mm Lift) Heavy Duty 300Kg Constant Load	2	HJ75-7+2-R	
	8+2 Leaves Raised Height (50mm Lift) Super Heavy Duty	2	11373-712-K	
	500Kg Constant Load		HJ75-8+2-R	
	SHACKLE BUSH K	Ш		
OLI	Kit Contains: 12 x SPF2270	1	PB59-1020K	
	U-BOLT KIT			
	Kit Contains: 2 x UB59-453-1	2	UB59-453-1K	
,	SHOCK ABSORBE	R		
	Soft Option Twin Tube Gas (Big Bore) Not for Loaded Vehicles		GS45-115	
0	Heavy Duty Twin Tube Gas (Big Bore)	2	GS59-079	
	Heavy Duty Twin Tube Gas (Big Bore) Long Travel	2	GS59-703	
	BRAKE ADJUSTE	R		
	Recommended when Raising Vehicle	1	BA59-001	
	SHACKLE			
	Greasable: Fit in Pairs	2	SK59-019	
***	Right Hand Side			
	(Anti-Reverse)		SK59-048	
	eft Hand Side (Anti-Reverse)	1	SK59-047	
	PIN			
4 +-	Greasable: Fit in Pairs	2	SP59-023	



MODEL: FZJ75, HZJ75 YEAR: 1990 - 09/1999



PRICE

DETAIL: Pickup, Troop Carrier - Disc Brake Rear End For Model with Rear Drum Brake (Pre 10/1991) use Rear Spring Part Number HJ75-6+2-R

			Rear Spri	ing Part Number HJ/5-6+2-R		
FRONT	QTY	PART NUMBER	PRICE	REAR	QTY	PART NUMBER
LEAF SPRING		1		LEAF SPRING		1
7 Leaves				It is a Requirement that the Br BA59-001 be Fitted when Using th		
Raised Height (45mm Lift) No Accessories	2	HZJ75-7L-F		6+2 Leaves	ese	Lear Springs
8 Leaves				Raised Height (50mm Lift) Up to 100Kg Constant Load	2	HZ175-6+2-R
Raised Height (50mm Lift) Heavy Duty				7+2 Leaves	_	
0-40Kg Accessories (Bullbar Recommended)	2	HZJ75-8L-F		Raised Height (50mm Lift) Heavy Duty		
8 Leaves				300Kg Constant Load	2	HZJ75-7+2-R
Raised Height (50mm Lift) Heavy Duty				8+2 Leaves Raised Height (50mm Lift)		
50-100Kg Accessories	2	HJ75-8L-F		Super Heavy Duy 500Kg Constant Load	2	HZJ75-8+2-R
SHACKLE BUSH K	ΙΤ					
Kit Contains:				SHACKLE BUSH K	Ш	
12 x SPF2260	1	PB59-1019K		Kit Contains: 12 x SPF2270	1	PB59-1020K
U-BOLT KIT						
Kit Contains:	_			U-BOLT KIT		
2 x UB59-668K	2	UB59-668K		Kit Contains: 2 x UB59-453-1	2	UB59-453-1K
SHOCK ABSORBE	R	ı				
				SHOCK ABSORBE	R	
Heavy Duty Twin Tube Gas	2	GS59-637		Soft Option Twin Tube Gas (Big Bore)		
STEERING DAMPE	ĒR			Not For Loaded Vehicles	2	GS45-115
Heavy Duty (Big Bore) Complete with Fittings	1	CDE0 924		Heavy Duty Twin Tube Gas (Big Bore)	2	GS59-079
• Complete with Fittings	1	SD59-824		Heavy Duty Twin Tube Gas		
SHACKLE				(Big Bore) Long Travel	2	GS59-703
Greasable: Fit in Pairs				BRAKE ADJUSTE	R	
Right Hand Side (Anti-Reverse)	1	SK59-048		Recommended when		D. 20.
Left Hand Side (Anti-Reverse)	1	SK59-047		Raising Vehicle	1	BA59-001
				SHACKLE		
PIN				Greasable: Fit in Pairs		
Greasable: Fit in Pairs	2	SP59-007		Right Hand Side (Anti-Reverse)	1	SK59-048
				Left Hand Side (Anti-Reverse)		
				PIN		
				Greasable: Fit in Pairs	2	SP59-023



MODEL: FZJ76, HZJ76, VDJ76

YEAR: 04/2007 on

DETAIL: Station Wagon, V8 Turbo Diesel



	FRONT	QTY	PART NUMBER	PRICE		REAR
	COIL SPRING					
	Variable Rate					
	Standard Height	1	C59-454V	В		Raised Heig
	Linear Rate Raised Height (40mm Lift)					Up to 100Kg
	Comfort Option No Accessories	1	C59-246	В		Raised Heig
	Linear Rate	_	C33-240			,
MAAAAAAA	Raised Height (40mm Lift)	1	C59-250	В		300Kg
MWWWW	Linear Rate					Raised Heig
	Raised Height (55mm Lift) Up to 80Kg Accessories					Sup 450Kg
	(Bullbar OR Winch)	1	C59-248	В		+30Kg
	Linear Rate Raised Height (50mm Lift)					SH
	Super Heavy Duty					_
	80-110Kg Accessories (Bullbar AND Winch)	1	C59-252	В		
	SHOCK ABSORBE	R				1
	Heavy Duty Twin Tube Gas	2	GS45-114			
	Heavy Duty Monotube					L59-020-R 2
	Remote Reservoir	2	MR45-60114			L59-021-R 2
	CTERTING DAMP					L59-022-R 2
1 1	STEERING DAMP Heavy Duty (Big Bore)	-1.3				
• •••• •	Complete with Fittings	1	SD59-825			SH
						Soft Option
	ADJUSTABLE PANHAR	D	ROD			Heavy Duty
~ —	Right Hand Drive Complete with Bushes	1	PR59-1418			6 ,,
						Heavy Duty Long Tra
	UNDER BODY BUSH Kit Includes Front & Rear Under					Heavy [
	2 x Front Panhard Rod Bush	ВС	dy busiles			Rer
2 x Fro	ont Leading Arm to Diff Bush		DDE0 1361V			
4 X FIOIIL L	eading Arm to Chassis Bush	1	PB59-1261K		-1 to -1-	
	RADIUS ARM BUS	SH				Greasal
0 Degree St	andard Radius Arm Bush Kit					
	Arm to Diff 4 x Rubber Bushes	1	RB59-536K			
	Arm to Chassis Bush Kit					• Greasal
	2 x Rubber Bushes	1	RB59-534K			
	CASTOR ADJUSTMEN	ГР	ART			
	Front Radius Arm Castor Kit					
	Ingle Settings: ±0° or ±2.5° Iyurethane Eccentric Bushes	1	PB59-503K			
	Front Radius Arm Castor Kit					
	Angle Setting: ±2.5° 4 x Rubber Eccentric Bushes	1	RB59-522K			
	/ehicle Will Effect Castor Angle			it is		
	mmended to Determine if a Cas					
	COTL-CDACED					
	COIL SPACER	2	PS21-4008			
Ē	30mm		PS21-4008 PS21-4009			
	John	2	. 321-4009			
					 	

REAR	QΤΥ	PART NUMBER	PRICE
LEAF SPRING			
4+2 Leaves Raised Height (45mm Lift) Medium Duty			
Up to 100Kg Constant Load 5+2 Leaves	2	L59-020-R	
Raised Height (50mm Lift) Heavy Duty 300Kg Constant Load	2	L59-021-R	
6+2 Leaves Raised Height (50mm Lift)			
Super Heavy Duty 450Kg Constant Load	2	L59-022-R	
SHACKLE BUSH K	IT		
Kit Contains:			
4 x SPF1781 2 x SPF1782 4 x SPF1798	1	PB59-1090K	
U-BOLT KIT			
Kit Contains:			
L59-020-R 2 x UB59-453-3	2	UB59-453-3K	
L59-021-R 2 x UB59-453-3	2	UB59-453-1K	
L59-022-R 2 x UB59-453-1	2	UB59-453-1K	
SHOCK ABSORBE	R		
Soft Option Twin Tube Gas (Big Bore)		GS45-115	
Heavy Duty Twin Tube Gas (Big Bore)		GS59-079	
Heavy Duty Twin Tube Gas Long Travel (Big Bore)	2	GS59-703	
Heavy Duty Monotube Remote Reservoir	2	MR45-60115	
SHACKLE			
Greasable: Fit in Pairs	2	SK59-051	
,			
PIN			
Greasable: Fit in Pairs	2	SP59-044	



Dobinsons

MODEL: FZJ78, HZJ78 (Year: 09/1999 - 04/2007) FZJ78, HZJ78, VDJ78 V8 Diesel (Year: 04/2007 on)


DETAIL: Troop Carrier


	FRONT	QTY	PART NUMBER	PRICE	
	COIL SPRING				
	Linear Rate Standard Height Up to 50Kg Accessories (Bullbar OR Winch)	1	C59-250	В	
	Linear Rate Raised Height (45mm Lift) Up to 40Kg Accessories (Bullbar OR Winch)	1	C59-248	В	
MWWW	Linear Rate Raised Height (45mm Lift) 50-110Kg Accessories (Bullbar AND Winch)	1	C59-236	В	
	Linear Rate Raised Height (35mm Lift) Extra Heavy Duty 70-120Kg Accessories (Bullbar AND Winch)	1	C59-252	В	
1	SHOCK ABSORBE	R			
	Haaring Burker Toring Torks Coo	2	CC4E 114		
	Heavy Duty Twin Tube Gas Heavy Duty Monotube Remote Reservoir		GS45-114 MR45-60114		
	STEERING DAMP	ER			
	FZJ79, HZJ79 (to 04/		07)		
	Heavy Duty (Big Bore) Complete with Fittings FZJ79, HZJ79, VDJ79 (04		SD59-824		
∮	Heavy Duty (Big Bore) Complete with Fittings		SD59-825		
	ADJUSTABLE PANHAR	_			
	RH Drive V8 Mode				
-	Complete with Bushes		PR59-1418		
	RH Drive 6 Cyl Mod				
	Complete with Buches				
	Complete with Bushes	1	PR59-1420		
	UNDER BODY BUSH	1 K 1	PR59-1420		
	UNDER BODY BUSH Kit Includes Front & Rear Under 2 x Front Panhard Rod Bush	1 K 1	PR59-1420		
2 x Fro	UNDER BODY BUSH Kit Includes Front & Rear Under	1 KI r Bo	PR59-1420		0
2 x Fro	UNDER BODY BUSH Kit Includes Front & Rear Under 2 x Front Panhard Rod Bush ont Leading Arm to Diff Bush	1 KI r Bo	PR59-1420 CT ody Bushes		0
2 x Fr 4 x Front I	UNDER BODY BUSH Kit Includes Front & Rear Under 2 x Front Panhard Rod Bush ont Leading Arm to Diff Bush Leading Arm to Chassis Bush RADIUS ARM BUST tandard Radius Arm Bush Kit n to Diff - 4 x Rubber Bushes	1 KII BO	PR59-1420 CT ody Bushes		
2 x Fr 4 x Front I	UNDER BODY BUSH Kit Includes Front & Rear Under 2 x Front Panhard Rod Bush ont Leading Arm to Diff Bush Leading Arm to Chassis Bush RADIUS ARM BUST tandard Radius Arm Bush Kit	1 KI T BO	PR59-1420 dy Bushes PB59-1261K		
2 x Fr 4 x Front I 0 Degree S Arn	UNDER BODY BUSH Kit Includes Front & Rear Under 2 x Front Panhard Rod Bush ont Leading Arm to Diff Bush Leading Arm to Chassis Bush RADIUS ARM BUST tandard Radius Arm Bush Kit n to Diff - 4 x Rubber Bushes Arm to Chassis Bush Kit 2 x Rubber Bushes CASTOR KIT	1 KI T BO	PR59-1420 dy Bushes PB59-1261K RB59-536K		Rec
2 x Fri 4 x Front I 0 Degree Si Arn Adjustable	UNDER BODY BUSH Kit Includes Front & Rear Under 2 x Front Panhard Rod Bush ont Leading Arm to Diff Bush Leading Arm to Chassis Bush RADIUS ARM BUST tandard Radius Arm Bush Kit n to Diff - 4 x Rubber Bushes Arm to Chassis Bush Kit 2 x Rubber Bushes CASTOR KIT Front Radius Arm Castor Kit gle Settings: ±0° or ±2.5°	1 KI T BO	PR59-1420 dy Bushes PB59-1261K RB59-536K RB59-534K		Rec
2 x Front I 4 x Front I 0 Degree S Arn Adjustable An 4 x Po	UNDER BODY BUSH Kit Includes Front & Rear Under 2 x Front Panhard Rod Bush ont Leading Arm to Diff Bush Leading Arm to Chassis Bush RADIUS ARM BUST tandard Radius Arm Bush Kit to Diff - 4 x Rubber Bushes Arm to Chassis Bush Kit 2 x Rubber Bushes CASTOR KIT Front Radius Arm Castor Kit gle Settings: ±0° or ±2.5° olyurethane Eccentric Bushes Front Radius Arm Castor Kit	1 KI T BO	PR59-1420 dy Bushes PB59-1261K RB59-536K		
2 x Fri 4 x Front I 0 Degree Si Arn Adjustable Ani 4 x Po Fixed Rubber	UNDER BODY BUSH Kit Includes Front & Rear Under 2 x Front Panhard Rod Bush ont Leading Arm to Diff Bush Leading Arm to Chassis Bush RADIUS ARM BUST tandard Radius Arm Bush Kit to Diff - 4 x Rubber Bushes Arm to Chassis Bush Kit 2 x Rubber Bushes CASTOR KIT Front Radius Arm Castor Kit gle Settings: ±0° or ±2.5° olyurethane Eccentric Bushes Front Radius Arm Castor Kit Angle Setting: ±2.5° 4 x Rubber Eccentric Bushes	1 1 1 1 1 1	PR59-1420 Tr dy Bushes PB59-1261K RB59-536K RB59-534K PB59-503K		Rec
2 x Fri 4 x Front I	UNDER BODY BUSH Kit Includes Front & Rear Under 2 x Front Panhard Rod Bush ont Leading Arm to Diff Bush Leading Arm to Chassis Bush RADIUS ARM BUST tandard Radius Arm Bush Kit n to Diff - 4 x Rubber Bushes Arm to Chassis Bush Kit 2 x Rubber Bushes CASTOR KIT Front Radius Arm Castor Kit gle Settings: ±0° or ±2.5° Olyurethane Eccentric Bushes Front Radius Arm Castor Kit Angle Setting: ±2.5°	1 KI T BO	PR59-1420 dy Bushes PB59-1261K RB59-536K RB59-534K PB59-503K RB59-522K Wheel Alignmen		
2 x Fri 4 x Front I	UNDER BODY BUSH Kit Includes Front & Rear Under 2 x Front Panhard Rod Bush ont Leading Arm to Diff Bush Leading Arm to Chassis Bush RADIUS ARM BUST tandard Radius Arm Bush Kit to Diff - 4 x Rubber Bushes Arm to Chassis Bush Kit 2 x Rubber Bushes CASTOR KIT Front Radius Arm Castor Kit gle Settings: ±0° or ±2.5° olyurethane Eccentric Bushes Front Radius Arm Castor Kit Angle Setting: ±2.5° 4 x Rubber Eccentric Bushes Vehicle Will Effect Castor Angle	1 KI T BO	PR59-1420 dy Bushes PB59-1261K RB59-536K RB59-534K PB59-503K RB59-522K Wheel Alignmen		
2 x Fri 4 x Front I	UNDER BODY BUSH Kit Includes Front & Rear Under 2 x Front Panhard Rod Bush ont Leading Arm to Diff Bush Leading Arm to Chassis Bush RADIUS ARM BUST tandard Radius Arm Bush Kit to Diff - 4 x Rubber Bushes Arm to Chassis Bush Kit 2 x Rubber Bushes CASTOR KIT Front Radius Arm Castor Kit gle Settings: ±0° or ±2.5° olyurethane Eccentric Bushes Front Radius Arm Castor Kit Angle Setting: ±2.5° 4 x Rubber Eccentric Bushes Vehicle Will Effect Castor Angle mmended to Determine if a Castor	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	PR59-1420 dy Bushes PB59-1261K RB59-536K RB59-534K PB59-503K RB59-522K Wheel Alignmen		
2 x Fri 4 x Front I	UNDER BODY BUSH Kit Includes Front & Rear Under 2 x Front Panhard Rod Bush ont Leading Arm to Diff Bush Leading Arm to Chassis Bush RADIUS ARM BUST tandard Radius Arm Bush Kit to Diff - 4 x Rubber Bushes Arm to Chassis Bush Kit 2 x Rubber Bushes CASTOR KIT Front Radius Arm Castor Kit gle Settings: ±0° or ±2.5° olyurethane Eccentric Bushes Front Radius Arm Castor Kit Angle Setting: ±2.5° 4 x Rubber Eccentric Bushes Vehicle Will Effect Castor Angle mmended to Determine if a Castor COIL SPACER	1 KI T BO	PR59-1420 dy Bushes PB59-1261K RB59-536K RB59-534K PB59-503K RB59-522K Wheel Alignmen Kit is Required.		

REAR		QTY	PART NUMBER	PRICE
	EAF SPRING	I O	NUMBER	
It is a Requirement				
Raised Heigh	6+2 Leaves nt (50mm Lift) Medium Duty			
Up to 100Kg (7+2 Leaves	2	TOY-082-R	
	nt (50mm Lift) Heavy Duty Constant Load	2	TOY-083-R	
Supe	8+2 Leaves nt (50mm Lift) er Heavy Duty Constant Load	2	TOY-084-R	
	constant Load	_	101 001 K	
SHA	ACKLE BUSH K	ΙΤ		
	to 07/2009			
OLE	Kit Contains: 4 x SPF1781 2 x SPF1782			
	4 x SPF1798	1	PB59-1090K	
08/200	9 on (Air Bag	Da	sh)	
	Kit Contains: 8 x SPF1798			
	4 x SPF1781	1	PB59-1100K	
	U-BOLT KIT			
	Kit Contains:			
TOY-082-R 2	2 x UB59-453-1	2	UB59-453-1K	
TOY-083-R	2 x UB59-416	2	UB59-416K	
TOY-084-R	2 x UB59-416	2	UB59-416K	
SH	OCK ABSORBE	R		
	Twin Tube Gas			
Not For Loa	(Big Bore) ded Vehicles	2	GS45-115	
	Twin Tube Gas (Big Bore) Twin Tube Gas	2	GS59-079	
Heavy Duty	(Big Bore) Long Travel	2	GS59-703	
	uty Monotube note Reservoir	2	MR45-60115	
BR	AKE ADJUSTE	R		
Recommended when R	taising Vehicle Suits 2-3" Lift)	1	BA59-001	
	SHACKLE			
Greasab	le: Fit in Pairs	2	SK59-051	
<u> </u>	PIN			
	to 07/2009			
Greasab	le: Fit in Pairs	2	SP59-044	
08/200	9 on (Air Bag	Da	sh)	
Greasab	le: Fit in Pairs	2	SP59-057	




MODEL: FZJ79, HZJ79, HDJ79, VDJ79





Front Coil Spring Suspension



	REAR		ZT✓	PART NUMBER	PRICE					
		LEAF SPRING		NOMBER						
It is a Requir	It is a Requirement that the Brake Adjuster BA59-001 be Fitted When Using These Leaf Springs									
	Raised He	6+2 Leaves eight (45mm Lift) Comfort Spring No Load	2	TOY-078-R						
		6+2 Leaves eight (50mm Lift) Standard Duty (g Constant Load	2	TOY-082-R						
ع و		7+2 Leaves eight (50mm Lift) Heavy Duty (g Constant Load	2	TOY-083-R						
	S	8+2 Leaves eight (50mm Lift) uper Heavy Duty (g Constant Load	2	TOY-084-R						
	S	9+2 Leaves eight (50mm Lift) uper Heavy Duty (g Constant Load	2	TOY-085-R						
	S	8+3 Leaves eight (50mm Lift) uper Heavy Duty (g Constant Load	2	TOY-088-R						
	S	HACKLE BUSH K	ш							
		to 07/2009								
OLI	00/3	Kit Contains: 4 x PB59-1509 4 x SPF1782		PB59-1089K						
	08/2	2009 on (Air Bag	υa	sn)						
OLI		Kit Contains: 8 x SPF1798 4 x SPF1781	1	PB59-1100K						
		U-BOLT KIT								
		Kit Contains:								
	TOY-078-R	2 x UB59-453-1	2	UB59-453-1K						
	TOY-082-R	2 x UB59-453-1	2	UB59-453-1K						
	TOY-083-R	2 x UB59-416	2	UB59-416K						
	TOY-084-R	2 x UB59-416	2	UB59-416K						
	TOY-085-R	2 x UB59-914	2	UB59-914K						
	TOY-088-R	2 x UB59-914	2	UB59-914K						
		SHOCK ABSORBE	Ь							
		on Twin Tube Gas								
	·	(Big Bore)	2	GS45-115						
	Heavy Du	ty Twin Tube Gas (Big Bore)	2	GS59-079						
	Heavy Du	ty Twin Tube Gas (Big Bore) Long Travel	2	GS59-703						
•		y Duty Monotube Remote Reservoir	2	MR45-60115						
	CONT	INUED ON NEX	T F	PAGE						



MODEL: FZJ79, HZJ79, HDJ79, VDJ79





YEAR: 09/1999 on

DETAIL: Pickup, 4.5L Turbo Diesel Pickup/Dual Cab Front Coil Spring Suspension

			ii opring odsper	151611			
FRONT	PART NUMBER	PRICE		REAR	V QTY	PART UMBER	PRICE
			СО	NTINUED FROM PREV	/IOUS	PAGE	
				BRAKE ADJUSTE			,
			Recommer	nded when Raising Vehicle (Suits 2-3" Lift)		9-001	
				SHACKLE to 07/2009			
			\$\$.\$\$T	Greasable: Fit in Pairs 08/2009 on (Air Bag		9-043	
			122.22	Greasable: Fit in Pairs		9-051	
				PIN to 07/2009			
			& +-	Greasable: Fit in Pairs	2 SP5	9-044	
				08/2009 on (Air Bag			
				Greasable: Fit in Pairs	2 SP5	9-057	



MODEL: FZJ79/78, HZJ79/78, HDJ79, VDJ79/78



YEAR: 09/1999 on

DETAIL: Pickup, 4.5L Turbo Diesel Dual Cab/Pickup Troop Carrier 75mm (3") & 100mm (4") Lifts

	0.00	4		
	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Linear Rate Raised Height (3" Lift) Up to 50Kg Accessories	1	C59-240	В
	Linear Rate Raised Height (3" Lift) 50-100Kg Constant Load	1	C59-256	В
M	Linear Rate Raised Height (<mark>4" Lift)</mark> Medium Duty 50-80Kg Accessories (Bullbar AND Winch)	1	C59-508	В
	Linear Rate Raised Height (4" Lift) Super Heavy Duty 80-120Kg Accessories (Bullbar AND Winch)	1	C59-458	В
1	SHOCK ABSORBE	R		
	SHOCK ADSORDE			
	Heavy Duty Twin Tube Gas Heavy Duty Monotube		GS51-116	
	Remote Reservoir (3" Lift) Heavy Duty Monotube Remote Reservoir (4" Lift)	_	MR51-60116 MR45-60914	
1	, ,		MK45-00914	
	STEERING DAMPI FZJ79, HZJ79 (to 04/		07)	
 i	Heavy Duty (Big Bore) Complete with Fittings		SD59-824	
	FZJ79, HZJ79, VDJ79 (04	/20	007 on)	
—	Heavy Duty (Big Bore) Complete with Fittings	1	SD59-825	
	ADJUSTABLE PANHAR	D	ROD	
	RH Drive V8 Models - Complete with Bushes	1	PR59-1418	
	RH Drive 6 Cyl Models - Complete with Bushes		PR59-1420	
	UNDER BODY BUSH Kit Includes Front & Rear Under			
2 x Fro	2 x Front Panhard Rod Bush ont Leading Arm to Diff Bush leading Arm to Chassis Bush		PB59-1261K	
	CASTOR KIT			
	Front Radius Arm Castor Kit Angle Setting: ±2.5°			
	4 x Rubber Eccentric Bushes /ehicle Will Effect Castor Angle		RB59-522K	t ic
	nmended to Determine if a Cas			
	SWAYBAR EXTENS	Ю	N	
Ac	ljustable Swaybar Extension (Suits 2" - 4" Lift)	2	WA59-543K	
	COIL SPACER			
	10mm		PS21-4008	
	30mm	2	PS21-4009	

	REAR	ÓΤÝ	PART NUMBER	PRICE
	LEAF SPRING			
	It is a Requirement that the Br			
BA	159-001 be Fitted when Using Th	ese	e Leaf Springs	
	3+1 Leaves Parabolic Raised Height (3" Lift) Medium Duty Up to 100Kg Constant Load	2	TOY-090-RP	
	3+1 Leaves Parabolic Raised Height (4" Lift) Heavy Duty Up to 100Kg Constant Load	2	TOY-091-RP	
	3+1 Leaves Parabolic Raised Height (3" Lift) Extra Heavy Duty 400Kg Constant Load	2	TOY-091-RP	
	6+2 Leaves Standard Duty Raised Height (4" Lift) Up to 150 Kg Constant Load	2	TOY-200-R	
	7+2 Leaves Standard Duty Raised Height (4" Lift) 300 Kg Constant Load	2	TOY-201-R	
	SHACKLE BUSH K	ш		
OLI	Kit Contains: 8 x SPF1798 4 x SPF1781	1	PB59-1100K	
	U-BOLT KIT			
	Kit Contains: 2 x UB59-416	2	UB59-416K	
	SHOCK ABSORBE	R		
0	Heavy Duty Twin Tube Gas (Big Bore) Long Travel			
	Not For Loaded Vehicles	2	GS45-913	
	Heavy Duty Monotube Remote Reservoir (3" Lift)	2	MR45-60913	
	Heavy Duty Monotube			
I	Remote Reservoir (4" Lift)	2	MR45-60915	
	, ,	Ē	MR45-60915	,
	Remote Reservoir (4" Lift) BRAKE ADJUSTE Recommended when Raising Vehicle (Suits 2-3" Lift)	R	MR45-60915 BA59-001	
	BRAKE ADJUSTE Recommended when Raising	R		
25.25.1	BRAKE ADJUSTE Recommended when Raising Vehicle (Suits 2-3" Lift)	R	BA59-001	
*****	BRAKE ADJUSTE Recommended when Raising Vehicle (Suits 2-3" Lift) SHACKLE	R	BA59-001	
4	BRAKE ADJUSTE Recommended when Raising Vehicle (Suits 2-3" Lift) SHACKLE Greasable: Fit in Pairs PIN Greasable: Fit in Pairs	1 2 2	BA59-001 SK59-051 SP59-057	
♣ ⊢	BRAKE ADJUSTE Recommended when Raising Vehicle (Suits 2-3" Lift) SHACKLE Greasable: Fit in Pairs PIN Greasable: Fit in Pairs WARNING - 75MM (3") OR F	1 2 2 HIG	BA59-001 SK59-051 SP59-057 SHER LIFT	
The suspensi	BRAKE ADJUSTE Recommended when Raising Vehicle (Suits 2-3" Lift) SHACKLE Greasable: Fit in Pairs PIN Greasable: Fit in Pairs WARNING - 75MM (3") OR Fon components listed on this pager to Local Laws before Fitting to Engineering Certificate may be resulted to the component of the component	2 2 410 2 Required	SK59-051 SP59-057 SHER LIFT are for off-road egistered/Road lired	Vehicles
The suspensi - Ref An - Harr	BRAKE ADJUSTE Recommended when Raising Vehicle (Suits 2-3" Lift) SHACKLE Greasable: Fit in Pairs PIN Greasable: Fit in Pairs WARNING - 75MM (3") OR Fon components listed on this pager to Local Laws before Fitting to	2 2 2 Requestion Receptions in the content of the c	SK59-051 SP59-057 SHER LIFT are for off-road egistered/Road lired on Lifts Above 5 o) need to be r	Vehicles 50mm (2")

Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page. These products do not come with any warranty or guarantee.

- Extended Bump Stops

- Steering Arms - Swaybar Modification



MODEL: FJ80, HDJ80, HZJ80

YEAR: 05/1990 - 08/1991

DETAIL: Station Wagon



PRICE

В

В

В

С

	FRONT	QTY	PART NUMBER	PRICE		REAR	QTY	PART NUMBER
	COIL SPRING					COIL SPRING		
	Linear Rate Standard Height	1	C59-168	В		Linear Rate Standard Height	1	C59-169
M	Linear Rate Raised Height (45mm Lift) Up to 50Kg Accessories (Bullbar OR Winch) (Recommended)	1	C59-166	В	M	Linear Rate Raised Height (45mm Lift) Up to 100Kg Constant Load Recommended	1	C59-167
	Linear Rate Raised Height (45mm Lift) Extra Heavy Duty 50-110Kg Accessories (Bullbar AND Winch)	1	C59-170	В	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Variable Rate Raised Height (45mm Lift) Up to 100Kg Constant Load Linear Rate Raised Height (45mm Lift) Extra Heavy Duty	1	C59-175V
1	SHOCK ABSORBE	ь		1		350Kg Constant Load	1	C59-171
	SHOCK ABSORBE	- K						
	Heavy Duty Twin Tube Gas	2	GS59-683			SHOCK ABSORBE	-R	
	Heavy Duty Monotube Remote Reservoir	2	MR59-60683			Heavy Duty Twin Tube Gas	2	GS59-682
1				1	• •	Heavy Duty Monotube Remote Reservoir	2	MR59-60682
	STEERING DAMP	∃K						
∮	Heavy Duty (Big Bore) Complete with Fittings	1	SD59-824			UNDER BODY BUSH		
	p					Kit Includes Front & Rear Under	r Bo	dy Bushes
	UNDER BODY BUSH	K	tr		2 x Front	Radius Arm to Chassis Bush 4 x Front Leading Arm Bush		
	See Rear Under Body B					2 x Front Panhard Rod Bush		
						ear Upper Trailing Arm Bush ear Lower Trailing Arm Bush		
	CASTOR KIT					2 x Rear Panhard Rod Bush	1	PB59-1258K
	Front Radius Arm Castor Kit							
	Angle Settings: ±0°, ±2.5° or blyurethane Eccentric Bushes	1	PB59-503K			BRAKE ADJUSTE	R	
	Front Radius Arm Castor Kit Angle Setting: ±2.5°	_	. 200 0001		Recomm	nended when Raising Vehicle (Suits 2-3" Lift)	1	BA45-005
	4 x Rubber Eccentric Bushes	1	RB59-522K					
	Vehicle Will Effect Castor Angle					COIL SPACER		
Reco	mmended to Determine if a Cas	Stor	Kit is Required.			10mm	2	PS59-4005
	RADIUS ARM BUS	11		1		15mm	2	PS59-4006
0 Degree S	tandard Radius Arm Bush Kit	<i>7</i> 11				30mm	2	PS59-4007
o begree s	Arm to Diff 4 x Rubber Bushes	1	RB59-536K					
	Arm to Chassis Bush Kit 2 x Rubber Bushes	1	RB59-534K					
	COIL SPACER							
	5mm	2	PS59-4001					
	10mm	2	PS59-4002					
	20mm	2	PS59-4003					
	30mm	2	PS59-4004					



MODEL: FJ80, FZJ80, HZJ80

YEAR: 08/1991 - 1998

DETAIL: Station Wagon



PRICE

В

В

В

В

В

В

С

							_	
	FRONT	QTY	PART NUMBER	PRICE		REAR	QTY	PART NUMBER
	COIL SPRING		i			COIL SPRING		i
	Variable Rate Standard Height	1	C59-210V	В		Variable Rate Standard Height	1	C59-221V
	Variable Rate Raised Height (40mm Lift) Up to 50Kg Accessories (Bullbar OR Winch)	1	C59-220V	В		Variable Rate Raised Height (45mm Lift) Comfort Spring - Petrol Only No Load	1	C59-269V
	Variable Rate Raised Height (40mm Lift) 50-100Kg Accessories					Linear Rate Standard Height	1	C59-243
	(Bullbar AND Winch) Linear Rate Standard Height		C59-222V C59-174	B B	 	Linear Rate Raised Height (45mm Lift) Up to 100Kg Constant Load		
M	Linear Rate Raised Height (45mm Lift) Up to 50Kg Accessories (Bullbar OR Winch)					(Recommended) Linear Rate Raised Height (60mm Lift) Up to 100Kg Constant Load		C59-169 C59-167
	(Recommended) Linear Rate Raised Height (45mm Lift) Up to 100Kg Accessories		C59-168	B B		Variable Rate Raised Height (45mm Lift) Up to 100Kg Constant Load	1	C59-223V
	Linear Rate Raised Height (60mm Lift) No Accessories		C59-166	В		Linear Rate Raised Height (50mm Lift) 350Kg Constant Load	1	C59-171
	Linear Rate					SHOCK ABSORBE	R	
	Raised Height (40mm Lift) Comfort Spring - Petrol Only Up to 50Kg Accessories					Heavy Duty Twin Tube Gas		GS59-682
	(Bullbar OR Winch) SHOCK ABSORBE		C59-234	В	-	Heavy Duty Monotube Remote Reservoir	2	MR59-60682
	SHOCKASSONS							
	Heavy Duty Twin Tube Gas	2	GS59-683			UNDER BODY BUSH	K)	(T
							_	
	Heavy Duty Monotube Remote Reservoir	2	MR59-60683			Kit Includes Front & Rear Under Radius Rod to Chassis Bush	r Bo	ody Bushes
		1	MR59-60683				r Bo	ody Bushes
	Remote Reservoir	ΞR	MR59-60683 SD59-824		2 x Front 4 x R	Radius Rod to Chassis Bush 4 x Front Leading Arm Bush		pbs9-1258K
	Remote Reservoir STEERING DAMP Heavy Duty (Big Bore) Complete with Fittings UNDER BODY BUSH	ER 1	SD59-824		2 x Front 4 x R	r Radius Rod to Chassis Bush 4 x Front Leading Arm Bush 2 x Front Panhard Rod Bush Lear Upper Trailing Arm Bush Lear Lower Trailing Arm Bush		
	Remote Reservoir STEERING DAMP Heavy Duty (Big Bore) Complete with Fittings	ER 1	SD59-824		2 x Front 4 x R	r Radius Rod to Chassis Bush 4 x Front Leading Arm Bush 2 x Front Panhard Rod Bush Lear Upper Trailing Arm Bush Lear Lower Trailing Arm Bush	1	
	Remote Reservoir STEERING DAMP Heavy Duty (Big Bore) Complete with Fittings UNDER BODY BUSH	ER 1 KI ush	SD59-824		2 x Front 4 x F 4 x F	Radius Rod to Chassis Bush 4 x Front Leading Arm Bush 2 x Front Panhard Rod Bush Bear Upper Trailing Arm Bush Bear Lower Trailing Arm Bush 2 x Rear Panhard Rod Bush	1 :R	PB59-1258K
Aı	Remote Reservoir STEERING DAMP Heavy Duty (Big Bore) Complete with Fittings UNDER BODY BUSH See Rear Under Body B RADIUS ARM BUSH E Front Radius Arm Castor Kit Ingle Settings: ±0° or ±2.5°	1 K1 SH	SD59-824 IT Kit		2 x Front 4 x F 4 x F	Radius Rod to Chassis Bush 4 x Front Leading Arm Bush 2 x Front Panhard Rod Bush tear Upper Trailing Arm Bush tear Lower Trailing Arm Bush 2 x Rear Panhard Rod Bush	1 :R	PB59-1258K
A i 4 x F	Remote Reservoir STEERING DAMP Heavy Duty (Big Bore) Complete with Fittings UNDER BODY BUSH See Rear Under Body B RADIUS ARM BUSH Front Radius Arm Castor Kit ngle Settings: ±0° or ±2.5° Olyurethane Eccentric Bushes	1 K1 SH	SD59-824		2 x Front 4 x F 4 x F	Radius Rod to Chassis Bush 4 x Front Leading Arm Bush 2 x Front Panhard Rod Bush Rear Upper Trailing Arm Bush Rear Lower Trailing Arm Bush 2 x Rear Panhard Rod Bush BRAKE ADJUSTE mended when Raising Vehicle	1 R 1	PB59-1258K
A i 4 x F	Remote Reservoir STEERING DAMP Heavy Duty (Big Bore) Complete with Fittings UNDER BODY BUSH See Rear Under Body B RADIUS ARM BUSH E Front Radius Arm Castor Kit Ingle Settings: ±0° or ±2.5°	1 KI wsh	SD59-824 IT Kit		2 x Front 4 x F 4 x F	Radius Rod to Chassis Bush 4 x Front Leading Arm Bush 2 x Front Panhard Rod Bush lear Upper Trailing Arm Bush 2 x Rear Panhard Rod Bush BRAKE ADJUSTE mended when Raising Vehicle COIL SPACER 10mm	1 1 2 2	PB59-1258K BA45-005 PS59-4005 PS59-4006
4 x F Fixed Rubbe	Remote Reservoir STEERING DAMP Heavy Duty (Big Bore) Complete with Fittings UNDER BODY BUSH See Rear Under Body B RADIUS ARM BUSH e Front Radius Arm Castor Kit ngle Settings: ±0° or ±2.5° Polyurethane Eccentric Bushes er Front Radius Arm Castor Kit Angle Setting: ±2.5°	1 KI SH 1	SD59-824 Kit PB59-503K RB59-522K or Angle.	r Kit is	2 x Front 4 x F 4 x F	Radius Rod to Chassis Bush 4 x Front Leading Arm Bush 2 x Front Panhard Rod Bush lear Upper Trailing Arm Bush 2 x Rear Panhard Rod Bush BRAKE ADJUSTE nended when Raising Vehicle COIL SPACER 10mm	1 1 2 2	PB59-1258K BA45-005 PS59-4005
4 x F Fixed Rubbe	Remote Reservoir STEERING DAMP Heavy Duty (Big Bore) Complete with Fittings UNDER BODY BUSH See Rear Under Body B RADIUS ARM BUSE Front Radius Arm Castor Kit ngle Settings: ±0° or ±2.5° olyurethane Eccentric Bushes Front Radius Arm Castor Kit Angle Setting: ±2.5° 4 x Rubber Eccentric Bushes Raising Vehicle Will Effect Castor Kit Right Radius Arm Castor Kit Angle Setting: ±2.5° 4 x Rubber Eccentric Bushes Raising Vehicle Will Effect Castor Kit Required.	1 KI I I I I I I I I I I I I I I I I I I	SD59-824 Kit PB59-503K RB59-522K or Angle.	r Kit is	2 x Front 4 x F 4 x F	Radius Rod to Chassis Bush 4 x Front Leading Arm Bush 2 x Front Panhard Rod Bush lear Upper Trailing Arm Bush 2 x Rear Panhard Rod Bush BRAKE ADJUSTE mended when Raising Vehicle COIL SPACER 10mm	1 1 2 2	PB59-1258K BA45-005 PS59-4005 PS59-4006
4 x F Fixed Rubbe	Remote Reservoir STEERING DAMP Heavy Duty (Big Bore) Complete with Fittings UNDER BODY BUSH See Rear Under Body B RADIUS ARM BUSE Front Radius Arm Castor Kit Ingle Settings: ±0° or ±2.5° Polyurethane Eccentric Bushes Per Front Radius Arm Castor Kit Angle Setting: ±2.5° 4 x Rubber Eccentric Bushes Raising Vehicle Will Effect Castlignment is Recommended to December 1.	1 1 1 seter	SD59-824 Kit PB59-503K RB59-522K or Angle.	r Kit is	2 x Front 4 x F 4 x F	Radius Rod to Chassis Bush 4 x Front Leading Arm Bush 2 x Front Panhard Rod Bush lear Upper Trailing Arm Bush 2 x Rear Panhard Rod Bush BRAKE ADJUSTE mended when Raising Vehicle COIL SPACER 10mm	1 1 2 2	PB59-1258K BA45-005 PS59-4005 PS59-4006
4 x F Fixed Rubbe	Remote Reservoir STEERING DAMP Heavy Duty (Big Bore) Complete with Fittings UNDER BODY BUSH See Rear Under Body B RADIUS ARM BUSE Front Radius Arm Castor Kit ngle Settings: ±0° or ±2.5° rolyurethane Eccentric Bushes Front Radius Arm Castor Kit Angle Setting: ±2.5° 4 x Rubber Eccentric Bushes Raising Vehicle Will Effect Castor Kit Required. RADIUS ARM BUSE Standard Radius Arm Bush Kit Arm to Diff	1 1 1 asto	SD59-824 Kit PB59-503K RB59-522K or Angle. mine if a Castol	r Kit is	2 x Front 4 x F 4 x F	Radius Rod to Chassis Bush 4 x Front Leading Arm Bush 2 x Front Panhard Rod Bush lear Upper Trailing Arm Bush 2 x Rear Panhard Rod Bush BRAKE ADJUSTE mended when Raising Vehicle COIL SPACER 10mm	1 1 2 2	PB59-1258K BA45-005 PS59-4005 PS59-4006
4 x F Fixed Rubbe	Remote Reservoir STEERING DAMP Heavy Duty (Big Bore) Complete with Fittings UNDER BODY BUSH See Rear Under Body B RADIUS ARM BUSE Front Radius Arm Castor Kit ngle Settings: ±0° or ±2.5° olyurethane Eccentric Bushes Front Radius Arm Castor Kit Angle Setting: ±2.5° 4 x Rubber Eccentric Bushes Raising Vehicle Will Effect Castor Kit Required. RADIUS ARM BUSE Standard Radius Arm Bush Kit Arm to Diff 4 x Rubber Bushes Arm to Chassis Bush Kit	1 1 1 asto	SD59-824 Kit PB59-503K RB59-522K or Angle. mine if a Castol	r Kit is	2 x Front 4 x F 4 x F	Radius Rod to Chassis Bush 4 x Front Leading Arm Bush 2 x Front Panhard Rod Bush lear Upper Trailing Arm Bush 2 x Rear Panhard Rod Bush BRAKE ADJUSTE mended when Raising Vehicle COIL SPACER 10mm	1 1 2 2	PB59-1258K BA45-005 PS59-4005 PS59-4006
4 x F Fixed Rubbe	Remote Reservoir STEERING DAMP Heavy Duty (Big Bore) Complete with Fittings UNDER BODY BUSH See Rear Under Body B RADIUS ARM BUSH E Front Radius Arm Castor Kit Ingle Settings: ±0° or ±2.5° Polyurethane Eccentric Bushes Front Radius Arm Castor Kit Angle Setting: ±2.5° 4 x Rubber Eccentric Bushes Raising Vehicle Will Effect Castor Kit Required. RADIUS ARM BUSH Standard Radius Arm Bush Kit Arm to Diff 4 x Rubber Bushes Arm to Chassis Bush Kit 2 x Rubber Bushes	1 1 1 1 SH 1 1	SD59-824 Kit PB59-503K RB59-522K or Angle. mine if a Castol	r Kit is	2 x Front 4 x F 4 x F	Radius Rod to Chassis Bush 4 x Front Leading Arm Bush 2 x Front Panhard Rod Bush lear Upper Trailing Arm Bush 2 x Rear Panhard Rod Bush BRAKE ADJUSTE mended when Raising Vehicle COIL SPACER 10mm	1 1 2 2	PB59-1258K BA45-005 PS59-4005 PS59-4006
4 x F Fixed Rubbe	Remote Reservoir STEERING DAMP Heavy Duty (Big Bore) Complete with Fittings UNDER BODY BUSH See Rear Under Body B RADIUS ARM BUSE EFRONT Radius Arm Castor Kit Ingle Settings: ±0° or ±2.5° Polyurethane Eccentric Bushes Front Radius Arm Castor Kit Angle Setting: ±2.5° 4 x Rubber Eccentric Bushes Raising Vehicle Will Effect Castor Radius Arm Castor Kit Angle Setting: ±2.5° 4 x Rubber Eccentric Bushes Raising Vehicle Will Effect Castor Required. RADIUS ARM BUSE Standard Radius Arm Bush Kit Arm to Diff 4 x Rubber Bushes Arm to Chassis Bush Kit 2 x Rubber Bushes COIL SPACER	1 1 1 1 1 1 1 1 1 1 2	SD59-824 Kit PB59-503K RB59-522K or Angle. mine if a Castor RB59-536K RB59-534K	r Kit is	2 x Front 4 x F 4 x F	Radius Rod to Chassis Bush 4 x Front Leading Arm Bush 2 x Front Panhard Rod Bush lear Upper Trailing Arm Bush 2 x Rear Panhard Rod Bush BRAKE ADJUSTE mended when Raising Vehicle COIL SPACER 10mm	1 1 2 2	PB59-1258K BA45-005 PS59-4005 PS59-4006
4 x F Fixed Rubbe	Remote Reservoir STEERING DAMP Heavy Duty (Big Bore) Complete with Fittings UNDER BODY BUSH See Rear Under Body B RADIUS ARM BUSE Front Radius Arm Castor Kit ngle Settings: ±0° or ±2.5° olyurethane Eccentric Bushes Front Radius Arm Castor Kit Angle Setting: ±2.5° 4 x Rubber Eccentric Bushes Raising Vehicle Will Effect Castor Required. RADIUS ARM BUSE Standard Radius Arm Bush Kit Arm to Diff 4 x Rubber Bushes Arm to Chassis Bush Kit 2 x Rubber Bushes COIL SPACER 5mm	1 1 1 astoceter 1 1 2 2	SD59-824 IT Kit PB59-503K RB59-522K or Angle. mine if a Castor RB59-536K RB59-534K PS59-4001	r Kit is	2 x Front 4 x F 4 x F	Radius Rod to Chassis Bush 4 x Front Leading Arm Bush 2 x Front Panhard Rod Bush lear Upper Trailing Arm Bush 2 x Rear Panhard Rod Bush BRAKE ADJUSTE mended when Raising Vehicle COIL SPACER 10mm	1 1 2 2	PB59-1258K BA45-005 PS59-4005 PS59-4006



TYPE: Landcruiser 80/105 Series

MODEL: FZJ, HZJ, HDJ 80/105

YEAR: 08/1991 on

DETAIL: Station Wagon 75mm (3" Lift)



	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING	i O	NUMBER	
	Linear Rate			
	Raised Height (3" Lift)			
	Up to 50Kg Accessories			
	(Bullbar OR Winch)	1	C59-176	В
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Linear Rate			
	Raised Height (3" Lift) Up to 100Kg Accessories			
	(Bullbar AND Winch)	1	C59-170	В
	,			
1	SHOCK ABSORBE	R		1
	Heavy Duty Twin Tube Gas	2	GS59-683	
	Heavy Duty Monotube			
	Remote Reservoir	2	MR59-60683	
	STEERING DAMPI	ER		
4	Heavy Duty (Big Bore)			
TT	Complete with Fittings	1	SD59-824	
	UNDER BODY BUSH	K)	ΙΤ	
	See Rear Under Body Bu	ısh	Kit	
				}
	CASTOR KIT			
	Front Radius Arm Castor Kit			
	gle Settings: ±0° or ±2.5° olyurethane Eccentric Bushes	1	PB59-503K	
	•	1	PB39-303K	
Fixed Rubber	Front Radius Arm Castor Kit Angle Setting: ±2.5°			
	4 x Rubber Eccentric Bushes	1	RB59-522K	
Raising	Vehicle Will Effect Castor Angle.	Α	Wheel Alignmer	nt is
	mmended to Determine if a Čas			
				1
	ADJUSTABLE PANHAR	D	ROD	
	RH Drive			
	Complete with Bushes	1	PR59-1404	
	LH Drive		DDF0 1400	
	Complete with Bushes	1	PR59-1408	
	RADIUS ARM BUS	lik		
0 Degree St	tandard Radius Arm Bush Kit Arm to Diff			
	4 x Rubber Bushes	1	RB59-536K	
	Arm to Chassis Bush Kit			
	2 x Rubber Bushes	1	RB59-534K	
	SWAYBAR EXTENS	[0]	N	
	Swaybar Extensions			
	Suits 2" - 6" Lift	2	SE59-516	
	COIL SPACER			
	5mm	2	PS59-4001	
_	10mm	2	PS59-4002	
	20mm		PS59-4003	
	30mm	2	PS59-4004	

	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Linear Rate			
	Raised Height (3" Lift)			
	Up to 100Kg Constant Load	1	C59-185	С
	Linear Rate			
wwww	Raised Height (3" Lift) Up to 200Kg Constant Load	1	C59-171	С
	Linear Rate	_		ŭ
	Raised Height (3" Lift)			
	Up to 400Kg Constant Load	1	C59-153	С
	SHOCK ABSORB	ΕR		}
	Heavy Duty Twin Tube Gas	2	GS59-682	
	Heavy Duty Monotube			
	Remote Reservoir	2	MR59-60682	
	UNDER BODY BUSH	Kı	Т	l
	Kit Includes Front & Rear Unde			
2 x Fror	nt Radius Arm to Chassis Bush			
	4 x Front Leading Arm Bush			
4 ×	2 x Front Panhard Rod Bush Rear Upper Trailing Arm Bush			
	Rear Lower Trailing Arm Bush			
	2 x Rear Panhard Rod Bush	1	PB59-1258K	
	ADJUSTABLE PANHAR	RD I	ROD	1
	Complete with Bushes	1	PR59-1405	
	BRAKE ADJUSTE	R		1
Recom	mended when Raising Vehicle			
	(Suits 2-3" Lift)	1	BA45-005	
	ALIGNMENT PAR	₹T		I.
	Swaybar Extension			
	Suits 3" - 6" Lift	24	CEEO E47	
	Side of Chassis Mount	2*	SE59-51/	
	Swaybar Extension Suits 3" - 6" Lift			
	Bottom of Chassis Mount	2*	SE59-519	
	*Check Swaybar Link Confi	igur	ation -	
	80 Series Require Either SE59-5			
	All 105 Series Require St	:59	-519	
	BRAKE ADJUSTE	Б		
D. 0.0.		1/2		
Kecom	mended when Raising Vehicle (Suits 2-6" Lift)	1	BA45-005	
	COIL SPACER			,
		2	DCEO 4005	
_	10mm	_	PS59-4005	
3	15mm	2	PS59-4006	
	30mm	2	PS59-4007	
	WARNING - 75MM (3") OR I	_		
<u>:</u>	ion components listed on this pa	_		
	fer to Local Laws before Fitting t Engineering Certificate may be			Vehicles
- Hai	ndling Characteristics will Dimini	ish o	on Lifts Above 5	. ,
The followi	na modifications (but not limite	-d +	a) pood to bo p	nado to

Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page. These products do not come with any warranty or guarantee.

The following modifications (but not limited to) need to be made to the vehicle before the kit is fitted.

- Adjustable Panhard Rods - Modified Leading/Trailing Arms

- Brake Hoses

- Extended Bump Stops

Gear Box & Drive Line Modifications

- Swaybar Modification

- Steering Arms



TYPE: Landcruiser 80/105 Series

MODEL: FZJ, HZJ, HDJ 80/105

YEAR: 08/1991 on

DETAIL: Station Wagon

100mm (4") Lift



F	RONT	QTY	PART NUMBER	PRICE
	COIL SPRING	Ī	NOMBLK	
	Linear Rate			
	Raised Height (4" Lift)			
	Heavy Duty 50-80Kg Accessories			
BAAAAAAAA	(Bullbar AND Winch)	1	C59-308	С
IWWWW	Linear Rate			
	Raised Height (4" Lift) Heavy Duty			
	80-150Kg Accessories			_
	(Bullbar AND Winch)	1	C59-312	С
	SHOCK ABSORBE	R		1
	In a second Buston Turks Turks Con-	_	0045 043	
	Heavy Duty Twin Tube Gas	2	GS45-912	
	Heavy Duty Monotube Remote Reservoir	2	MR45-60912	
,				
	STEERING DAMP	₹R		
•	Heavy Duty (Big Bore) Complete with Fittings	1	SD59-824	
	ADJUSTABLE PANHAR	Ð	ROD	
_	RH Drive - Complete with Bushes	1	PR59-1404	
~	LH Drive -			
	Complete with Bushes	1	PR59-1408	
	UNDER BODY BUSH	K	T	
	See Rear Under Body Bu			
	DADTIIS ADM RIIS	31		
Adjustable Fr	RADIUS ARM BUS	SH		
Angle	ont Radius Arm Castor Kit • Settings: ±0° or ±2.5°			
Angle 4 x Polyu	ont Radius Arm Castor Kit • Settings: ±0° or ±2.5° urethane Eccentric Bushes		PB59-503K	
Angle 4 x Polyu	ont Radius Arm Castor Kit • Settings: ±0° or ±2.5° urethane Eccentric Bushes ont Radius Arm Castor Kit		PB59-503K	
Angle 4 x Polyu Fixed Rubber Fr	ont Radius Arm Castor Kit • Settings: ±0° or ±2.5° urethane Eccentric Bushes	1	PB59-503K RB59-522K	
Angle 4 x Polyu Fixed Rubber Fr 4 x Raising Veh	ont Radius Arm Castor Kit • Settings: ±0° or ±2.5° urethane Eccentric Bushes ont Radius Arm Castor Kit Angle Setting: ±2.5° K Rubber Eccentric Bushes nicle Will Effect Castor Angle.	1 1	RB59-522K Wheel Alignmer	
Angle 4 x Polyu Fixed Rubber Fr 4 x Raising Veh	ont Radius Arm Castor Kit • Settings: ±0° or ±2.5° urethane Eccentric Bushes ont Radius Arm Castor Kit Angle Setting: ±2.5° « Rubber Eccentric Bushes	1 1	RB59-522K Wheel Alignmer	
Angle 4 x Polyu Fixed Rubber Fr 4 x Raising Ver Recomm	ont Radius Arm Castor Kit • Settings: ±0° or ±2.5° urethane Eccentric Bushes ont Radius Arm Castor Kit Angle Setting: ±2.5° × Rubber Eccentric Bushes nicle Will Effect Castor Angle, nended to Determine if a Cas	1 1 . A stor	RB59-522K Wheel Alignmer Kit is Required	
Angle 4 x Polyu Fixed Rubber Fr 4 x Raising Ver Recomm	ont Radius Arm Castor Kit Settings: ±0° or ±2.5° urethane Eccentric Bushes ont Radius Arm Castor Kit Angle Setting: ±2.5° k Rubber Eccentric Bushes nicle Will Effect Castor Angle nended to Determine if a Cas	1 1 . A stor	RB59-522K Wheel Alignmer	
Angle 4 x Polyu Fixed Rubber Fr 4 x Raising Ver Recomm	ont Radius Arm Castor Kit • Settings: ±0° or ±2.5° urethane Eccentric Bushes ont Radius Arm Castor Kit Angle Setting: ±2.5° × Rubber Eccentric Bushes nicle Will Effect Castor Angle, nended to Determine if a Cas	1 . A stor	RB59-522K Wheel Alignmer Kit is Required. WA59-514K	
Angle 4 x Polyu Fixed Rubber Fr 4 x Raising Ver Recomm	cont Radius Arm Castor Kit E Settings: ±0° or ±2.5° urethane Eccentric Bushes ont Radius Arm Castor Kit Angle Setting: ±2.5° k Rubber Eccentric Bushes nicle Will Effect Castor Angle nended to Determine if a Cas CASTOR PLATE K Plate Kit (Suits Both Arms) SWAYBAR EXTENS ustable Swaybar Extension	1 1 . A stor	RB59-522K Wheel Alignmer Kit is Required. WA59-514K	
Angle 4 x Polyu Fixed Rubber Fr 4 x Raising Ver Recomm	cont Radius Arm Castor Kit 2 Settings: ±0° or ±2.5° Urethane Eccentric Bushes Cont Radius Arm Castor Kit Angle Setting: ±2.5° K Rubber Eccentric Bushes Castor Angle Castor Angle Castor PLATE K Plate Kit (Suits Both Arms)	1 1 . A stor	RB59-522K Wheel Alignmer Kit is Required. WA59-514K	
Angle 4 x Polyu Fixed Rubber Fr 4 x Raising Ver Recomm	cont Radius Arm Castor Kit E Settings: ±0° or ±2.5° urethane Eccentric Bushes ont Radius Arm Castor Kit Angle Setting: ±2.5° k Rubber Eccentric Bushes nicle Will Effect Castor Angle nended to Determine if a Cas CASTOR PLATE K Plate Kit (Suits Both Arms) SWAYBAR EXTENS ustable Swaybar Extension	1 1 Astor IT 1 2	RB59-522K Wheel Alignmer Kit is Required. WA59-514K	
Angle 4 x Polyu Fixed Rubber Fr 4 x Raising Ver Recomm	cont Radius Arm Castor Kit E Settings: ±0° or ±2.5° Urethane Eccentric Bushes Ont Radius Arm Castor Kit Angle Setting: ±2.5° K Rubber Eccentric Bushes Dicke Will Effect Castor Anglemended to Determine if a Castor Anglemended to Determine if a Castor PLATE K Delate Kit (Suits Both Arms) SWAYBAR EXTENS Distable Swaybar Extension (Suits 2-6" Lift) RADIUS ARM BUSHES Radius Arm Bushes	1 1 Astor IT 1 2	RB59-522K Wheel Alignmer Kit is Required. WA59-514K	
Angle 4 x Polyu Fixed Rubber Fr 4 x Raising Ver Recomm	cont Radius Arm Castor Kit 2 Settings: ±0° or ±2.5° 2 Prethane Eccentric Bushes 3 Prethane Eccentric Bushes 4 Prethane Eccentric Bushes 5 Rubber Eccentric Bushes 6 Rubber Eccentric Bushes 7 Prethane Here Castor Angle 8 Prethane Here Castor Angle 9 Prethane Here 1 Pretha	1 1 . A stor	RB59-522K Wheel Alignmer Kit is Required. WA59-514K	
Angle 4 x Polyu Fixed Rubber Fr 4 x Raising Ver Recomm	cont Radius Arm Castor Kit 2 Settings: ±0° or ±2.5° urethane Eccentric Bushes ont Radius Arm Castor Kit Angle Setting: ±2.5° x Rubber Eccentric Bushes nicle Will Effect Castor Angle nended to Determine if a Castor CASTOR PLATE K Plate Kit (Suits Both Arms) SWAYBAR EXTENS ustable Swaybar Extension (Suits 2-6" Lift) RADIUS ARM BUSH Radius Arm Bushes Arm to Diff 4 x Rubber Bushes Arm to Chassis Bush Kit	1 1 . A stor	RB59-522K Wheel Alignmer Kit is Required. WA59-514K N SE59-516 RB59-536K	
Angle 4 x Polyu Fixed Rubber Fr 4 x Raising Ver Recomm	cont Radius Arm Castor Kit 2 Settings: ±0° or ±2.5° 2 Perethane Eccentric Bushes 3 Perethane Eccentric Bushes 4 Rubber Eccentric Bushes 5 Rubber Eccentric Bushes 6 Rubber Eccentric Bushes 6 Rubber Eccentric Bushes 7 Rubber Eccentric Bushes 8 Rubber Eccentric Bushes 8 Restate Kit (Suits Both Arms) 8 SWAYBAR EXTENS 9 SWAYBAR EXTENS 9 SWAYBAR EXTENS 1 Stable Swaybar Extension 1 Suits 2-6" Lift) 8 RADIUS ARM BUSHES 8 Arm to Diff 4 x Rubber Bushes	1 1 . A stor	RB59-522K Wheel Alignmer Kit is Required. WA59-514K N SE59-516	
Angle 4 x Polyu Fixed Rubber Fr 4 x Raising Ver Recomm	cont Radius Arm Castor Kit 2 Settings: ±0° or ±2.5° urethane Eccentric Bushes ont Radius Arm Castor Kit Angle Setting: ±2.5° x Rubber Eccentric Bushes nicle Will Effect Castor Angle nended to Determine if a Castor CASTOR PLATE K Plate Kit (Suits Both Arms) SWAYBAR EXTENS ustable Swaybar Extension (Suits 2-6" Lift) RADIUS ARM BUSH Radius Arm Bushes Arm to Diff 4 x Rubber Bushes Arm to Chassis Bush Kit	1 1 . A stor	RB59-522K Wheel Alignmer Kit is Required. WA59-514K N SE59-516 RB59-536K	
Angle 4 x Polyu Fixed Rubber Fr 4 x Raising Ver Recomm	cont Radius Arm Castor Kit Settings: ±0° or ±2.5° urethane Eccentric Bushes ont Radius Arm Castor Kit Angle Setting: ±2.5° Rubber Eccentric Bushes castor Eccentric Bushes icle Will Effect Castor Anglemended to Determine if a Castor PLATE K Plate Kit (Suits Both Arms) SWAYBAR EXTENS istable Swaybar Extension (Suits 2-6" Lift) RADIUS ARM BUSH Arm to Diff 4 x Rubber Bushes Arm to Chassis Bush Kit 4 x Rubber Bushes	1	RB59-522K Wheel Alignmer Kit is Required. WA59-514K N SE59-516 RB59-536K	
Angle 4 x Polyu Fixed Rubber Fr 4 x Raising Ver Recomm	cont Radius Arm Castor Kit Settings: ±0° or ±2.5° Direthane Eccentric Bushes Ont Radius Arm Castor Kit Angle Setting: ±2.5° Rubber Eccentric Bushes Dicle Will Effect Castor Angle Dienended to Determine if a Castor CASTOR PLATE K Plate Kit (Suits Both Arms) SWAYBAR EXTENS DISTABLE Swaybar Extension (Suits 2-6" Lift) RADIUS ARM BUSHES Arm to Diff 4 x Rubber Bushes Arm to Chassis Bush Kit 4 x Rubber Bushes COIL SPACER	1 1 . A stor	RB59-522K Wheel Alignmer Kit is Required. WA59-514K SE59-516 RB59-536K RB59-534K	
Angle 4 x Polyu Fixed Rubber Fr 4 x Raising Ver Recomm	cont Radius Arm Castor Kit Settings: ±0° or ±2.5° crethane Eccentric Bushes cont Radius Arm Castor Kit Angle Setting: ±2.5° Rubber Eccentric Bushes concide Will Effect Castor Anglemended to Determine if a Castor Castor Rubber Eccentric Bushes concide Will Effect Castor Anglemended to Determine if a Castor PLATE Kellow Radius Both Arms) SWAYBAR EXTENS Estable Swaybar Extension (Suits 2-6" Lift) RADIUS ARM BUSH Radius Arm Bushes Arm to Diff 4 x Rubber Bushes Arm to Chassis Bush Kit 4 x Rubber Bushes COIL SPACER 5mm	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	RB59-522K Wheel Alignmer Kit is Required. WA59-514K V SE59-516 RB59-536K RB59-534K PS59-4001	
Angle 4 x Polyu Fixed Rubber Fr 4 x Raising Ver Recomm	cont Radius Arm Castor Kit Settings: ±0° or ±2.5° urethane Eccentric Bushes ont Radius Arm Castor Kit Angle Setting: ±2.5° Rubber Eccentric Bushes icle Will Effect Castor Anglemended to Determine if a Castor Arms CASTOR PLATE K Plate Kit (Suits Both Arms) SWAYBAR EXTENS istable Swaybar Extension (Suits 2-6" Lift) RADIUS ARM BUSH Arm to Diff 4 x Rubber Bushes Arm to Chassis Bush Kit 4 x Rubber Bushes COIL SPACER 5mm 10mm	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	RB59-522K Wheel Alignmer Kit is Required. WA59-514K N SE59-516 RB59-536K RB59-534K PS59-4001 PS59-4002	
Angle 4 x Polyu Fixed Rubber Fr 4 x Raising Ver Recomm	cont Radius Arm Castor Kit Settings: ±0° or ±2.5° urethane Eccentric Bushes ont Radius Arm Castor Kit Angle Setting: ±2.5° Rubber Eccentric Bushes nicle Will Effect Castor Anglemended to Determine if a Castor Arms CASTOR PLATE K Plate Kit (Suits Both Arms) SWAYBAR EXTENS Istable Swaybar Extension (Suits 2-6" Lift) RADIUS ARM BUSH Arm to Diff 4 x Rubber Bushes Arm to Chassis Bush Kit 4 x Rubber Bushes COIL SPACER 5mm 10mm 20mm	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	RB59-522K Wheel Alignmer Kit is Required. WA59-514K SE59-516 RB59-536K RB59-534K PS59-4001 PS59-4002 PS59-4003	

	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Linear Rate Raised Height (4" Lift) Heavy Duty 60-100Kg Constant Load Linear Rate	1	C59-309	С
	Raised Height (<mark>4″ Lift)</mark> Extra Heavy Duty 200 - 350Kg Constant Load	1	C59-313	С
	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas Heavy Duty Monotube	2	GS59-687	
	Remote Reservoir	2	MR59-60687	
	UNDER BODY BUSH			
	Kit Includes Front & Rear Under	r Bo	dy Bushes	
4 x I	t Radius Arm to Chassis Bush 4 x Front Leading Arm Bush 2 x Front Panhard Rod Bush Rear Upper Trailing Arm Bush Rear Lower Trailing Arm Bush 2 x Rear Panhard Rod Bush	1	PB59-1258K	
1	ADJUSTABLE PANHAR	D I	ROD	
	Complete with Bushes	1		
	ALIGNMENT PAR	łΤ		
	Swaybar Extension Suits 3" - 6" Lift Side of Chassis Mount		SE59-517	
			SE59-519	
8	*Check Swaybar Link Confi 30 Series Require Either SE59-5: All 105 Series Require SE	17 c	r SE59-519.	
	BRAKE ADJUSTE	R		
	Brake Adjuster (Suits 2-4" Lift)	1	BA45-005	
	COIL SPACER			
	10mm	2	PS59-4005	
8_	15mm	2	PS59-4006	
	30mm		PS59-4007	
,	WARNING - 75MM (3") OR I	HIG	HER LIFT	

The suspension components listed on this page are for off-road use only.



- Refer to Local Laws before Fitting to Registered/Road Vehicles

- An Engineering Certificate may be required

- Handling Characteristics will Diminish on Lifts Above 50mm (2")

The following modifications (but not limited to) need to be made to

the vehicle before the kit is fitted. - Adjustable Panhard Rods



- Modified Leading/Trailing Arms
- Brake Hoses
- Extended Bump Stops
- Gear Box & Drive Line Modifications - Steering Arms - Swaybar Modification

Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page.

These products do not come with any warranty or guarantee.



TYPE: Landcruiser 80/105 Series

MODEL: FZJ, HZJ, HDJ 80/105

YEAR: 08/1991 on

DETAIL: Station Wagon

150mm (6" Lift)



	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
MWWW	Linear Rate Raised Height (6" Lift) 50-120Kg Constant Load	1	C59-310	С
	SHOCK ABSORBE	R		
-	Heavy Duty Twin Tube Gas	2	GS59-684	
	Heavy Duty Monotube Remote Reservoir	2	MR59-60918	
	STEERING DAMP	ĒR		
	Heavy Duty (Big Bore) Complete with Fittings	1	SD59-824	
	ADJUSTABLE PANHAR	D I	ROD	
	RH Drive Complete with Bushes	1	PR59-1404	
	LH Drive Complete with Bushes	1	PR59-1408	
	CASTOR PLATE K	IΤ		
5° Castor	Plate Kit (Suits Both Arms)	1	WA59-514K	
	SWAYBAR EXTENS	ΙΟΙ	N	
Ad	justable Swaybar Extension (Suits 2-6" Lift)	2	SE59-516	
	RADIUS ARM BUS	SH		
	Radius Arm Bushes			
	Arm to Diff 4 x Rubber Bushes	1	RB59-536K	
	Arm to Chassis Bush Kit 4 x Rubber Bushes	1	RB59-534K	
1	COIL SPACER			
	5mm	2	PS59-4001	
_	10mm		PS59-4002	
	20mm	2	PS59-4003	
	30mm	2	PS59-4004	

	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Linear Rate Raised Height (<mark>6" Lift)</mark> No Load	1	C59-317	В
WWWW	Linear Rate Raised Height (<mark>6" Lift)</mark> Heavy Duty 100Kg Constant Load	1	C59-319	С
	Linear Rate Raised Height (<mark>6" Lift)</mark> Extra Heavy Duty 400Kg Constant Load	1	C59-311	С
	SHOCK ABSORBE	R		1
	Heavy Duty Twin Tube Gas	2	GS59-685	
-	Heavy Duty Monotube Remote Reservoir	2	MR59-60685	
	UNDER BODY BUSH	KI	Т	
	Kit Includes Front & Rear Under	r Bo	dy Bushes	
4 x R	Radius Arm to Chassis Bush 4 x Front Leading Arm Bush 2 x Front Panhard Rod Bush Rear Upper Trailing Arm Bush Rear Lower Trailing Arm Bush 2 x Rear Panhard Rod Bush	1	PB59-1258K	
1	ADJUSTABLE PANHAR	D	ROD	
	Complete with Bushes	1	PR59-1405	
	ALIGNMENT PAR	T		1
	Swaybar Extension Suits 3" - 6" Lift Side of Chassis Mount	2*	SE59-517	
	Swaybar Extension Suits 3" - 6" Lift Bottom of Chassis Mount	2*	SE59-519	
8	*Check Swaybar Link Confi 0 Series Require Either SE59-5 All 105 Series Require SE	Ĭ7 c	or SE59-519.	
	BRAKE ADJUSTE	R		
Recomn	nended when Raising Vehicle (Suits 2-6" Lift)	1	BA45-005	

COIL SPACER 10mm

2 **PS59-4005** 15mm 2 **PS59-4006**

30mm 2 **PS59-4007**

WARNING - 75MM (3") OR HIGHER LIFT

The suspension components listed on this page are for off-road use only.



- Refer to Local Laws before Fitting to Registered/Road Vehicles - An Engineering Certificate may be required
- Handling Characteristics will Diminish on Lifts Above 50mm (2")

The following modifications (but not limited to) need to be made to the vehicle before the kit is fitted.



- Adjustable Panhard Rods
- Modified Leading/Trailing Arms
- Brake Hoses
- Extended Bump Stops
- Gear Box & Drive Line Modifications - Steering Arms
- Swaybar Modification

Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page.

These products do not come with any warranty or guarantee.



MODEL: FZJ105R, HZJ105R

YEAR: 04/1998 - 11/2007

DETAIL: Station Wagon GX, GXL Coil Spring Suspension



				Coll Sprin
	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Linear Rate Standard Height	1	C59-174	В
	Linear Rate Raised Height (40mm Lift) Comfort Spring Petrol Only Up to 50Kg Accessories (Bullbar OR Winch)	1	C59-234	В
	Linear Rate Raised Height (45mm Lift) Up to 50Kg Accessories (Bullbar OR Winch) (Recommended)	1	C59-168	В
	Linear Rate Raised Height (45mm Lift) 60-100Kg Accessories	1	C59-166	В
	*Linear Rate Raised Height (60mm Lift) No Accessories	1	C59-166	В
	* Sway Bar Extensions and Panhard Rods recommended			
1	SHOCK ABSORBE	R		1
	Heavy Duty Twin Tube Gas Heavy Duty Monotube		GS59-683	
	Remote Reservoir		MR59-60683	
	STEERING DAMP	€R		
 	Heavy Duty (Big Bore) Complete with Fittings	1	SD59-824	
	UNDER BODY BUSH	KI	T	
	See Rear Under Body B	ush	Kit	1
	RADIUS ARM BUS	SH		
•	Front Radius Arm Castor Kit Angle Settings: ±0°or ±2.5° lyurethane Eccentric Bushes	1	PB59-503K	
	Front Radius Arm Castor Kit Angle Setting: ±2.5° 4 x Rubber Eccentric Bushes	1	RB59-522K	
	Vehicle Will Effect Castor Angle mmended to Determine if a Cas			
	RADIUS ARM BUS	SH	•	
0 Degree St	andard Radius Arm Bush Kit Arm to Diff 4 x Rubber Bushes	1	RB59-536K	
	Arm to Chassis Bush Kit 2 x Rubber Bushes		RB59-534K	
	ADJUSTABLE PANHAR	ÐΙ	ROD	
	Right Hand Drive	1	PR59-1404	
	Left Hand Drive	1	PR59-1408	
	SWAYBAR EXTENS	IOI	N	
Sw	aybar Extensions Suits 2" on	2	SE59-516	
	COIL SPACER			
	5mm	2	PS59-4001	
-	10mm	2	PS59-4002	
	20mm	2	PS59-4003	
	30mm	2	PS59-4004	

	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Variable Rate Standard Height	1	C59-221V	В
	Variable Rate Raised Height (45mm Lift) Comfort Spring - Petrol Only No Load	1	C59-269V	В
	Linear Rate Standard Height	1	C59-243	В
M	Linear Rate Raised Height (45mm Lift) Up to 100Kg Constant Load (Recommended)	1	C59-169	В
	Linear Rate Raised Height (45mm Lift) 60-100Kg Constant Load	1	C59-167	В
	Linear Rate Raised Height (50mm Lift) 200-350Kg Constant Load	1	C59-171	С
	*Linear Height Raised Height (60mm Lift) No Load	1	C59-167	В
	* Sway Bar Extensions and Panhard Rods recommended			
	SHOCK ABSORBE	R		
-	Heavy Duty Twin Tube Gas	2	GS59-682	
	Heavy Duty Monotube Remote Reservoir	2	MR59-60682	
	UNDER BODY BUSH	KI	Т	
	Kit Includes Front & Rear Under	Bo	dy Bushes	
4 x	at Radius Arm to Chassis Bush 4 x Front Leading Arm Bush 2 x Front Panhard Rod Bush Rear Upper Trailing Arm Bush			
4 x	Rear Lower Trailing Arm Bush 2 x Rear Panhard Rod Bush	1	PB59-1258K	
	BRAKE ADJUSTE	R		
Recom	mended when Raising Vehicle (Suits 2-3" Lift)	1	BA45-005	
	ADJUSTABLE PANHAR	D	ROD	
	Complete with Bushes	1	PR59-1405	
	ALIGNMENT PAR	T		
•	par Extension Suits 3" - 6" Lift Side of Chassis Mount	2*	SE59-517	
Swayb	par Extension Suits 3" - 6" Lift Bottom of Chassis Mount			
1	*Check Swaybar Link Confi 80 Series Require Either SE59-5: All 105 Series Require SE	Ĭ7 c	or SE59-519.	
	BRAKE ADJUSTE	R		
Recom	mended when Raising Vehicle (Suits 2-6" Lift)	1	BA45-005	
	COIL SPACER			

15mm 2 **PS59-4006** 30mm 2 **PS59-4007**



MODEL: HDJ100, HZJ100, UZJ100

YEAR: 1998 - 11/2007

DETAIL: Petrol and Diesel



PRICE

В

В

С

С



This vehicle may be fitted with a Hydraulic Ride System. To convert this system to a conventional suspension system, a COMPLETE KIT must be fitted.

	DETAIL:		dent Front Su	uspension	a conve	enti	onal suspension sy
FRONT	≥ PART NUMBER	PRICE		REAR		QTY	PART NUMBER
TORSION BAR	1			COILS	PRING		1
V8 Petrol					ear Rate		
Heavy Duty Rate Increased				Standard Height (10n	nm Lift)	1	C59-169
	1 TB59-1600			Raised Height (30n	ear Rate		
Check Length Before Ord	derina			Up to 100Kg Consta			
Diesel/Turbo Diesel/6 Cy			BAAAAAAAA	(Recomm	nended)	1	C59-167
Heavy Duty Rate Increased	1 7050 1610		M	Line Raised Height (30n 200Kg Consta		1	C59-185
Length 1210mm				_		-	C39-103
Check Length Before Ord SHOCK ABSORBE				Line Raised Height (30n 400Kg Consta		1	C59-171
SHOCK ABSORDE	N .						
Heavy Duty Twin Tube Gas	2 GS59-782			SHOCK A	BSORBE	R	
				Heavy Duty Twin Tu		2	GS59-682
				Heavy Duty Mo Remote Re		2	MR59-60682
				UNDER BOD	V BIICH	Ζī	т
				Kit Includes Front & Re			
							dy busiles
				2 x Panhard Ro Rear Upper Trailing Ar Rear Lower Trailing Ar	m Bush	1	PB59-1259K
				COILS	SPACER		
					10mm	2	PS59-4005
			6				PS59-4006
					30mm	2	PS59-4007



MODEL: UZJ/URJ/GRJ/VDJ 200

YEAR: 11/2007 on

DETAIL: Station Wagon



	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
	GRJ200 4.0L 6 Cyl. F	et	rol	
M	Linear Rate Standard Height	1	C59-536	В
	Linear Rate Raised Height (50mm Lift)	1	C59-540	В
	UZJ200 4.7L V8 Pe URJ200 5.7L V8 Pe			
	Linear Rate Raised Height (25mm Lift)	1	C59-538	В
	Linear Rate Raised Height (35mm Lift)		C59-540	В
MWWW	Linear Rate Raised Height (50mm Lift) 0-50Kg Accessories	1	C59-542	В
	Linear Rate Raised Height (50mm Lift)	-	C39-3-2	D
	80-120Kg Accessories (Bullbar OR Winch)	1	C59-544	В
	VDJ200 4.5L Twin T V8 Diesel	url	00	
	Linear Rate Raised Height (30mm Lift)	1	C59-540	В
M	Linear Rate Raised Height (50mm Lift) 0-50Kg Accessories	1	C59-544	В
	Linear Rate Raised Height (50mm Lift)			
	80-120Kg Accessories (Bullbar OR Winch)	1	C59-568	В
	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas	2	GS59-688	
	Extra Heavy Duty Twin Tube Gas	2	GS59-690	
	Extra Heavy Duty Twin Tube Gas Monster Shock	2	6650 724	
	45mm Piston, 75mm Body Monotube Remote Reservoir Adjustable Spring Seat	2	GS59-734	
-	Heavy Duty Original Setting of $X = 222 \text{mm} / 8.74^{"}X - 6.00 \text{mm}$	2	MDE0 60600	
	Centre of Eye to Spring Seat	2	MR59-60688	
	STRUT CAP			
 0	Strut Top Caps	2	SC59-006	

	REAR	QTY	PART NUMBER	PRICE		
	COIL SPRING		NOFIBER			
	Linear Rate Standard Height	1	C59-543	В		
	Variable Rate Raised Height (10mm Lift) This Variable Rate Coil Allows Less Height Change and Provides a Firmer Ride When Loading	1	C59-559V	В		
	Linear Rate Raised Height (30mm Lift)	1	C59-535	В		
	Linear Rate Raised Height (30mm Lift) 100-200Kg Constant Load	1	C59-545	В		
	Linear Rate Raised Height (50mm Lift) No Load	1	C59-545	В		
	Linear Rate Raised Height (30mm Lift) 400Kg Constant Load	1	C59-547	В		
	Linear Rate Raised Height (50mm Lift) 250-300Kg Constant Load	aised Height (50mm Lift)				
	Linear Rate Raised Height (50mm Lift) 500Kg Constant Load	d Height (50mm Lift)				
	SHOCK ABSORBE	R				
	Heavy Duty Twin Tube Gas	2	GS59-682			
	Extra Heavy Duty Twin Tube Gas Monster Shock					
	45mm Piston, 70mm Body	2	GS59-698			
-	Heavy Duty Monotube Remote Reservoir	2	MR59-60682			
	ADJUSTABLE PANHAR		POD			
	Complete with Bushes		PR59-1421			
Recomm	ended for Lifts Above 35mm to C			ment.		



TYPE: Landcruiser 90 Series Prado

MODEL: RZN/VZN/KZN/KDJ 90SWB/95LWB

YEAR: 1996 - 2003

DETAIL: Station Wagon



	FRONT	δŢ	PART NUMBER	PRICE					
	COIL SPRING SWB								
RZJ90 2.7L Petrol VZJ90 3.4L V6 KZJ90 3.0L T/Diesel									
	Linear Rate Raised Height (35mm Lift) Up to 60Kg Accessories (Bullbar OR Winch)	1 C59-276		В					
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Linear Rate Raised Height (35mm Lift) 60-90Kg Accessories (Bullbar AND Winch)	1	C59-134	В					
	KDJ90 3.0L T/Die:	sel							
MAAAAAAAA	Linear Rate Raised Height (40mm Lift) Linear Rate	1	C59-134	В					
IWWWWI	Raised Height (40mm Lift) 60-90Kg Accessories (Bullbar AND Winch)	C59-296	В						
	LWB RZJ95 2.7L Petro VZJ95 3.4L V6	ol							
	Linear Rate Standard Height	1	C59-274	В					
 	Linear Rate Raised Height (35mm Lift) Up to 60Kg Accessories (Bullbar OR Winch)	1	C59-276	В					
	Linear Rate Raised Height (35mm Lift) Up to 90Kg Accessories (Bullbar OR Winch)	1	C59-134	В					
	KZJ95 3.0L T/Dies								
	KDJ95 3.0L T/Dies Linear Rate	sel							
MAAAAAAAA	Raised Height (35mm Lift) No Accessories	1	C59-134	В					
I	Linear Rate Raised Height (35mm Lift) 60-90Kg Accessories (Bullbar OR Winch)		C59-296	В					
				1					
	SHOCK ABSORBE Heavy Duty Twin Tube Gas		GS59-222						
	STRUT CAP			1					
:≣: 0	Strut Top Caps	2	SC59-002						

	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Linear Rate Standard Height	1	C59-133	В
	Variable Rate Raised Height (40mm Lift) Up to 50Kg Constant Load	1	C59-137V	В
I	Variable Rate Raised Height (40mm Lift) Heavy Duty 150Kg Constant Load	1	C59-297V	В
	Linear Rate Raised Height Super Heavy Duty	1	C39-297 V	Б
	300Kg Constant Load	1	C59-303	В
	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas Big Bore	2	GS59-225	
	UNDER BODY BUSH	KI	т	1
	Kit Includes Front & Rear Unde			
	2 x Rear Panhard Rod Bush Rear Lower Trailing Arm Bush Rear Upper Trailing Arm Bush	1	PB59-1256K	
1	COIL SPACER			1
_	20mm	2	PS51-4019	
8	30mm		PS51-4020	
	30111111	2	P551-4020	



TYPE: Landcruiser 120 Series Prado

MODEL: RZJ/VZJ/KZJ/KDJ 125,

RZJ/VZJ/GRJ/KZJ/KDJ 120, VZJ/KDJ 121

YEAR: 2003 - 11/2009

DETAIL: Station Wagon, SWB & LWB



PRICE

В

В

В

В

В

В

В

В

	FRONT	QTY	PART NUMBER	PRICE		REAR	QTY	PART NUMBER
	COIL SPRING					COIL SPRING		
	SWB					SWB		
	RZJ125 2.7L Peti VZJ125 3.4L V6 KZJ125 3.0L T/Die	5	l			Linear Rate Raised Height (20mm Lift)	1	C59-323
M	Linear Rate Raised Height (45mm Lift) Up to 60Kg Accessories				N	Linear Rate Raised Height (50mm Lift) 60-100Kg Constant Load	1	C59-325
	(Bullbar OR Winch)		C59-296	В		Linear Rate Raised Height (50mm Lift)		
	KDJ125 3.0L T/Die	ese				100-300Kg Constant Load	1	C59-327
	Linear Rate Raised Height (35mm Lift)					LWB		
MWWW	Up to 60Kg Accessories (Bullbar OR Winch)	1	C59-300	В		Linear Rate Standard Height	1	C59-323
	Linear Rate Raised Height (35mm Lift) 60-100Kg Accessories					Linear Rate Raised Height (45mm Lift)	1	C59-325
	(Bullbar AND Winch)	1	C59-302	В		Linear Rate Raised Height (50mm Lift)		
	LWB RZJ120 2.7L Peti	rol			MWWWW	100-300Kg Constant Load Linear Rate	1	C59-327
www	Linear Rate Raised Height (45mm Lift) VZJ120/121 3.4L		C59-296	В		Raised Height (45mm Lift) 300-400Kg Constant Load	1	C59-329
MWWW	Linear Rate Raised Height (45mm Lift)		C59-300	В		Linear Rate Raised Height (45mm Lift) 400-500Kg Constant Load	1	C59-331
	GRJ120 4.0L V6					Too Soong constant Load		000 001
	KDJ120/121 3.0L T/I	Die	sel			SHOCK ABSORBI	ER	
	Linear Rate Standard Height	1	C59-134	В		Heavy Duty Twin Tube Gas (Long Travel)	2	GS59-701
MWWW	Linear Rate Raised Height (35mm Lift)	1	C59-300	В		Extra Heavy Duty Twin Tube Gas	2	GS59-637
	Linear Rate Raised Height (35mm Lift) 60-100Kg Accessories (Bullbar AND Winch)	1	C59-302	В	•———	Monotube Remote Reservoir Shock Heavy Duty	2	MR59-50701
	KZJ120 3.0L T/Die	ese				LINDER BORY BUG		_
	Linear Rate Raised Height (40mm Lift)	1	C59-302	В		UNDER BODY BUSH Kit Includes Front & Rear Unde		
MWWW	Linear Rate Raised Height (45mm Lift) 80-150Kg Accessories (Bullbar AND Winch)	1	C59-314	В	2 x Front Co	ontrol Arm Lower Inner Front ontrol Arm Lower Inner Rear x Front Control Upper Inner 2 x Rear Panhard Rod Bush 4 x Rear Trailing Arm Lower 4 x Rear Trailing Arm Upper	1	PR59-1263K
	UNDER BODY BUSH	IK:	ΙΤ			TX Real Training 71 Th Opper	-	1 200 1200K
	See Rear Under Body B	ush	Kit			ADJUSTABLE PANHAF	RD I	ROD
Y	SHOCK ABSORBE	ĒR			~	Complete with Bushes	1	PR59-1423
O-	Heavy Duty Twin Tube Gas	2	GS59-221					
	Monotube Remote Reservoir Adjustable Spring Seat							
• 	Heavy Duty Original Setting of X = 213mm/8.38"X -							
	Centre of Eye to Spring Seat	2	MR59-50221					
	STRUT CAP							
 0	Strut Top Cap	2	SC59-001					



TYPE: Landcruiser 150 Series Prado

MODEL: KDJ150, GRJ150, KDJ155

YEAR: 2010 on

DETAIL: SWB & LWB Wagon Does Not Suit Models with Iling Suspension





				Self-Lev
	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING SWB & LWB Petr Without KDSS	ol		
MAAAAAAAA	Linear Rate Raised Height (40mm Lift) Linear Rate	1	C59-300	В
MWWWI	Raised Height (40mm Lift) 70-100Kg Accesories (Bullbar AND Winch)	1	C59-302	В
	SWB & LWB Dies Without KDSS	el		
	Linear Rate Raised Height (30mm Lift)	1	C59-300	В
	Linear Rate Raised Height (40mm Lift)	1	C59-350	В
	Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch)		C59-352	В
	SWB & LWB	1	C39-332	Б
	With KDSS Linear Rate			
	Raised Height (30mm Lift) Linear Rate	1	C59-722	В
WWWW	Raised Height (40mm Lift)	1	C59-724	В
	Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch)	1	C59-726	В
	SHOCK ABSORBE	R		
o -	SHOCK ABSORBE Heavy Duty Twin Tube Gas	2	GS59-700	
o 	Heavy Duty Twin Tube Gas Monotube Remote Reservoir Adjustable Spring Seat		GS59-700	
• •	Heavy Duty Twin Tube Gas Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of		GS59-700	
• 	Heavy Duty Twin Tube Gas Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty		GS59-700 MR59-50700	
• 	Heavy Duty Twin Tube Gas Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 213mm/8.38"X -	2		
	Heavy Duty Twin Tube Gas Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 213mm/8.38"X - Centre of Eye to Spring Seat	2		
	Heavy Duty Twin Tube Gas Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 213mm/8.38"X - Centre of Eye to Spring Seat	2	MR59-50700	
	Heavy Duty Twin Tube Gas Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 213mm/8.38"X - Centre of Eye to Spring Seat	2	MR59-50700	
	Heavy Duty Twin Tube Gas Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 213mm/8.38"X - Centre of Eye to Spring Seat	2	MR59-50700	
	Heavy Duty Twin Tube Gas Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 213mm/8.38"X - Centre of Eye to Spring Seat	2	MR59-50700	
	Heavy Duty Twin Tube Gas Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 213mm/8.38"X - Centre of Eye to Spring Seat	2	MR59-50700	
	Heavy Duty Twin Tube Gas Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 213mm/8.38"X - Centre of Eye to Spring Seat	2	MR59-50700	
	Heavy Duty Twin Tube Gas Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 213mm/8.38"X - Centre of Eye to Spring Seat	2	MR59-50700	
	Heavy Duty Twin Tube Gas Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 213mm/8.38"X - Centre of Eye to Spring Seat	2	MR59-50700	
	Heavy Duty Twin Tube Gas Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 213mm/8.38"X - Centre of Eye to Spring Seat	2	MR59-50700	


	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
	SWB Without KDSS			
	Linear Rate Raised Height (20mm Lift)	1	C59-323	В
MWWWW	Linear Rate Raised Height (50mm Lift) 60-100Kg Constant Load	1	C59-325	В
	Linear Rate Raised Height (50mm Lift) 100-300Kg Constant Load	1	C59-327	В
	LWB Without KDSS			
	Linear Rate			
	Raised Height (45mm Lift) Linear Rate	1	C59-325	В
MWWWW	Raised Height (45mm Lift) 100-300Kg Constant Load	1	C59-327	В
	Linear Rate Raised Height (45mm Lift) 300-400Kg Constant Load	1	C59-329	В
	LWB With KDSS			
	Linear Rate Raised Height (35mm Lift)	1	C59-723	В
	Linear Rate Raised Height (45mm Lift)	1	C59-725	В
MWWWW	Linear Rate Raised Height (45mm Lift) 100-300Kg Constant Load	1	C59-727	В
	Linear Rate Raised Height (45mm Lift) 300-400Kg Constant Load	1	C59-729	В
1	SHOCK ABSORBE	R		
	Heavy Duty Twin Tube Gas (Long Travel)		GS59-701	
	Extra Heavy Duty Twin Tube Gas	2	GS59-637	
	Monotube Remote Reservoir Shock			
		2	MR59-50701	
	ADJUSTABE PANHAR	D R	OD	
	Complete with Bushes	2	PR59-1423	



TYPE: Fortuner

MODEL: KUN/TGN 51

YEAR: 2005 to 06/2015





	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
MWWWI	Linear Rate Standard Height Comfort Option	1	C59-338	В
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Linear Rate Raised Height (20mm Lift) Comfort Option	1	C59-316	В
	2.7L Petrol			
	Linear Rate Standard Height	1	C59-136	В
	Linear Rate Raised Height (25mm Lift)	1	C59-274	В
	Linear Rate Raised Height (50mm Lift) 50-100Kg Accessories (Bullbar AND Winch)		C59-276	В
	3.0L Diesel, 4.0L Pe	etro	ol	
	Linear Rate Standard Height	1	C59-274	В
 	Linear Rate Raised Height (40mm Lift) Up to 50Kg Accessories (BUllbar OR Winch)	1	C59-296	В
	Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch)	1	C59-300	В
1	SHOCK ABSORBE	R		
• •	Heavy Duty Twin Tube Gas	2	GS59-220	
	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of			
_	X = 226mm/8.89" X - Centre of Eye to Spring Seat	2	MR59-50220	
	STRUT CAP			
-E: 0	Strut Top Cap	2	SC59-001	

	REAR	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Linear Rate Standard Height Comfort Option Recommended	1	C59-377	В
	Linear Rate Raised Height (20mm Lift) Comfort Option Recommended	1	C59-875	В
	Linear Rate Standard Height	1	C59-353	В
MAAAAAAAA	Linear Rate Raised Height (30mm Lift) Comfort Option Recommended	1	C59-691	В
IWWWWI	Linear Rate Raised Height (45mm Lift) Comfort Option Recommended	1	C59-697	В
	Linear Rate Raised Height (35mm Lift) Heavy Duty	1	C59-355	В
	Linear Rate Raised Height (35mm Lift) 100-200Kg Accessories Heavy Duty	1	C59-385	В
	Linear Rate Raised Height (45mm Lift) Heavy Duty	1	C59-385	В
1	SHOCK ARSORRE	ь		
	SHOCK ABSORBE Heavy Duty Twin Tube Gas		GS59-705	
	Extra Heavy Duty Twin Tube gas Extra Long Trave	2	GS59-701	
•	Monotube Remote Reservoir Shock Absorber Heavy Duty	2	MR59-50705	
GS59-701 and	MR59-50705 for use only with C	259-	-385, C59-691 8	C59-697.



TYPE: Fortuner

MODEL: N160, N156

YEAR: 07/2015 on

DETAIL: 4x4 Wagon




			DETAIL.	4x4 way
	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
	2.4L Turbo Diese Linear Rate Raised Height (45mm Lift) No Accessories		CEO 200	D
MWWWM	Linear Rate Raised Height (45mm Lift) 40-60Kg Accessories		C59-296 C59-300	В
	Linear Rate Raised Height (45mm Lift) 80-120Kg Accessories		C59-302	В
	2.8L Turbo Dies	el		
	Linear Rate Raised Height (45mm Lift) Up to 60Kg Accessories	1	C59-300	В
wwww	Linear Rate Raised Height (45mm Lift) Comfort Option			
	60-100Kg Accessories Linear Rate Raised Height (45mm Lift)	1	C59-302	В
,	Heavy Duty 80-120Kg Accessories		C59-728	В
	SHOCK ABSORBI	R		
	Heavy Duty Twin Tube Gas Spring Seat Height	2	GS59-228	
• 	X = 226mm	2	MR59-50700	
	STRUT CAP			
	Strut Top Caps	2	SC59-001	

	REAR	QTY	PART NUMBER	PRICE			
	COIL SPRING						
	Linear Rate Standard Height Comfort Option Recommended	1	C59-377	В			
	Linear Rate Raised Height (20mm Lift) Comfort Option Recommended	1	C59-875	В			
	Linear Rate Standard Height	1	C59-353	В			
MAAAAAAAA	Linear Rate Raised Height (30mm Lift) Comfort Option Recommended	1	C59-691	В			
IWWWW	Linear Rate Raised Height (45mm Lift) Comfort Option Recommended	Linear Rate Raised Height (45mm Lift) Comfort Option					
	Linear Rate Raised Height (30mm Lift) Extra Heavy Duty	1	C59-355	В			
	Linear Rate Raised Height (30mm Lift) 100-200Kg Constant Load Extra Heavy Duty	1	C59-385	В			
	Linear Rate Raised Height (40mm Lift) Extra Heavy Duty	1	C59-385	В			
1							
	SHOCK ABSORBI Heavy Duty Twin Tube Gas	=R 2	GS59-705				
	Extra Heavy Duty Twin Tube gas Extra Long Travel	2	GS59-701				
• 	Monotube Remote Reservoir Shock Absorber	2	MR59-50705				
CCE0 701 and	Heavy Duty			CEO 20E			
G559-701 and	MR59-50705 for use only with (259-	-691, C39-697 6	(C59-365.			



TYPE: FJ Cruiser

MODEL: GSJ15



1-2011 on (AUST)

DETAIL: 4.0L V6



	FRONT	QTY	PART	PRICE
	COIL SPRING	O	NUMBER	
	11/2006 - 11/20:	10		
	Linear Rate Raised Height (35mm Lift)	1	C59-238	В
MWWW	Linear Rate Raised Height (60mm Lift) Up to 50Kg Accessories	1	C59-300	В
	Linear Rate Raised Height (60mm Lift) 50-100Kg Accessories (Bullbar AND Winch)	1	C59-302	В
	2011 on			
	Linear Rate Raised Height (35mm Lift)	1	C59-296	В
M	Linear Rate Raised Height (60mm Lift) Up to 50Kg Accessories	1	C59-302	В
	Linear Rate Raised Height (60mm Lift) 60-110Kg Accessories	1	C59-350	В
	SHOCK ARSORDE			
	SHOCK ABSORBE 11/2006 - 11/20			
	Heavy Duty Twin Tube Gas	2	GS59-221	
-	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of			
	X = 213 mm / 8.38" X -	_	MDE0 50004	
	Centre of Eye to Spring Seat 2011 on	2	MR59-50221	
	2011 011			
	Heavy Duty Twin Tube Gas	2	GS59-700	
	Monotube Remote Reservoir Adjustable Spring Seat			
_	Heavy Duty			
·	Original Setting of $X = 213mm/8.38'' X$			
	Centre of Eye to Spring Seat	2	MR59-50700	
- I	CTDUT CAR			
• T •	STRUT CAP			
	Strut Top Cap	2	SC59-001	

COIL SPRING Linear Rate Raised Height (30mm Lift) Linear Rate Raised Height (60mm Lift) Linear Rate Raised Height (80mm Lift) Linear Rate Raised Height (80mm Lift) 150-300Kg Constant Load Linear Rate Raised Height (80mm Lift) 100-300Kg Constant Load Linear Rate Raised Height (80mm Lift) 100-300Kg Constant Load Linear Rate Raised Height (80mm Lift) 100-300Kg Constant Load Linear Rate Raised Height (80mm Lift) 100-300Kg Constant Load Linear Rate Raised Height (80mm Lift) 100-300Kg Constant Load Linear Rate Raised Height (80mm Lift) 100-300Kg Constant Load Linear Rate Raised Height (80mm Lift) 100-300Kg Constant Load Linear Rate Raised Height (80mm Lift) 100-300Kg Constant Load Linear Rate Raised Height (80mm Lift) 100-300Kg Constant Load Linear Rate Raised Height (80mm Lift) 100-300Kg Constant Load Linear Rate Raised Height (80mm Lift) 100-300Kg Constant Load Linear Rate Raised Height (80mm Lift) 100-300Kg Constant Load Linear Rate Raised Height (80mm Lift) 100-300Kg Constant Load 1059-327 B C59-327 B C59-327 B C59-327 B C59-329 B WR59-329 B WR59-50701 ADJUSTABLE PANHARD ROD Complete with Bushes 1 PR59-1423					
Linear Rate Raised Height (30mm Lift) 1 C59-599 B Linear Rate Raised Height (60mm Lift) 1 C59-325 B Linear Rate Raised Height (80mm Lift) 1 C59-327 B Linear Rate Raised Height (60mm Lift) 1 C59-327 B Linear Rate Raised Height (80mm Lift) 1 C59-327 B Linear Rate Raised Height (80mm Lift) 1 C59-327 B Linear Rate Raised Height (80mm Lift) 1 C59-329 B SHOCK ABSORBER Heavy Duty Twin Tube Gas Long Travel 2 GS59-701 Extra Heavy Duty Twin Tube Gas 2 GS59-637 Monotube Remote Reservoir Shock Heavy Duty 2 MR59-50701		REAR	QTY	PART NUMBER	PRICE
Raised Height (30mm Lift) 1 C59-599 B Linear Rate Raised Height (60mm Lift) 1 C59-325 B Linear Rate Raised Height (80mm Lift) 1 C59-327 B Linear Rate Raised Height (60mm Lift) 150-300Kg Constant Load 1 C59-327 B Linear Rate Raised Height (80mm Lift) 100-300Kg Constant Load 1 C59-329 B SHOCK ABSORBER Heavy Duty Twin Tube Gas Long Travel 2 GS59-701 Extra Heavy Duty Twin Tube Gas 2 GS59-637 Monotube Remote Reservoir Shock Heavy Duty 2 MR59-50701		COIL SPRING			ı
Raised Height (60mm Lift) 1 C59-325 B Linear Rate Raised Height (80mm Lift) 1 C59-327 B Linear Rate Raised Height (60mm Lift) 150-300Kg Constant Load 1 C59-327 B Linear Rate Raised Height (80mm Lift) 100-300Kg Constant Load 1 C59-329 B SHOCK ABSORBER Heavy Duty Twin Tube Gas Long Travel 2 G559-701 Extra Heavy Duty Twin Tube Gas 2 GS59-637 Monotube Remote Reservoir Shock Heavy Duty 2 MR59-50701 ADJUSTABLE PANHARD ROD		Linear Rate	1	C59-599	В
Raised Height (80mm Lift) Linear Rate Raised Height (60mm Lift) 150-300Kg Constant Load Linear Rate Raised Height (80mm Lift) 100-300Kg Constant Load C59-327 B Linear Rate Raised Height (80mm Lift) 100-300Kg Constant Load C59-329 B SHOCK ABSORBER Heavy Duty Twin Tube Gas Long Travel Extra Heavy Duty Twin Tube Gas 2 G559-701 Extra Heavy Duty Twin Tube Gas 2 G559-637 Monotube Remote Reservoir Shock Heavy Duty 2 MR59-50701			1	C59-325	В
Raised Height (60mm Lift) 150-300Kg Constant Load Linear Rate Raised Height (80mm Lift) 100-300Kg Constant Load 1 C59-327 B SHOCK ABSORBER Heavy Duty Twin Tube Gas Long Travel Extra Heavy Duty Twin Tube Gas 2 GS59-701 Extra Heavy Duty Twin Tube Gas 2 GS59-637 Monotube Remote Reservoir Shock Heavy Duty 2 MR59-50701 ADJUSTABLE PANHARD ROD	wwww.	Raised Height (80mm Lift)	1	C59-327	В
Raised Height (80mm Lift) 100-300Kg Constant Load 1 C59-329 B SHOCK ABSORBER Heavy Duty Twin Tube Gas Long Travel Extra Heavy Duty Twin Tube Gas 2 GS59-701 Extra Heavy Duty Twin Tube Gas 2 GS59-637 Monotube Remote Reservoir Shock Heavy Duty 2 MR59-50701 ADJUSTABLE PANHARD ROD		Raised Height (60mm Lift)	1	C59-327	В
SHOCK ABSORBER Heavy Duty Twin Tube Gas		Raised Height (80mm Lift)	1	C59-329	В
Heavy Duty Twin Tube Gas Long Travel Extra Heavy Duty Twin Tube Gas 2 GS59-701 Extra Heavy Duty Twin Tube Gas 2 GS59-637 Monotube Remote Reservoir Shock Heavy Duty 2 MR59-50701 ADJUSTABLE PANHARD ROD		SHOCK ARSORRE	- D		
Long Travel 2 GS59-701 Extra Heavy Duty Twin Tube Gas 2 GS59-637 Monotube Remote Reservoir Shock Heavy Duty 2 MR59-50701 ADJUSTABLE PANHARD ROD			115		
Twin Tube Gas 2 GS59-637 Monotube Remote Reservoir Shock Heavy Duty 2 MR59-50701 ADJUSTABLE PANHARD ROD		Long Travel	2	GS59-701	
Reservoir Shock Heavy Duty 2 MR59-50701 ADJUSTABLE PANHARD ROD		Twin Tube Gas	2	GS59-637	
	•	Reservoir Shock	2	MR59-50701	
	1	ADJUGTABLE		202	



TYPE: Rav 4

MODEL: SXA10, SXA11,

ACA20/21/22/23, ACA33

YEAR: 1993 - 2012

DETAIL: 3 Doors, 5 Doors



	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
	1993 - 05/2000 SXA10 - 3 Door SXA11 - 5 Door	•		
I	Linear Rate Raised Height (35mm Lift)	1	C59-088	В
	05/2000 - 2006 ACA20 2.0L 3 Do ACA21 2.0L 5 Do ACA22 2.4L 3 Do ACA23 2.4L 5 Do	or or or		
MWWWM	Linear Rate Raised Height (45mm Lift)	1	C59-088	В
	05/2000 - 2006 2.0L Diesel	5		
MWWWW	Linear Rate Raised Height	1	C59-364	В
	2006 - 2011 ACA33			
MWWW	Linear Rate Raised Height (25mm Lift)	1	C59-424	В

COIL SPRING 1993 - 05/2000 SXA10 - 3 Door Linear Rate Raised Height (35mm Lift) 1 C19-016 1993 - 05/2000 SXA10 - 5 Door Linear Rate Raised Height (35mm Lift) 1 C19-022 05/2000 - 2006 ACA20 2.0L 3 Door ACA21 2.0L 5 Door ACA22 2.4L 3 Door ACA22 2.4L 5 Door ACA23 2.4L 5 Door	ors				
1993 - 05/2000 SXA10 - 3 Door Linear Rate Raised Height (35mm Lift) 1 C19-016 1993 - 05/2000 SXA10 - 5 Door Linear Rate Raised Height (35mm Lift) 1 C19-022 05/2000 - 2006 ACA20 2.0L 3 Door ACA21 2.0L 5 Door ACA22 2.4L 3 Door ACA22 2.4L 5 Door ACA23 2.4L 5 Door ACA23 2.4L 5 Door ACA23 2.4L 5 Door ACA23 2.4L 5 Door Linear Rate Raised Height (45mm Lift) 1 C59-091 2006 - 2011 ACA33 Linear Rate Raised Height (25mm Lift) 1 C59-425 SHOCK ABSORBER 1993 - 2006 (NOT for 2006 on)	F	REAR	ΔŢ	PART NUMBER	PRICE
Raised Height (35mm Lift) 1 C19-016 1993 - 05/2000 SXA10 - 5 Door Linear Rate Raised Height (35mm Lift) 1 C19-022 05/2000 - 2006 ACA20 2.0L 3 Door ACA21 2.0L 5 Door ACA22 2.4L 3 Door ACA23 2.4L 5 Door ACA24 2.4L 5 Door ACA25 2.4L 5 Door ACA25 2.4L 5 Door ACA25 2.4L 5 Door ACA25 2.4L 5 Door ACA25 2.4L 5 Door ACA25 2.4L 5 Door ACA25 2.4L 5 Door ACA25 2.4L 5 Door ACA25 2.4L 5 Door ACA25		1993 - 05/2	2000		
SXA10 - 5 Door Linear Rate Raised Height (35mm Lift) 1 C19-022 05/2000 - 2006 ACA20 2.0L 3 Door ACA21 2.0L 5 Door ACA22 2.4L 3 Door ACA23 2.4L 5 Door ACA23 2.4L 5 Door Linear Rate Raised Height (45mm Lift) 1 C59-091 2006 - 2011 ACA33 Linear Rate Raised Height (25mm Lift) 1 C59-425 SHOCK ABSORBER 1993 - 2006 (NOT for 2006 on)	WWW R	aised Height (35mm L	ift) 1	C19-016	А
05/2000 - 2006 ACA20 2.0L 3 Door ACA21 2.0L 5 Door ACA22 2.4L 3 Door ACA23 2.4L 5 Door ACA23 2.4L 5 Door Linear Rate Raised Height (45mm Lift) 1 C59-091 2006 - 2011 ACA33 Linear Rate Raised Height (25mm Lift) 1 C59-425 SHOCK ABSORBER 1993 - 2006 (NOT for 2006 on)	WWW R	SXA10 - 5 I Linear R	Door ate	C19-022	Α
Raised Height (45mm Lift) 1 C59-091 2006 - 2011 ACA33 Linear Rate Raised Height (25mm Lift) 1 C59-425 SHOCK ABSORBER 1993 - 2006 (NOT for 2006 on)		05/2000 - 2 ACA20 2.0L 3 ACA21 2.0L 5 ACA22 2.4L 3	2006 B Door B Door B Door		
ACA33 Linear Rate Raised Height (25mm Lift) 1 C59-425 SHOCK ABSORBER 1993 - 2006 (NOT for 2006 on)	WWW R			C59-091	В
Raised Height (25mm Lift) 1 C59-425 SHOCK ABSORBER 1993 - 2006 (NOT for 2006 on)			11		
1993 - 2006 (NOT for 2006 on)	WWW R			C59-425	В
	1			_	
Heavy Duty Twin Tube Gas 2 GS59-940		1993 - 2006 (NOT	or 200	6 on)	



TYPE: Rav 4

MODEL: A44, A47, A49 4th Gen

YEAR: 2012 on

DETAIL:



PRICE

В

В

	FRONT	QTY	PART NUMBER	PRICE		REAR	QTY	PART NUMBER
	COIL SPR					COIL SPRING		
wwww	Linear Raised Height (40mm	Lift) 1	C59-650	В	MMMMM	Linear Rate Raised Height (40mm Lift)	1	C59-651
	Linear Lowered He (30mm D	Rate eight Prop) 1	C59-666	А		Linear Rate Lowered Height (30mm Drop)	1	C59-669V



TYPE: Patriot MODEL: UAZ

YEAR: 2005 on

Vagon



			YEAR:	2005 on
8			DETAIL:	Station V
	FRONT	QTY	PART NUMBER	PRICE
	COIL SPRING			
	Linear Rate Raised Height (40mm Lift) Up to 40Kg Accessories (Bullbar OR Winch)	1	C45-083	В
/*************************************	Linear Rate Raised Height (50mm Lift) 40-100Kg Accessories (Bullbar AND Winch)	1	C29-030	В
	STEERING DAMP	ER		
	Heavy Duty (Big Bore) Complete with Fittings	1	SD51-832	
	SHOCK ABSORB	R		
	Heavy Duty Twin Tube Gas	2	GS21-637S	

	REAR	QTY	PART NUMBER	PRICE
	LEAF SPRING	TO	NUMBER	
	Single Stage			
0 0	5 Leaves			
	Raised Height (50mm Lift)	_		
	Up to 60Kg Constant Load	2	UAZ-004-R	
0 0	Two Stage 4+2 Leaves			
	Raised Height (50mm Lift)	2	UAZ-006-R	
1	SHACKLE BUSH K	ŒΤ		
	Kit Contains:			
OTI	12 x PB62-1512	1	PB62-1097K	
	U-BOLT KIT			
$\overline{}$	Kit Contains:			
<u> </u>	2 x UB59-453-2	2	UB59-453-2K	
<u> </u>				
	SHOCK ABSORBE	R		
	Comfort Option			
	Twin Tube Gas Medium Load	2	GS59-649	
-	Heavy Duty Twin Tube Gas		GS59-651	
	incury Ducy Iwill Tube das	_	3555-051	
1	SHACKLE			
al-la al-la 0				
なな!	Greasable: Fit in Pairs	2	SK62-056	



TYPE: Amarok

MODEL:

YEAR: 2010 on

DETAIL: 4x4, Independent Front Suspension



		 ≻	PART		PEAD ≻ PART	
	FRONT	QTY	NUMBER	PRICE	REAR PART NUMBER	PRICE
	COIL SPRING		LIII.		LEAF SPRING	
	TDI400 Cab Chassis & Linear Rate Raised Height (35mm Lift) Up to 70Kg Accessories (Bullbar OR Winch)		C63-034	В	3+2 Leaves Raised Height (25mm Lift) Comfort Option No Load 2 L63-033-R 3+3 Leaves	
NWWWW	Linear Rate Raised Height (35mm Lift) 70-120Kg Accessories (Bullbar AND Winch)		C63-036	В	Raised Height (35mm Lift) Medium Duty Up to 180Kg Constant Load 2 L63-035-R	
	TDI400/420 Dual TDI400/420 Dual Cab TDI400/420 All Trendli	Cal Ch	o assis	5	4+3 Leaves Raised Height (35mm Lift) 300Kg Constant Load 2 L63-037-R	
	Linear Rate				SHACKLE BUSH KIT	
*************************************	Raised Height (35mm Lift) Up to 70Kg Accessories (Bullbar OR Winch) Linear Rate	1	C63-036	В	Kit Contains: 2 x PB63-1520 2 x PB63-1521 2 x PB63-1522	
	Raised Height (35mm Lift) 70-120Kg Accessories (Bullbar AND Winch)		C62 022T	С	4 x PB63-1526 1 PB63-1103K Additional Bushes Included. Some Vehicles will Use PB63-152	22
TD	1400/420 All Highline & U			C	and Others Will Use PB63-1526	
	Linear Rate				H POLT VIT	
	Raised Height (35mm Lift) Up to 70Kg Accessories				U-BOLT KIT Kit Contains:	
MWWWW	(Bullbar OR Winch)	1	C63-032T	С	L63-033-R 2 x UB59-453-3 2 UB59-453-3K	
	Linear Rate Raised Height (35mm Lift) 70-120Kg Accessories		662 A20T	6.	L63-035-R 2 x UB59-453-1 2 UB59-453-1K L63-037-R 2 x UB59-453-1 2 UB59-453-1K	
Lifting	(Bullbar AND Winch) the Vehicle Above 35mm May		C63-038T	C+		
Enting	the venicle Above 35mm May	AIII	cet the ev joint	3	SHOCK ABSORBER	
	SHOCK ABSORB	ER			Heavy Duty Twin Tube Gas 2 GS63-011	
	SHOCK ABSORB Heavy Duty Twin Tube Gas		GS63-010		Heavy Duty Twin Tube Gas 2 GS63-011	

APPLICATION GUIDES



QUICK-RIDE LIFT KITS VEHICLE APPLICATION GUIDE

VEHICLE MAKE & MODEL		KIT P/N	QTY
FORD / MAZDA			
Courier / Bravo	1987 - 11-2006	QR19-501K	1
Ranger / BT-50	2007 - 08/2011	QR19-502K	1
Ranger PX / BT-50 B32P	10/2011 on	QR19-502K	1
ISUZU / CHEVROLET / HOLDEN			
D-Max TFS 85 / Colarado RG	05/2012 on	QR59-551K	1
MITSUBISHI			
Triton ML / MN	05/2006 on	QR43-521K	1
Triton MQ	03/2015 on	QR59-551K	1
NISSAN			
Navara D21, D22	09/1985 on	QR59-551K	1
Navara D40	11/2002 - 2015	QR59-551K	1
тоуота			
Hilux	10/1997 on	QR59-551K	1
Tacoma	1998 on	QR59-551K	1
Tundra	03/2007 on	QR59-551K	1
VOLKSWAGEN			
Amarok (for use with OE Springs Only)	2010 on	QR63 - 561K	1
Amarok	2010 on	QR63 - 562K	1





Kit Contains:

- 2 pairs of U-Bolts & 1 pair of Spacer Blocks.
- *Each vehicle requires different U-Bolts & Spacer Blocks. The above image is for illustration purposes only.
- *Raises rear of vehicle approximately 50mm.



Vehicle Modification Standards in your State or Territory may differ.

Certifications and specifications must meet your State or Territory's Vehicle Modification Guides, Road Rules or Code of Practice.



Please note: There may be brake-line modifications required.
Please check your local State or Territory for brake-line modifications guidelines.

EXTENDED SHACKLES VEHICLE APPLICATION GUIDE

VEHICLE MAKE & MODEL		QTY
FORD / MAZDA		
Ranger PX / BT-50 B32P	SK19-070	2
ISUZU / CHEVROLET		
D-Max TFS 85 / Colarado RG	SK21-071	2
MITSUBISHI		
Triton ML / MN	SK43-072	2
NISSAN		
Navara D40	SK45-073	2
ТОУОТА		
Hilux Vigo	SK59-074	2
Landcruiser 78 Series 08/09 on	SK59-075	2
Landcruiser 79 Series (Airbag in dash) 08/09 on	SK59-075	2
Landcruiser 74/76 Series	SK59-075	2

Please Refer to the 4x4 Catalogue for the Front Suspension Components for each vehicle.

Extended shackles are approximately 50mm (2") longer than O.E and will provide about 25-30mm of lift




Vehicle Modification Standards in your State or Territory may differ.

Certifications and specifications must meet your State or Territory's Vehicle Modification Guides, Road Rules or Code of Practice.



Please note: There may be brake-line modifications required.
Please check your local State or Territory for brake-line modifications guidelines.



SUSPENSION VEHICLE APPLICATION GUIDE

MITSUBISHI TRITON (MQ)



MITSUBISHI TRITON (MQ) RIGHT HAND STRUT SHOWN

MITSUBISHI TRITON (MN-ML)




MITSUBISHI TRITON (MN-ML) RIGHT HAND STRUT SHOWN

TOYOTA HILUX 2005 ON



TOYOTA HILUX (2005-ON) RIGHT HAND STRUT SHOWN

VOLKSWAGON AMAROK



VOLKSWAGEN AMAROK RIGHT HAND STRUT SHOWN

SUSPENSION VEHICLE APPLICATION GUIDE

TOYOTA LANDCRUISER (PRADO 150) FJ CRUISER / 4 RUNNER (5 GEN)



TOYOTA LANDCRUISER (PRADO 150) / FJ CRUISER / 4RUNNER (GEN 5)
RIGHT HAND STRUT SHOWN

TOYOTA LANDCRUISER (PRADO 120) / 4RUNNER (GEN 4)




TOYOTA LANDCRUISER (PRADO 120) / 4RUNNER (GEN 4) RIGHT HAND STRUT SHOWN

TOYOTA LANDCRUISER (200 SERIES)



TOYOTA LANDCRUISER (200 SERIES) RIGHT HAND STRUT SHOWN


TOYOTA LANDCRUISER (PRADO 90)



TOYOTA LANDCRUISER (PRADO 90) RIGHT HAND STRUT SHOWN


SUSPENSION VEHICLE APPLICATION GUIDE

ISUZU DMAX & HOLDEN COLORADO (RG)



ISUZU DMAX & HOLDEN COLORADO (RG)
RIGHT HAND STRUT SHOWN

NISSAN NAVARA / FRONTIER / PATHFINDER (D40/D23-NP300/R51)



NISSAN NAVARA / FRONTIER / PATHFINDER (D40/D23-NP300/R51) <u>LEFT HAND STRUT SHOWN</u>

NISSAN NAVARA / FRONTIER / PATHFINDER (D40/R51 - ALL V6 DIESEL 550 MODELS)



NISSAN NAVARA / FRONTIER / PATHFINDER (D40/R51 - ALL V6 DIESEL 550 MODELS)

<u>LEFT HAND STRUT SHOWN</u>

MAZDA BT50 & FORD RANGER PX



MAZDA BT50 & FORD RANGER (PX) LEFT HAND STRUT SHOWN

TERMS & CONDITIONS OF SALE

Interpretation

In these Terms and Conditions of Sale ("Terms"), "Goods" means the goods subject of the Contract; "Dobinsons Spring & Suspension™" means the entity selling the Goods; "Client" means the entity purchasing the Goods; "Contract" means each contract between Dobinsons Spring & Suspension™ and Client for the sale and purchase of Goods.

Title

Title to the goods will not pass to the Client until the following is completed:

1. Dobinsons Spring & Suspension™ being paid in full under all Contracts.

Until the Goods pass to Client, Client must:

- 1. Hold the Goods as bail for Dobinsons Spring & Suspension™ and keep them in good order and condition; and
- 2. Not remove any markings placed by Dobinsons Spring & Suspension™ and ensure that the Goods can be readily identified and distinguished from other property in Client's possession; and
- 3. Deliver the Goods to Dobinsons Spring & Suspension™ immediately upon demand and, for this purpose, Dobinsons Spring & Suspension™ is authorized to enter at any time any premises in which the Goods may be located (the costs incidental to which will be borne by Client).

Quotations & Orders

Any quotation made by Dobinsons Spring & Suspension™ will not be construed or operate as an offer or obligation to sell. Dobinsons Spring & Suspension™ reserve the right to accept or reject in its absolute discretion any order received. Client will not be entitled to cancel or refuse delivery of, or payment for, any order made by him, which has been accepted by Dobinsons Spring & Suspension™.

Price

The price payable to Dobinsons Spring & Suspension™ by Client for the Goods will be the price agreed, failing which it will be the price prevailing at the date the Goods are dispatched by Dobinsons Spring & Suspension™ for delivery to Client. Prices are payable in Australian currency and exclusive of delivery costs, taxes, duties and other imposts which, if chargeable, are payable by Client. Prices quoted in any Dobinsons Spring & Suspension™ price list are suggested prices only and may be changed by Dobinsons Spring & Suspension™ without notice.

Payment

All Goods will be paid for in full before receiving or dispatching of Goods from Dobinsons Spring & Suspension™ unless previously arranged.

Damage

Buyer acknowledges that the Goods leaving Dobinsons Spring & Suspension's premises are adequately packed. Claims for damage in transit must be made against the carrier and, while Dobinsons Spring & Suspension $^{\text{TM}}$ will not accept liability for any damage, details of any claim must be promptly advised to Dobinsons Spring & Suspension Prior to acknowledging delivery to the carrier, Client must ensure that the complete consignment has been received as specified in the carrier's note. Any shortage or visible damage to outer packaging must be endorsed on the carrier's note. Any shortages and/or damages must be reported to Dobinsons Spring & Suspension $^{\text{TM}}$ within 72 hours of receipt.

Implied Terms, Limitation of Liability & Client Indemnity

Subject to these Terms, Dobinsons Spring & Suspension™ will not be liable for any loss, damage, expense or injury of any kind or nature suffered or incurred by Client or any other person, arising out of or in connection with, the Contract (including, without limitation, liability due to negligence or wilful default of Dobinsons Spring & Suspension™ and any delay in delivery) or any error (whether negligent or not) in information supplied to Client in connection with its subject matter or the use, possession or delivery of the Goods or the exercise by Dobinsons Spring & Suspension™ of its right under Breach by Client will indemnify Dobinsons Spring & Suspension™ in relation to any such loss, damage, expense or injury.

Force Majeure

Despite any other term or condition of the Contract, Dobinsons Spring & Suspension™ will not be liable for any loss, damage, expense or injury of any kind or nature suffered or incurred by Client or any other person, arising out of or in connection with any delay in delivery, or failure to perform any other term or condition of the Contract where that delay or failure is caused by an act of God, fire, labour dispute, civil commotion, intervention of a government, inability to obtain labour, materials or manufacturing facilities, accidents, interruptions of or delay in transportation or any other cause beyond Dobinsons Spring & Suspension's reasonable control.

Breach by Client

If Client breaches a Contract or Dobinsons Spring & Suspension™ is not satisfied of a Client's ability to pay or otherwise comply with each Contract, Dobinsons Spring & Suspension™ may by notice to Client, but without compensation, terminate every Contract, suspend or cease deliveries under all Contracts, set-off all deposits against amounts due and make all amounts then outstanding by Client to Dobinsons Spring & Suspension™ immediately due and payable.

Errors and Omissions

Dobinsons Spring & Suspension™ has the right to correct any clerical errors or omissions, whether in computation or otherwise in any quotation, acknowledgment, or document forming part of a Contract. Although care has been taken to ensure the accuracy of the data contained in this publication, Dobinsons Spring & Suspension™ does not assume any liability for errors or omissions.

WARRANTY

Warranties

Dobinsons Spring & Suspension™ at its sole discretion will repair or replace any products supplied by them that are found to be defective in either materials or workmanship providing that Dobinsons Spring & Suspension™ are actually notified in writing from the Client of the alleged defect within two years (2 years) from date of invoice for Coil Springs, Leaf Springs and Shock Absorbers, and within twelve months (12 months) from date of invoice for all other parts. Any claim not made within this period shall conclusively be deemed waived by the Client. Repair or replacement is pre-conditioned on the examination of the goods which on instructions from Dobinsons Spring & Suspension™ on, should be returned for further inspection to Dobinsons Spring & Suspension™ or to an Approved Importer.

Coil Springs listed in this catalogue have a 2 year warranty against the following:

- 1. Faulty Manufacture
- 2. Breakage
- 3. Sagging (being loss of free height of more than 10mm).

Leaf Springs listed in this catalogue have the 2 year warranty against the following:

- 1. Faulty Manufacture
- 2. Breakage
- 3. Sagging (being the loss of free camber by more than 12mm).

Shock Absorbers listed in this catalogue have a 2 year warranty providing the vehicle does not have a modified exhaust system.

Fridges listed in the catalogue have a 5 year warranty on the motor and a 1 year warranty on all other parts against:

1. Faulty Manufacture

Winches listed in the catalogue have a 2 year warranty against:

1. Faulty Manufacture

All other accessories listed in the catalogue have a 1 year warranty against:

1. Faulty Manufacture

Dobinsons Spring & Suspension™ products are designed for normal use and are in no way, covered under warranty should the vehicle be used in any form of extreme sports, competition racing or produce lift of 50mm or more. It is the responsibility of the fitter, to ensure that the customer or the owner of the vehicle is aware of the warranty conditions under which the products have been sold. It is highly recommended that the words "Suspension Components Fitted are for Normal Use Only. Warranty Void if used in extreme conditions" is written on their receipt to avoid any confusion.

Dobinsons Spring & Suspension™ will not pay for costs incurred in forwarding or returning goods. This warranty does not cover and Dobinsons Spring & Suspension™ makes no warranty with respect to; (1) any merchandise that is abused, misused, misapplied, neglected or altered; or that is improperly or incorrectly installed or maintained or used; or that is subjected to abnormal conditions of use, temperature, moisture, dirt or corrosive matter; (2) Goods bought for industrial, mining or agricultural use; (3) Goods no longer required by Client; (4) Goods incorrectly chosen by Client; (5) Goods modified or altered by client; and (6) any merchandise, materials, parts or other components supplied by someone other than Dobinsons Spring & Suspension™.

Dobinsons Spring & Suspension™ shall not be liable for any expenses incurred by Client in order to remedy any defect in its product. Dobinsons Spring & Suspension™ shall not be liable for any consequential, special, indirect or contingent damage or expense arising Directly or Indirectly from any defect in its products or from use of any products.

Client agrees to indemnify and hold Dobinsons Spring & Suspension™ harmless from and against any loss, injury or damage, to person or property, that extends beyond the warranties set forth above, whether the claims against Dobinsons Spring & Suspension™ or the damages are incidental or consequential.

Installation of after-market items to your vehicle may adversely affect, void or violate the Manufacturers terms of warranty on your vehicle. Review the terms of your vehicle warranty prior to purchase and/or installation of any after-market part or accessory. Dobinsons Spring & Suspension $^{\text{TM}}$ does not make any representations or warranties of any kind as to suitability or fitness for a particular vehicle or purpose. Dobinsons Spring & Suspension $^{\text{TM}}$ shall not be responsible or liable for direct or indirect damages as a result of the purchase and/or installation of these after-market products.

Terms & Conditions

The only terms of the Contract are those agreed to in writing by Dobinsons Spring & Suspension™, these Terms (to the extent they are not inconsistent with terms agreed to in writing by Dobinsons Spring & Suspension™) and those which are implied or imposed by law (including the Trade Practices Act 1974) to the extent that it is not lawful or possible to exclude them. All other terms, conditions and warranties are expressly excluded. If a conflict arises between the terms of any order made by Client and these Terms, these Terms will prevail. An agreement to deliver the Goods in installments is taken to be separate Contract for each installment. The laws of Queensland govern these Terms and Conditions and any Contract that includes them and Dobinsons Spring & Suspension™ and Client submit to the jurisdiction of the courts of the State. If a term is held to be unenforceable, the remaining terms will apply.

Dobinsons Spring & Suspension $^{\text{TM}}$ will not be liable to the Client in the event that delivery of goods is delayed irrespective of the cause.

Notes	

Manufacturers and Suppliers of...

- Performance Coil Springs Improved 4x4 Leaf Springs
- Greasable 4x4 Shackles & Pins • Polyurethane Bushes
 - Shock Absorbers
 U-Bolts & Nuts
 - 4x4 Torsion Bars 4x4 Accessories



HEAD OFFICE

58 Hollingsworth Street Nth Rockhampton QLD Australia 4701

Tel: 61 7 4927 7444 Fax: 61 7 4922 3082 Email: admin@dobinsonsprings.com

SYDNEY BRANCH

Unit 1/6 Waler Crescent Smeaton Grange NSW Australia 2567

Tel: 61 2 4647 8295 Fax: 61 2 4647 3130

Email: sydney.sales@dobinsonsprings.com

BRISBANE BRANCH

Unit 118B/193 South Pine Road Brendale QLD Australia 4500

Tel: 61 7 3205 6979 Fax: 61 7 3205 3460 Email: brisbane.sales@dobinsonsprings.com

MELBOURNE BRANCH

Unit 1/13a Abbotts Road Dandenong South VIC Australia 3175

Tel: 61 3 9706 4963

Email: melbourne.sales@dobinsonsprings.com

ADELAIDE BRANCH

572 North East Road Holden Hill SA Australia 5088

Tel: 61 8 8369 1377 Fax: 61 8 8369 1722 Email: adelaide.sales@dobinsonsprings.com

www.dobinsonsprings.com



Proudly Supplied by: