



4x4

**ACCESSORIES
CATALOGUE**



Edition: JANUARY 2017

USING THIS INTERACTIVE PDF

CONTENTS

History	4	Deluxe Roof Top Tent with Change Room	42
Coil Springs	8	Awning Mosquito Net Enclosure	42
Leaf Springs	10	Roll Out Awning	43
Twin Tube Shock Absorbers	14	Sensu Awning	43
MRR Shock Absorbers	16	Roof Top Tent Ladder Extension - High Lift	43
Alignment & Suspension Parts	18	Vehicles	43
Leaf Spring Components	20	Universal Mounting Channel	43
Torsion Bars	21	Canopies	44
Steering Dampers	22	Rear Drawers	45
Bullbars	24	Battery Management	46
Side Rails & Side Steps	28	Dual Battery Kits	46
Steel Roof Racks	29	140 Amp Kit	46
Winches	30	Voltage Monitor	46
9,500Lbs Steel Cable	32	Dual Battery Trays	47
12,000Lbs Steel Cable	32	Solar Panels	48
9,500Lbs Synthetic Rope	32	80 Watt Kit	49
12,000Lbs Synthetic Rope	32	130 Watt Kit	49
Hand Winch	33	Fridge/Freezers	50
Synthetic Rope	33	40L Fridge/Freezer	53
Aluminium Fairlead	33	50L Fridge/Freezer	53
Offset Aluminium Fairlead	33	60L Fridge/Freezer	53
Large Body Synthetic Rope Winch Hook	33	80L Fridge/Freezer	53
Damper Blanket	33	Fridge/Freezer Protective Bags	53
Snorkels	34	Fridge Slide	53
Lighting	36	4 x Fridge Straps	53
7" Round, 90 Watt Driving Light	38	Air Compressors	54
3" Square, 16 Watt Driving Light	38	12 Volt, Heavy Duty Air Compressor	54
4" Round, 12 Watt Driving Light	38	Vehicle Safety Flag	55
50" Dual Row Curved LED Light Bar	39	High Visibility Vehicle Safety Flag	55
40" Single Row LED Light Bar	39	Recovery Gear	56
30" Single Row LED Light Bar	39	Recovery Kit	58
20" Single Row LED Light Bar	39	Snatch Strap - 9m x 75mm	58
10" Single Row LED Light Bar	39	Snatch Strap - 9m x 100mm	58
Wiring Harness	39	Snatch Strap Kit	58
Light Bar Pipe Mounting Kit	39	Snatch Bag	58
Tents & Awnings	40	Snatch Block	59
Deluxe Roof Top Tent	42	Winch Extension Strap	59
Roll Out Awning Quick-Tent	42	Recovery Snatch Rope	59
		Tree Trunk Protector	59
		Sand Tracks	59
		Recovery Hitch	59
		Bow Shackle	59
		Accessories Bag	60
		First Aid Kits	60
		Deluxe Tyre Repair Kit	60
		Tyre Repair Cords	60
		Rapid Tyre Deflator	60

Click the vehicle you require in the contents list to go to the vehicle.

ACCESSORIES	HOLDEN	HOLD-60A		
	TYPE: Colorado MODEL: RG YEAR: 06/2012 on DETAIL: 2.8L Turbo Diesel			
ACCESSORY	PART NUMBER	COST EXCL GST	RRP INCL GST	FITTING (HOURS)
STEEL ROOF RACKS				
Steel Roof Rack - 1500mm x 1250mm	RR80-4100			1.50*
Steel Roof Top Tent Rack - 1500mm x 1250mm	RR80-4103			1.50*
*Universal Fitting Kit Supplied With Roof Racks For Canopy Mounting Only - May Require Additional Bracket Fabrication & Canopy Reinforcement.				
DUAL BATTERY KIT				
Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3830			1.50
Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3838			1.50
Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)	EA80-3833			0.75
*Auxiliary Battery Tray	Tub Mount BT21-3203			0.50
*Battery Tray Suits 12" N70zz Battery Size.				
MULTI-FIT BATTERY TRAY (UNDER TRAY STYLE)				
Universal To Suit 120ah Battery (Up to 320mm Long) - Requires 445mm x 175mm Mounting Area Under Tray & Hangs Down 320mm	BT80-3213			
Universal To Suit N70zz Battery - Requires 330mm x 320mm Mounting Area Under Tray & Hangs Down 250mm	BT80-3214			
LIGHTING				
7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter	DL80-3764K			0.25
10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long	DL80-3760			0.25
20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long	DL80-3761			0.25
30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long	DL80-3762			0.25
40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long	DL80-3763			0.25
50" LED Light Bar - 288 Watt, Dual Row curved, 23,040 Lumens, 1270mm Long	DL80-3772			0.25
4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter	DL80-3768			0.25
3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm	DL80-3767			0.25
Wiring Harness for LED Light Bar - Suits 1 x Light Bar	DL80-3765			1.50
Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights	DL80-3766			1.50
2751mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3770K			0.25
3776mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3771K			0.25
Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.				
TOURING AND CAMPING EQUIPMENT				
* Deluxe Roof Top Tent - Excluding Back Awning/Change Room	CE80-3902			2.50*
* Deluxe Roof Top Tent - Including Change Room	CE80-3924			2.50*
* 2.5m Roll Out Awning - 2.5m Long x 3.0m Out	CE80-3904			0.75*
* 2.0m Roll Out Awning - 2.0m Long x 3.0m Out	CE80-3937			0.75*
* 1.4m Roll Out Awning - 1.4m Long x 2.0m Out	CE80-3934			0.75*
* Sensu Awning - Covers over 10m ²	CE80-3903			0.75*
* Roll Out Awning Quick-Tent - 2.0m x 3.0m PVC Floor	CE80-3972			0.75*
* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor	CE80-3970			0.75*
* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room	CE80-3973			0.75*
* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room	CE80-3971			0.75*
* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps	FF80-3944			0.50
*Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface *Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack or Similar, As A Suitable Mounting Surface. *Plastic and Fibreglass Canopies will Require Extra Mounting and Roof Bars/Roof Rack Fitted for Mounting.				
Fitting Times Are An Estimate Only Please Note: Prices are subject to change without notice.				
A-19 P-Suits Flared Models				

Click on the vehicle number to go back to the contents

CONTENTS

History	4
Coil Springs	8
Leaf Springs	10
Twin Tube Shock Absorbers	14
MRR Shock Absorbers	16
Alignment & Suspension Parts	18
Leaf Spring Components	20
Torsion Bars	21
Steering Dampers	22
Bullbars	24
Side Rails & Side Steps	28
Steel Roof Racks	29
Winches	30
9,500Lbs Steel Cable	32
12,000Lbs Steel Cable	32
9,500Lbs Synthetic Rope	32
12,000Lbs Synthetic Rope	32
Hand Winch	33
Synthetic Rope	33
Aluminium Fairlead	33
Offset Aluminium Fairlead	33
Large Body Synthetic Rope Winch Hook	33
Damper Blanket	33
Snorkels	34
Lighting	36
7" Round, 90 Watt Driving Light	38
3" Square, 16 Watt Driving Light	38
4" Round, 12 Watt Driving Light	38
50" Dual Row Curved LED Light Bar	39
40" Single Row LED Light Bar	39
30" Single Row LED Light Bar	39
20" Single Row LED Light Bar	39
10" Single Row LED Light Bar	39
Wiring Harness	39
Light Bar Pipe Mounting Kit	39
Tents & Awnings	40
Deluxe Roof Top Tent	42
Roll Out Awning Quick-Tent	42

Deluxe Roof Top Tent with Change Room	42
Awning Mosquito Net Enclosure	42
Roll Out Awning	43
Sensu Awning	43
Roof Top Tent Ladder Extension - High Lift Vehicles	43
Universal Mounting Channel	43
Canopies	44
Rear Drawers	45
Battery Management	46
Dual Battery Kits	46
140 Amp Kit	46
Voltage Monitor	46
Dual Battery Trays	47
Solar Panels	48
80 Watt Kit	49
130 Watt Kit	49
Fridge / Freezers	50
40L Fridge/Freezer	53
50L Fridge/Freezer	53
60L Fridge/Freezer	53
80L Fridge/Freezer	53
Fridge/Freezer Protective Bags	53
Fridge Slide	53
4 x Fridge Straps	53
Air Compressors	54
12 Volt, Heavy Duty Air Compressor	54
Vehicle Safety Flag	55
High Visibility Vehicle Safety Flag	55
Recovery Gear	56
Recovery Kit	58
Snatch Strap - 9m x 75mm	58
Snatch Strap - 9m x 100mm	58
Snatch Strap Kit	58
Snatch Bag	58
Snatch Block	59
Winch Extension Strap	59
Recovery Snatch Rope	59
Tree Trunk Protector	59
Sand Tracks	59
Recovery Hitch	59
Bow Shackle	59
Accessories Bag	60
First Aid Kits	60
Deluxe Tyre Repair Kit	60
Tyre Repair Cords	60
Rapid Tyre Deflator	60

CONTENTS CONTINUED

Lifting Jacks 61

Exhaust Jack	61
High Lift Jack	61

Promotional Items 62

Catalogues & Brochures	64
Banners	64
Flags	64
Miscellaneous	64
Stickers/Posters	65
External Aluminium Signs	65
Apparel	65

Vehicle Accessories A-2

Ford A-2

Ranger (2007 - 09/2011)	
PJ/PK	A-2
Ranger (2011 - 09/2015)	
PX - Pre-facelift Model	A-4
Ranger (10/2015 on)	
PX MKII	A-6
Everest (09/2015 on)	
UA	A-8

Great Wall A-10

Wingle, Sailor (06/2009 on)	
V200, V240	A-10

Holden A-12

Rodeo (2002 - 2007)	
RA (TFS-77)	A-12
Rodeo (2007 - 2011)	
RA7	A-14
Colorado (2008 - 06/2012)	
RC (TFS-85)	A-16
Colorado (06/2012 on)	
RG	A-18
Colorado (2012 on)	
7 SUV/Trailblazer	A-20

Isuzu A-22

D-Max (2007 - 06/2012)	
TFS85, TFS-77	A-22
D-Max (06/2012 on)	
TFS 85, V-Cross	A-24
MU-X (2012 on)	A-26

Jeep A-28

Wrangler (2007 on)	
JK	A-28

Mazda A-30

BT-50 (2007 - 09/2011)	
1st Generation	A-30

BT-50 (10/2011 on)	
B32P 2nd Generation	A-32

Mitsubishi A-34

Delica (1994 - 2006)	
L400	A-34
Challenger (2008 - 2015)	
PB, PC	A-36
Triton (10/2006 - 08/2009)	
ML, L200	A-38
Triton (09/2009 - 02/2015)	
MN, L200	A-40
Triton (03/2015 on)	
MQ	A-42

Nissan A-44

Navara (2002 on)	
D22/NP300	A-44
Navara (09/2005 - 2015 Thai), (09/2005 - 04/2010 Spain)	
D40 (Ribbed Bumper)	A-46
Navara (05/2010 - 2015 Spain)	
D40 (Smooth Bumper)	A-48
Navara (2015 on)	
D23 NP300 (Leaf Spring Rear Suspension Models)	A-50
Navara (2015 on)	
D23 NP300 (Coil Spring Rear Suspension Models)	A-52
Pathfinder (05/2010 - 09/2013)	
R51 (Smooth Bumper)	A-54
Pathfinder (09/2005 - 04/2010)	
R51 (Ribbed Bumper)	A-56
Patrol (1980 - 1988)	
MQ, MK (G160)	A-58
Patrol Pickup/Utility (1988 - 05/1999)	
GQ (Y60)	A-60
Patrol Wagon (08/1987 - 1998)	
GQ (Y60)	A-62
Patrol Pickup/Utility (1998 - 2006)	
GU Series 1,2,3 (Y61)	A-64
Patrol Pickup/Utility (2006 on)	
GU Series 4 (Y61)	A-66
Patrol Wagon (1998 - 2004)	
GU Series 1,2,3 (Y61)	A-68
Patrol Wagon (09/2004 on)	
GU Series 4 on (Y61)	A-70
Patrol (2010 on)	
Y62	A-72

Toyota A-74

Hilux (10/1997 - 2005)	
N16, N17	A-74
Hilux (04/2005 - 08/2011)	
Vigo (N25, N26)	A-76
Hilux (09/2011 - 06/2015)	
Vigo (N25, N26)	A-78

Hilux - Revo (2015 on)	
N125, N126	A-80
Fortuner (07/2015 on)	
N160, N156	A-82
Landcruiser (1980 - 1990)	
60 Series.	A-84
Landcruiser (1984 - 2007)	
70 Series.	A-86
Landcruiser (2007 on)	
76, 78, 79 Series.	A-88
Landcruiser (05/1990 on)	
80 Series.	A-90
Landcruiser (04/1998 - 11/2007)	
105 Series	
(Solid Axle Front Suspension)	A-92
Landcruiser (1998 - 11/2007)	
100 Series	
(Independent Front Suspension)	A-94
Landcruiser (2008 on)	
200 Series.	A-96
Prado (1996 - 2003)	
90 Series.	A-98
Prado (2003 - 11/2009)	
120 Series.	A-100
Prado (2010 on)	
150 Series.	A-102
Volkswagen	A-104
Amarok (2010 on)	
150 Series.	A-104
Vehicle Application Guides	G2
Bullbars	G3
Side Steps & Side Rails	G4
Roof Racks	G5
Snorkels	G6
Battery Trays	G8
Rear Drawers	G9
Canopies	G10
Tents & Awnings	G11
Fridge/Freezers	G12
Winches	G14
Lighting	G15
Terms & Conditions of Sale	T2
Warranty	T3

HISTORY

Established 1953

Throughout the 1940's and early 1950's Reg Dobinson, a hard working blacksmith, earned a well deserved reputation as an exceptional tradesman and expert spring repairer.

He began perfecting his spring repair and manufacture skills at the Queensland Railway and as a result the demand for his expertise grew. As time went on he began to specialise in spring repair and manufacture, and it led him to take on further weekend work for friends, repairing springs.

Reg's keen eye for quality, attention to detail and his passion for blacksmithing and spring repair soon saw Reg spend all of his spare time working.

In 1953, having more work than he was able to handle, Reg founded 'Dobinsons Welding Works' (now known as 'Dobinsons Spring & Suspension') under a tamarind tree in the backyard of his Rockhampton home.

The next few decades saw the business grow exceptionally as Reg began specialising in

the repair and the manufacture of springs for Rockhampton and surrounding areas.

With a huge demand for his quality work, Reg was soon working up to 18 hours a day, 7 days a week - without taking holidays for years at a time.

An innovator and a man ahead of his time, Reg purchased Central Queensland's very first computer in the mid 60's to improve efficiency. He also began to manufacture his own machinery such as a leaf spring eye roller - designed, engineered and built by Reg himself, utilising manufactured parts and hydraulics taken from ex-warplanes.

In the late 1970's, Reg's sons Glen and Keith Dobinson joined the growing family business and immediately showed the same passion and expertise in spring repair and manufacturing, allowed Reg's work load to be shared. With fresh eyes and more hands, Dobinsons began to distribute their quality products throughout Australia.



Reg Dobinson, 1958 - Dobinsons Welding Works first Company Vehicle



1991 - Dobinsons Spring & Suspension moves to its' current Head Office location

Leaf spring manufacturer develops own machinery

In central Queensland the name Dobinson's has been synonymous with springs for more than three decades.

The firm, established in 1953, produces about 500 different types of leaf springs at its Rockhampton factory.

"We make springs for a wide range of uses with car, truck and four-wheel-drive springs being our main products," said the firm's manager, Glen Dobinson.

"We supply mining companies, the agricultural sector and motor repair shops as far as Mackay in the north, Winton in the west and south to Miriam Vale."

Mr Dobinson said the company had experienced significant growth in recent years: "Business has been booming over the past four years with turnover more than doubling."

"This is why we are moving out of our present 500 sq m plant and into a 3000 sq m plant early next year."

Dobinson's was established by Glen Dobinson's father, Reg.

"Dad is semi-retired now but still very active in the business," Glen Dobinson said. "Most of the machinery we use has been designed by dad - a blacksmith by trade - and made right here in the factory."

"Our high-temperature hardening furnace is a good example of the equipment dad has designed. This electronically-controlled furnace is probably the most modern of its type in Queensland."

"Other equipment designed and made here includes a guillotine for steel, an eye-rolling machine and a hole punch for spring steel."

"Designing and making our own machinery has saved us a lot of money over the years. But even more important is the fact that we've been able to create machinery that's exactly suited to our needs."

"This has meant being able to produce quality springs in the most economical manner."

Dobinson's Spring Works, 290 Murray Street, Rockhampton, Q. 4700. Telephone (079) 27 7444, Fax (079) 22 3082.



Reg Dobinson demonstrating his new invention, the 'Leaf Spring Eye Roller' 1977

Built On Pride

Dobinsons Spring & Suspension's success throughout the Australian market sparked a desire for Reg and his sons to share their top quality products with the world.

In the mid 1980's Dobinsons exported their first order. Whilst Dobinsons now export to over 50 countries worldwide, in a time before fax machines were prevalent and the Internet existed, this meant a trip down to the local post office to purchase international phone books to find international distributors and to receive international orders.

In 1991 Dobinsons moved to its current location in Rockhampton, and in 1994 Reg retired leaving Glen and Keith as directors of the ever-growing company.

In the mid 1990's their vision saw them design and build an entire coil spring manufacturing line and Dobinsons began producing world class coil springs from their Australian production facility.

In the late 1990's with over 40 years of spring

and suspension experience already under their belt, Dobinsons began designing, developing and distributing their own range of 4x4 shock absorbers.

In the early 2000's Glen and Keith's children began working in the family business and with a shared passion for the suspension industry and 4x4's, Dobinsons Spring & Suspension continued to grow.

In 2009 Dobinsons began the research, development and testing of their range of 4x4 accessory products which have earned a reputation as high quality 4x4 products which compliment their extensive range of suspension products.

Over 60 years on, and three generations later Dobinsons Spring & Suspension's Rockhampton production and warehousing facility has grown to over 60,000 square feet. Dobinsons now have over 5 major warehousing distribution facilities across Australia with an Australia wide dealer network, as well as distributors in over 50 countries worldwide.

'Blacksmith' sells machine to world . . .

Building his own workshop almost from the ground up has given Mr Reg Dobinson, of Dobinson's Spring Works more than a little knowledge in the field of metal-work — especially since much of his equipment is self-designed and manufactured.

Mr Dobinson — a blacksmith with no design experience — is now seeking markets abroad for one of his own machines.

The machine, which twists eyes on leaf springs of any size, was shown yesterday to a visiting industrial development team at Mr Dobinson's workshop in Murray Street, Rockhampton.

Technical officer (licensing) with the Department of Commercial and Industrial Development, Mr Neville Hodgkinson, said the workshop was one of the most modern in Queensland.

MARKET POTENTIAL

"His machine certainly is good — it has excellent market potential," Mr Hodgkinson said.

The DCID is to help Mr Dobinson find suitable markets for his device.

Mr Dobinson said yesterday the eye-fixing machine had already attracted interest from potential buyers in Germany and Belgium. The machine is to be patented shortly.

"It's got several advantages over the methods used at the moment.

"Either they are done by hand or by a huge machine that takes three hours to assemble.

"This can be set up for different sized springs in seconds," he said.

Mr Dobinson described the machine as "my major invention."

He has also designed and manufactured two furnaces now in use in his workshop. Mr Dobinson first began operating the Murray Street workshop in 1953 as a general metal repair shop.

The workshop began specialising in lever spring manufacture in 1964. Much of the shop's equipment had been designed by Mr Dobinson before this time.

The workshop now employs six men and is the main supplier of all varieties of springs in the Central Queensland.

Mr Dobinson said he hoped to have a market for his invention finalised by the end of the year.

With over 60 years of experience and excellent customer service, Dobinsons Spring & Suspension are your first choice in suspension and 4x4 accessories.



COIL & LEAF SPRINGS






COIL SPRINGS

Dobinsons Spring & Suspension™ proudly manufacture the highest quality replacement coil springs for many different applications, complying to ISO9001:2015 international quality standards from their state of the art manufacturing facility in Central Queensland, Australia.

Dobinsons™ proudly boast one of the worlds largest range of coil springs, including raised height and heavy duty 4x4 springs, lowered performance passenger car springs, O.E. replacement springs and heavy duty springs for commercial vehicles.

As Dobinsons™ coil springs are manufactured in-house, Dobinsons™ can manufacture smaller quantities and in most cases there are many different coil spring options available for your vehicle. This ensures the customer receives the best spring to suit their application and avoids a 'One Size Fits All' scenario, especially important when selecting the correct spring rates and ride heights. When matched with a set of corresponding Dobinsons™ Shock Absorbers, Dobinsons™ can provide you with unrivalled performance and handling.

Design Technology



- ▶ Our design engineers utilize the latest coil spring design programs to ensure each spring meets or exceeds the design requirements, to achieve maximum working life. These state-of-the-art design programs are crucial when designing variable/progressive rate springs, ensuring laden and unladen spring rates are correct, providing the best possible ride comfort and handling.

State of the Art Heat Treatment



- ▶ Heat treatment is one of the most important steps in the coil spring manufacturing process.

All Dobinsons coil springs are 'hot wound' and the hardening and tempering of our coil springs is completed by an extremely precise electronically controlled furnace to eliminate breakage and sagging.

Formed On Precision Mandrels



- ▶ Each coil spring is precisely wound by a programmable logic computer to achieve perfect pitch. This precision is extremely important when manufacturing variable and progressive rate coil springs.

High Intensity Shot Peening



- ▶ All Dobinsons™ coils springs are shot peened to increase durability and dramatically reduce fatigue.

Precise End Configurations



- ▶ Engineered coil ends are designed to fit directly into the original vehicle mounting points without any modification.

Fully Scragged & Load Tested



- ▶ All Dobinsons™ coil springs are load tested and scragged 100% to eliminate subsequent spring sag, and ensure they meet and maintain the required specifications. We also perform spring fatigue and hardness testing using in-house state of the art testing equipment.

Powder Coat Finish



- ▶ A durable powdercoat finish provides extreme protection against the elements.



LEAF SPRINGS

With over 60 years of experience manufacturing in Australia, Dobinsons Spring & Suspension™ are no strangers to providing the highest quality spring and suspension components, and our range of leaf springs are no exception.

Our range includes raised and heavy duty leaf springs for 4x4's, heavy duty and parabolic replacement leaf springs for trucks and commercial vehicles, plus raised and replacement leaf springs for 4x2 utilities and passenger vehicles. In most cases there are multiple options available to ensure the correct leaf spring is available to meet most requirements.

High Quality Spring Steel



- ▶ Dobinsons™ leaf springs are manufactured from only the highest quality raw materials. We understand the importance of selecting not only the highest quality spring steel, but also the correct grade that will give the longest life under the harshest conditions.

Design



- ▶ Our design engineers ensure that all our leaf springs are designed specifically for each vehicle model, with consideration given to the load and height requirements for each application.

Design is one of the most important stages in the leaf spring manufacturing process, and with over 60 years of design and manufacturing experience, we recognise the importance of this.

Design features include Drawn, tapered and thinned leaf ends for even stress distribution over the entire spring pack, two stage spring design for the rear of most vehicles to achieve optimum ride and handling both laden and unladen and carefully selected leaf lengths and thickness's to maximize the spring life, comfort, load carrying capacity, wheel travel and performance.

Manufacturing Process



- ▶ Each stage of the Dobinsons™ leaf spring manufacturing process is vital to ensure the complete spring pack will out perform our competitors products.

Manufactured to international quality standards ISO9001:2015 using premium grade Sup 9 silicon manganese spring steel, Dobinsons™ range of leaf springs are made to world leading quality standards.

Multiple Options



- ▶ For most vehicles, we offer multiple options to best suit customer needs, this ensures the correct spring rate is matched for the vehicle model and the accessories added. This provides a raised height where applicable without going beyond the safe design requirements to enhance performance, load carrying capacity and off-road ability without compromising safety.

Military Wrappers



- ▶ Where possible Dobinsons leaf springs utilize full military wrappers and full length wrappers to provide additional support to the main leaf and improve safety.

Anti-friction Inter Leaf Liners



- ▶ Anti-Friction inter leaf liners are use to reduce the friction at each leaf end where the load is greatest and provides a smoother, quieter ride.

High Strength Alignment Clips



- ▶ Dobinsons leaf springs feature high strength alignment clips with nylon insulators to reduce wear and noise. Nyloc nuts are also featured on bolted clips to prevent loosening off nuts which can cause tyre damage.


Shotpeened & Scragged



- ▶ Each Dobinsons leaf spring is shotpeened on the tension side of each life and completely scragged. This dramatically reduces the chance of sagging and breakage and doubles the expected working life of the spring. Random sampling from production is then also durability tested to ensure Dobinsons leaf springs will outlast the competitors.

SHOCK

ABSORBERS





TWIN TUBE - NITROGAS SHOCK ABSORBERS

Designed, developed and tested in Australia by Dobinsons Spring & Suspensions', in-house suspension design engineers, Dobinsons 4x4 shock absorbers are designed and tested to perform in the harshest conditions right across the world.

As Dobinsons Spring & Suspension export to over 50 countries worldwide from their Australian head office, the importance of quality is at the forefront in the complete design and manufacturing process. This ensures every shock can withstand the blistering heat and corrugations of the Australian outback right through to the subzero temperatures of a Russian winter.

Dobinsons Twin Tube Nitrogen Gas charged shock absorbers are made from the world's highest quality external and internal parts sourced worldwide. They provide a significant increase in performance over the standard shock absorbers.

Originally equipped shock absorbers are prone to shock fade and when a vehicle is loaded simply cannot cope with the additional weight and the harsh condition that 4x4 owners love to put them through.

Dobinsons twin tube shock absorbers feature larger bodies, larger bores and increased valving performance to dramatically improve vehicle handling and control and reduces shock fade.

Nitrogen Gas Charged

- ▶ Each shock absorber is filled with high quality Hi-Temperature Fuch's shock absorber oil then filled with low pressure nitrogen gas to pressurize the oil and assists in reducing oil aeration commonly know as Shock Fade.

Superior Design

- ▶ Where possible Dobinsons design each part number to provide a longer shock absorber for more wheel travel, firmer valving for a more controlled ride and a larger body with increased oil capacity for cooler operation than the original vehicle shock absorbers.

Other hidden design features also include thicker external tube wall thickness up to 3mm on Dobinsons 4x4 struts where other brands use as small as 1.5mm.

Selected Dobinsons 4x4 struts also include single piece drop forged lower mounting stems to provide far superior strength and reliability.

High Quality Parts

- ▶ Only the highest quality internal and external parts are used to ensure hassle free long life operation. When developing shock absorbers, Dobinsons test each component of the shock absorber to ensure each part can withstand the vast difference in operating temperatures, a variety of different environments and conditions, and also ensure each part provides long service life.

These include Japanese NOK Multi-Lip seals, Fuchs German shock absorber oil, Natural Rubber bushings for reduced Noise Vibration Harshness, high quality Teflon piston rings and Double Chrome hardened rods are just a few of the components that put Dobinsons shock absorbers ahead of the rest.

Manufacturing Process

- ▶ As Dobinsons Spring & Suspension have been manufacturing the highest quality springs and suspension components for over 60 years, they are no strangers to state of the art manufacturing processes. Dobinsons 4x4 shock absorbers are manufactured using the latest technology and are manufactured to TS16949 International Quality Assurance Systems. This includes double re-enforced robotic welding, friction welding, CNC Machined components and drop forging of high stress mounting components.

Testing Process

- Dobinsons 4x4 shock absorbers are first completely quality checked and Valve Force-Velocity Dyno tested in the factory before final approval.

Dobinsons then perform further in depth quality testing in their Australian head office to ensure long life reliability.

Direct Bolt-In O.E. Replacement

Steel Dust Cover for Added Protection*

35mm & 32mm Bore Size

Double Chromed 18mm Rod

60mm & 51mm Body Size

High Quality Fuch's Oil

NOK Multi-Lip Seals


Teflon Piston Rings

Longer Extended Lengths*

Twin-Tube Big-Bore Design

Vehicle & Weight Specific Valving

Natural Rubber Bushings



*Where Applicable.

Refer to Vehicle Listings for Full Pricing

MRR SHOCK ABSORBERS

With serious 4x4 owners now pushing their vehicles through harder, harsher terrain with more accessories fitted to their 4x4's than ever before Dobinsons saw the need for a no compromise, performance engineered shock absorber that offers the ultimate in performance.

Over four years of research, development and testing was undertaken to produce Dobinsons Monotube Remote Reservoir shock absorbers. Dobinsons MRR Series introduces premium quality build design and features to achieve the ultimate in performance and durability.

50mm and 60mm extra large bores, combined with remote oil reservoirs, provide the perfect housing for an enormous oil capacity and surface area to resist shock fade and maintain vehicle handling.

Unlike some other brands, each Dobinsons shock absorber is designed specifically for the vehicle and application and is designed to perform best when matched with Dobinsons Coil Springs. In some cases multiple options are available to ensure the best possible ride, handling, comfort and performance is achieved for the complete suspension system.


Massive 56mm & 66mm Outer Body

External Remote Oil Reservoir

3mm Heavy Duty Wall Thickness

Single Piece Lower Leg *





Monster 50mm & 60mm Bore

Direct Bolt-on Design

Triple Lip Oil Seal

Fully Rebuildable Design

Vehicle Specific Valving

Height Adjustable Spring Seat*

EDP Surface Protection

Natural Rubber Bushings

*Where Applicable. Spring & Top Cap Not Included

Refer to Vehicle Listings for Full Pricing

ALIGNMENT & SUSPENSION PARTS

When raised suspension has been fitted to a vehicle it can alter the vehicles suspension, brakes and steering geometry and in some cases this requires additional suspension components to ensure the vehicles handling and performance isn't compromised. This is especially important in vehicles fitted with larger lift kits. The required alignment parts are outlined in the 4x4 suspension catalogue individual vehicles.

Where applicable the rear brake proportioning valve adjusters/extensions should be fitted to allow normal braking operation.

For solid axle vehicles with suspension lifts of up to 50mm a castor bush kit is recommended but not mandatory, a wheel alignment is recommended to determine whether a castor bush kit is required.

For lifts above 50mm, castor correction is required.

Some vehicles also have additional driveline spacers, gearbox spacers and other parts which may be required when fitting a suspension lift.


Some of the alignment components required include:

Castor Bush Kits (Rubber & Polyurethane)




- ▶ When raised suspension is fitted to vehicles equipped with a solid axle style front suspension setup the castor angle can be altered and can result in a small wobble or shake through the steering. To correct this Dobinsons have a range of fixed angle polyurethane castor correction bushes, fixed angle rubber castor correction bushes for improved ride and articulation and adjustable polyurethane castor correction bushes to return the castor angle to the correct position.

Sway Bar Extensions



- ▶ Raising the vehicles suspension can also cause some components such as the sway bar links to become a little too short and limit wheel travel. For this reason Dobinsons have released heavy duty sway bar link extensions to suit some Nissan Patrols and some Toyota Landcruisers.

Panhard Rods




- ▶ Raising the vehicles suspension on vehicles equipped with live axle suspension can also alter the diff alignment. Dobinsons range of heavy duty adjustable panhard rods correct this alignment and feature high quality rubber bushes for maximum articulation.

Castor Plate Kits



- For Nissan Patrol Y60/Y61 (GQ/GU) and Toyota Landcruiser 80/105 series that have lift kits of between 4 and 6 inches Dobinsons have 5 degree castor plate kits available to correct the castor angle.

Brake Proportioning Valve Extensions



- When raising a vehicle the braking system can be affected as the braking bias front to rear is changed. For this reason Dobinsons recommend fitting one of their brake proportioning valve extensions when ever lifting a vehicle.

Strut-Caps



- Dobinsons have a range of coil strut top caps available for most popular 4x4 models. These can be used to replace the original worn strut top caps or can be fitted to coil struts with coil springs allowing a complete strut assembly that is a simple install.

Driveline & Suspension Component Spacers



- Dobinsons Spring & Suspension also have a range of other various driveline spacer items that are required when lifting vehicles.



LEAF SPRING COMPONENTS

U Bolts



- ▶ Dobinsons 4x4 U-bolts are made from high quality, 10.9 grade high tensile steel and supplied with hardened deep nuts for maximum clamping pressure and reliability. It is recommended that when replacing leaf springs that new u-bolts are fitted.
Supplied in anti corrosion zinc finish.

Shackles & Pins



- ▶ Dobinsons Spring & Suspension's range of 4x4 shackles and pins have been designed and manufactured to maximize the life of both the polyurethane bushes and shackles. Incorporating a recessed twin hole greasable design to ensure both halves of the polyurethane bush receive even grease distribution. Greasing polyurethane bushes not only reduces friction and wear, it also reduces the chances of corrosion on the shackle pins and reduces squeaking. Dobinsons 4x4 shackles and pins are a heavy duty design and provide simple servicing through external grease nipples.

In some cases Dobinsons also provide anti-inverse shackles to prevent the shackles from inverting on lifted leaf spring vehicles.

Polyurethane Bushes



- ▶ Dobinsons Spring & Suspension's polyurethane bushes have been designed and manufactured from the highest quality raw materials and unlike other competitors have been designed to suit both Dobinsons leaf springs and the original vehicle leaf springs.

Polyurethane-Bushes Dobinsons Polyurethane leaf spring bushes provide a smooth comfortable ride and when combined with Dobinsons 4x4 greasable shackles provide a far superior service life than the original vehicle bushes.

Dobinsons polyurethane bushes feature unique internal diamond grease traps to maximize bush and shackle life.

TORSION BARS

Dobinsons Spring & Suspension's range of heavy duty 4x4 torsion bars are manufactured from high quality micro alloy steel with a thicker bar diameter than the original vehicle torsion bars to improve performance when accessories are fitted. When vehicles are fitted with additional accessories such as steel bullbars, winches, dual battery kits and other frontal accessories the weight placed on the torsion bars can be dramatically increased.

Torsion Bars

- ▶ The torsion bars fitted to the vehicle will not withstand the additional weight placed on the vehicle and will be prone to sag and will offer poor handling and offroad performance. Dobinsons heavy duty 4x4 torsion bars feature increased spring rate (thicker bar diameter) to better handle the additional weight and provide far improved handling, ride height and offroad performance.

Increased Spring Rate

- ▶ Dobinsons torsion bars feature an increased bar diameter, thicker than the original vehicle torsion bars. Dobinsons uprated torsion bars provided a far superior ride that will greatly reduce bottoming of the suspension and will improve the vehicles handling whilst also offering far greater reliability at increased ride heights.

Cold Rolled Splines

- ▶ Dobinsons torsion bars feature cold rolled splines to increase strength, reliability and ensure a perfect fit.

Durable Powdercoat Finish

- ▶ A thick durable powdercoat provides protection against corrosion.

Directionally Preset & Scragged

- ▶ As torsion bars have load applied in a particular direction during compression travel, Dobinsons have their torsion bars directionally preset and scragged to prevent sagging and breakage.

Simple Fitment

- ▶ Dobinsons heavy duty torsion bars have precision end fitment and are marked both left and right hand side, and also importantly front and rear to ensure correct simple fitment the first time. Fitting torsion bars on the incorrect side or back to front will damage the torsion bars as they are preset and scragged in the required direction.



STEERING DAMPERS

Dobinsons Spring & Suspension's range of 4x4 steering dampers are the perfect addition to your Dobinsons suspension kit. Featuring a larger body size for smoother, cooler operation and 50/50 valving, Dobinsons heavy duty steering dampers ensure comfortable controlled steering operation, especially on vehicles fitted with raised suspension, additional accessories or larger tyres.

Dobinsons heavy duty steering dampers feature a 18mm chromed rod, 32mm bore and 50mm body with a foam cell insert. End mountings are kept the same as the original vehicle mountings to ensure hassle free fitment.



Refer to Vehicle Listings for Full Pricing




BULLBARS





Dobinsons large range of Winch and Airbag compatible Steel Bullbars combine sound design principles and advanced CNC manufacturing processes to provide high quality steel bullbars, that not only provide impressive vehicle protection but also look great and provide a platform for further accessory fitment.

BULLBARS



More features:

- ▶ 3mm Thick Main Body ▶ 4mm + 5mm Thick Bracketry ▶ 1.6mm Bash Plates
- ▶ 51mm Upper loops on Classic Black and Classic Black Deluxe (60mm Landcruiser 200 Series)
- ▶ 76mm centre loop and 51mm side loops on Stainless Loop Deluxe models



Most Dobinsons bullbars are also equipped with centre and side protection plates for the underside of the bullbar.

A crucial feature to help protect vital vehicle components when off-road driving.



Separate winch cradle to chassis mounting system allows the additional weight of the wing and winching load to be supported directly by the chassis.

BULLBARS



CNC Laser Profile Cutting ensures perfect accuracy and consistent quality every time without causing unwanted heat distortion.



CNC Hydraulic sheet bending machines ensures that the bullbar corner folds are accurate every time without deviation.



The tube loops in Dobinsons bullbars are made from tube with up to 2.0mm wall thickness* and are bent using CNC Mandrell Bending for uniform shape and wall thickness.



Computer programmed robotic welders are used for repetitive intricate welding joins to improve efficiency and accuracy.



All bullbars are jig assembled, hand tack welded and then finish welded to ensure accuracy and perfect fitment of each bullbar.



All bullbars are first chemically cleaned, followed by zinc phosphate pre-treatment then powder-coated satin black for a high quality, corrosion resistant aesthetic finish.

BULLBARS



CLASSIC BLACK

Dobinsons Classic Black steel bullbars feature all standard components listed, excluding fog lights and incorporate a-frame upright loop styles.

These bullbars are perfect for tradies, commercial vehicles and 4x4 owners that want a great looking bullbar filled with features, all for a great price.



CLASSIC BLACK DELUXE

Dobinsons Classic Black Deluxe steel bullbars feature all standard components listed and incorporate a-frame upright loop styles.

For 4x4 owners who are after a tougher look, this bullbar provides all the features plus 100mm fog lights.



STAINLESS LOOP DELUXE

Dobinsons Stainless Loop Deluxe steel bullbars feature all standard components listed and incorporate 304 grade stainless steel loops.

When looking for an up-market, prestigious bullbar you can't go past the Stainless Loop Deluxe featuring all the Dobinsons features plus 100mm fog lights.

**Refers to Classic Black and Classic Black Deluxe Bullbars Only*

Refer to Vehicle Listings for Full Pricing

SIDE RAILS & SIDE STEPS



Dobinsons range of 4x4 steel side steps and side rails are manufactured using 51mm (2") steel tubing with a 2.0mm wall thickness and are formed using CNC computer controlled mandrell pipe benders to ensure that each bend remains smooth, kink free and has uniform tube wall thickness.



Twin Inner & Outer Tube Design for Maximum Sill Protection

Durable Satin Black Powder Coat Finish



ADR & Side Airbag Compatible

Non-Slip Checkerplate Tread Steps



Front Swivel Section for Airbag Compliance (with Airbag Compliant Bullbars)

Compatible with Most Brands of Bullbars


Heavy Duty Steel Tube Construction

Refer to Vehicle Listings for Full Pricing


STEEL ROOF RACKS



Roof Top Tent Rack Shown Above




Universal Mounting Kit included with **RR80-4100** and **RR80-4103**



Refer to Vehicle Listings for Full Pricing

WINCHES



WINCHES

MORE POWERFUL

- Improved 12 volt series wound motor provides increased power and winching efficiency.

HOUSING BREATHER

- Each winch is equipped with a motor housing breather, 2 metre nylon air hose and filter for increased water protection.

MORE OPTIONS

- Dobinsons winches are now available with synthetic rope, as well as a steel cable option and all winches now feature an improved heavy duty snap lock hook.

SEALED SOLENOID

- Improved single fully sealed solenoid for extreme durability, housed in a new heavy duty control box.

REDESIGNED CLUTCH HANDLE

- Our new quick-flip style clutch handle allows much easier clutch operation and reduces the winches overall height.



WIRELESS CASING

- Redesigned wireless controller provides a wireless range of up to 30 metres and incorporates dual LED lights.

IMPROVED CASINGS

- Strengthened single piece gearbox casing is now much smaller, stronger and also includes 304 grade stainless steel cross rods.

OTHER FEATURES INCLUDE

- Steel Cable or Synthetic Rope Option Available in Both Sizes
- Heavy Duty Gloves
- Hand Held Control and Wireless Remote
- Rotating Ring Gear Clutch
- 64 x 224mm Drum
- Automatic Braking Action
- 3 Stage Planetary Gears
- Plug In Control Range of up to 3 Metres
- Control Box Mounting Brackets: Control Box to Cross Rods, Motor Housing & Flat Surfaces/Bartops



Refer to Vehicle Listings for Full Pricing

WINCHES



9,500Lbs Steel Cable

Weight:	35Kg
Gear Reduction:	172.8:1
Motor:	4.2kw/5.6hp Series Wound
Fairlead:	4-Way Roller Fairlead
Cable:	9.5mm x 28m (3/8" x 92ft) Steel Cable
Overall Dimensions:	60mm (W) x 210mm (H) x 545mm (L)
Mounting Dimensions:	254mm x 114.3mm
EW80-3814	



9,500Lbs Synthetic Rope

Weight:	25Kg
Gear Reduction:	172.8:1
Motor:	4.2kw/5.6hp Series Wound
Fairlead:	Alloy Hawse Fairlead
Cable:	9.5mm x 28m (3/8" x 92ft) Synthetic Rope
Overall Dimensions:	160mm (W) x 210mm (H) x 545mm (L)
Mounting Dimensions:	254x114.3mm
EW80-3814S	



12,000Lbs Steel Cable

Weight:	36Kg
Gear Reduction:	216:1
Motor:	4.8kw/6.5hp Series Wound
Fairlead:	4-Way Roller Fairlead
Cable:	9.5mm x 28m (3/8" x 92ft) Steel Cable
Overall Dimensions:	160mm (W) x 210mm (H) x 545mm (L)
Mounting Dimensions:	254x114.3mm
EW80-3815	



12,000Lbs Synthetic Rope

Weight:	26Kg
Gear Reduction:	216:1
Motor:	4.8kw/6.5hp Series Wound
Fairlead:	Alloy Hawse Fairlead
Cable:	9.5mm x 28m (3/8" x 92ft) Synthetic Rope
Overall Dimensions:	160mm (W) x 210mm (H) x 545mm (L)
Mounting Dimensions:	254x114.3mm
EW80-3815S	

Refer to Vehicle Listings for Full Pricing

WINCHES

Product

Part Number

Hand Winch

HW80-3811



CE Approved & TUV Approved

- ▶ Aluminium Light Weight, Corrosion Resistant Winch Body
- ▶ 20m High Strength Galvanised Cable
- ▶ 1,600Kg Capacity
- ▶ Comes with Heavy Duty Carry Bag

Synthetic Rope



- ▶ High Grade Dyneema SK75
- ▶ Ultra Light to Reduce Front Axle Weight
- ▶ Includes Rope Protector
- ▶ Stronger than Steel Cable
- ▶ Requires Part EW80-3823 for Use

30m x 10mm

EW80-3821

- ▶ 14,200lb

30m x 11mm

EW80-3822

- ▶ 18,000lb

IMPORTANT NOTICE:

The synthetic rope must be used with the aluminium fairlead/hawse (EW80-3820) and the large body synthetic rope winch hook (EW80-3823). These parts are required for use with synthetic rope products.

DO NOT USE WITH A ROLLER FAIRLEAD

Aluminium Fairlead

EW80-3820



Compatible with Most Bullbars

- ▶ Manufactured from Precision Formed Aluminium
- ▶ Required for Use with Synthetic Rope
- ▶ Assists in Preventing Pinching, Kinks and Frays Normally Associated with Guiding Rope

Offset Aluminium Fairlead

EW80-3824

Large Body Synthetic Rope Winch Hook

EW80-3823



- ▶ Required for Use with Synthetic Rope


Damper Blanket

DB80-3813



- ▶ Manufactured from High Quality PVC
- ▶ Long Internal Velcro Straps to Reduce Slipping
- ▶ Specifically Designed to Absorb the Maximum Amount of Potential Energy in the Event the Rope/Strap Should Break

SNORKELS



SNORKELS



Installing a snorkel to your 4x4 is considered one of the most essential modifications made to your vehicle before heading out on extended trips or before taking your 4x4 through deep water crossings.

The original air intake position on most 4x4 vehicles is under the bonnet or inside the wheel arch, areas prone to high heat and water and dust ingress.

Fitting a Dobinsons 4x4 snorkel to your vehicle moves the intake much higher - helping to deliver cooler, cleaner air to your 4x4.

Features

- ▶ Rotationally moulded using precision CNC shaped aluminium dies
- ▶ Increases air intake height rams cooler, cleaner air into the engine to help provide improved engine performance
- ▶ Increases air intake height to allow safer water crossings and reduce dust intake
- ▶ Manufactured from high quality UV stabilised LLDPE
- ▶ Snorkel kits include template, fitting instructions and all mounting hardware

Fitting a snorkel to a vehicle with an LPG Gas system fitted may affect the vehicle's performance requiring re-tuning of the system and installation of a balancer hose.



Refer to Vehicle Listings for Full Pricing

LIGHTING





Dobinsons range of LED Light Bars and Driving Lights combine the latest in CREE LED module technology with high quality narrow angle reflectors to provide astonishing long distance, super bright white light and impressive light spread due to the multi-bulb LED design.

LIGHTING

Product

Part Number

7" Round, 90 Watt Driving Light

DL80-3764K



- ▶ 18 x 5 Watt Cree LED Bulbs
- ▶ 7,200 Lumens Each
- ▶ Sold as a Kit (Contains 2 x Lights, 2 x Clear Lens Cover)

3" Square, 16 Watt Driving Light

DL80-3767




- ▶ 4 x 4 Watt Cree LED Bulbs
- ▶ 1,440 Lumens Each
- ▶ Sold as each including Clear Lens Cover

4" Round, 12 Watt Driving Light

DL80-3768



- ▶ 4 x 3 Watt Cree LED Bulbs
 - ▶ 1,000 Lumens Each
 - ▶ Sold as each
- *Can be used to replace Fog Lights as Driving Lights
(May require some bracket fabrication, not suitable as Fog Lights)



Refer to Vehicle Listings for Full Pricing

LIGHTING

Product	Part Number
50" Dual Row Curved 288 Watt LED Light Bar	DL80-3772



- ▶ 1270mm Long
- ▶ 96 x 3 Watt Cree LED Bulbs
- ▶ 23,040 Lumens Each

40" Single Row 120 Watt LED Light Bar	DL80-3763
--	------------------



- ▶ 1016mm Long
- ▶ 24 x 5 Watt Cree LED Bulbs
- ▶ 10,800 Lumens Each

30" Single Row 90 Watt LED Light Bar	DL80-3762
---	------------------



- ▶ 762mm Long
- ▶ 18 x 5 Watt Cree LED Bulbs
- ▶ 8,100 Lumens Each

20" Single Row 60 Watt LED Light Bar	DL80-3761
---	------------------





- ▶ 508mm Long
- ▶ 12 x 5 Watt Cree LED Bulbs
- ▶ 5,400 Lumens Each


10" Single Row 30 Watt LED Light Bar	DL80-3760
---	------------------



- ▶ 254mm Long
- ▶ 6 x 5 Watt Cree LED Bulbs
- ▶ 2,700 Lumens Each

Wiring Harness		
	Wiring Harness for LED Light Bar	DL80-3766
	Wiring Harness for LED Lights (Pair)	DL80-3765

Light Bar Pipe Mounting Kit (2 x Mounts for Bull Bar Loop/Barwork Mounting)		
	2"/51mm Pipe Mounting Kit	DL80-3770K
	3"/76mm Pipe Mounting Kit	DL80-3771K



Refer to Vehicle Listings for Full Pricing

TENTS & AWNINGS





TENTS & AWNINGS

Deluxe Roof Top Tent

CE80-3902



- ▶ Covered Entrance
- ▶ 60mm Thick Mattress - High Density Foam
- ▶ Aluminium Retractable Ladder - 2.0m (Approx)
- ▶ Fits to Roof Rack or Roof Bars
- ▶ Removable Elastic Inner Straps to Assist Pickup
- ▶ Heavy Duty Waterproof PVC Protector Cover
- ▶ Internal LED Strip Lighting
- ▶ Pop Out Window Awnings with Flyscreen
- ▶ Dimensions as Open - 273 x 140 x 130cm
- ▶ Dimensions as Folded - 120 x 140 x 32cm
- ▶ Raised 420D Flysheet (Allows Airflow, Controls Temperature and Minimises Condensation)
- ▶ High Quality 600D Oxford PU Coated (Waterproof and Breathable)
- ▶ Colour - Beige
- ▶ 600GSM Tent Travel Cover
- ▶ Complete with Fitting Tools & Instructions

Deluxe Roof Top Tent with Change Room

CE80-3924



- ▶ Fully Enclosed Room (Includes Floor) with Zip Down
- ▶ Windows & Flyscreens
- ▶ Covered Entrance
- ▶ 60mm Thick Mattress
- ▶ Aluminium Retractable Ladder - 2.0m (Approx)
- ▶ Fits to Roof Rack or Roof Bars
- ▶ Removable Elastic Inner Straps to Assist Pickup
- ▶ Heavy Duty Waterproof PVC Protector Cover
- ▶ Internal LED Strip Lighting
- ▶ Pop Out Window Awnings with Flyscreen
- ▶ Dimensions as Open - 273 x 140 x 130cm
- ▶ Dimensions as Folded - 120 x 140 x 32cm
- ▶ Raised 420D Flysheet (Allows Airflow, Controls Temperature and Minimises Condensation)
- ▶ High Quality 600D Oxford PU Coated (Waterproof & Breathable)
- ▶ Colour - Beige
- ▶ 600 GSM Tent Travel Cover
- ▶ Complete with Fitting Tools & Instructions

Roll Out Awning Quick-Tent

CE80-3972

2.0m x 3.0m Awning Tent with PVC Floor. For use with CE80-3937

CE80-3970

2.5m x 3.0m Awning Tent with PVC Floor. For use with CE80-3904



- ▶ Attaches Quickly & Easily to Dobinsons Roll Out Awnings
- ▶ 420D - 280 GSM Ripstop Canvas
- ▶ Heavy Duty 500D PVC Floor
- ▶ Includes Windows and Doors with Mosquito Nets
- ▶ May also Suit Other Brands of Awnings with the Same Dimensions

Awning Mosquito Net Enclosure

CE80-3973

2.0m x 3.0m Mesh Room. For use with CE80-3937

CE80-3971

2.5m x 3.0m Awning Tent with PVC Floor. For use with CE80-3904



- ▶ Attaches Quickly & Easily to Dobinsons Roll Out Awnings
- ▶ Provides a Quick & Easy Barrier to Mosquitoes and Bugs
- ▶ Does Not Include Floor
- ▶ May also Suit Other Brands of Awnings with the Same Dimensions

TENTS & AWNINGS

Product

Part Number

Roll Out Awning



- ▶ Complete with Poles, Ropes & Pegs
- ▶ Made from 420D PU Oxford Polyester
- ▶ Quick Lock Aluminium Poles
- ▶ 600 GSM UV Stabilised PVC Cover
- ▶ Fits to Roof Rack or Roof Bars

1.4M LONG x 2.0M OUT

CE80-3934

2.0M LONG x 3.0M OUT

CE80-3937

2.5M LONG x 3.0M OUT

CE80-3904

Sensu Awning

CE80-3903



Styled after the Traditional Japanese Sensu Folding Fan

- ▶ Mounted on Left Hand Side of Vehicle
- ▶ Opens 270°
- ▶ Complete with Poles, Ropes & Pegs
- ▶ Covers over 10m²
- ▶ Fits to Roof Rack or Roof Bars

Roof Top Tent Ladder Extension - High Lift Vehicles

CE80-3931



High Lift Retractable Ladder - Extension Piece Only

- ▶ Adds on to your Existing Roof Top Ladder to Create a 2.3m Ladder
- ▶ Provides Extra Length for Higher Vehicles
- ▶ Easy to Install/Uninstall from Existing Ladder
- ▶ Fits into Tent Package on your Roof Top

Universal Mounting Channel

CE80-3936



Aluminium Mounting Extrusion/Channel

- ▶ 1.4m Long
- ▶ Additional Piece Sold Separately
- ▶ Universal Slide Channel for Roof Rack and Roof Bar Mounting of Accessories

CANOPIES

- ▶ Includes Roof Rails (Durable Epoxy Coated) Static Load Tested to 100Kg
- ▶ Pressed 0.8mm Steel Shell Construction
- ▶ Factory Colour-Coded and Baked Paint Finish
- ▶ Twin Rotary Door Locks with Remote
- ▶ Central Locking Rear Door



- ▶ Internal Door Safety Release
- ▶ Tinted Side Windows
- ▶ Fully Lined Interior with Automatic Interior Light
- ▶ Rear Brake Light
- ▶ Available with Sliding or Lift Up Side Windows
- ▶ Front Sliding Window
- ▶ Rear Window Demister



REAR DRAWERS



- ▶ 1.6mm Zinc Plated Robust Steel Construction
- ▶ 12mm Heavy Duty Ply Wood Panels with Marine Carpet Covering
- ▶ Single Side Inbuilt, Heavy Duty Fridge Slide (100kg rating)
- ▶ 8 x Heavy Duty Stainless Steel Tie Down Points
- ▶ Outer Wing Kits Provide A Factory Fit (sold separately)
- ▶ Aluminium Edging Protection
- ▶ Supplied Pre-Assembled For Simple Fitment
- ▶ Heavy Duty Lockable Latches
- ▶ 150Kg Drawer Capacity
- ▶ Heavy Duty Roller Bearing System
- ▶ Available in 3 Sizes:
 - 990mm (L) x 1070mm (W) x 255mm (H)
 - 900mm (L) x 1000mm (W) x 255mm (H)
 - 1300mm (L) x 1000mm (W) x 255mm (H)

Refer to Vehicle Listings for Full Pricing

BATTERY MANAGEMENT

DUAL BATTERY KITS

140 Amp Kit

EA80-3830

- ▶ Automatic Voltage Sensitive Battery Isolation
- ▶ 13.3 Volt Cut In
- ▶ 12.8 Volt Cut Out
- ▶ Ignition Protected
- ▶ Dual Display Voltage Monitor (Backlit LCD Screen)
Displays both Battery Readings Simultaneously
- ▶ Reversible Display Screen for Overhead and Footwell Mounting
- ▶ All Installation Hardware Included
- ▶ All Cables 5m in Length for Rear Mounted Batteries



Kit Includes:

5m Heavy Duty Black & Red Cables, 140 Amp Voltage Sensitive Isolator, 10 Metres of Split Conduit, Dual Display LCD Voltage Monitor, 2 x Battery Terminals, 6 x Cable Lugs and Heat Shrinks, Mounting Screws and Crimping Lugs.

IMPORTANT NOTICE:

Does not suit Ford PX Ranger as vehicle is equipped with a Smart Charge alternator.
Vehicle requires DC to DC charger for Dual Battery Setup

OR

Vehicle requires Ford dealer to perform Smart Charge Disconnect (This may affect vehicle performance and economy).

Voltage Monitor

EA80-3833



- ▶ Dual Battery Voltage Monitor
- ▶ Also Sold Separately
- ▶ Backlit LCD Screen
- ▶ Displays Both Battery Readings Simultaneously
- ▶ Reversible Display Screen for Overhead and Foot Well Mounting

DUAL BATTERY TRAYS

FORD

Ranger PJ /PK – Manual Models Only Without ECU on Left Hand Front Skirt	2007 - 09/2011	LHF Engine Bay	BT19-3200
Ranger PX* – XLT & Wildtrak Models with Factory Tub Liner (#See Note)	10/2011 on	Tub Mount	BT19-3201
Ranger PX* – XL & XLS Models Without Tub Liner (#See Note)	10/2011 on	Tub Mount	BT19-3202

HOLDEN/ISUZU/CHEV

Rodeo RA/RA7*	2002 on	Tub Mount	BT21-3203
D-Max*	2007 - Mid Year 2012	Tub Mount	BT21-3203
D-Max*	Mid Year 2012 on	Tub Mount	BT21-3203
Colorado*	2008 - Mid Year 2012	Tub Mount	BT21-3203
Colorado RG*	Mid Year 2012 on	Tub Mount	BT21-3203

MAZDA

BT50 – Manual Models Only Without ECU on Left Hand Front Skirt	2007 - 09/2011	LHF Engine Bay	BT19-3200
BT50 B32P* – Models Without Tub Liner	10/2011 on	Tub Mount	BT39-3204

MITSUBISHI

Triton ML	10/2006 - 08/2009	LHR Engine Bay	BT43-3205
Triton MN	09/2009 on	LHR Engine Bay	BT43-3205

NISSAN

Navara D40* – Excludes RX Single Cab & any V6 T/D	09/2005 on	Tub Mount	BT45-3206
Patrol Y61 GU (Series 1, 2 & 3) – 4.2L T/D & 3.0L T/D Only	1998 - 2004	LHC Engine Bay	BT45-3207
Patrol Y61 GU (Series 4) – 4.2L T/D & 3.0L T/D Only	09/2004 on	LHC Engine Bay	BT45-3207

TOYOTA

Hilux Vigo	04/2005 - 2015	LHR Engine Bay	BT59-3208
Landcruiser (V8) 76, 78, 79 Series	2007 on	LHF Engine Bay	BT59-3211
Prado 120 Series – 3.0L T/D Only	12/2002 - 09/2009	RHF Engine Bay	BT59-3209
Prado 150 Series	10/2009 - 09/2013	RHF Engine Bay	BT59-3210

SWAGEN

Amarok*	2011 on	Tub Mount	BT63-3212
----------------	---------	-----------	-----------

MULTI-FIT (Under Tray)

Universal to Suit 120ah Battery (Up to 330mm Long) Requires 445mm x 175mm Mounting Area Under Tray & Hangs Down 320mm		Under Tray	BT80-3213
Universal to Suit N70zz Battery Requires 330mm x 320mm Mounting Area Under Tray & Hangs Down 250mm		Under Tray	BT80-3214

All trays are to suit 12" N70zz battery size unless noted otherwise.

*Suits vehicles with style-side/well-back/tub design. Vehicles with tray/drop-side tray use universal under-tray battery tray.

#Vehicle uses smart charge alternator. DC to DC charger must be used on this vehicle or Ford to perform a smart charge disconnect if using EA80-3830.



Refer to Vehicle Listings for Full Pricing

SOLAR PANELS



SOLAR PANELS



Each solar panel kit includes an MPPT (Maximum Power-Point Tracking) solar-charger regulator that regulates the solar panel output voltage to suit the 12 volt battery system. This MPPT charger-regulator is no ordinary solar regulator - instead of regulating the solar panels output voltage to a fixed voltage, the MPPT charger-regulator varies the voltage output to suit the battery voltage level. This means rather than inputting a fixed voltage and amperage amount, the voltage and amperage is regulated and the voltage increased as the battery voltage increases to ensure that at all times the battery is receiving the maximum amount of charge amperage to charge the battery as fast as possible.

80 Watt Kit

EA80-3842K

Kit Includes:

3 x Brace Poles
MPPT Solar Charger
Regulator
Foldable Solar Panel

Folded Dimensions:

43 x 30 x 5cm



- ▶ Lightweight at Only 4Kgs
- ▶ Fits Easily Behind/Under Most 4x4 Seats
- ▶ Highly Efficient Mono-Crystalline Solar Cells
- ▶ Heavy Duty PVC Canvas Fabric
- ▶ Heavy Duty Battery Clamps
- ▶ Reverse Polarity Protection
- ▶ Output Short Circuit Protection
- ▶ Intelligent Battery Management - Up to 98% Charge Efficiency
- ▶ 12/24 Volt Auto-Detection
- ▶ Trickle, Float and MPPT Charge Modes
- ▶ Ultra Compact, Practical Design

130 Watt Kit

EA80-3843K

Kit Includes:

3 x Brace Poles
MPPT Solar Charger
Regulator
Foldable Solar Panel

Folded Dimensions:

54 x 32 x 5cm



- ▶ Lightweight at Only 4Kgs
- ▶ Fits Easily Behind/Under Most 4x4 Seats
- ▶ Highly Efficient Mono-Crystalline Solar Cells
- ▶ Heavy Duty PVC Canvas Fabric
- ▶ Heavy Duty Battery Clamps
- ▶ Reverse Polarity Protection
- ▶ Output Short Circuit Protection
- ▶ Intelligent Battery Management - Up to 98% Charge Efficiency
- ▶ 12/24 Volt Auto-Detection
- ▶ Trickle, Float and MPPT Charge Modes
- ▶ Ultra Compact, Practical Design

Refer to Vehicle Listings for Full Pricing

FRIDGE/ FREEZERS





FRIDGE / FREEZERS

Heavy Duty

Built to a high quality, for lasting performance our fridge/freezers feature heavy duty handles and built in rubber feet.

Control Panel

Featuring a digital control panel each fridge also incorporates 'eco-mode', as well as an integrated low voltage cut-off with auto restart.

High Quality Compressor

Dobinsons fridge/freezers utilizes the highest quality Danfoss compressor - Providing maximum cooling efficiency with minimal power draining.

Removable Fridge Basket

The fridge basket allows the convenience of separating foods and providing an organized system for storing all items. By being removable, you are able to refrigerate and freeze larger items.

CE & SAA Approved



Internal Light

Dobinsons fridge/freezers come with an internal LED light equipped with an auto shut-off mechanism when not required.

Power Options

With the ability of different power options (**12/24 Volt DC or 240 Volt AC**) to allow for a variety of uses.

Insulation

Built with high quality insulation to minimise the size of exterior casing, whilst maximising the internal capacity available.

Cooling Capacity

All fridge/freezers have a cooling capacity of -15°C and can all be used as either a fridge or freezer. The 40,50 & 60L fridges feature a single zone, with the 80L fridge boasting a dual zone (25L/55L split) for extra convenience.

FRIDGE / FREEZERS

40L Fridge/Freezer



- ▶ Single Zone
- ▶ High Quality Danfoss Compressor
- ▶ Cooling Capacity of -15°
- ▶ Functions as Fridge or Freezer
- ▶ 12/24V DC, 240V AC

FF80-3940

50L Fridge/Freezer



- ▶ Single Zone
- ▶ High Quality Danfoss Compressor
- ▶ Cooling Capacity of -15°
- ▶ Functions as Fridge or Freezer
- ▶ 12/24V DC, 240V AC

FF80-3950

60L Fridge/Freezer



- ▶ Single Zone
- ▶ High Quality Danfoss Compressor
- ▶ Cooling Capacity of -15°
- ▶ Functions as Fridge or Freezer
- ▶ 12/24V DC, 110 - 240V AC

FF80-3960

80L Fridge / Freezer



- ▶ Dual Zone (25L/55L Split)
- ▶ High Quality Danfoss Compressor
- ▶ Cooling Capacity of -15°
- ▶ Functions as Fridge or Freezer
- ▶ 12/24V DC, 110 - 240V AC

FF80-3980

Fridge/Freezer Protective Bag



- ▶ Insulated Protective Bag
- ▶ Available for both 40L & 50L
- ▶ Fridge/Freezer Options

FF80-3941 (40L)

FF80-3951 (50L)

Fridge/Freezer Protective Bag



- ▶ Insulated Protective Bag
- ▶ Available for both 60L & 80L
- ▶ Fridge/Freezer Options

FF80-3961 (60L)

FF80-3981 (80L)

Fridge Slides



- ▶ Suits Most 30/40/50 & 60/80 Litre Fridges
- ▶ In and Out Locking Pin
- ▶ Includes 4 x Heavy Duty Fridge Straps
- ▶ Heavy Duty Folded Steel Construction

FF80-3944 (30/40/50L)

FF80-3946 (60/80L)

4 x Fridge Straps



- ▶ Sold Separately
- ▶ Suits 30L/40L/50L Fridge/Freezers

FF80-3945K

Refer to Page G13 for technical details & sizing

AIR COMPRESSORS

AIR COMPRESSORS



12 Volt, Heavy Duty Air Compressor

- ▶ Thermal Overload Protection
- ▶ Air Flow: 72L/min – Maximum Pressure: 150 psi
- ▶ Single 40mm Piston
- ▶ 2.4m Power Cable with Battery Clips
- ▶ 5m PU Hose
- ▶ In-Line Pressure Gauge & Fuse
- ▶ Rubber Anti-Vibration Feet
- ▶ Hi-Temp 7.5m P.A Air Hose
- ▶ Quick Release Tyre Chuck
- ▶ Removable Air Filters
- ▶ Permanent Magnetic Motor
- ▶ Removable Base for Permanent Mounting
- ▶ Includes 3 Nozzle Adaptors & Carry Bag

AC80-3808

Refer to Vehicle Listings for Full Pricing

VEHICLE SAFETY FLAG



SAFETY FLAG



High Visibility Vehicle Safety Flag

- ▶ 3 piece design for compact storage
- ▶ 3 metre total height
- ▶ Flag Size – 30cm x 30cm
- ▶ Orange Hi-Viz PVC with reflective cross
- ▶ Quick release base fitting for simple removal
- ▶ Zinc coated rust resistant steel fittings
- ▶ Durable fibreglass poles
- ▶ Includes carry case
- ▶ Folded size (100cm x 10cm x 3cm)

SF80-3839

Refer to Vehicle Listings for Full Pricing

RECOVERY GEAR





RECOVERY GEAR

Product Name

Part Number

Recovery Kit

RK80-3801



- ▶ 9m Long, 8,000Kg Snatch Strap with Sliding Protective Sleeve
- ▶ 3m Long, 12,000Kg Tree Trunk Protector
- ▶ Heavy Duty Carry Bag
- ▶ Heavy Duty Leather Gloves
- ▶ Waterproof Work Mat (1.6m x 1.4m)
- ▶ Compact Tri-Fold Shovel
- ▶ Heavy Duty 18,000Lb Greasable Snatch Block
- ▶ 2 x 3.25 Ton Bow Shackle
- ▶ 2 x 4.75 Ton Bow Shackle
- ▶ Digital Tyre Gauge with Auto Shut-Off (psi, bar, kpa & kg/cm3)

Snatch Strap - 9m x 75mm

SS80-3802



- ▶ 22% Stretch Factor
- ▶ 8,000Kg
- ▶ Sliding Protective Sleeve

IMPORTANT NOTICE:

The minimum breaking strength of the strap should be between 2 and 3 times the vehicle's gross vehicle mass (GVM).
The strap must be suited to the GVM of the lighter of the two vehicles used in the recovery process.

Snatch Strap - 9m x 100mm

SS80-3803



- ▶ 22% Stretch Factor
- ▶ 11,000Kg
- ▶ Sliding Protective Sleeve

IMPORTANT NOTICE:

The minimum breaking strength of the strap should be between 2 and 3 times the vehicle's gross vehicle mass (GVM).
The strap must be suited to the GVM of the lighter of the two vehicles used in the recovery process.

Snatch Strap Kit

SS80-3804



- ▶ Heavy Duty Carry Bag
- ▶ Heavy Duty Leather Gloves
- ▶ 3.25 Ton Bow Shackle
- ▶ 4.75 Ton Bow Shackle
- ▶ 9m x 75mm 8,000Kg Snatch Strap

Snatch Bag

SS80-3805



- ▶ Heavy Duty Carry Bag
- ▶ Suitable for all Dobinsons Recovery Straps

RECOVERY GEAR

Product Name

Part Number

Snatch Block

SB80-3825



- ▶ 18,000Lb Greasable Heavy Duty

Winch Extension Strap

WS80-3834



- ▶ MBS: 4500 kg
- ▶ Width: 50 mm
- ▶ Length: 20 metres
- ▶ Sliding Protective Sleeves
- ▶ Attaches to winch cable to extend the winches cable range

Recovery Snatch Rope



- ▶ U.V. & water resistant
- ▶ 9 metres (30ft) total length
- ▶ Made from high quality 66 grade nylon
- ▶ Lightweight high strength double braided 24 strand design
- ▶ Spliced & stitched end loops with protective sleeves
- ▶ NATA approved Australian laboratory tested
- ▶ 30% stretch factor gives almost 50% more stretch than a conventional snatch strap

8,600 KGS

SS80-3844

13,100 KGS

SS80-3845

Tree Trunk Protector

SS80-3827



- ▶ 3m x 75mm
- ▶ 12,000Kg
- ▶ Sliding Protective Sleeve

Sand Tracks

ST80-3812



For Recovery From Sand, Mud, Dirt & Snow

- ▶ 38 Piece Rubber Traction
- ▶ 1500mm x 300mm Cross Beams
- ▶ High Quality Stainless Steel Cable
- ▶ 1 x Track - Complete with Wrap Bag for Easy Storage

Recovery Hitch

RK80-3807



- ▶ Tested to Australian Standard AS2741-2002
- ▶ Made of High Strength Zinc Finished Steel
- ▶ Fits Most Towbars

Bow Shackle

RK80-3828



- ▶ 4.75 Ton Heavy Duty

Refer to Vehicle Listings for Full Pricing

RECOVERY GEAR

Product Name

Part Number

Accessories Bag

RK80-3829



- ▶ Approximately 550mm x 180mm x 300mm (25L Capacity)
- ▶ Heavy Duty Carry Bag
- ▶ Multiple Pockets, 'Carry More' Design

First Aid Kits

FA80-3902



CE & FDA Approved

- ▶ Non-Woven Swab (x4)
- ▶ Adhesive Plaster Strips (x3)
- ▶ Butterfly Band Aid (x4)
- ▶ Large Size Band Aid (x1)
- ▶ Wet Tissue - Soap (x3)
- ▶ Wet Tissue - NaCL (x3)
- ▶ Scissors 5.5" (x1)
- ▶ Adhesive Tape Roll (x1)
- ▶ Tweezers (x1)
- ▶ Emergency Blanket (x1)
- ▶ Elastic Bandage Roll (x1)
- ▶ Pair of Safety Gloves (x1)
- ▶ Triangular Bandage (x1)
- ▶ Safety Pin (x6)
- ▶ Conforming Bandage Roll (x1)
- ▶ Plastic Box, PP (21 x 14 x 7cm)

Deluxe Tyre Repair Kit

TR80-3809




Quick Repair - No Need to Remove Tyre

- ▶ Digital Tyre Gauge
- ▶ Steel Insertion Needle
- ▶ Hardened Steel Reaming Tool
- ▶ 30 Self Vulcanising Tyre Seals
- ▶ Lubricant
- ▶ 2 x Allen Keys
- ▶ Valve Core Tool
- ▶ Spare Valve and Valve Caps

Tyre Repair Cords

TR80-3816



- ▶ To Suit Deluxe Tyre Repair Kit

Rapid Tyre Deflator

TR80-3837



Removes Valve Stem to Allow Tyre Deflation up to Eight Times Quicker than Conventional Methods

- ▶ Includes Carry Case
- ▶ Corrosion Resistant Brass Fittings
- ▶ Quick Release Coupling Allows Pressure to be Checked at any Time During Deflation
- ▶ 0 - 60 psi Gauge with 1 psi Increments

LIFTING JACKS

Product Name

Part Number

Exhaust Jack

EJ80-3810



CE Approved

- ▶ High Quality PVC
- ▶ Lifting Capacity: 4,200Kg
- ▶ 6m High Temperature Exhaust Hose
- ▶ Triple Protection Layer for both Top & Bottom
- ▶ Double Layer Protection around Body
- ▶ Collapses Flat for Easy Storage
- ▶ Incorporated One Way Valve to Maintain Jack Pressure
- ▶ Includes 5 Heavy Duty Ground Spikes to Improve Stability

High Lift Jack

HL80-3806



CE Approved

TUV Approved under AS/NZS 2693:2003

- ▶ 1070mm Lift Height
- ▶ Lifting Capacity: 1,050Kg
- ▶ Durable Carry Bag
- ▶ Can also be used to Pull, Push, Lift and Winch



Refer to Vehicle Listings for Full Pricing

PROMOTIONAL ITEMS





PROMOTIONAL ITEMS

Catalogues & Brochures



Dobinsons 4x4
Suspension Catalogue

PG00-2200




Dobinsons 4x2
Suspension Catalogue

PG00-2203



Dobinsons 4x4
Accessories Catalogue

PG00-2201



Dobinsons
Coil Spring Catalogue

PG00-2202



Dobinsons Trifold Brochure
4x4 Suspension

PG00-2204



Dobinsons Trifold Brochure
4x4 Accessories

PG00-2205



Dobinsons Bullbar Brochure


PG00-2206

Banners



Indoor Hanging Wall Banner
200cm Wide x 130cm High
(Suspension)

PG00-2210



Indoor Hanging Wall Banner
200cm Wide x 130cm High
(4x4 Accessories)

PG00-2212



Roll Up Banner

PG00-2211

Flags



Dobinsons Teardrop Flag 2.2m
(Cross Base)

PG00-2220



Dobinsons Teardrop Flag 4.7m
(Spike Base)

PG00-2221



Dobinsons Rectangle Flag
90 x 150cm

PG00-2222

Miscellaneous



Dobinsons
Carry/Show Bag

PG00-2260



Dobinsons Pen
*Styles May Vary

PG00-2261



Dobinsons
Acrylic Sign

PG00-2263



Dobinsons 4x4
Stubbie/Can Cooler

PG00-2264



Dobinsons
Promotional DVD




PG00-2266

PROMOTIONAL ITEMS









Stickers/Posters

				
70x20cm Dobinsons Oval Logo Sticker	100x35cm Dobinsons Oval Logo Sticker with 'Products Sold Here'	80x27cm Dobinsons Oval Logo Sticker '4x4 Accessories'	27x7.5cm Dobinsons Oval Logo Sticker	15x5cm Dobinsons Oval Logo Silver/Grunge Sticker
PG00-2232	PG00-2233	PG00-2234	PG00-2235	PG00-2248
				
14x4cm Dobinsons Oval Logo Sticker	10x3cm Dobinsons Oval Logo Sticker	83x30cm Dobinsons Oval Logo Grunge Sticker	14x4cm Dobinsons Oval Logo Hologram Sticker	9x6cm Dobinsons Clear MRR Logo Sticker
PG00-2236	PG00-2237	PG00-2238	PG00-2239	PG00-2246
				
7x8cm Dobinsons 4x4 Sticker	100x10cm Dobinsons Clear Windscreen Sticker	60x10cm Dobinsons Clear Windscreen Sticker	12cm Diameter Dobinsons Round Reflective Sticker	30x20cm Dobinsons White MRR Logo Decal
PG00-2240	PG00-2241	PG00-2242	PG00-2243	PG00-2247

External Aluminium Signs

		
Dobinsons Logo Sign Aluminium - 1.2mm Thickness 825 x 275mm	Dobinsons 4x4 Accessories Sign Aluminium - 1.2mm Thickness 825 x 1100mm	Dobinsons Suspension Sign Aluminium - 1.2mm Thickness 825 x 1100mm
PG00-2275	PG00-2277	PG00-2276

Apparel

			
Dobinsons Cap Grey with logos One Size Fits All	Dobinsons Hooded Jumper Black & Grey (Available in S - XXL)	Dobinsons Flat Brim Cap Black/Grey One Size Fits All	Dobinsons T-shirt Black (Available in S - XXXL)
PG00-2265	PG00-2270	PG00-2274	PG00-2281
			
Dobinsons Polo 1 (Available in S - XXL)	Dobinsons Polo 2 (Available in S - XXL)	Dobinsons Button Up Shirt (Available in S - XXL)	Dobinsons Long Sleeve T-shirt Black (Available in S - XXXL)
PG00-2279	PG00-2278	PG00-2280	PG00-2282

VEHICLES







*Kit picture for illustration purposes only.

TYPE: Ranger
MODEL: PJ/PK
YEAR: 2007 to 09/2011
DETAIL:



ACCESSORY		PART NUMBER	COST EXCL GST	RRP INCL GST	FITTING (HOURS)
STEEL BULLBARS (WINCH, AIRBAG COMPATIBLE)					
Classic Black - <i>Suits 4x4 & 4x2</i>	F B	BU19-3524			3.00
Stainless Loop Deluxe - <i>Suits 4x4 & 4x2</i>	F B	BU19-3676			3.00*
*Vehicles not Fitted with OE Fog Lights will Require an Extra 0.75 Hours.					
ELECTRIC WINCHES - 12 VOLT					
9,500lbs - <i>Steel Cable</i>		EW80-3814			1.00*
12,000lbs - <i>Steel Cable</i>		EW80-3815			1.00*
9,500lbs - <i>Synthetic Rope</i>		EW80-3814S			1.00*
12,000lbs - <i>Synthetic Rope</i>		EW80-3815S			1.00*
*Additional Winch Accessories Available - Refer to Page 33. *Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.					
STEEL SIDE STEPS & RAILS					
Steel Side Steps - Dual Cab <i>Suits 4x4 & 4x2</i>		SS19-101			1.00
Steel Side Steps & Side Rails - Dual Cab <i>Suits 4x4 & 4x2</i>		SR19-150			2.00
SUSPENSION					
Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code FORD-60 when selecting suspension components & kits. Below are just a few items for pricing reference only.					
Suspension Kit - <i>Up to 100Kg Constant Rear Load</i>	(Approx 40mm Lift)				
Suspension Kit - <i>Up to 280Kg Constant Rear Load</i>	(Approx 45mm Lift)				
Suspension Kit - <i>Up to 420Kg Constant Rear Load</i>	(Approx 40mm Lift)				
SNORKELS					
Snorkel - <i>Suits 3.0L Tdi Diesel</i>	<i>Left Hand Mount</i>	SN19-3316			3.00
REAR DRAWER SYSTEM					
Drawer System (Drawer System Only, Excludes Wing Kit)		RD80-1300			1.00



TYPE: Ranger
MODEL: PJ/PK
YEAR: 2007 to 09/2011
DETAIL:



ACCESSORY	PART NUMBER	COST EXCL GST	RRP INCL GST	FITTING (HOURS)
-----------	-------------	---------------	--------------	-----------------

STEEL ROOF RACKS

Steel Roof Rack - 1500mm x 1250mm	RR80-4100			
Steel Roof Top Tent Rack - 1500mm x 1250mm	RR80-4103			

***Universal Fitting Kit Supplied With Roof Racks For Canopy Mounting Only - May Require Additional Bracket Fabrication & Canopy Reinforcement.**

DUAL BATTERY KIT

Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3830			1.50
Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3838			1.50
Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)	EA80-3833			0.75
*Auxillary Battery Tray - Manual Models Only Without ECU On LHF Skirt LHF Engine Bay	BT19-3200			0.50

***Battery Tray Suits 12" N70zz Battery Size.**

MULTI-FIT BATTERY TRAY (UNDER TRAY STYLE)

Universal To Suit 120ah Battery (Up to 330mm Long) - Requires 445mm x 175mm Mounting Area Under Tray & Hangs Down 320mm	BT80-3213			
Universal To Suit N70zz Battery - Requires 330mm x 320mm Mounting Area Under Tray & Hangs Down 250mm	BT80-3214			

LIGHTING

7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter	DL80-3764K			0.25
10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long	DL80-3760			0.25
20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long	DL80-3761			0.25
30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long	DL80-3762			0.25
40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long	DL80-3763			0.25
50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long	DL80-3772			0.25
4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter	DL80-3768			0.25
3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm	DL80-3767			0.25
Wiring Harness for LED Light Bar - Suits 1 x Light Bar	DL80-3765			1.50
Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights	DL80-3766			1.50
2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3770K			0.25
3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3771K			0.25

Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.


TOURING AND CAMPING EQUIPMENT

^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room	CE80-3902			2.50*
^ # * Deluxe Roof Top Tent - Including Change Room	CE80-3924			2.50*
^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out	CE80-3904			0.75*
^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out	CE80-3937			0.75*
^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out	CE80-3934			0.75*
* Senu Awning - Covers over 10m ²	CE80-3903			0.75*
* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937	CE80-3972			0.75*
* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904	CE80-3970			0.75*
* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937	CE80-3973			0.75*
* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904	CE80-3971			0.75*
* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps	FF80-3944			0.50

***Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface**

^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface.

#Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.



*Kit picture for illustration purposes only.

TYPE: Ranger

MODEL: PX - Pre-facelift Model

YEAR: 2011 - 09/2015

DETAIL: Also Suits 4x2 Highrider



ACCESSORY

**PART
NUMBER**

**COST
EXCL GST**

**RRP
INCL GST**

**FITTING
(HOURS)**

STEEL BULLBARS (WINCH, AIRBAG COMPATIBLE)

Classic Black - Suits 4x4 & 4x2 2011 - 09/2015
(Does Not Suit Face-Lifted Models)

BU19-3525

3.00

Classic Black Deluxe - Suits 4x4 & 4x2 2011 - 09/2015
(Does Not Suit Face-Lifted Models)

BU19-3686

3.00*

Stainless Loop Deluxe - Suits 4x4 & 4x2 2011 - 09/2015
(Does Not Suit Face-Lifted Models)

BU19-3677

3.00*

***Vehicles not Fitted with OE Fog Lights will Require an Extra 0.75 Hours.**

ELECTRIC WINCHES - 12 VOLT

9,500lbs - Steel Cable

EW80-3814

1.00*

12,000lbs - Steel Cable

EW80-3815

1.00*

9,500lbs - Synthetic Rope

EW80-3814S

1.00*

12,000lbs - Synthetic Rope

EW80-3815S

1.00*

***Additional Winch Accessories Available - Refer to Page 33.**

***Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.**

STEEL SIDE STEPS & RAILS

Steel Side Steps - **Dual Cab** Suits 4x4 & 4x2

SS19-102

1.00

Steel Side Steps & Side Rails - **Dual Cab** Suits 4x4 & 4x2

SR19-151

2.00

SUSPENSION

Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code FORD-62 when selecting suspension components & kits. Below are just a few items for pricing reference only.

Suspension Kit - Up to 100Kg Constant Rear Load

(Approx 40mm Lift)

Suspension Kit - Up to 280Kg Constant Rear Load

(Approx 40mm Lift)

Suspension Kit - Up to 500Kg Constant Rear Load

(Approx 40mm Lift)

Upgrade to MRR Shocks

SNORKELS

Snorkel - Suits 2.2L & 3.2L Tdi Diesel (Excludes Models with Flares)

Right Hand Mount

SN19-3384

3.00

STEEL CANOPY

Steel Canopy (Sliding Windows) - **Dual Cab** Suits 4x4 & 4x2

CY19-3100

2.50*

Steel Canopy (Lift Up Windows) - **Dual Cab** Suits 4x4 & 4x2

CY19-3150

2.50*

***Some Vehicles May Require Additional Fitting Time For Wiring.**

REAR DRAWER SYSTEM

Drawer System

RD80-1300

1.00

Drawer System Side Wing Kit

DW19-002K

1.00



TYPE: Ranger
MODEL: PX - Pre-facelift Model
YEAR: 2011 - 09/2015
DETAIL: Also Suits 4x2 Highrider



ACCESSORY	PART NUMBER	COST EXCL GST	RRP INCL GST	FITTING (HOURS)
-----------	-------------	---------------	--------------	-----------------

STEEL ROOF RACKS

Steel Roof Rack - 1500mm x 1250mm	RR80-4100			1.50*
Steel Roof Top Tent Rack - 1500mm x 1250mm	RR80-4103			1.50*

***Universal Fitting Kit Supplied With Roof Racks For Canopy Mounting Only - May Require Additional Bracket Fabrication & Canopy Reinforcement.**

DUAL BATTERY KIT

Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3830			1.50
Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3838			1.50
Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)	EA80-3833			0.75
*Auxillary Battery Tray - XLT & Wildtrak Models with Factory Tub Liner Tub Mount	BT19-3201			0.50
*Auxillary Battery Tray - XL & XLS Models without Tub Liner Tub Mount	BT19-3202			0.50

***Battery Tray Suits 12" N70zz Battery Size.**

MULTI-FIT BATTERY TRAY (UNDER TRAY STYLE)

Universal To Suit 120ah Battery (Up to 330mm Long) - Requires 445mm x 175mm Mounting Area Under Tray & Hangs Down 320mm	BT80-3213			
Universal To Suit N70zz Battery - Requires 330mm x 320mm Mounting Area Under Tray & Hangs Down 250mm	BT80-3214			

LIGHTING

7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter	DL80-3764K			0.25
10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long	DL80-3760			0.25
20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long	DL80-3761			0.25
30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long	DL80-3762			0.25
40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long	DL80-3763			0.25
50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long	DL80-3772			0.25
4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter	DL80-3768			0.25
3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm	DL80-3767			0.25
Wiring Harness for LED Light Bar - Suits 1 x Light Bar	DL80-3765			1.50
Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights	DL80-3766			1.50
2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3770K			0.25
3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3771K			0.25

Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.


TOURING AND CAMPING EQUIPMENT

^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room	CE80-3902			2.50*
^ # * Deluxe Roof Top Tent - Including Change Room	CE80-3924			2.50*
^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out	CE80-3904			0.75*
^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out	CE80-3937			0.75*
^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out	CE80-3934			0.75*
* Sensu Awning - Covers over 10m ²	CE80-3903			0.75*
* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937	CE80-3972			0.75*
* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904	CE80-3970			0.75*
* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937	CE80-3973			0.75*
* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904	CE80-3971			0.75*
* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps	FF80-3944			0.50

***Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface**

^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface.

#Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.



*Kit picture for illustration purposes only.

TYPE: Ranger

MODEL: PX MKII

YEAR: 10/2015 on

DETAIL: Facelift Models



ACCESSORY	PART NUMBER	COST EXCL GST	RRP INCL GST	FITTING (HOURS)
STEEL BULLBARS (WINCH, AIRBAG COMPATIBLE)				
Classic Black - Suits 4x4 & 4x2 10/2015 on (Does Not Suit Models Fitted with Tech Pack Frontal Vehicle Awareness & Collision System)	BU19-3542			3.50
Classic Black Deluxe - Suits 4x4 & 4x2 10/2015 on (Does Not Suit Models Fitted with Tech Pack Frontal Vehicle Awareness & Collision System)	BU19-3708			3.50*
Stainless Loop Deluxe - Suits 4x4 & 4x2 10/2015 on (Does Not Suit Models Fitted with Tech Pack Frontal Vehicle Awareness & Collision System)	BU19-3709			3.50*
Classic Black - Suits 4x4 & 4x2 10/2015 on (Suits Models Fitted with Tech Pack Frontal Vehicle Awareness & Collision System)	BU19-3543			3.50*
Classic Black Deluxe - Suits 4x4 & 4x2 10/2015 on (Suits Models Fitted with Tech Pack Frontal Vehicle Awareness & Collision System)	BU19-3710			3.50*
Stainless Loop Deluxe - Suits 4x4 & 4x2 10/2015 on (Suits Models Fitted with Tech Pack Frontal Vehicle Awareness & Collision System)	BU19-3711			3.50*
*Vehicles not Fitted with OE Fog Lights will Require an Extra 0.75 Hours.				
ELECTRIC WINCHES - 12 VOLT				
9,500lbs - Steel Cable	EW80-3814			1.00*
12,000lbs - Steel Cable	EW80-3815			1.00*
9,500lbs - Synthetic Rope	EW80-3814S			1.00*
12,000lbs - Synthetic Rope	EW80-3815S			1.00*
*Additional Winch Accessories Available - Refer to Page 33. *Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.				
STEEL SIDE STEPS & RAILS				
Steel Side Steps - Dual Cab Suits 4x4 & 4x2	SS19-102			1.00
Steel Side Steps & Side Rails - Dual Cab Suits 4x4 & 4x2	SR19-151			2.00
SUSPENSION				
Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code FORD-62 when selecting suspension components & kits. Below are just a few items for pricing reference only.				
Suspension Kit - Up to 100Kg Constant Rear Load (Approx 40mm Lift)				
Suspension Kit - Up to 280Kg Constant Rear Load (Approx 40mm Lift)				
Suspension Kit - Up to 500Kg Constant Rear Load (Approx 40mm Lift)				
Upgrade to MRR Shocks				
SNORKELS				
Snorkel - Suits 2.2L & 3.2L Tdi Diesel (Excludes Models with Flares) Right Hand Mount	SN19-3384			3.00
STEEL CANOPY				
Steel Canopy (Sliding Windows) - Dual Cab Suits 4x4 & 4x2	CY19-3100			2.50*
Steel Canopy (Lift Up Windows) - Dual Cab Suits 4x4 & 4x2	CY19-3150			2.50*
*Some Vehicles May Require Additional Fitting Time For Wiring.				
REAR DRAWER SYSTEM				
Drawer System	RD80-1300			1.00
Drawer System Side Wing Kit	DW19-002K			1.00



TYPE: Ranger
MODEL: PX MKII
YEAR: 10/2015 on
DETAIL: Facelift Models



ACCESSORY

PART
NUMBERCOST
EXCL GSTRRP
INCL GSTFITTING
(HOURS)

STEEL ROOF RACKS

Steel Roof Rack - 1500mm x 1250mm

RR80-4100

1.50*

Steel Roof Top Tent Rack - 1500mm x 1250mm

RR80-4103

1.50*

***Universal Fitting Kit Supplied With Roof Racks For Canopy Mounting Only - May Require Additional Bracket Fabrication & Canopy Reinforcement.**

DUAL BATTERY KIT

Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)

EA80-3830

1.50

Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)

EA80-3838

1.50

Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)

EA80-3833

0.75

*Auxillary Battery Tray - XL & XLS Models without Tub Liner Tub Mount

BT19-3202

0.50

***Battery Tray Suits 12" N70zz Battery Size.**

MULTI-FIT BATTERY TRAY (UNDER TRAY STYLE)

Universal To Suit 120ah Battery (Up to 330mm Long) -
Requires 445mm x 175mm Mounting Area Under Tray & Hangs Down 320mm

BT80-3213

Universal To Suit N70zz Battery -
Requires 330mm x 320mm Mounting Area Under Tray & Hangs Down 250mm

BT80-3214

LIGHTING

7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter

DL80-3764K

0.25

10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long

DL80-3760

0.25

20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long

DL80-3761

0.25

30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long

DL80-3762

0.25

40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long

DL80-3763

0.25

50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long

DL80-3772

0.25

4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter

DL80-3768

0.25

3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm

DL80-3767

0.25

Wiring Harness for LED Light Bar - Suits 1 x Light Bar

DL80-3765

1.50

Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights

DL80-3766

1.50

2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting

DL80-3770K

0.25

3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting

DL80-3771K

0.25

Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.

TOURING AND CAMPING EQUIPMENT

^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room

CE80-3902

2.50*

^ # * Deluxe Roof Top Tent - Including Change Room

CE80-3924

2.50*

^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out

CE80-3904

0.75*

^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out

CE80-3937

0.75*

^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out

CE80-3934

0.75*

* Senu Awning - Covers over 10m²

CE80-3903

0.75*

* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937

CE80-3972

0.75*

* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904

CE80-3970

0.75*

* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937

CE80-3973

0.75*

* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904

CE80-3971

0.75*

* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps


FF80-3944

0.50

***Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface**

^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface.

#Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.



*Kit picture for illustration purposes only.

TYPE: Everest

MODEL: UA

YEAR: 09/2015 on

DETAIL: Suspension Suits Only Solid Axle Rear Suspension Models



ACCESSORY

**PART
NUMBER**

**COST
EXCL GST**

**RRP
INCL GST**

**FITTING
(HOURS)**

STEEL BULLBARS (WINCH, AIRBAG COMPATIBLE)

Classic Black - Suits 4x4 & 4x2 09/2015 on (Does Not Suit Models Fitted with Tech Pack Frontal Vehicle Awareness & Collision System)	B	BU19-3542		3.50
Classic Black Deluxe - Suits 4x4 & 4x2 09/2015 on (Does Not Suit Models Fitted with Tech Pack Frontal Vehicle Awareness & Collision System)	B	BU19-3708		3.50*
Stainless Loop Deluxe - Suits 4x4 & 4x2 09/2015 on (Does Not Suit Models Fitted with Tech Pack Frontal Vehicle Awareness & Collision System)	B	BU19-3709		3.50*
Classic Black - Suits 4x4 & 4x2 09/2015 on (Suits Models Fitted with Tech Pack Frontal Vehicle Awareness & Collision System)	B	BU19-3543		3.50
Classic Black Deluxe - Suits 4x4 & 4x2 09/2015 on (Suits Models Fitted with Tech Pack Frontal Vehicle Awareness & Collision System)	B	BU19-3710		3.50*
Stainless Loop Deluxe - Suits 4x4 & 4x2 09/2015 on (Suits Models Fitted with Tech Pack Frontal Vehicle Awareness & Collision System)	B	BU19-3711		3.50*

***Vehicles not Fitted with OE Fog Lights will Require an Extra 0.75 Hours.**

ELECTRIC WINCHES - 12 VOLT

9,500lbs - Steel Cable	EW80-3814		1.00*
12,000lbs - Steel Cable	EW80-3815		1.00*
9,500lbs - Synthetic Rope	EW80-3814S		1.00*
12,000lbs - Synthetic Rope	EW80-3815S		1.00*

***Additional Winch Accessories Available - Refer to Page 33.**

***Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.**

SUSPENSION

Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference number FORD-70 when selecting suspension components & kits. Below are just a few items for pricing reference only.

Suspension Kit			
----------------	--	--	--

***Suits Only Solid Axle Rear Suspension Models**

SNORKELS

Snorkel - Suits 2.2L & 3.2L Tdi Diesel (Excludes Models with Flares)	Right Hand Mount	SN19-3384	3.00
--	------------------	-----------	------



TYPE: Everest
MODEL: UA
YEAR: 09/2015 on
DETAIL: Suspension Suits Only Solid Axle Rear Suspension Models



ACCESSORY

PART
NUMBERCOST
EXCL GSTRRP
INCL GSTFITTING
(HOURS)

DUAL BATTERY KIT

Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3830		1.50
Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3838		1.50
Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)	EA80-3833		0.75

***Battery Tray Suits 12" N70zz Battery Size.**

LIGHTING

7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter	DL80-3764K		0.25
10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long	DL80-3760		0.25
20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long	DL80-3761		0.25
30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long	DL80-3762		0.25
40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long	DL80-3763		0.25
50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long	DL80-3772		0.25
4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter	DL80-3768		0.25
3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm	DL80-3767		0.25
Wiring Harness for LED Light Bar - Suits 1 x Light Bar	DL80-3765		1.50
Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights	DL80-3766		1.50
2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3770K		0.25
3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3771K		0.25

Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.

TOURING AND CAMPING EQUIPMENT

^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room	CE80-3902		2.50*
^ # * Deluxe Roof Top Tent - Including Change Room	CE80-3924		2.50*
^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out	CE80-3904		0.75*
^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out	CE80-3937		0.75*
^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out	CE80-3934		0.75*
* Senu Awning - Covers over 10m ²	CE80-3903		0.75*
* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937	CE80-3972		0.75*
* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904	CE80-3970		0.75*
* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937	CE80-3973		0.75*
* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904	CE80-3971		0.75*
* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps	FF80-3944		0.50

***Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface**

^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface.

#Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.



*Kit picture for illustration purposes only.

TYPE: Wingle, Sailor

MODEL: V200, V240

YEAR: 06/2009 on

DETAIL:



ACCESSORY

**PART
NUMBER**

**COST
EXCL GST**

**RRP
INCL GST**

**FITTING
(HOURS)**

STEEL BULLBARS (WINCH, AIRBAG COMPATIBLE)

Classic Black - (Face-Lifted Models Only)
T/Diesel Models Non-Winch Compatible

03/2011 on

F

B

BU20-3534

3.00

Stainless Loop Deluxe - (Face-Lifted Models Only)
T/Diesel Models Non-Winch Compatible

03/2011 on

F

B

BU20-3672

3.00*

***Vehicles not Fitted with OE Fog Lights will Require an Extra 0.75 Hours.**

ELECTRIC WINCHES - 12 VOLT

9,500lbs - Steel Cable

EW80-3814

1.00*

12,000lbs - Steel Cable

EW80-3815

1.00*

9,500lbs - Synthetic Rope

EW80-3814S

1.00*

12,000lbs - Synthetic Rope

EW80-3815S

1.00*

***Additional Winch Accessories Available - Refer to Page 33.**

***Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.**

SUSPENSION

Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code GRW-50 when selecting suspension components & kits. Below are just a few items for pricing reference only.

Suspension Kit - 200Kg Reduced Carrying Capacity

Soft Option (Approx 50mm Lift)

Suspension Kit

(Approx 50mm Lift)

Suspension Kit - Up to 150Kg Constant Rear Load

(Approx 50mm Lift)

STEEL CANOPY

Steel Canopy (Sliding Windows) - **Dual Cab** Suits 4x4 & 4x2

CY20-3101

2.50*

Steel Canopy (Lift Up Windows) - **Dual Cab** Suits 4x4 & 4x2

CY20-3151

2.50*

***Some Vehicles May Require Additional Fitting Time For Wiring.**

ACCESSORIES

GREAT WALL

GRW-50A



TYPE: Wingle, Sailor
MODEL: V200, V240
YEAR: 06/2009 on
DETAIL:



ACCESSORY

PART NUMBER

COST EXCL GST

RRP INCL GST

FITTING (HOURS)

STEEL ROOF RACKS

Steel Roof Rack - 1500mm x 1250mm

RR80-4100

1.50*

Steel Roof Top Tent Rack - 1500mm x 1250mm

RR80-4103

1.50*

***Universal Fitting Kit Supplied With Roof Racks For Canopy Mounting Only - May Require Additional Bracket Fabrication & Canopy Reinforcement.**

DUAL BATTERY KIT

Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)

EA80-3830

1.50

Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)

EA80-3838

1.50

Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)

EA80-3833

0.75

MULTI-FIT BATTERY TRAY (UNDER TRAY STYLE)

Universal To Suit 120ah Battery (Up to 330mm Long) -
Requires 445mm x 175mm Mounting Area Under Tray & Hangs Down 320mm

BT80-3213

Universal To Suit N70zz Battery -
Requires 330mm x 320mm Mounting Area Under Tray & Hangs Down 250mm

BT80-3214

LIGHTING

7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter

DL80-3764K

0.25

10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long

DL80-3760

0.25

20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long

DL80-3761

0.25

30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long

DL80-3762

0.25

40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long

DL80-3763

0.25

50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long

DL80-3772

0.25

4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter

DL80-3768

0.25

3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm

DL80-3767

0.25

Wiring Harness for LED Light Bar - Suits 1 x Light Bar

DL80-3765

1.50

Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights

DL80-3766

1.50

2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting

DL80-3770K

0.25

3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting

DL80-3771K

0.25

Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.

TOURING AND CAMPING EQUIPMENT

^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room

CE80-3902

2.50*

^ # * Deluxe Roof Top Tent - Including Change Room

CE80-3924

2.50*

^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out

CE80-3904

0.75*

^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out

CE80-3937

0.75*

^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out

CE80-3934

0.75*

* Senu Awning - Covers over 10m²

CE80-3903

0.75*

* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937

CE80-3972

0.75*

* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904

CE80-3970

0.75*

* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937

CE80-3973

0.75*

* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904

CE80-3971

0.75*

* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps

FF80-3944

0.50

***Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface**

^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface.

#Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.



*Kit picture for illustration purposes only.

TYPE: Rodeo

MODEL: RA (TFS-77)

YEAR: 2002 - 2007

DETAIL: Pickup



ACCESSORY

**PART
NUMBER**

**COST
EXCL GST**

**RRP
INCL GST**

**FITTING
(HOURS)**

STEEL BULLBARS (WINCH, AIRBAG COMPATIBLE)

Classic Black - Suits 4x4 & 4x2 Excludes Under Protection Kit

2002-2006

F

BU21-3522

3.00

***Vehicles not Fitted with OE Fog Lights will Require an Extra 0.75 Hours.**

ELECTRIC WINCHES - 12 VOLT

9,500lbs - Steel Cable

EW80-3814

1.00*

12,000lbs - Steel Cable

EW80-3815

1.00*

9,500lbs - Synthetic Rope

EW80-3814S

1.00*

12,000lbs - Synthetic Rope

EW80-3815S

1.00*

***Additional Winch Accessories Available - Refer to Page 33.**

***Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.**

SUSPENSION

Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code HOLD-59 when selecting suspension components & kits. Below are just a few items for pricing reference only.

Suspension Kit - 200Kg Reduced Carrying Capacity Soft Option (Approx 35mm Lift)

Suspension Kit (Approx 35mm Lift)

Suspension Kit - Up to 150Kg Constant Rear Load (Approx 45mm Lift)

STEEL CANOPY

Steel Canopy (Sliding Windows) - **Dual Cab** Suits 4x4 & 4x2

CY21-3102

2.50*

Steel Canopy (Lift-Up Windows) - **Dual Cab** Suits 4x4 & 4x2

CY21-3152

2.50*

***Some Vehicles May Require Additional Fitting Time For Wiring.**

REAR DRAWER SYSTEM

Drawer System

Drawer System Side Wing Kit



TYPE: Rodeo
MODEL: RA (TFS-77)
YEAR: 2002 - 2007
DETAIL: Pickup



ACCESSORY

PART
NUMBERCOST
EXCL GSTRRP
INCL GSTFITTING
(HOURS)

STEEL ROOF RACKS

Steel Roof Rack - 1500mm x 1250mm

RR80-4100

1.50*

Steel Roof Top Tent Rack - 1500mm x 1250mm

RR80-4103

1.50*

***Universal Fitting Kit Supplied With Roof Racks For Canopy Mounting Only - May Require Additional Bracket Fabrication & Canopy Reinforcement.**

DUAL BATTERY KIT

Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)

EA80-3830

1.50

Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)

EA80-3838

1.50

Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)

EA80-3833

0.75

*Auxillary Battery Tray

Tub Mount

BT21-3203

0.50

***Battery Tray Suits 12" N70zz Battery Size.**

MULTI-FIT BATTERY TRAY (UNDER TRAY STYLE)

Universal To Suit 120ah Battery (Up to 330mm Long) -
Requires 445mm x 175mm Mounting Area Under Tray & Hangs Down 320mm

BT80-3213

Universal To Suit N70zz Battery -
Requires 330mm x 320mm Mounting Area Under Tray & Hangs Down 250mm

BT80-3214

LIGHTING

7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter

DL80-3764K

0.25

10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long

DL80-3760

0.25

20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long

DL80-3761

0.25

30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long

DL80-3762

0.25

40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long

DL80-3763

0.25

50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long

DL80-3772

0.25

4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter

DL80-3768

0.25

3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm

DL80-3767

0.25

Wiring Harness for LED Light Bar - Suits 1 x Light Bar

DL80-3765

1.50

Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights

DL80-3766

1.50

2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting

DL80-3770K

0.25

3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting

DL80-3771K

0.25

Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.

TOURING AND CAMPING EQUIPMENT

^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room

CE80-3902

2.50*

^ # * Deluxe Roof Top Tent - Including Change Room

CE80-3924

2.50*

^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out

CE80-3904

0.75*

^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out

CE80-3937

0.75*

^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out

CE80-3934

0.75*

* Senu Awning - Covers over 10m²

CE80-3903

0.75*

* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937

CE80-3972

0.75*

* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904

CE80-3970

0.75*

* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937

CE80-3973

0.75*

* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904

CE80-3971

0.75*

* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps

FF80-3944

0.50

***Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface**

^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface.

#Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.



*Kit picture for illustration purposes only.

TYPE: Rodeo

MODEL: RA7

YEAR: 2007 - 2011

DETAIL:



ACCESSORY

**PART
NUMBER**

**COST
EXCL GST**

**RRP
INCL GST**

**FITTING
(HOURS)**

STEEL BULLBARS (WINCH, AIRBAG COMPATIBLE)

Classic Black - Suits 4x4 & 4x2

F B

BU21-3513

3.00

Stainless Loop Deluxe - Suits 4x4 & 4x2

F B

BU21-3663

3.00*

***Vehicles not Fitted with OE Fog Lights will Require an Extra 0.75 Hours.**

ELECTRIC WINCHES - 12 VOLT

9,500lbs - Steel Cable

EW80-3814

1.00*

12,000lbs - Steel Cable

EW80-3815

1.00*

9,500lbs - Synthetic Rope

EW80-3814S

1.00*

12,000lbs - Synthetic Rope

EW80-3815S

1.00*

***Additional Winch Accessories Available - Refer to Page 33.**

***Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.**

SUSPENSION

Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code HOLD-59 when selecting suspension components & kits. Below are just a few items for pricing reference only.

Suspension Kit- 200Kg Reduced Carrying Capacity Soft Option (Approx 35mm Lift)

Suspension Kit (Approx 35mm Lift)

Suspension Kit - Up to 150Kg Constant Rear Load (Approx 45mm Lift)

STEEL CANOPY

Steel Canopy (Sliding Windows) - **Dual Cab** Suits 4x4 & 4x2

CY21-3102

2.50*

Steel Canopy (Lift-Up Windows) - **Dual Cab** Suits 4x4 & 4x2

CY21-3152

2.50*

***Some Vehicles May Require Additional Fitting Time For Wiring.**

REAR DRAWER SYSTEM

Drawer System

RD80-1300

1.00

Drawer System Side Wing Kit

DW21-004K

1.00

ACCESSORIES

HOLDEN

HOLD-59B



TYPE: Rodeo
MODEL: RA7
YEAR: 2007 - 2011
DETAIL:



ACCESSORY

PART
NUMBERCOST
EXCL GSTRRP
INCL GSTFITTING
(HOURS)

STEEL ROOF RACKS

Steel Roof Rack - 1500mm x 1250mm

RR80-4100

1.50*

Steel Roof Top Tent Rack - 1500mm x 1250mm

RR80-4103

1.50*

***Universal Fitting Kit Supplied With Roof Racks For Canopy Mounting Only - May Require Additional Bracket Fabrication & Canopy Reinforcement.**

MULTI-FIT BATTERY TRAY (UNDER TRAY STYLE)

Universal To Suit 120ah Battery (Up to 330mm Long) -
Requires 445mm x 175mm Mounting Area Under Tray & Hangs Down 320mm

BT80-3213

Universal To Suit N70zz Battery -
Requires 330mm x 320mm Mounting Area Under Tray & Hangs Down 250mm

BT80-3214

DUAL BATTERY KIT

Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)

EA80-3830

1.50

Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)

EA80-3838

1.50

Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)

EA80-3833

0.75

*Auxiliary Battery Tray

Tub Mount

BT21-3203

0.50

***Battery Tray Suits 12" N70zz Battery Size.**

LIGHTING

7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter

DL80-3764K

0.25

10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long

DL80-3760

0.25

20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long

DL80-3761

0.25

30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long

DL80-3762

0.25

40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long

DL80-3763

0.25

50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long

DL80-3772

0.25

4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter

DL80-3768

0.25

3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm

DL80-3767

0.25

Wiring Harness for LED Light Bar - Suits 1 x Light Bar

DL80-3765

1.50

Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights

DL80-3766

1.50

2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting

DL80-3770K

0.25

3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting

DL80-3771K

0.25

Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness

TOURING AND CAMPING EQUIPMENT

^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room

CE80-3902

2.50*

^ # * Deluxe Roof Top Tent - Including Change Room

CE80-3924

2.50*

^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out

CE80-3904

0.75*

^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out

CE80-3937

0.75*

^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out

CE80-3934

0.75*

* Senu Awning - Covers over 10m²

CE80-3903

0.75*

* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937

CE80-3972

0.75*

* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904

CE80-3970

0.75*

* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937

CE80-3973

0.75*

* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904

CE80-3971

0.75*

* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps

FF80-3944

0.50

***Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface**

^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface.

#Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.

ACCESSORIES

HOLDEN

HOLD-59C



*Kit picture for illustration purposes only.

TYPE: Colorado

MODEL: RC (TFS-85)

YEAR: 2008 - 06/2012

DETAIL:



ACCESSORY

PART
NUMBERCOST
EXCL GSTRRP
INCL GSTFITTING
(HOURS)

STEEL BULLBARS (WINCH, AIRBAG COMPATIBLE)

Classic Black - Suits 4x4 & 4x2

F B

BU21-3514

3.00

Stainless Loop Deluxe - Suits 4x4 & 4x2

F B

BU21-3664

3.00*

*Vehicles not Fitted with OE Fog Lights will Require an Extra 0.75 Hours.

ELECTRIC WINCHES - 12 VOLT

9,500lbs - Steel Cable

EW80-3814

1.00*

12,000lbs - Steel Cable

EW80-3815

1.00*

9,500lbs - Synthetic Rope

EW80-3814S

1.00*

12,000lbs - Synthetic Rope

EW80-3815S

1.00*

*Additional Winch Accessories Available - Refer to Page 33.

*Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.

SUSPENSION

Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code HOLD-59 when selecting suspension components & kits. Below are just a few items for pricing reference only.

Suspension Kit- 200Kg Reduced Carrying Capacity

Soft Option (Approx 35mm Lift)

Suspension Kit

(Approx 35mm Lift)

Suspension Kit - Up to 150Kg Constant Rear Load

(Approx 45mm Lift)

STEEL CANOPY

Steel Canopy (Sliding Windows) - **Dual Cab** Suits 4x4 & 4x2

CY21-3102

2.50*

Steel Canopy (Lift-Up Windows) - **Dual Cab** Suits 4x4 & 4x2

CY21-3152

2.50*

*Some Vehicles May Require Additional Fitting Time For Wiring.

REAR DRAWER SYSTEM

Drawer System

RD80-1300

1.00

Drawer System Side Wing Kit

DW21-004K

1.00

ACCESSORIES

HOLDEN

HOLD-59C



TYPE: Colorado
MODEL: RC (TFS-85)
YEAR: 2008 - 06/2012
DETAIL:



ACCESSORY

PART NUMBER

COST EXCL GST

RRP INCL GST

FITTING (HOURS)

STEEL ROOF RACKS

Steel Roof Rack - 1500mm x 1250mm	RR80-4100		1.50*
Steel Roof Top Tent Rack - 1500mm x 1250mm	RR80-4103		1.50*

***Universal Fitting Kit Supplied With Roof Racks For Canopy Mounting Only - May Require Additional Bracket Fabrication & Canopy Reinforcement.**

DUAL BATTERY KIT

Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3830		1.50
Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3838		1.50
Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)	EA80-3833		0.75
*Auxillary Battery Tray Tub Mount	BT21-3203		0.50

***Battery Tray Suits 12" N70zz Battery Size.**

MULTI-FIT BATTERY TRAY (UNDER TRAY STYLE)

Universal To Suit 120ah Battery (Up to 330mm Long) - Requires 445mm x 175mm Mounting Area Under Tray & Hangs Down 320mm	BT80-3213		
Universal To Suit N70zz Battery - Requires 330mm x 320mm Mounting Area Under Tray & Hangs Down 250mm	BT80-3214		

LIGHTING

7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter	DL80-3764K		0.25
10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long	DL80-3760		0.25
20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long	DL80-3761		0.25
30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long	DL80-3762		0.25
40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long	DL80-3763		0.25
50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long	DL80-3772		0.25
4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter	DL80-3768		0.25
3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm	DL80-3767		0.25
Wiring Harness for LED Light Bar - Suits 1 x Light Bar	DL80-3765		1.50
Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights	DL80-3766		1.50
2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3770K		0.25
3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3771K		0.25

Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.

TOURING AND CAMPING EQUIPMENT

^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room	CE80-3902		2.50*
^ # * Deluxe Roof Top Tent - Including Change Room	CE80-3924		2.50*
^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out	CE80-3904		0.75*
^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out	CE80-3937		0.75*
^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out	CE80-3934		0.75*
* Senu Awning - Covers over 10m ²	CE80-3903		0.75*
* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937	CE80-3972		0.75*
* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904	CE80-3970		0.75*
* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937	CE80-3973		0.75*
* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904	CE80-3971		0.75*
* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps	FF80-3944		0.50

***Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface**


^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface.

#Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.

ACCESSORIES

HOLDEN

HOLD-60A



*Kit picture for illustration purposes only.

TYPE: Colorado
MODEL: RG
YEAR: 06/2012 on
DETAIL: 2.8L Turbo Diesel



ACCESSORY

**PART
NUMBER**

**COST
EXCL GST**

**RRP
INCL GST**

**FITTING
(HOURS)**

STEEL BULLBARS (WINCH, AIRBAG COMPATIBLE)

Classic Black - Suits 4x4 & 4x2 - 06/2012 - 08/2016	B	BU21-3532		3.00
Classic Black Deluxe - Suits 4x4 & 4x2 - 06/2012 - 08/2016	B	BU21-3687		3.00*
Stainless Loop Deluxe - Suits 4x4 & 4x2 - 06/2012 - 08/2016	B	BU21-3684		3.00*
Classic Black - Suits 4x4 & 4x2 - 09/2016 facelift models	B	BU21-3544		3.00
Classic Black Deluxe - Suits 4x4 & 4x2 - 09/2016 facelift models	B	BU21-3712		3.00*
Stainless Loop Deluxe - Suits 4x4 & 4x2 - 09/2016 facelift models	B	BU21-3715		3.00*

***Vehicles not Fitted with OE Fog Lights will Require an Extra 0.75 Hours.**

ELECTRIC WINCHES - 12 VOLT

9,500lbs - Steel Cable	EW80-3814		1.00*
12,000lbs - Steel Cable	EW80-3815		1.00*
9,500lbs - Synthetic Rope	EW80-3814S		1.00*
12,000lbs - Synthetic Rope	EW80-3815S		1.00*

***Additional Winch Accessories Available - Refer to Page 33.**

***Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.**

STEEL SIDE STEPS & RAILS

Steel Side Steps - Dual Cab Suits 4x4 & 4x2	SS21-124		1.00
Steel Side Steps & Side Rails - Dual Cab Suits 4x4 & 4x2	SR21-174		2.00

SUSPENSION

Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code HOLD-60 when selecting suspension components & kits. Below are just a few items for pricing reference only.

Suspension Kit - Up to 100Kg Constant Rear Load	(Approx 40mm Lift)		
Suspension Kit - Up to 250Kg Constant Rear Load	(Approx 40mm Lift)		
Suspension Kit - Up to 450Kg Constant Rear Load	(Approx 40mm Lift)		
Upgrade to MRR Shocks			

SNORKELS

Snorkel - Suits 2.8L Tdi Diesel	Right Hand Mount	SN21-3457	3.00*
---------------------------------	------------------	-----------	-------

STEEL CANOPY

Steel Canopy (Sliding Windows) - Dual Cab Suits 4x4 & 4x2	CY21-3103		2.50*
Steel Canopy (Lift-Up Windows) - Dual Cab Suits 4x4 & 4x2	CY21-3153		2.50*

***Some Vehicles May Require Additional Fitting Time For Wiring.**

REAR DRAWER SYSTEM

Drawer System	RD80-1300		1.00
Drawer System Side Wing Kit	DW21-005K		1.00



TYPE: Colorado
MODEL: RG
YEAR: 06/2012 on
DETAIL: 2.8L Turbo Diesel



ACCESSORY

PART
NUMBERCOST
EXCL GSTRRP
INCL GSTFITTING
(HOURS)

STEEL ROOF RACKS

Steel Roof Rack - 1500mm x 1250mm

RR80-4100

1.50*

Steel Roof Top Tent Rack - 1500mm x 1250mm

RR80-4103

1.50*

***Universal Fitting Kit Supplied With Roof Racks For Canopy Mounting Only - May Require Additional Bracket Fabrication & Canopy Reinforcement.**

DUAL BATTERY KIT

Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)

EA80-3830

1.50

Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)

EA80-3838

1.50

Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)

EA80-3833

0.75

*Auxillary Battery Tray

Tub Mount

BT21-3203

0.50

***Battery Tray Suits 12" N70zz Battery Size.**

MULTI-FIT BATTERY TRAY (UNDER TRAY STYLE)

Universal To Suit 120ah Battery (Up to 330mm Long) -
Requires 445mm x 175mm Mounting Area Under Tray & Hangs Down 320mm

BT80-3213

Universal To Suit N70zz Battery -
Requires 330mm x 320mm Mounting Area Under Tray & Hangs Down 250mm

BT80-3214

LIGHTING

7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter

DL80-3764K

0.25

10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long

DL80-3760

0.25

20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long

DL80-3761

0.25

30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long

DL80-3762

0.25

40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long

DL80-3763

0.25

50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long

DL80-3772

0.25

4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter

DL80-3768

0.25

3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm

DL80-3767

0.25

Wiring Harness for LED Light Bar - Suits 1 x Light Bar

DL80-3765

1.50

Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights

DL80-3766

1.50

2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting

DL80-3770K

0.25

3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting

DL80-3771K

0.25

Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.

TOURING AND CAMPING EQUIPMENT

^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room

CE80-3902

2.50*

^ # * Deluxe Roof Top Tent - Including Change Room

CE80-3924

2.50*

^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out

CE80-3904

0.75*

^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out

CE80-3937

0.75*

^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out

CE80-3934

0.75*

* Senu Awning - Covers over 10m²

CE80-3903

0.75*

* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937

CE80-3972

0.75*

* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904

CE80-3970

0.75*

* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937

CE80-3973

0.75*

* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904

CE80-3971

0.75*

* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps

FF80-3944

0.50

***Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface**

^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface.

#Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.



*Kit picture for illustration purposes only.

TYPE: Colorado 7 SUV/Trailblazer

MODEL:

YEAR: 2012 on

DETAIL:



ACCESSORY

**PART
NUMBER**

**COST
EXCL GST**

**RRP
INCL GST**

**FITTING
(HOURS)**

STEEL BULLBARS (WINCH, AIRBAG COMPATIBLE)

Classic Black - Suits 4x4 & 4x2

B

BU21-3532

3.00

Classic Black Deluxe - Suits 4x4 & 4x2

B

BU21-3687

3.00*

Stainless Loop Deluxe - Suits 4x4 & 4x2

B

BU21-3684

3.00*

***Vehicles not Fitted with OE Fog Lights will Require an Extra 0.75 Hours.**

ELECTRIC WINCHES - 12 VOLT

9,500lbs - Steel Cable

EW80-3814

1.00*

12,000lbs - Steel Cable

EW80-3815

1.00*

9,500lbs - Synthetic Rope

EW80-3814S

1.00*

12,000lbs - Synthetic Rope

EW80-3815S

1.00*

***Additional Winch Accessories Available - Refer to Page 33.**

***Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.**

SUSPENSION

Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code HOLD-61 when selecting suspension components & kits. Below are just a few items for pricing reference only.

Suspension Kit - Up to 150-250Kg Constant Rear Load

(Approx 40mm Lift)

SNORKELS

Snorkel - Suits 2.8L Tdi Diesel

Right Hand Mount

SN21-3457

3.00

ACCESSORIES

HOLDEN

HOLD-61A



TYPE: Colorado 7 SUV / Trailblazer
MODEL:
YEAR: 2012 on
DETAIL:



ACCESSORY

PART NUMBER

COST EXCL GST

RRP INCL GST

FITTING (HOURS)

DUAL BATTERY KIT

Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3830			1.50
Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3838			1.50
Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)	EA80-3833			0.75

LIGHTING

7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter	DL80-3764K			0.25
10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long	DL80-3760			0.25
20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long	DL80-3761			0.25
30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long	DL80-3762			0.25
40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long	DL80-3763			0.25
50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long	DL80-3772			0.25
4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter	DL80-3768			0.25
3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm	DL80-3767			0.25
Wiring Harness for LED Light Bar - Suits 1 x Light Bar	DL80-3765			1.50
Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights	DL80-3766			1.50
2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3770K			0.25
3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3771K			0.25


Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.

TOURING AND CAMPING EQUIPMENT

^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room	CE80-3902			2.50*
^ # * Deluxe Roof Top Tent - Including Change Room	CE80-3924			2.50*
^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out	CE80-3904			0.75*
^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out	CE80-3937			0.75*
^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out	CE80-3934			0.75*
* Sensu Awning - Covers over 10m ²	CE80-3903			0.75*
* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937	CE80-3972			0.75*
* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904	CE80-3970			0.75*
* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937	CE80-3973			0.75*
* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904	CE80-3971			0.75*
* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps	FF80-3944			0.50

***Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface
 ^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface.**

#Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.



*Kit picture for illustration purposes only.

TYPE: D-Max

MODEL: TFS85, TFS-77

YEAR: 2007 - 06/2012

DETAIL:



ACCESSORY

**PART
NUMBER**

**COST
EXCL GST**

**RRP
INCL GST**

**FITTING
(HOURS)**

STEEL BULLBARS (WINCH, AIRBAG COMPATIBLE)

Classic Black - Suits 4x4 & 4x2

F B

BU21-3513

3.00

Stainless Loop Deluxe - Suits 4x4 & 4x2

F B

BU21-3663

3.00*

***Vehicles not Fitted with OE Fog Lights will Require an Extra 0.75 Hours.**

ELECTRIC WINCHES - 12 VOLT

9,500lbs - Steel Cable

EW80-3814

1.00*

12,000lbs - Steel Cable

EW80-3815

1.00*

9,500lbs - Synthetic Rope

EW80-3814S

1.00*

12,000lbs - Synthetic Rope

EW80-3815S

1.00*

***Additional Winch Accessories Available - Refer to Page 33.**

***Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.**

SUSPENSION

Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code ISUZ-50 when selecting suspension components & kits. Below are just a few items for pricing reference only.

Suspension Kit- 200Kg Reduced Carrying Capacity Soft Option (Approx 35mm Lift)

Suspension Kit

(Approx 35mm Lift)

Suspension Kit - Up to 150Kg Constant Rear Load

(Approx 45mm Lift)

SNORKELS

Snorkel - Suits 3.0L Tdi Diesel (Dual and Extra Cabs Only) 07/08 - 06/12 Right Hand Mount

SN21-3383

2.50

STEEL CANOPY

Steel Canopy (Sliding Windows) - **Dual Cab** Suits 4x4 & 4x2

CY21-3102

2.50*

Steel Canopy (Lift-Up Windows) - **Dual Cab** Suits 4x4 & 4x2

CY21-3152

2.50*

***Some Vehicles May Require Additional Fitting Time For Wiring.**

REAR DRAWER SYSTEM

Drawer System 2003 - 06/2012

RD80-1300

1.00

Drawer System Side Wing Kit 2003 - 06/2012

DW21-004K

1.00



TYPE: D-Max
MODEL: TFS85, TFS-77
YEAR: 2007 - 06/2012
DETAIL:



ACCESSORY	PART NUMBER	COST EXCL GST	RRP INCL GST	FITTING (HOURS)
-----------	-------------	---------------	--------------	-----------------

STEEL ROOF RACKS

Steel Roof Rack - 1500mm x 1250mm	RR80-4100			1.50*
Steel Roof Top Tent Rack - 1500mm x 1250mm	RR80-4103			1.50*

***Universal Fitting Kit Supplied With Roof Racks For Canopy Mounting Only - May Require Additional Bracket Fabrication & Canopy Reinforcement.**

DUAL BATTERY KIT

Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3830			1.50
Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3838			1.50
Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)	EA80-3833			0.75
*Auxillary Battery Tray Tub Mount	BT21-3203			0.50

***Battery Tray Suits 12" N70zz Battery Size.**

MULTI-FIT BATTERY TRAY (UNDER TRAY STYLE)

Universal To Suit 120ah Battery (Up to 330mm Long) - Requires 445mm x 175mm Mounting Area Under Tray & Hangs Down 320mm	BT80-3213			
Universal To Suit N70zz Battery - Requires 330mm x 320mm Mounting Area Under Tray & Hangs Down 250mm	BT80-3214			

LIGHTING

7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter	DL80-3764K			0.25
10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long	DL80-3760			0.25
20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long	DL80-3761			0.25
30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long	DL80-3762			0.25
40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long	DL80-3763			0.25
50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long	DL80-3772			0.25
4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter	DL80-3768			0.25
3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm	DL80-3767			0.25
Wiring Harness for LED Light Bar - Suits 1 x Light Bar	DL80-3765			1.50
Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights	DL80-3766			1.50
2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3770K			0.25
3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3771K			0.25

Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.

TOURING AND CAMPING EQUIPMENT

^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room	CE80-3902			2.50*
^ # * Deluxe Roof Top Tent - Including Change Room	CE80-3924			2.50*
^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out	CE80-3904			0.75*
^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out	CE80-3937			0.75*
^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out	CE80-3934			0.75*
* Senu Awning - Covers over 10m ²	CE80-3903			0.75*
* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937	CE80-3972			0.75*
* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904	CE80-3970			0.75*
* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937	CE80-3973			0.75*
* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904	CE80-3971			0.75*
* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps	FF80-3944			0.50

***Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface**

^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface.

#Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.



*Kit picture for illustration purposes only.

TYPE: D-Max

MODEL: TFS 85, V-Cross

YEAR: 06/2012 on

DETAIL: 3.0L Turbo Diesel
Single Cab / Dual Cab



ACCESSORY

**PART
NUMBER**

**COST
EXCL GST**

**RRP
INCL GST**

**FITTING
(HOURS)**

STEEL BULLBARS (WINCH, AIRBAG COMPATIBLE)

Classic Black - Suits 4x4 & 4x2 (Pre Face-Lifted Models Only)	06/2012 - Early 2017	F	BU21-3529		3.00
Classic Black Deluxe - Suits 4x4 & 4x2 (Pre Face-Lifted Models Only)	06/2012 - Early 2017	F	BU21-3685		3.00*
Stainless Loop Deluxe - Suits 4x4 & 4x2 (Pre Face-Lifted Models Only)	06/2012 - Early 2017	F	BU21-3681		3.00*
Classic Black - Face-Lift Models	Early 2017 on	F	BU21-3547		3.00
Classic Black Deluxe - Face-Lift Models	Early 2017 on	F	BU21-3718		3.00*
Stainless Loop Deluxe - Face-Lift Models	Early 2017 on	F	BU21-3719		3.00*

***Vehicles not Fitted with OE Fog Lights will Require an Extra 0.75 Hours.**

ELECTRIC WINCHES - 12 VOLT

9,500lbs - Steel Cable			EW80-3814		1.00*
12,000lbs - Steel Cable			EW80-3815		1.00*
9,500lbs - Synthetic Rope			EW80-3814S		1.00*
12,000lbs - Synthetic Rope			EW80-3815S		1.00*

***Additional Winch Accessories Available - Refer to Page 33.**

***Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.**

STEEL SIDE STEPS & RAILS

Steel Side Steps - Dual Cab Suits 4x4 & 4x2 (Pre Face-Lifted Models Only)	06/2012 - Early 2017		SS21-105		1.00
Steel Side Steps & Side Rails - Dual Cab Suits 4x4 & 4x2 (Pre Face-Lifted Models Only)	06/2012 - Early 2017		SR21-170		2.00

SUSPENSION

Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code ISUZ-51 when selecting suspension components & kits. Below are just a few items for pricing reference only.

Suspension Kit - Up to 250Kg Constant Rear Load (Approx 40mm Lift)					
Suspension Kit - Up to 450Kg Constant Rear Load (Approx 40mm Lift)					
Upgrade to MRR Shocks					

SNORKELS

Snorkel - Suits 3.0L Tdi Diesel	Right Hand Mount		SN21-3456		2.50
---------------------------------	------------------	--	------------------	--	------

STEEL CANOPY

Steel Canopy (Sliding Windows) - Dual Cab Suits 4x4 & 4x2			CY21-3104		2.50*
Steel Canopy (Lift-Up Windows) - Dual Cab Suits 4x4 & 4x2			CY21-3154		2.50*

***Some Vehicles May Require Additional Fitting Time For Wiring.**

REAR DRAWER SYSTEM

Drawer System			RD80-1300		1.00
Drawer System Side Wing Kit			DW21-005K		1.00

ACCESSORIES

ISUZU

ISUZ-51A



TYPE: D-Max
MODEL: TFS 85, V-Cross
YEAR: 06/2012 on
DETAIL: 3.0L Turbo Diesel
 Single Cab / Dual Cab



ACCESSORY

PART NUMBER

COST EXCL GST

RRP INCL GST

FITTING (HOURS)

STEEL ROOF RACKS

Steel Roof Rack - 1500mm x 1250mm	RR80-4100		1.50*
Steel Roof Top Tent Rack - 1500mm x 1250mm	RR80-4103		1.50*

***Universal Fitting Kit Supplied With Roof Racks For Canopy Mounting Only - May Require Additional Bracket Fabrication & Canopy Reinforcement.**

DUAL BATTERY KIT

Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3830		1.50
Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3838		1.50
Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)	EA80-3833		0.75
*Auxillary Battery Tray Tub Mount	BT21-3203		0.50

***Battery Tray Suits 12" N70zz Battery Size.**

MULTI-FIT BATTERY TRAY (UNDER TRAY STYLE)

Universal To Suit 120ah Battery (Up to 330mm Long) - Requires 445mm x 175mm Mounting Area Under Tray & Hangs Down 320mm	BT80-3213		
Universal To Suit N70zz Battery - Requires 330mm x 320mm Mounting Area Under Tray & Hangs Down 250mm	BT80-3214		

LIGHTING

7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter	DL80-3764K		0.25
10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long	DL80-3760		0.25
20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long	DL80-3761		0.25
30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long	DL80-3762		0.25
40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long	DL80-3763		0.25
50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long	DL80-3772		0.25
4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter	DL80-3768		0.25
3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm	DL80-3767		0.25
Wiring Harness for LED Light Bar - Suits 1 x Light Bar	DL80-3765		1.50
Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights	DL80-3766		1.50
2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3770K		0.25
3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3771K		0.25


Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.

TOURING AND CAMPING EQUIPMENT

^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room	CE80-3902		2.50*
^ # * Deluxe Roof Top Tent - Including Change Room	CE80-3924		2.50*
^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out	CE80-3904		0.75*
^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out	CE80-3937		0.75*
^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out	CE80-3934		0.75*
* Senu Awning - Covers over 10m ²	CE80-3903		0.75*
* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937	CE80-3972		0.75*
* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904	CE80-3970		0.75*
* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937	CE80-3973		0.75*
* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904	CE80-3971		0.75*
* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps	FF80-3944		0.50

***Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface
 ^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface.**

#Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.



*Kit picture for illustration purposes only.

TYPE: MU-X

MODEL:

YEAR: 2012 on

DETAIL: 3.0L Turbo Diesel



ACCESSORY

PART
NUMBER

COST
EXCL GST

RRP
INCL GST

FITTING
(HOURS)

STEEL BULLBARS (WINCH, AIRBAG COMPATIBLE)

Classic Black - Suits 4x4 & 4x2

F

BU21-3538

3.00

Classic Black Deluxe - Suits 4x4 & 4x2

F

BU21-3699

3.00*

Stainless Loop Deluxe - Suits 4x4 & 4x2

F

BU21-3698

3.00*

*Vehicles not Fitted with OE Fog Lights will Require an Extra 0.75 Hours.

ELECTRIC WINCHES - 12 VOLT

9,500lbs - Steel Cable

EW80-3814

1.00*

12,000lbs - Steel Cable

EW80-3815

1.00*

9,500lbs - Synthetic Rope

EW80-3814S

1.00*

12,000lbs - Synthetic Rope

EW80-3815S

1.00*

*Additional Winch Accessories Available - Refer to Page 33.

*Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.

SUSPENSION

Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code ISUZ-52 when selecting suspension components & kits. Below are just a few items for pricing reference only.

Suspension Kit - No Load

(Approx 45mm Lift)

SNORKELS

Snorkel - Suits 3.0L Tdi Diesel

Right Hand Mount

SN21-3456

2.50*

REAR DRAWER SYSTEM

Drawer System

Drawer System Side Wing Kit



TYPE: MU-X
MODEL:
YEAR: 2012 on
DETAIL: 3.0L Turbo Diesel



ACCESSORY	PART NUMBER	COST EXCL GST	RRP INCL GST	FITTING (HOURS)
-----------	-------------	---------------	--------------	-----------------

DUAL BATTERY KIT

Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3830			1.50
Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3838			1.50
Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)	EA80-3833			0.75

LIGHTING

7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter	DL80-3764K			0.25
10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long	DL80-3760			0.25
20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long	DL80-3761			0.25
30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long	DL80-3762			0.25
40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long	DL80-3763			0.25
50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long	DL80-3772			0.25
4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter	DL80-3768			0.25
3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm	DL80-3767			0.25
Wiring Harness for LED Light Bar - Suits 1 x Light Bar	DL80-3765			1.50
Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights	DL80-3766			1.50
2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3770K			0.25
3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3771K			0.25


Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.

TOURING AND CAMPING EQUIPMENT

^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room	CE80-3902			2.50*
^ # * Deluxe Roof Top Tent - Including Change Room	CE80-3924			2.50*
^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out	CE80-3904			0.75*
^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out	CE80-3937			0.75*
^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out	CE80-3934			0.75*
* Sensu Awning - Covers over 10m ²	CE80-3903			0.75*
* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937	CE80-3972			0.75*
* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904	CE80-3970			0.75*
* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937	CE80-3973			0.75*
* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904	CE80-3971			0.75*
* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps	FF80-3944			0.50

***Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface**
^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface.

#Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.



TYPE: Wrangler

MODEL: JK

YEAR: 2007 on

DETAIL: 2 Door, 4 Door



*Kit picture for illustration purposes only.

ACCESSORY

**PART
NUMBER**

**COST
EXCL GST**

**RRP
INCL GST**

**FITTING
(HOURS)**

STEEL BULLBARS (WINCH, AIRBAG COMPATIBLE)

Single Black Loop Deluxe - Single Black Loop Style, Excludes Under Protection Kit

F

BU29-3670

2.00*

*Vehicles not Fitted with OE Fog Lights will Require an Extra 0.75 Hours.

ELECTRIC WINCHES - 12 VOLT

9,500lbs - Steel Cable

EW80-3814

1.00*

12,000lbs - Steel Cable

EW80-3815

1.00*

9,500lbs - Synthetic Rope

EW80-3814S

1.00*

12,000lbs - Synthetic Rope

EW80-3815S

1.00*

*Additional Winch Accessories Available - Refer to Page 33.

*Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.

SUSPENSION

Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code JEEP-58 when selecting suspension components & kits. Below are just a few items for pricing reference only.

Suspension Kit - No Load 2 Door Vehicle (Approx 60mm Lift)

Suspension Kit - Up to 350Kg Constant Rear Load 4 Door Vehicle (Approx 50mm Lift)

SNORKELS

Snorkel - 2011 - 2016, left hand drive only (3.8L, 3.6L V6 models only) Right Hand Mount

SN29-3462

3.00



TYPE: Wrangler
MODEL: JK
YEAR: 2007 on
DETAIL: 2 Door, 4 Door



ACCESSORY

PART
NUMBERCOST
EXCL GSTRRP
INCL GSTFITTING
(HOURS)

DUAL BATTERY KIT

Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)

EA80-3830

1.50

Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)

EA80-3838

1.50

Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)

EA80-3833

0.75

LIGHTING

7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter

DL80-3764K

0.25

10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long

DL80-3760

0.25

20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long

DL80-3761

0.25

30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long

DL80-3762

0.25

40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long

DL80-3763

0.25

50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long

DL80-3772

0.25

4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter

DL80-3768

0.25

3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm

DL80-3767

0.25

Wiring Harness for LED Light Bar - Suits 1 x Light Bar

DL80-3765

1.50

Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights

DL80-3766

1.50

2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting

DL80-3770K

0.25

3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting

DL80-3771K

0.25

Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.

TOURING AND CAMPING EQUIPMENT

^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room

CE80-3902

2.50*

^ # * Deluxe Roof Top Tent - Including Change Room

CE80-3924

2.50*

^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out

CE80-3904

0.75*

^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out

CE80-3937

0.75*

^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out

CE80-3934

0.75*

* Sensu Awning - Covers over 10m²

CE80-3903

0.75*

* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937

CE80-3972

0.75*

* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904

CE80-3970

0.75*

* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937

CE80-3973

0.75*

* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904

CE80-3971

0.75*

* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps

FF80-3944

0.50

***Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface**
^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface.

#Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.



*Kit picture for illustration purposes only.

TYPE: BT-50

MODEL: 1st Generation

YEAR: 2007 - 09/2011

DETAIL:



ACCESSORY

**PART
NUMBER**

**COST
EXCL GST**

**RRP
INCL GST**

**FITTING
(HOURS)**

STEEL BULLBARS (WINCH, AIRBAG COMPATIBLE)

Classic Black - Suits 4x4 & 4x2

F B

BU39-3501

3.00

Stainless Loop Deluxe - Suits 4x4 & 4x2

F B

BU39-3651

3.00*

ELECTRIC WINCHES - 12 VOLT

9,500lbs - Steel Cable

EW80-3814

1.00*

12,000lbs - Steel Cable

EW80-3815

1.00*

9,500lbs - Synthetic Rope

EW80-3814S

1.00*

12,000lbs - Synthetic Rope

EW80-3815S

1.00*

*Additional Winch Accessories Available - Refer to Page 33.

*Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.

STEEL SIDE STEPS & RAILS

Steel Side Steps - **Dual Cab** Suits 4x4 & 4x2

SS19-101

1.00

Steel Side Steps & Side Rails - **Dual Cab** Suits 4x4 & 4x2

SR19-150

2.00

SUSPENSION

Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code MAZ-53 when selecting suspension components & kits. Below are just a few items for pricing reference only.

Suspension Kit - Up to 100Kg Constant Rear Load

(Approx 40mm Lift)

Suspension Kit - Up to 280Kg Constant Rear Load

(Approx 45mm Lift)

Suspension Kit - Up to 420Kg Constant Rear Load

(Approx 40mm Lift)

SNORKELS

Snorkel - Suits 3.0L Tdi Diesel

Left Hand Mount

SN19-3316

3.00*

REAR DRAWER SYSTEM

Drawer System

Drawer System Side Wing Kit

ACCESSORIES

MAZDA

MAZ-53A



TYPE: BT-50
MODEL: 1st Generation
YEAR: 2007 - 09/2011
DETAIL:



ACCESSORY	PART NUMBER	COST EXCL GST	RRP INCL GST	FITTING (HOURS)
-----------	-------------	---------------	--------------	-----------------

STEEL ROOF RACKS

Steel Roof Rack - 1500mm x 1250mm	RR80-4100			1.50*
Steel Roof Top Tent Rack - 1500mm x 1250mm	RR80-4103			1.50*

***Universal Fitting Kit Supplied With Roof Racks For Canopy Mounting Only - May Require Additional Bracket Fabrication & Canopy Reinforcement.**

DUAL BATTERY KIT

Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3830			1.50
Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3838			1.50
Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)	EA80-3833			0.75
*Auxillary Battery Tray - Manual Models Only, Without ECU on LHF Skirt LHF Engine Bay	BT19-3200			0.50

***Battery Tray Suits 12" N70zz Battery Size.**

MULTI-FIT BATTERY TRAY (UNDER TRAY STYLE)

Universal To Suit 120ah Battery (Up to 330mm Long) - Requires 445mm x 175mm Mounting Area Under Tray & Hangs Down 320mm	BT80-3213			
Universal To Suit N70zz Battery - Requires 330mm x 320mm Mounting Area Under Tray & Hangs Down 250mm	BT80-3214			

LIGHTING

7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter	DL80-3764K			0.25
10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long	DL80-3760			0.25
20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long	DL80-3761			0.25
30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long	DL80-3762			0.25
40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long	DL80-3763			0.25
50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long	DL80-3772			0.25
4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter	DL80-3768			0.25
3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm	DL80-3767			0.25
Wiring Harness for LED Light Bar - Suits 1 x Light Bar	DL80-3765			1.50
Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights	DL80-3766			1.50
2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3770K			0.25
3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3771K			0.25

Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.

TOURING AND CAMPING EQUIPMENT

^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room	CE80-3902			2.50*
^ # * Deluxe Roof Top Tent - Including Change Room	CE80-3924			2.50*
^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out	CE80-3904			0.75*
^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out	CE80-3937			0.75*
^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out	CE80-3934			0.75*
* Senu Awning - Covers over 10m ²	CE80-3903			0.75*
* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937	CE80-3972			0.75*
* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904	CE80-3970			0.75*
* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937	CE80-3973			0.75*
* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904	CE80-3971			0.75*
* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps	FF80-3944			0.50

***Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface**


^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface.

#Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.

ACCESSORIES

MAZDA

MAZ-54A



*Kit picture for illustration purposes only.

TYPE: BT-50

MODEL: B32P 2nd Generation

YEAR: 10/2011 on

DETAIL: 3.2L Pickup



ACCESSORY

**PART
NUMBER**

**COST
EXCL GST**

**RRP
INCL GST**

**FITTING
(HOURS)**

STEEL BULLBARS (WINCH, AIRBAG COMPATIBLE)

Classic Black -

F B

BU39-3530

3.50

Classic Black Deluxe - *Suits 4x4 & 4x2*

F B

BU39-3694

3.50*

Stainless Loop Deluxe - *Suits 4x4 & 4x2*

F B

BU39-3682

3.50*

***Vehicles not Fitted with OE Fog Lights will Require an Extra 0.75 Hours.**

ELECTRIC WINCHES - 12 VOLT

9,500lbs - *Steel Cable*

EW80-3814

1.00*

12,000lbs - *Steel Cable*

EW80-3815

1.00*

9,500lbs - *Synthetic Rope*

EW80-3814S

1.00*

12,000lbs - *Synthetic Rope*

EW80-3815S

1.00*

***Additional Winch Accessories Available - Refer to Page 33.**

***Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.**

STEEL SIDE STEPS & RAILS

Steel Side Steps - **Dual Cab** *Suits 4x4 & 4x2*

SS19-102

1.00

Steel Side Steps & Side Rails - **Dual Cab** *Suits 4x4 & 4x2*

SR19-151

2.00

SUSPENSION

Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code MAZ-54 when selecting suspension components & kits. Below are just a few items for pricing reference only.

Suspension Kit - *Up to 100Kg Constant Rear Load*

(Approx 40mm Lift)

Suspension Kit - *Up to 280Kg Constant Rear Load*

(Approx 40mm Lift)

Suspension Kit - *Up to 500Kg Constant Rear Load*

(Approx 40mm Lift)

Upgrade to MRR Shocks

SNORKELS

Snorkel - *Suits 3.2L Tdi Diesel*

Right Hand Mount

SN39-3459

STEEL CANOPY

Steel Canopy (Sliding Windows) - **Dual Cab** *Suits 4x4 & 4x2*

CY39-3105

2.50*

Steel Canopy (Lift-Up Windows) - **Dual Cab** *Suits 4x4 & 4x2*

CY39-3155

2.50*

***Some Vehicles May Require Additional Fitting Time For Wiring.**

REAR DRAWER SYSTEM

Drawer System

RD80-1300

1.00

Drawer System Side Wing Kit

DW19-002K

1.00

ACCESSORIES

MAZDA

MAZ-54A



TYPE: BT-50
MODEL: B32P 2nd Generation
YEAR: 10/2011 on
DETAIL: 3.2L Pickup



ACCESSORY

PART
NUMBERCOST
EXCL GSTRRP
INCL GSTFITTING
(HOURS)

STEEL ROOF RACKS

Steel Roof Rack - 1500mm x 1250mm

RR80-4100

1.50*

Steel Roof Top Tent Rack - 1500mm x 1250mm

RR80-4103

1.50*

***Universal Fitting Kit Supplied With Roof Racks For Canopy Mounting Only - May Require Additional Bracket Fabrication & Canopy Reinforcement.**

DUAL BATTERY KIT

Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)

EA80-3830

1.50

Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)

EA80-3838

1.50

Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)

EA80-3833

0.75

*Auxillary Battery Tray - Models Without Tub Liner

Tub Mount

BT39-3204

0.50

***Battery Tray Suits 12" N70zz Battery Size.**

MULTI-FIT BATTERY TRAY (UNDER TRAY STYLE)

Universal To Suit 120ah Battery (Up to 330mm Long) -
Requires 445mm x 175mm Mounting Area Under Tray & Hangs Down 320mm

BT80-3213

Universal To Suit N70zz Battery -
Requires 330mm x 320mm Mounting Area Under Tray & Hangs Down 250mm

BT80-3214

LIGHTING

7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter

DL80-3764K

0.25

10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long

DL80-3760

0.25

20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long

DL80-3761

0.25

30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long

DL80-3762

0.25

40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long

DL80-3763

0.25

50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long

DL80-3772

0.25

4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter

DL80-3768

0.25

3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm

DL80-3767

0.25

Wiring Harness for LED Light Bar - Suits 1 x Light Bar

DL80-3765

1.50

Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights

DL80-3766

1.50

2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting

DL80-3770K

0.25

3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting

DL80-3771K

0.25

Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.

TOURING AND CAMPING EQUIPMENT

^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room

CE80-3902

2.50*

^ # * Deluxe Roof Top Tent - Including Change Room

CE80-3924

2.50*

^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out

CE80-3904

0.75*

^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out

CE80-3937

0.75*

^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out

CE80-3934

0.75*

* Senu Awning - Covers over 10m²

CE80-3903

0.75*

* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937

CE80-3972

0.75*

* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904

CE80-3970

0.75*

* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937

CE80-3973

0.75*

* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904

CE80-3971

0.75*

* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps

FF80-3944

0.50

***Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface**


^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface.

#Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.

ACCESSORIES

mitsubishi

MITS-60A



*Kit picture for illustration purposes only.

TYPE: Delica
MODEL: L400
YEAR: 1994 - 2006
DETAIL: Spacegear, MV-P Series 4x4



ACCESSORY

ELECTRIC WINCHES - 12 VOLT

9,500lbs - Steel Cable	EW80-3814		1.00*
12,000lbs - Steel Cable	EW80-3815		1.00*
9,500lbs - Synthetic Rope	EW80-3814S		1.00*
12,000lbs - Synthetic Rope	EW80-3815S		1.00*

*Additional Winch Accessories Available - Refer to Page 33.

*Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.

SUSPENSION

Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code MITS-60 when selecting suspension components & kits. Below are just a few items for pricing reference only.

Suspension Kit	(Approx 40mm Lift)		
----------------	--------------------	--	--

SNORKELS

Snorkel - Suits 4D56 2.5L	Right Hand Mount	SN43-3451	2.50
---------------------------	------------------	-----------	------



TYPE: Delica
MODEL: L400
YEAR: 1994 - 2006
DETAIL: Spacegear, MV-P Series
 4x4



ACCESSORY

PART
NUMBERCOST
EXCL GSTRRP
INCL GSTFITTING
(HOURS)

DUAL BATTERY KIT

Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)

EA80-3830

1.50

Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)

EA80-3838

1.50

Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)

EA80-3833

0.75

LIGHTING

7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter

DL80-3764K

0.25

10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long

DL80-3760

0.25

20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long

DL80-3761

0.25

30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long

DL80-3762

0.25

40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long

DL80-3763

0.25

50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long

DL80-3772

0.25

4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter

DL80-3768

0.25

3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm

DL80-3767

0.25

Wiring Harness for LED Light Bar - Suits 1 x Light Bar

DL80-3765

1.50

Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights

DL80-3766

1.50

2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting

DL80-3770K

0.25

3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting

DL80-3771K

0.25

Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.

TOURING AND CAMPING EQUIPMENT

^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room

CE80-3902

2.50*

^ # * Deluxe Roof Top Tent - Including Change Room

CE80-3924

2.50*

^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out

CE80-3904

0.75*

^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out

CE80-3937

0.75*

^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out

CE80-3934

0.75*

* Sensu Awning - Covers over 10m²

CE80-3903

0.75*

* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937

CE80-3972

0.75*

* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904

CE80-3970

0.75*

* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937

CE80-3973

0.75*

* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904

CE80-3971

0.75*

* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps

FF80-3944

0.50

***Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface**
^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface.

#Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.

ACCESSORIES

MITSUBISHI

MITS-61A



*Kit picture for illustration purposes only.

TYPE: Challenger

MODEL: PB, PC

YEAR: 2008 - 2015

DETAIL: Montero Sport (South America)
Pajero Sport (Thailand, USA)
Nativa



ACCESSORY

PART
NUMBERCOST
EXCL GSTRRP
INCL GSTFITTING
(HOURS)

STEEL BULLBARS (WINCH, AIRBAG COMPATIBLE)

Classic Black - Excludes Face-Lifted Models

09 - 06/2013

F B

BU43-3502

3.50

Stainless Loop Deluxe - Excludes Face-Lifted Models

09 - 06/2013

F B

BU43-3652

3.50*

***Vehicles not Fitted with OE Fog Lights will Require an Extra 0.75 Hours.**

ELECTRIC WINCHES - 12 VOLT

9,500lbs - Steel Cable

EW80-3814

1.00*

12,000lbs - Steel Cable

EW80-3815

1.00*

9,500lbs - Synthetic Rope

EW80-3814S

1.00*

12,000lbs - Synthetic Rope

EW80-3815S

1.00*

***Additional Winch Accessories Available - Refer to Page 33.**

***Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.**

SUSPENSION

Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code MITS-61 when selecting suspension components & kits. Below are just a few items for pricing reference only.

Suspension Kit - Up to 250Kg Constant Rear Load
(Approx 20-40mm Lift or Standard Height)

SNORKELS

Snorkel - Suits 2.5L Tdi diesel

Right Hand Mount

SN43-3460

3.00

Does NOT suit XLS models with HID headlights



TYPE: Challenger
MODEL: PB, PC
YEAR: 2008 - 2015
DETAIL: Montero Sport (South America)
 Pajero Sport (Thailand, USA)
 Nativia



ACCESSORY	PART NUMBER	COST EXCL GST	RRP INCL GST	FITTING (HOURS)
-----------	-------------	---------------	--------------	-----------------

DUAL BATTERY KIT

Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3830			1.50
Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3838			1.50
Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)	EA80-3833			0.75

LIGHTING

7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter	DL80-3764K			0.25
10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long	DL80-3760			0.25
20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long	DL80-3761			0.25
30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long	DL80-3762			0.25
40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long	DL80-3763			0.25
50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long	DL80-3772			0.25
4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter	DL80-3768			0.25
3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm	DL80-3767			0.25
Wiring Harness for LED Light Bar - Suits 1 x Light Bar	DL80-3765			1.50
Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights	DL80-3766			1.50
2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3770K			0.25
3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3771K			0.25


Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.

TOURING AND CAMPING EQUIPMENT

^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room	CE80-3902			2.50*
^ # * Deluxe Roof Top Tent - Including Change Room	CE80-3924			2.50*
^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out	CE80-3904			0.75*
^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out	CE80-3937			0.75*
^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out	CE80-3934			0.75*
* Senu Awning - Covers over 10m ²	CE80-3903			0.75*
* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937	CE80-3972			0.75*
* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904	CE80-3970			0.75*
* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937	CE80-3973			0.75*
* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904	CE80-3971			0.75*
* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps	FF80-3944			0.50

***Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface**
^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface.

#Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.



*Kit picture for illustration purposes only.

TYPE: Triton
MODEL: ML, L200
YEAR: 10/2006 - 08/2009
DETAIL: Warrior



ACCESSORY

PART
NUMBERCOST
EXCL GSTRRP
INCL GSTFITTING
(HOURS)

STEEL BULLBARS (WINCH, AIRBAG COMPATIBLE)

Classic Black - Suits 4x4 & 4x2

F B

BU43-3502

3.50

Stainless Loop Deluxe - Suits 4x4 & 4x2

F B

BU43-3652

3.50*

*Vehicles not Fitted with OE Fog Lights will Require an Extra 0.75 Hours.

ELECTRIC WINCHES - 12 VOLT

9,500lbs - Steel Cable

EW80-3814

1.00*

12,000lbs - Steel Cable

EW80-3815

1.00*

9,500lbs - Synthetic Rope

EW80-3814S

1.00*

12,000lbs - Synthetic Rope

EW80-3815S

1.00*

*Additional Winch Accessories Available - Refer to Page 33.

*Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.

STEEL SIDE STEPS & RAILS

Steel Side Steps - **Dual Cab** Suits 4x4 & 4x2

SS43-106

1.00

Steel Side Steps & Side Rails - **Dual Cab** Suits 4x4 & 4x2

SR43-155

2.00

SUSPENSION

Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code MITS-59 when selecting suspension components & kits. Below are just a few items for pricing reference only.

Suspension Kit

Comfort Spring

Suspension Kit - Up to 100Kg Constant Rear Load

(Approx 45mm Lift)

Suspension Kit - Up to 350Kg Constant Rear Load

(Approx 45mm Lift)

Suspension Kit - Up to 550Kg Constant Rear Load

(Approx 45mm Lift)

Upgrade to MRR Shocks

SNORKELS

Snorkel - Suits 3.2L Tdi Diesel

Right Hand Mount

SN43-3329

3.00

ACCESSORIES

mitsubishi

MITS-59A



TYPE: Triton
MODEL: ML, L200
YEAR: 10/2006 - 08/2009
DETAIL: Warrior



ACCESSORY

STEEL ROOF RACKS

Steel Roof Rack - 1500mm x 1250mm	RR80-4100		1.50*
Steel Roof Top Tent Rack - 1500mm x 1250mm	RR80-4103		1.50*

***Universal Fitting Kit Supplied With Roof Racks For Canopy Mounting Only - May Require Additional Bracket Fabrication & Canopy Reinforcement.**

DUAL BATTERY KIT

Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3830		1.50
Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3838		1.50
Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)	EA80-3833		0.75
*Auxillary Battery Tray LHR Engine Bay	BT43-3205		0.50

***Battery Tray Suits 12" N70zz Battery Size.**

MULTI-FIT BATTERY TRAY (UNDER TRAY STYLE)

Universal To Suit 120ah Battery (Up to 330mm Long) - Requires 445mm x 175mm Mounting Area Under Tray & Hangs Down 320mm	BT80-3213		
Universal To Suit N70zz Battery - Requires 330mm x 320mm Mounting Area Under Tray & Hangs Down 250mm	BT80-3214		

LIGHTING

7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter	DL80-3764K		0.25
10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long	DL80-3760		0.25
20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long	DL80-3761		0.25
30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long	DL80-3762		0.25
40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long	DL80-3763		0.25
50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long	DL80-3772		0.25
4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter	DL80-3768		0.25
3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm	DL80-3767		0.25
Wiring Harness for LED Light Bar - Suits 1 x Light Bar	DL80-3765		1.50
Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights	DL80-3766		1.50
2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3770K		0.25
3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3771K		0.25


Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.

TOURING AND CAMPING EQUIPMENT

^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room	CE80-3902		2.50*
^ # * Deluxe Roof Top Tent - Including Change Room	CE80-3924		2.50*
^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out	CE80-3904		0.75*
^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out	CE80-3937		0.75*
^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out	CE80-3934		0.75*
* Senu Awning - Covers over 10m ²	CE80-3903		0.75*
* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937	CE80-3972		0.75*
* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904	CE80-3970		0.75*
* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937	CE80-3973		0.75*
* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904	CE80-3971		0.75*
* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps	FF80-3944		0.50

***Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface**
^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface.

#Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.



*Kit picture for illustration purposes only.

TYPE: Triton

MODEL: MN, L200

YEAR: 09/2009 - 02/2015

DETAIL: Warrior



ACCESSORY

PART
NUMBER

COST
EXCL GST

RRP
INCL GST

FITTING
(HOURS)

STEEL BULLBARS (WINCH, AIRBAG COMPATIBLE)

Classic Black - Suits 4x4 & 4x2

F B

BU43-3503

3.50

Classic Black Deluxe - Suits 4x4 & 4x2

F B

BU43-3693

3.50*

Stainless Loop Deluxe - Suits 4x4 & 4x2

F B

BU43-3653

3.50*

*Vehicles not Fitted with OE Fog Lights will Require an Extra 0.75 Hours.

ELECTRIC WINCHES - 12 VOLT

9,500lbs - Steel Cable

EW80-3814

1.00*

12,000lbs - Steel Cable

EW80-3815

1.00*

9,500lbs - Synthetic Rope

EW80-3814S

1.00*

12,000lbs - Synthetic Rope

EW80-3815S

1.00*

*Additional Winch Accessories Available - Refer to Page 33.

*Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.

STEEL SIDE STEPS & RAILS

Steel Side Steps - **Dual Cab** Suits 4x4 & 4x2

SS43-106

1.00

Steel Side Steps & Side Rails - **Dual Cab** Suits 4x4 & 4x2

SR43-155

2.00

SUSPENSION

Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code MITS-59 when selecting suspension components & kits. Below are just a few items for pricing reference only.

Suspension Kit

Comfort Spring

Suspension Kit - Up to 100Kg Constant Rear Load

(Approx 45mm Lift)

Suspension Kit - Up to 350Kg Constant Rear Load

(Approx 45mm Lift)

Suspension Kit - Up to 550Kg Constant Rear Load

(Approx 45mm Lift)

Upgrade to MRR Shocks

SNORKELS

Snorkel - Suits 2.5L Tdi Diesel

Right Hand Mount

SN43-3329

3.00

Does NOT suit models with HID headlights

STEEL CANOPY

Steel Canopy (Sliding Windows) - **Dual Cab** Suits 4x4 & 4x2

CY43-3106

2.50*

Steel Canopy (Lift-Up Windows) - **Dual Cab** Suits 4x4 & 4x2

CY43-3156

2.50*

*Some Vehicles May Require Additional Fitting Time For Wiring.

REAR DRAWER SYSTEM

Drawer System

RD80-1300

1.00

Drawer System Side Wing Kit

DW43-008K

1.00

ACCESSORIES

MITSUBISHI

MITS-59B



TYPE: Triton
MODEL: MN, L200
YEAR: 09/2009 - 02/2015
DETAIL: Warrior



ACCESSORY

PART NUMBER

COST EXCL GST

RRP INCL GST

FITTING (HOURS)

STEEL ROOF RACKS

Steel Roof Rack - 1500mm x 1250mm	RR80-4100		1.50*
Steel Roof Top Tent Rack - 1500mm x 1250mm	RR80-4103		1.50*

***Universal Fitting Kit Supplied With Roof Racks For Canopy Mounting Only - May Require Additional Bracket Fabrication & Canopy Reinforcement.**

DUAL BATTERY KIT

Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3830		1.50
Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3838		1.50
Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)	EA80-3833		0.75
*Auxillary Battery Tray LHR Engine Bay	BT43-3205		0.50

***Battery Tray Suits 12" N70zz Battery Size.**

MULTI-FIT BATTERY TRAY (UNDER TRAY STYLE)

Universal To Suit 120ah Battery (Up to 330mm Long) - Requires 445mm x 175mm Mounting Area Under Tray & Hangs Down 320mm	BT80-3213		
Universal To Suit N70zz Battery - Requires 330mm x 320mm Mounting Area Under Tray & Hangs Down 250mm	BT80-3214		

LIGHTING

7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter	DL80-3764K		0.25
10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long	DL80-3760		0.25
20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long	DL80-3761		0.25
30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long	DL80-3762		0.25
40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long	DL80-3763		0.25
50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long	DL80-3772		0.25
4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter	DL80-3768		0.25
3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm	DL80-3767		0.25
Wiring Harness for LED Light Bar - Suits 1 x Light Bar	DL80-3765		1.50
Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights	DL80-3766		1.50
2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3770K		0.25
3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3771K		0.25

Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.


TOURING AND CAMPING EQUIPMENT

^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room	CE80-3902		2.50*
^ # * Deluxe Roof Top Tent - Including Change Room	CE80-3924		2.50*
^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out	CE80-3904		0.75*
^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out	CE80-3937		0.75*
^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out	CE80-3934		0.75*
* Senu Awning - Covers over 10m ²	CE80-3903		0.75*
* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937	CE80-3972		0.75*
* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904	CE80-3970		0.75*
* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937	CE80-3973		0.75*
* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904	CE80-3971		0.75*
* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps	FF80-3944		0.50

***Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface**

^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface.

#Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.



*Kit picture for illustration purposes only.

TYPE: Triton
MODEL: MQ
YEAR: 03/2015 on
DETAIL: 5th Generation



ACCESSORY		PART NUMBER	COST EXCL GST	RRP INCL GST	FITTING (HOURS)
STEEL BULLBARS (WINCH, AIRBAG COMPATIBLE)					
Classic Black - Suits 4x4 & 4x2	F B	BU43-3540			3.50
Classic Black Deluxe - Suits 4x4 & 4x2	F B	BU43-3704			3.50*
Stainless Loop Deluxe - Suits 4x4 & 4x2	F B	BU43-3705			3.50*
*Vehicles not Fitted with OE Fog Lights will Require an Extra 0.75 Hours.					
ELECTRIC WINCHES - 12 VOLT					
9,500lbs - Steel Cable		EW80-3814			1.00*
12,000lbs - Steel Cable		EW80-3815			1.00*
9,500lbs - Synthetic Rope		EW80-3814S			1.00*
12,000lbs - Synthetic Rope		EW80-3815S			1.00*
*Additional Winch Accessories Available - Refer to Page 33. *Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.					
STEEL SIDE STEPS & RAILS					
Steel Side Steps - Dual Cab Suits 4x4 & 4x2		SS43-122			1.00
Steel Side Steps & Side Rails - Dual Cab Suits 4x4 & 4x2		SS43-172			2.00
SUSPENSION					
Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code MITS-66 when selecting suspension components & kits. Below are just a few items for pricing reference only.					
Suspension Kit	Comfort Spring				
Suspension Kit - Up to 80Kg Constant Rear Load	(Approx 30mm Lift)				
Suspension Kit - Up to 200-250Kg Constant Rear Load	(Approx 30mm Lift)				
Suspension Kit - Up to 350-400Kg Constant Rear Load	(Approx 30mm Lift)				
SNORKELS					
Snorkel - Suits 2.5L Tdi	Right Hand Mount	SN43-3466			3.00
REAR DRAWER SYSTEM					
Drawer System					1.00
Drawer System Side Wing Kit					1.00



TYPE: Triton
MODEL: MQ
YEAR: 03/2015 on
DETAIL: 5th Generation



ACCESSORY

PART
NUMBERCOST
EXCL GSTRRP
INCL GSTFITTING
(HOURS)

STEEL ROOF RACKS

Steel Roof Rack - 1500mm x 1250mm

RR80-4100

1.50*

Steel Roof Top Tent Rack - 1500mm x 1250mm

RR80-4103

1.50*

***Universal Fitting Kit Supplied With Roof Racks For Canopy Mounting Only - May Require Additional Bracket Fabrication & Canopy Reinforcement.**

DUAL BATTERY KIT

Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)

EA80-3830

1.50

Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)

EA80-3838

1.50

Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)

EA80-3833

0.75

***Battery Tray Suits 12" N70zz Battery Size.**

MULTI-FIT BATTERY TRAY (UNDER TRAY STYLE)

Universal To Suit 120ah Battery (Up to 330mm Long) -
 Requires 445mm x 175mm Mounting Area Under Tray & Hangs Down 320mm

BT80-3213

Universal To Suit N70zz Battery -
 Requires 330mm x 320mm Mounting Area Under Tray & Hangs Down 250mm

BT80-3214

LIGHTING

7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter

DL80-3764K

0.25

10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long

DL80-3760

0.25

20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long

DL80-3761

0.25

30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long

DL80-3762

0.25

40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long

DL80-3763

0.25

50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long

DL80-3772

0.25

4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter

DL80-3768

0.25

3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm

DL80-3767

0.25

Wiring Harness for LED Light Bar - Suits 1 x Light Bar

DL80-3765

1.50

Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights

DL80-3766

1.50

2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting

DL80-3770K

0.25

3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting

DL80-3771K

0.25

Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.

TOURING AND CAMPING EQUIPMENT

^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room

CE80-3902

2.50*

^ # * Deluxe Roof Top Tent - Including Change Room

CE80-3924

2.50*

^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out

CE80-3904

0.75*

^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out

CE80-3937

0.75*

^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out

CE80-3934

0.75*

* Senu Awning - Covers over 10m²

CE80-3903

0.75*

* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937

CE80-3972

0.75*

* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904

CE80-3970

0.75*

* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937

CE80-3973

0.75*

* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904

CE80-3971

0.75*

* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps

FF80-3944

0.50

***Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface**

^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface.

#Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.



*Kit picture for illustration purposes only.

TYPE: Navara

MODEL: D22/NP300

YEAR: 2002 on

DETAIL: Pickup, Single/Dual Cab,
King Cab, J66 Hardbody, Bakkie



ACCESSORY

**PART
NUMBER**

**COST
EXCL GST**

**RRP
INCL GST**

**FITTING
(HOURS)**

STEEL BULLBARS (WINCH, AIRBAG COMPATIBLE)

Classic Black - Suits 4x4 & 4x2

F

BU45-3517

2.50

Stainless Loop Deluxe - Suits 4x4 & 4x2

F

BU45-3667

2.50*

***Vehicles not Fitted with OE Fog Lights will Require an Extra 0.75 Hours.**

ELECTRIC WINCHES - 12 VOLT

9,500lbs - Steel Cable

EW80-3814

1.00*

12,000lbs - Steel Cable

EW80-3815

1.00*

9,500lbs - Synthetic Rope

EW80-3814S

1.00*

12,000lbs - Synthetic Rope

EW80-3815S

1.00*

***Additional Winch Accessories Available - Refer to Page 33.**

***Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.**

STEEL SIDE STEPS & RAILS

Steel Side Steps - Dual Cab Suits 4x4 & 4x2

SS45-107

1.00

Steel Side Steps & Side Rails - Dual Cab Suits 4x4 & 4x2

SS45-156

2.00

SUSPENSION

Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code NISS-53 when selecting suspension components & kits. Below are just a few items for pricing reference only.

Suspension Kit - Up to 150Kg Constant Rear Load

(Approx 40mm Lift)

Suspension Kit - Up to 350Kg Constant Rear Load

(Approx 40mm Lift)

Suspension Kit - Up to 600Kg Constant Rear Load

(Approx 40mm Lift)

SNORKELS

Snorkel - Suits 3.0L Tdi Diesel

Left Hand Mount

SN45-3382

2.50

Snorkel - Suits 2.5L Tdi Diesel (Single Battery Only)

Left Hand Mount

SN45-3382

2.50



TYPE: Navara
MODEL: D22/NP300
YEAR: 2002 on
DETAIL: Pickup, Single/Dual Cab,
 King Cab, J66 Hardbody, Bakkie



ACCESSORY

PART
NUMBERCOST
EXCL GSTRRP
INCL GSTFITTING
(HOURS)

STEEL ROOF RACKS

Steel Roof Rack - 1500mm x 1250mm	RR80-4100		1.50*
Steel Roof Top Tent Rack - 1500mm x 1250mm	RR80-4103		1.50*

***Universal Fitting Kit Supplied With Roof Racks For Canopy Mounting Only - May Require Additional Bracket Fabrication & Canopy Reinforcement.**

DUAL BATTERY KIT

Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3830		1.50
Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3838		1.50
Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)	EA80-3833		0.75

MULTI-FIT BATTERY TRAY (UNDER TRAY STYLE)

Universal To Suit 120ah Battery (Up to 330mm Long) - Requires 445mm x 175mm Mounting Area Under Tray & Hangs Down 320mm	BT80-3213		
Universal To Suit N70zz Battery - Requires 330mm x 320mm Mounting Area Under Tray & Hangs Down 250mm	BT80-3214		

LIGHTING

7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter	DL80-3764K		0.25
10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long	DL80-3760		0.25
20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long	DL80-3761		0.25
30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long	DL80-3762		0.25
40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long	DL80-3763		0.25
50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long	DL80-3772		0.25
4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter	DL80-3768		0.25
3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm	DL80-3767		0.25
Wiring Harness for LED Light Bar - Suits 1 x Light Bar	DL80-3765		1.50
Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights	DL80-3766		1.50
2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3770K		0.25
3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3771K		0.25


Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.

TOURING AND CAMPING EQUIPMENT

^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room	CE80-3902		2.50*
^ # * Deluxe Roof Top Tent - Including Change Room	CE80-3924		2.50*
^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out	CE80-3904		0.75*
^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out	CE80-3937		0.75*
^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out	CE80-3934		0.75*
* Senu Awning - Covers over 10m ²	CE80-3903		0.75*
* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937	CE80-3972		0.75*
* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904	CE80-3970		0.75*
* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937	CE80-3973		0.75*
* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904	CE80-3971		0.75*
* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps	FF80-3944		0.50

***Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface**
^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface.

#Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.



TYPE: Navara

MODEL: D40 (Ribbed Bumper)

YEAR: 09/2005 - 2015 (Thai) MNT Vin Number
09/2005 - 04/2010 (Spain) VSK Vin Number

DETAIL: Suits Models with Ribbed/Recessed
Style Front Bumper Only
Does Not Suit 550 Models



ACCESSORY

**PART
NUMBER**

**COST
EXCL GST**

**RRP
INCL GST**

**FITTING
(HOURS)**

STEEL BULLBARS (WINCH, AIRBAG COMPATIBLE)

Classic Black - Suits 4x4 & 4x2 Hi-Rider
Excludes RX Single Cab and any V6 T/D

B

BU45-3504

3.50

Stainless Loop Deluxe - Suits 4x4 & 4x2 Hi-Rider
Excludes RX Single Cab and any V6 T/D

B

BU45-3654

3.50*

***Vehicles not Fitted with OE Fog Lights will Require an Extra 0.75 Hours.**

ELECTRIC WINCHES - 12 VOLT

9,500lbs - Steel Cable

EW80-3814

1.00*

12,000lbs - Steel Cable

EW80-3815

1.00*

9,500lbs - Synthetic Rope

EW80-3814S

1.00*

12,000lbs - Synthetic Rope

EW80-3815S

1.00*

***Additional Winch Accessories Available - Refer to Page 33.**

***Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.**

STEEL SIDE STEPS & RAILS

Steel Side Steps - Dual Cab Suits 4x4 & 4x2 (Spain & Thailand Built)

SS45-109

1.00

Steel Side Steps & Side Rails - Dual Cab Suits 4x4 & 4x2 (Spain & Thailand Built)

SR45-158

2.00

SUSPENSION

Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code NISS-68 when selecting suspension components & kits. Below are just a few items for pricing reference only.

Suspension Kit - Up to 100Kg Constant Rear Load

(Approx 35mm Lift)

Suspension Kit - Up to 250Kg Constant Rear Load

(Approx 50mm Lift)

Suspension Kit - Up to 380Kg Constant Rear Load

(Approx 50mm Lift)

SNORKELS

Snorkel - Suits 2.5L Tdi Diesel (Excludes Single Cab Models)

Left Hand Mount

SN45-3397

STEEL CANOPY

Steel Canopy (Sliding Windows) - Dual Cab Suits 4x4 & 4x2

CY45-3108

2.50*

Steel Canopy (Lift-Up Windows) - Dual Cab Suits 4x4 & 4x2

CY45-3158

2.50*

***Some Vehicles May Require Additional Fitting Time For Wiring.**

REAR DRAWER SYSTEM

Drawer System - Spain Built

RD80-1300

1.00

Drawer System Side Wing Kit - Spain Built

DW45-014K

1.00

Drawer System - Thailand Built

RD80-1300

1.00

Drawer System Side Wing Kit - Thailand Built

DW45-012K

1.00



TYPE: Navara
MODEL: D40 (Ribbed Bumper)
YEAR: 09/2005 - 2015 (Thai) MNT Vin Number
 09/2005 - 04/2010 (Spain) VSK Vin Number
DETAIL: Suits Models with Ribbed/Recessed
 Style Front Bumper Only
 Does Not Suit 550 Models



ACCESSORY

PART
NUMBERCOST
EXCL GSTRRP
INCL GSTFITTING
(HOURS)

STEEL ROOF RACKS

Steel Roof Rack - 1500mm x 1250mm

RR80-4100

1.50*

Steel Roof Top Tent Rack - 1500mm x 1250mm

RR80-4103

1.50*

***Universal Fitting Kit Supplied With Roof Racks For Canopy Mounting Only - May Require Additional Bracket Fabrication & Canopy Reinforcement.**

DUAL BATTERY KIT

Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)

EA80-3830

1.50

Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)

EA80-3838

1.50

Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)

EA80-3833

0.75

*Auxillary Battery Tray

Tub Mount

BT45-3206

0.50

***Battery Tray Suits 12" N70zz Battery Size.**

MULTI-FIT BATTERY TRAY (UNDER TRAY STYLE)

Universal To Suit 120ah Battery (Up to 330mm Long) -
Requires 445mm x 175mm Mounting Area Under Tray & Hangs Down 320mm

BT80-3213

Universal To Suit N70zz Battery -
Requires 330mm x 320mm Mounting Area Under Tray & Hangs Down 250mm

BT80-3214

LIGHTING

7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter

DL80-3764K

0.25

10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long

DL80-3760

0.25

20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long

DL80-3761

0.25

30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long

DL80-3762

0.25

40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long

DL80-3763

0.25

50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long

DL80-3772

0.25

4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter

DL80-3768

0.25

3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm

DL80-3767

0.25

Wiring Harness for LED Light Bar - Suits 1 x Light Bar

DL80-3765

1.50

Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights

DL80-3766

1.50

2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting

DL80-3770K

0.25

3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting

DL80-3771K

0.25

Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.

TOURING AND CAMPING EQUIPMENT

^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room

CE80-3902

2.50*

^ # * Deluxe Roof Top Tent - Including Change Room

CE80-3924

2.50*

^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out

CE80-3904

0.75*

^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out

CE80-3937

0.75*

^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out

CE80-3934

0.75*

* Senu Awning - Covers over 10m²

CE80-3903

0.75*

* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937

CE80-3972

0.75*

* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904

CE80-3970

0.75*

* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937

CE80-3973

0.75*

* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904

CE80-3971

0.75*

* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps


FF80-3944

0.50

***Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface**

^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface.

#Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.



TYPE: Navara

MODEL: D40 (Smooth Bumper)

YEAR: 05/2010 - 2015 (Spain) VSK Vin Number

DETAIL: Suits Models with Smooth/Rounded
Style Front Bumper Only
Also Includes ST/STX 550 Models



ACCESSORY

PART
NUMBERCOST
EXCL GSTRRP
INCL GSTFITTING
(HOURS)

STEEL BULLBARS (WINCH, AIRBAG COMPATIBLE)

Classic Black - Suits 4x4 & 4x2 Hi-Rider	Excludes Single Cab	B	BU45-3526		3.50
Classic Black Deluxe - Suits 4x4 & 4x2 Hi-Rider	Excludes Single Cab	B	BU45-3692		3.50*
Stainless Loop Deluxe - Suits 4x4 & 4x2 Hi-Rider	Excludes Single Cab	B	BU45-3678		3.50*

*Vehicles not Fitted with OE Fog Lights will Require an Extra 0.75 Hours.

ELECTRIC WINCHES - 12 VOLT

9,500lbs - Steel Cable	EW80-3814		1.00*
12,000lbs - Steel Cable	EW80-3815		1.00*
9,500lbs - Synthetic Rope	EW80-3814S		1.00*
12,000lbs - Synthetic Rope	EW80-3815S		1.00*

*Additional Winch Accessories Available - Refer to Page 33.

*Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.

STEEL SIDE STEPS & RAILS

Steel Side Steps - Dual Cab Suits 4x4 & 4x2 Diesel (Spain Built)	SS45-108		1.00
Steel Side Steps & Side Rails - Dual Cab Suits 4x4 & 4x2 Diesel (Spain Built)	SR45-157		2.00

SUSPENSION

Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code NISS-75 (550 Models) and NISS-68 when selecting suspension components & kits. Below are just a few items for pricing reference only.

Suspension Kit - Up to 100Kg Constant Rear Load	(Approx 35mm Lift)		
Suspension Kit - Up to 250Kg Constant Rear Load	(Approx 50mm Lift)		
Suspension Kit - Up to 380Kg Constant Rear Load	(Approx 50mm Lift)		

SNORKELS

Snorkel - Suits 2.5L Tdi Diesel Only (Excludes Single Cab)	Left Hand Mount	SN45-3397	2.50
--	-----------------	-----------	------

STEEL CANOPY

Steel Canopy (Sliding Windows) - Dual Cab Suits 4x4 & 4x2	CY45-3108		2.50*
Steel Canopy (Lift-Up Windows) - Dual Cab Suits 4x4 & 4x2	CY45-3158		2.50*

*Some Vehicles May Require Additional Fitting Time For Wiring.

REAR DRAWER SYSTEM

Drawer System	RD80-1300		1.00
Drawer System Side Wing Kit	DW45-014K		1.00



TYPE: Navara
MODEL: D40 (Smooth Bumper)
YEAR: 05/2010 - 2015 (Spain) VSK Vin Number
DETAIL: Suits Models with Smooth/Rounded Style Front Bumper Only
 Also Includes ST/STX 550 Models



ACCESSORY	PART NUMBER	COST EXCL GST	RRP INCL GST	FITTING (HOURS)
-----------	-------------	---------------	--------------	-----------------

STEEL ROOF RACKS

Steel Roof Rack - 1500mm x 1250mm	RR80-4100			1.50*
Steel Roof Top Tent Rack - 1500mm x 1250mm	RR80-4103			1.50*

***Universal Fitting Kit Supplied With Roof Racks For Canopy Mounting Only - May Require Additional Bracket Fabrication & Canopy Reinforcement.**

DUAL BATTERY KIT

Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3830			1.50
Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3838			1.50
Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)	EA80-3833			0.75
*Auxillary Battery Tray Tub Mount	BT45-3206			0.50

***Battery Tray Suits 12" N70zz Battery Size.**

MULTI-FIT BATTERY TRAY (UNDER TRAY STYLE)

Universal To Suit 120ah Battery (Up to 330mm Long) - Requires 445mm x 175mm Mounting Area Under Tray & Hangs Down 320mm	BT80-3213			
Universal To Suit N70zz Battery - Requires 330mm x 320mm Mounting Area Under Tray & Hangs Down 250mm	BT80-3214			

LIGHTING

7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter	DL80-3764K			0.25
10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long	DL80-3760			0.25
20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long	DL80-3761			0.25
30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long	DL80-3762			0.25
40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long	DL80-3763			0.25
50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long	DL80-3772			0.25
4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter	DL80-3768			0.25
3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm	DL80-3767			0.25
Wiring Harness for LED Light Bar - Suits 1 x Light Bar	DL80-3765			1.50
Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights	DL80-3766			1.50
2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3770K			0.25
3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3771K			0.25

Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.


TOURING AND CAMPING EQUIPMENT

^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room	CE80-3902			2.50*
^ # * Deluxe Roof Top Tent - Including Change Room	CE80-3924			2.50*
^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out	CE80-3904			0.75*
^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out	CE80-3937			0.75*
^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out	CE80-3934			0.75*
* Senu Awning - Covers over 10m ²	CE80-3903			0.75*
* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937	CE80-3972			0.75*
* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904	CE80-3970			0.75*
* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937	CE80-3973			0.75*
* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904	CE80-3971			0.75*
* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps	FF80-3944			0.50

***Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface**

^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface.

#Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.



*Kit picture for illustration purposes only.

TYPE: Navara
MODEL: D23 NP300
YEAR: 2015 on
DETAIL: 4 x 4 Frontier USA
 Leaf Spring Rear Suspension Models



ACCESSORY

PART
NUMBERCOST
EXCL GSTRRP
INCL GSTFITTING
(HOURS)

STEEL BULLBARS (WINCH, AIRBAG COMPATIBLE)

DOES NOT SUIT RX MODELS

Classic Black - Suits 4x4 & 4x2
 Must Also Fit Upgraded Coils When Bullbar Is Fitted - See 4x4 Suspension Catalogue

BU45-3539

3.00

Classic Black Deluxe - Suits 4x4 & 4x2
 Must Also Fit Upgraded Coils When Bullbar Is Fitted - See 4x4 Suspension Catalogue

BU45-3700

3.00*

Stainless Loop Deluxe - Suits 4x4 & 4x2
 Must Also Fit Upgraded Coils When Bullbar Is Fitted - See 4x4 Suspension Catalogue

BU45-3701

3.00*

*Vehicles not Fitted with OE Fog Lights will Require an Extra 0.75 Hours.

ELECTRIC WINCHES - 12 VOLT

9,500lbs - Steel Cable

EW80-3814

1.00*

12,000lbs - Steel Cable

EW80-3815

1.00*

9,500lbs - Synthetic Rope

EW80-3814S

1.00*

12,000lbs - Synthetic Rope

EW80-3815S

1.00*

*Additional Winch Accessories Available - Refer to Page 33.

*Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.

STEEL SIDE STEPS & RAILS

Steel Side Steps - Dual Cab Suits 4x4 & 4x2

SS45-121

1.00

Steel Side Steps & Side Rails - Dual Cab Suits 4x4 & 4x2

SR45-171

2.00

SUSPENSION

Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code NISS-80 when selecting suspension components & kits. Below are just a few items for pricing reference only.

Suspension Kit

Comfort Front Spring

Suspension Kit - Up to 300Kg Constant Rear Load

(Approx 45mm Lift)

Suspension Kit - Up to 550Kg Constant Rear Load

(Approx 45mm Lift)

Upgrade to MRR Shocks

SNORKELS

Snorkel - Suits 2.3L Tdi wide body (Thai built models only)

Right Hand Mount

SN45-3465

3.00

REAR DRAWER SYSTEM

Drawer System

RD80-1300

1.00

Drawer System Side Wing Kit

DW45-015K

1.00

ACCESSORIES

NISSAN

NISS-80A



TYPE: Navara
MODEL: D23 NP300
YEAR: 2015 on
DETAIL: 4 x 4 Frontier USA
 Leaf Spring Rear Suspension Models



ACCESSORY

PART NUMBER

COST EXCL GST

RRP INCL GST

FITTING (HOURS)

STEEL ROOF RACKS

Steel Roof Rack - 1500mm x 1250mm	RR80-4100		1.50*
Steel Roof Top Tent Rack - 1500mm x 1250mm	RR80-4103		1.50*

***Universal Fitting Kit Supplied With Roof Racks For Canopy Mounting Only - May Require Additional Bracket Fabrication & Canopy Reinforcement.**

DUAL BATTERY KIT

Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3830		1.50
Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3838		1.50
Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)	EA80-3833		0.75

MULTI-FIT BATTERY TRAY (UNDER TRAY STYLE)

Universal To Suit 120ah Battery (Up to 330mm Long) - Requires 445mm x 175mm Mounting Area Under Tray & Hangs Down 320mm	BT80-3213		
Universal To Suit N70zz Battery - Requires 330mm x 320mm Mounting Area Under Tray & Hangs Down 250mm	BT80-3214		

LIGHTING

7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter	DL80-3764K		0.25
10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long	DL80-3760		0.25
20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long	DL80-3761		0.25
30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long	DL80-3762		0.25
40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long	DL80-3763		0.25
50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long	DL80-3772		0.25
4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter	DL80-3768		0.25
3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm	DL80-3767		0.25
Wiring Harness for LED Light Bar - Suits 1 x Light Bar	DL80-3765		1.50
Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights	DL80-3766		1.50
2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3770K		0.25
3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3771K		0.25

Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.

TOURING AND CAMPING EQUIPMENT

^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room	CE80-3902		2.50*
^ # * Deluxe Roof Top Tent - Including Change Room	CE80-3924		2.50*
^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out	CE80-3904		0.75*
^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out	CE80-3937		0.75*
^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out	CE80-3934		0.75*
* Senu Awning - Covers over 10m ²	CE80-3903		0.75*
* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937	CE80-3972		0.75*
* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904	CE80-3970		0.75*
* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937	CE80-3973		0.75*
* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904	CE80-3971		0.75*
* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps	FF80-3944		0.50

***Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface**
^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface.

#Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.



*Kit picture for illustration purposes only.

TYPE: Navara
MODEL: D23 NP300
YEAR: 2015 on
DETAIL: 4 x 4 USA
 Coil Spring Rear Suspension Models



ACCESSORY

PART
NUMBERCOST
EXCL GSTRRP
INCL GSTFITTING
(HOURS)

STEEL BULLBARS (WINCH, AIRBAG COMPATIBLE)

DOES NOT SUIT RX MODELS

Classic Black - Suits 4x4 & 4x2
 Must Also Fit Upgraded Coils When Bullbar Is Fitted - See 4x4 Suspension Catalogue

BU45-3539

3.00

Classic Black Deluxe - Suits 4x4 & 4x2
 Must Also Fit Upgraded Coils When Bullbar Is Fitted - See 4x4 Suspension Catalogue

BU45-3700

3.00*

Stainless Loop Deluxe - Suits 4x4 & 4x2
 Must Also Fit Upgraded Coils When Bullbar Is Fitted - See 4x4 Suspension Catalogue

BU45-3701

3.00*

*Vehicles not Fitted with OE Fog Lights will Require an Extra 0.75 Hours.

ELECTRIC WINCHES - 12 VOLT

9,500lbs - Steel Cable

EW80-3814

1.00*

12,000lbs - Steel Cable

EW80-3815

1.00*

9,500lbs - Synthetic Rope

EW80-3814S

1.00*

12,000lbs - Synthetic Rope

EW80-3815S

1.00*

*Additional Winch Accessories Available - Refer to Page 33.

*Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.

STEEL SIDE STEPS & RAILS

Steel Side Steps - Dual Cab Suits 4x4 & 4x2

SS45-121

1.00

Steel Side Steps & Side Rails - Dual Cab Suits 4x4 & 4x2

SR45-171

2.00

SUSPENSION

Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code NISS-81 when selecting suspension components & kits. Below are just a few items for pricing reference only.

Suspension Kit - Up to 300Kg Constant Rear Load

(Approx 40mm Lift)

Upgrade to MRR Shocks

SNORKELS

Snorkel - Suits 2.3L Tdi wide body (Thai built models only)

Right Hand Mount

SN45-3465

3.00

REAR DRAWER SYSTEM

Drawer System

RD80-1300

1.00

Drawer System Side Wing Kit

DW45-015K

1.00

ACCESSORIES

NISSAN

NISS-81A



TYPE: Navara
MODEL: D23 NP300
YEAR: 2015 on
DETAIL: 4 x 4 Frontier USA
 Coil Spring Rear Suspension Models



ACCESSORY

PART NUMBER

COST EXCL GST

RRP INCL GST

FITTING (HOURS)

STEEL ROOF RACKS

Steel Roof Rack - 1500mm x 1250mm	RR80-4100		1.50*
Steel Roof Top Tent Rack - 1500mm x 1250mm	RR80-4103		1.50*

***Universal Fitting Kit Supplied With Roof Racks For Canopy Mounting Only - May Require Additional Bracket Fabrication & Canopy Reinforcement.**

DUAL BATTERY KIT

Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3830		1.50
Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3838		1.50
Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)	EA80-3833		0.75

***Battery Tray Suits 12" N70zz Battery Size.**

MULTI-FIT BATTERY TRAY (UNDER TRAY STYLE)

Universal To Suit 120ah Battery (Up to 330mm Long) - Requires 445mm x 175mm Mounting Area Under Tray & Hangs Down 320mm	BT80-3213		
Universal To Suit N70zz Battery - Requires 330mm x 320mm Mounting Area Under Tray & Hangs Down 250mm	BT80-3214		

LIGHTING

7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter	DL80-3764K		0.25
10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long	DL80-3760		0.25
20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long	DL80-3761		0.25
30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long	DL80-3762		0.25
40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long	DL80-3763		0.25
50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long	DL80-3772		0.25
4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter	DL80-3768		0.25
3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm	DL80-3767		0.25
Wiring Harness for LED Light Bar - Suits 1 x Light Bar	DL80-3765		1.50
Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights	DL80-3766		1.50
2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3770K		0.25
3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3771K		0.25

Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.

TOURING AND CAMPING EQUIPMENT

^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room	CE80-3902		2.50*
^ # * Deluxe Roof Top Tent - Including Change Room	CE80-3924		2.50*
^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out	CE80-3904		0.75*
^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out	CE80-3937		0.75*
^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out	CE80-3934		0.75*
* Senu Awning - Covers over 10m ²	CE80-3903		0.75*
* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937	CE80-3972		0.75*
* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904	CE80-3970		0.75*
* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937	CE80-3973		0.75*
* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904	CE80-3971		0.75*
* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps	FF80-3944		0.50

***Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface**
^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface.

#Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.

ACCESSORIES

NISSAN

NISS-67A NISS-76A



*Kit picture for illustration purposes only.

TYPE: Pathfinder

MODEL: R51 (Smooth Bumper)

YEAR: 05/2010 - 09/2013

DETAIL: Suits Models with Smooth/Rounded Style Front Bumper Only
Includes ti550 Models



ACCESSORY

**PART
NUMBER**

**COST
EXCL GST**

**RRP
INCL GST**

**FITTING
(HOURS)**

STEEL BULLBARS (WINCH, AIRBAG COMPATIBLE)

Classic Black	B	BU45-3526		3.50
Classic Black Deluxe	B	BU45-3692		3.50*
Stainless Loop Deluxe	B	BU45-3678		3.50*

*Vehicles not Fitted with OE Fog Lights will Require an Extra 0.75 Hours.

ELECTRIC WINCHES - 12 VOLT

9,500lbs - Steel Cable	EW80-3814		1.00*
12,000lbs - Steel Cable	EW80-3815		1.00*
9,500lbs - Synthetic Rope	EW80-3814S		1.00*
12,000lbs - Synthetic Rope	EW80-3815S		1.00*

*Additional Winch Accessories Available - Refer to Page 33.

*Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.

SUSPENSION

Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code NISS-67 and NISS-76 (550 Models) when selecting suspension components & kits. Below are just a few items for pricing reference only.

Suspension Kit	(Standard Height)		
Suspension Kit - Up to 300Kg Constant Rear Load	(Approx 40mm Lift)		

SNORKELS

Snorkel - Suits 2.5L Tdi Diesel Only	SN45-3397		2.50
--------------------------------------	-----------	--	------

REAR DRAWER SYSTEM

Drawer System			1.00
Drawer System Side Wing Kit			1.00



TYPE: Pathfinder
MODEL: R51 (Smooth Bumper)
YEAR: 05/2010 - 09/2013
DETAIL: Suits Models with Smooth/Rounded Style Front Bumper Only
Includes ti550 Models



ACCESSORY

PART
NUMBERCOST
EXCL GSTRRP
INCL GSTFITTING
(HOURS)

DUAL BATTERY KIT

Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3830		1.50
Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3838		1.50
Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)	EA80-3833		0.75

***Battery Tray Suits 12" N70zz Battery Size.**

LIGHTING

7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter	DL80-3764K		0.25
10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long	DL80-3760		0.25
20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long	DL80-3761		0.25
30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long	DL80-3762		0.25
40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long	DL80-3763		0.25
50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long	DL80-3772		0.25
4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter	DL80-3768		0.25
3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm	DL80-3767		0.25
Wiring Harness for LED Light Bar - Suits 1 x Light Bar	DL80-3765		1.50
Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights	DL80-3766		1.50
2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3770K		0.25
3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3771K		0.25

Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.

TOURING AND CAMPING EQUIPMENT

^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room	CE80-3902		2.50*
^ # * Deluxe Roof Top Tent - Including Change Room	CE80-3924		2.50*
^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out	CE80-3904		0.75*
^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out	CE80-3937		0.75*
^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out	CE80-3934		0.75*
* Senu Awning - Covers over 10m ²	CE80-3903		0.75*
* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937	CE80-3972		0.75*
* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904	CE80-3970		0.75*
* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937	CE80-3973		0.75*
* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904	CE80-3971		0.75*
* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps	FF80-3944		0.50

***Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface**

^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface.

#Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.



*Kit picture for illustration purposes only.

TYPE: Pathfinder

MODEL: R51 (Ribbed Bumper)

YEAR: 09/2005 - 04/2010

DETAIL: Suits Models with Ribbed/Grooved
Style Front Bumper Only
Includes ti550 Models



ACCESSORY

**PART
NUMBER**

**COST
EXCL GST**

**RRP
INCL GST**

**FITTING
(HOURS)**

STEEL BULLBARS (WINCH, AIRBAG COMPATIBLE)

Classic Black - Suits 4x4 & 4x2

F B

BU43-3504

3.50

Stainless Loop Deluxe - Suits 4x4 & 4x2

F B

BU43-3654

3.50*

***Vehicles not Fitted with OE Fog Lights will Require an Extra 0.75 Hours**

ELECTRIC WINCHES - 12 VOLT

9,500lbs - Steel Cable

EW80-3814

1.00*

12,000lbs - Steel Cable

EW80-3815

1.00*

9,500lbs - Synthetic Rope

EW80-3814S

1.00*

12,000lbs - Synthetic Rope

EW80-3815S

1.00*

***Additional Winch Accessories Available - Refer to Page 33.**

***Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar**

SUSPENSION

Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code NISS-67 and NISS-76 (550 Models) when selecting suspension components & kits. Below are just a few items for pricing reference only.

Suspension Kit - Up to 300Kg Constant Load

(Approx 40mm Lift)

SNORKELS

Snorkel - Suits 2.5L Tdi Diesel Only

SN45-3397

2.50

REAR DRAWER SYSTEM

Drawer System

1.00

Drawer System Side Wing Kit

1.00



TYPE: Pathfinder
MODEL: R51 (Ribbed Bumper)
YEAR: 09/2005 - 04/2010
DETAIL: Suits Models with Ribbed/Grooved
 Style Front Bumper Only
Includes ti550 Models



ACCESSORY

PART
NUMBERCOST
EXCL GSTRRP
INCL GSTFITTING
(HOURS)

DUAL BATTERY KIT

Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3830		1.50
Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3838		1.50
Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)	EA80-3833		0.75

***Battery Tray Suits 12" N70zz Battery Size.**

LIGHTING

7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter	DL80-3764K		0.25
10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long	DL80-3760		0.25
20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long	DL80-3761		0.25
30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long	DL80-3762		0.25
40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long	DL80-3763		0.25
50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long	DL80-3772		0.25
4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter	DL80-3768		0.25
3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm	DL80-3767		0.25
Wiring Harness for LED Light Bar - Suits 1 x Light Bar	DL80-3765		1.50
Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights	DL80-3766		1.50
2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3770K		0.25
3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3771K		0.25

Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.


TOURING AND CAMPING EQUIPMENT

^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room	CE80-3902		2.50*
^ # * Deluxe Roof Top Tent - Including Change Room	CE80-3924		2.50*
^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out	CE80-3904		0.75*
^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out	CE80-3937		0.75*
^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out	CE80-3934		0.75*
* Senu Awning - Covers over 10m ²	CE80-3903		0.75*
* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937	CE80-3972		0.75*
* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904	CE80-3970		0.75*
* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937	CE80-3973		0.75*
* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904	CE80-3971		0.75*
* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps	FF80-3944		0.50

***Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface**

^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface.

#Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.



*Kit picture for illustration purposes only.

TYPE: Patrol
MODEL: MQ, MK (G160)
YEAR: 1980 - 1988
DETAIL:



ACCESSORY

PART
NUMBERCOST
EXCL GSTRRP
INCL GSTFITTING
(HOURS)

ELECTRIC WINCHES - 12 VOLT

9,500lbs - Steel Cable	EW80-3814			1.00*
12,000lbs - Steel Cable	EW80-3815			1.00*
9,500lbs - Synthetic Rope	EW80-3814S			1.00*
12,000lbs - Synthetic Rope	EW80-3815S			1.00*

*Additional Winch Accessories Available - Refer to Page 33.

*Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.

SUSPENSION

Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code NISS-51 and NISS-52 when selecting suspension components & kits. Below are just a few items for pricing reference only.

Suspension Kit	(Approx 45mm Lift)			
Suspension Kit	(Approx 35mm Lift)			



TYPE: Patrol
MODEL: MQ, MK (G160)
YEAR: 1980 - 1988
DETAIL:



ACCESSORY	PART NUMBER	COST EXCL GST	RRP INCL GST	FITTING (HOURS)
STEEL ROOF RACKS				
Steel Roof Rack - 1850mm x 1250mm (Does not include FRP Top)	RR80-4101			1.50
Steel Roof Top Tent Rack - 1850mm x 1250mm (Does not include FRP Top)	RR80-4104			1.50
Steel Roof Rack - 2200mm x 1250mm (Does not include FRP Top)	RR80-4102			1.50
Steel Roof Top Tent Rack - 2200mm x 1250mm (Does not include FRP Top)	RR80-4115			1.50
DUAL BATTERY KIT				
Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3830			1.50
Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3838			1.50
Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)	EA80-3833			0.75
LIGHTING				
7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter	DL80-3764K			0.25
10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long	DL80-3760			0.25
20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long	DL80-3761			0.25
30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long	DL80-3762			0.25
40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long	DL80-3763			0.25
50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long	DL80-3772			0.25
4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter	DL80-3768			0.25
3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm	DL80-3767			0.25
Wiring Harness for LED Light Bar - Suits 1 x Light Bar	DL80-3765			1.50
Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights	DL80-3766			1.50
2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3770K			0.25
3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3771K			0.25
Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.				
TOURING AND CAMPING EQUIPMENT				
^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room	CE80-3902			2.50*
^ # * Deluxe Roof Top Tent - Including Change Room	CE80-3924			2.50*
^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out	CE80-3904			0.75*
^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out	CE80-3937			0.75*
^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out	CE80-3934			0.75*
* Senu Awning - Covers over 10m ²	CE80-3903			0.75*
* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937	CE80-3972			0.75*
* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904	CE80-3970			0.75*
* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937	CE80-3973			0.75*
* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904	CE80-3971			0.75*
* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps	FF80-3944			0.50
*Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface ^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface. #Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.				

NISS-57A NISS-59AFITTING
(HOURS)

***Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.**

Suspension Kit - *Leaf Spring, Medium Duty*
 Suspension Kit - *Leaf Spring, Heavy Duty*
 Suspension Kit - *Coil Spring, No Load*
 Suspension Kit - *Coil Spring, Up to 450Kg Constant Rear Load*

Drawer System

Drawer System Side Wing Kit

ACCESSORIES

NISSAN

NISS-57A NISS-59A



TYPE: Patrol
MODEL: GQ (Y60)
YEAR: 1988 - 05/1999
DETAIL: Pickup / Utility
 Leaf Spring Suspension Models
 Coil Spring Suspension Models



ACCESSORY	PART NUMBER	COST EXCL GST	RRP INCL GST	FITTING (HOURS)
-----------	-------------	---------------	--------------	-----------------

DUAL BATTERY KIT				
Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3830			1.50
Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3838			1.50
Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)	EA80-3833			0.75

MULTI-FIT BATTERY TRAY (UNDER TRAY STYLE)				
Universal To Suit 120ah Battery (Up to 330mm Long) - Requires 445mm x 175mm Mounting Area Under Tray & Hangs Down 320mm	BT80-3213			
Universal To Suit N70zz Battery - Requires 330mm x 320mm Mounting Area Under Tray & Hangs Down 250mm	BT80-3214			

LIGHTING				
7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter	DL80-3764K			0.25
10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long	DL80-3760			0.25
20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long	DL80-3761			0.25
30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long	DL80-3762			0.25
40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long	DL80-3763			0.25
50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long	DL80-3772			0.25
4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter	DL80-3768			0.25
3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm	DL80-3767			0.25
Wiring Harness for LED Light Bar - Suits 1 x Light Bar	DL80-3765			1.50
Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights	DL80-3766			1.50
2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3770K			0.25
3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3771K			0.25

Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.

TOURING AND CAMPING EQUIPMENT				
^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room	CE80-3902			2.50*
^ # * Deluxe Roof Top Tent - Including Change Room	CE80-3924			2.50*
^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out	CE80-3904			0.75*
^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out	CE80-3937			0.75*
^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out	CE80-3934			0.75*
* Senu Awning - Covers over 10m ²	CE80-3903			0.75*
* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937	CE80-3972			0.75*
* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904	CE80-3970			0.75*
* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937	CE80-3973			0.75*
* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904	CE80-3971			0.75*
* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps	FF80-3944			0.50

***Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface**
^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface.

#Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.



*Kit picture for illustration purposes only.

TYPE: Patrol
MODEL: GQ (Y60)
YEAR: 08/1987 - 1998
DETAIL: Wagon (SWB & LWB)



ACCESSORY

PART
NUMBERCOST
EXCL GSTRRP
INCL GSTFITTING
(HOURS)

ELECTRIC WINCHES - 12 VOLT

9,500lbs - Steel Cable	EW80-3814			1.00*
12,000lbs - Steel Cable	EW80-3815			1.00*
9,500lbs - Synthetic Rope	EW80-3814S			1.00*
12,000lbs - Synthetic Rope	EW80-3815S			1.00*

*Additional Winch Accessories Available - Refer to Page 33.

*Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.

SUSPENSION

Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code NISS-55 and NISS-56 when selecting suspension components & kits. Below are just a few items for pricing reference only.

Suspension Kit - Up to 100Kg Constant Rear Load				
Suspension Kit - Up to 450Kg Constant Rear Load				
Upgrade to MRR Shocks				

SNORKELS

Snorkel - Suits 4.2L, 3.0L Petrol	01/88-10/97 Left Hand Mount	SN45-3338		2.50
Snorkel - Suits 4.2L Diesel	01/88-10-97 (Vertical Pre-Cleaner) Left Hand Mount	SN45-3338		2.50

ACCESSORIES

NISSAN

NISS-55A NISS-56A



TYPE: Patrol
MODEL: GQ (Y60)
YEAR: 08/1987 - 1998
DETAIL: Wagon (SWB & LWB)



ACCESSORY

PART NUMBER

COST EXCL GST

RRP INCL GST

FITTING (HOURS)

STEEL ROOF RACKS

Steel Roof Rack - 1850mm x 1250mm	RR80-4101		1.50
Steel Roof Top Tent Rack - 1850mm x 1250mm	RR80-4104		1.50
Steel Roof Rack - 2200mm x 1250mm	RR80-4102		1.50
Steel Roof Top Tent Rack - 2200mm x 1250mm	RR80-4115		1.50
Bracket Kit for High Roof Models Only	RR80-4123		

DUAL BATTERY KIT

Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3830		1.50
Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3838		1.50
Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)	EA80-3833		0.75

LIGHTING

7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter	DL80-3764K		0.25
10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long	DL80-3760		0.25
20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long	DL80-3761		0.25
30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long	DL80-3762		0.25
40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long	DL80-3763		0.25
50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long	DL80-3772		0.25
4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter	DL80-3768		0.25
3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm	DL80-3767		0.25
Wiring Harness for LED Light Bar - Suits 1 x Light Bar	DL80-3765		1.50
Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights	DL80-3766		1.50
2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3770K		0.25
3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3771K		0.25

Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.

TOURING AND CAMPING EQUIPMENT

^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room	CE80-3902		2.50*
^ # * Deluxe Roof Top Tent - Including Change Room	CE80-3924		2.50*
^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out	CE80-3904		0.75*
^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out	CE80-3937		0.75*
^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out	CE80-3934		0.75*
* Senu Awning - Covers over 10m ²	CE80-3903		0.75*
* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937	CE80-3972		0.75*
* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904	CE80-3970		0.75*
* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937	CE80-3973		0.75*
* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904	CE80-3971		0.75*
* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps	FF80-3944		0.50

***Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface**
^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface.

#Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.



*Kit picture for illustration purposes only.

TYPE: Patrol

MODEL: GU Series 1,2,3 (Y61)

YEAR: 1998 - 2006

DETAIL: Ute, Pickup
Front Coil/Rear Leaf Spring Suspension
Coil Spring Suspension



ACCESSORY

**PART
NUMBER**

**COST
EXCL GST**

**RRP
INCL GST**

**FITTING
(HOURS)**

STEEL BULLBARS (WINCH, AIRBAG COMPATIBLE)

Classic Black - Coil Spring Models Only, centre under protection only.

F

BU45-3519

3.00

Classic Black Deluxe - Coil Spring Models Only, centre under protection only.

F

BU45-3690

3.00*

Stainless Loop Deluxe - Coil Spring Models Only, centre under protection only.

F

BU45-3669

3.00*

***Vehicles not Fitted with OE Fog Lights will Require an Extra 0.75 Hours.**

ELECTRIC WINCHES - 12 VOLT

9,500lbs - Steel Cable

EW80-3814

1.00*

12,000lbs - Steel Cable

EW80-3815

1.00*

9,500lbs - Synthetic Rope

EW80-3814S

1.00*

12,000lbs - Synthetic Rope

EW80-3815S

1.00*

***Additional Winch Accessories Available - Refer to Page 33.**

***Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.**

SUSPENSION

Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code NISS-63 and NISS-64 when selecting suspension components & kits. Below are just a few items for pricing reference only.

Suspension Kit - Leaf Spring, Up to 300Kg Constant Rear Load

Suspension Kit - Leaf Spring, Up to 650Kg Constant Rear Load

Suspension Kit - Coil Spring, No Load

Suspension Kit - Coil Spring, Constant Load

Upgrade to MRR Shocks (Coil Spring Only)

SNORKELS

Snorkel - Suits 4.2L Diesel

Left Hand Mount

SN45-3348

3.00

Snorkel - Suits 4.2L Td Diesel

Left Hand Mount

SN45-3343

3.00

REAR DRAWER SYSTEM

Drawer System

1.00

Drawer System Side Wing Kit

1.00



TYPE: Patrol
MODEL: GU Series 1,2,3 (Y61)
YEAR: 1998 - 2006
DETAIL: Ute, Pickup
 Front Coil/Rear Leaf Spring Suspension
 Coil Spring Suspension



ACCESSORY	PART NUMBER	COST EXCL GST	RRP INCL GST	FITTING (HOURS)
-----------	-------------	---------------	--------------	-----------------

DUAL BATTERY KIT

Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3830			1.50
Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3838			1.50
Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)	EA80-3833			0.75
*Auxiliary Battery Tray - 4.2L T/D & 3.0L T/D Only LHC Engine Bay	BT45-3207			0.75

*Battery Tray Suits 12" N70zz Battery Size.

MULTI-FIT BATTERY TRAY (UNDER TRAY STYLE)

Universal To Suit 120ah Battery (Up to 330mm Long) - Requires 445mm x 175mm Mounting Area Under Tray & Hangs Down 320mm	BT80-3213			
Universal To Suit N70zz Battery - Requires 330mm x 320mm Mounting Area Under Tray & Hangs Down 250mm	BT80-3214			

LIGHTING

7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter	DL80-3764K			0.25
10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long	DL80-3760			0.25
20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long	DL80-3761			0.25
30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long	DL80-3762			0.25
40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long	DL80-3763			0.25
50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long	DL80-3772			0.25
4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter	DL80-3768			0.25
3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm	DL80-3767			0.25
Wiring Harness for LED Light Bar - Suits 1 x Light Bar	DL80-3765			1.50
Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights	DL80-3766			1.50
2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3770K			0.25
3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3771K			0.25

Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.

TOURING AND CAMPING EQUIPMENT

^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room	CE80-3902			2.50*
^ # * Deluxe Roof Top Tent - Including Change Room	CE80-3924			2.50*
^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out	CE80-3904			0.75*
^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out	CE80-3937			0.75*
^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out	CE80-3934			0.75*
* Senu Awning - Covers over 10m ²	CE80-3903			0.75*
* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937	CE80-3972			0.75*
* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904	CE80-3970			0.75*
* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937	CE80-3973			0.75*
* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904	CE80-3971			0.75*
* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps	FF80-3944			0.50

*Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface

^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface.

#Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.



*Kit picture for illustration purposes only.

TYPE: Patrol

MODEL: GU Series 4 (Y61)

YEAR: 2006 on

DETAIL: Ute, Pickup
Front Coil/Rear Leaf Spring Suspension
Coil Spring Suspension



ACCESSORY

**PART
NUMBER**

**COST
EXCL GST**

**RRP
INCL GST**

**FITTING
(HOURS)**

STEEL BULLBARS (WINCH, AIRBAG COMPATIBLE)

Classic Black - Coil Spring Models Only, centre under protection only.

F

BU45-3505

3.00

Classic Black Deluxe - Coil Spring Models Only, centre under protection only.

F

BU45-3691

3.00*

Stainless Loop Deluxe - Coil Spring Models Only, centre under protection only.

F

BU45-3655

3.00*

***Vehicles not Fitted with OE Fog Lights will Require an Extra 0.75 Hours.**

ELECTRIC WINCHES - 12 VOLT

9,500lbs - Steel Cable

EW80-3814

1.00*

12,000lbs - Steel Cable

EW80-3815

1.00*

9,500lbs - Synthetic Rope

EW80-3814S

1.00*

12,000lbs - Synthetic Rope

EW80-3815S

1.00*

***Additional Winch Accessories Available - Refer to Page 33.**

***Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.**

SUSPENSION

Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code NISS-63 and NISS-64 when selecting suspension components & kits. Below are just a few items for pricing reference only.

Suspension Kit - Leaf Spring, Up to 300Kg Constant Rear Load

Suspension Kit - Leaf Spring, Up to 650Kg Constant Rear Load

Suspension Kit - Coil Spring, No Load

Suspension Kit - Coil Spring, Constant Load

Upgrade to MRR Shocks

SNORKELS

Snorkel - Suits 3.0L Td Diesel

Left Hand Mount

SN45-3401

3.00



TYPE: Patrol
MODEL: GU Series 4 (Y61)
YEAR: 2006 on
DETAIL: Ute, Pickup
 Front Coil/Rear Leaf Spring Suspension
 Coil Spring Suspension



ACCESSORY	PART NUMBER	COST EXCL GST	RRP INCL GST	FITTING (HOURS)
-----------	-------------	---------------	--------------	-----------------

DUAL BATTERY KIT

Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3830			1.50
Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3838			1.50
Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)	EA80-3833			0.75
*Auxiliary Battery Tray - 4.2L T/D & 3.0L T/D Only LHC Engine Bay	BT45-3207			0.75

***Battery Tray Suits 12" N70zz Battery Size.**

LIGHTING

7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter	DL80-3764K			0.25
10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long	DL80-3760			0.25
20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long	DL80-3761			0.25
30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long	DL80-3762			0.25
40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long	DL80-3763			0.25
50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long	DL80-3772			0.25
4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter	DL80-3768			0.25
3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm	DL80-3767			0.25
Wiring Harness for LED Light Bar - Suits 1 x Light Bar	DL80-3765			1.50
Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights	DL80-3766			1.50
2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3770K			0.25
3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3771K			0.25

Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.

TOURING AND CAMPING EQUIPMENT

^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room	CE80-3902			2.50*
^ # * Deluxe Roof Top Tent - Including Change Room	CE80-3924			2.50*
^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out	CE80-3904			0.75*
^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out	CE80-3937			0.75*
^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out	CE80-3934			0.75*
* Senu Awning - Covers over 10m ²	CE80-3903			0.75*
* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937	CE80-3972			0.75*
* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904	CE80-3970			0.75*
* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937	CE80-3973			0.75*
* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904	CE80-3971			0.75*
* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps	FF80-3944			0.50

***Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface**

^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface.

#Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.



*Kit picture for illustration purposes only.

TYPE: Patrol

MODEL: GU Series 1,2,3 (Y61)

YEAR: 1998 - 2004

DETAIL: SWB & LWB Wagon



ACCESSORY

**PART
NUMBER**

**COST
EXCL GST**

**RRP
INCL GST**

**FITTING
(HOURS)**

STEEL BULLBARS (WINCH, AIRBAG COMPATIBLE)

Classic Black - Centre Under Protection Only

F

BU45-3519

2.50

Classic Black Deluxe - Centre Under Protection Only

F

BU45-3690

2.50

Stainless Loop Deluxe - Centre Under Protection Only

F

BU45-3669

2.50

***Vehicles not Fitted with OE Fog Lights will Require an Extra 0.75 Hours.**

ELECTRIC WINCHES - 12 VOLT

9,500lbs - Steel Cable

EW80-3814

1.00*

12,000lbs - Steel Cable

EW80-3815

1.00*

9,500lbs - Synthetic Rope

EW80-3814S

1.00*

12,000lbs - Synthetic Rope

EW80-3815S

1.00*

***Additional Winch Accessories Available - Refer to Page 33.**

***Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.**

STEEL SIDE STEPS & RAILS

Steel Side Steps - LWB Model Only - Excludes Models fitted with factory rear air-conditioning unit

SS45-110

1.00

Steel Side Steps & Side Rails - LWB Model Only - Excludes Models fitted with factory rear air-conditioning unit

SR45-159

2.00

SUSPENSION

Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code NISS-62 when selecting suspension components & kits. Below are just a few items for pricing reference only.

Suspension Kit

Upgrade to MRR Shocks

SNORKELS

Snorkel - (Series 1) Suits 2.8L Td, 4.2L Td Diesel & 4.5L Petrol 11/97 - 03/00 Left Hand Mount

SN45-3348

3.00

Snorkel - (Series 2,3) Suits 3.0L Td, 4.2L Td Diesel 04/00 - 08/04 Left Hand Mount

SN45-3343

3.00

Snorkel - (Series 2,3) Suits 4.8L Petrol 04/00 - 08/04 Left Hand Mount

SN45-3348

3.00

REAR DRAWER SYSTEM

Drawer System

RD80-1000

Drawer System Side Wing Kit

DW45-016K



TYPE: Patrol
MODEL: GU Series 1,2,3 (Y61)
YEAR: 1998 - 2004
DETAIL: SWB & LWB Wagon



ACCESSORY

PART
NUMBERCOST
EXCL GSTRRP
INCL GSTFITTING
(HOURS)

STEEL ROOF RACKS

Steel Roof Rack - 1850mm x 1250mm	RR80-4101		1.50
Steel Roof Top Tent Rack - 1850mm x 1250mm	RR80-4104		1.50
Steel Roof Rack - 2200mm x 1250mm	RR80-4102		1.50
Steel Roof Top Tent Rack - 2200mm x 1250mm	RR80-4115		1.50

DUAL BATTERY KIT

Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3830		1.50
Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3838		1.50
Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)	EA80-3833		0.75
*Auxiliary Battery Tray - 4.2L T/D & 3.0L T/D Only LHC Engine Bay	BT45-3207		0.75

LIGHTING

7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter	DL80-3764K		0.25
10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long	DL80-3760		0.25
20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long	DL80-3761		0.25
30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long	DL80-3762		0.25
40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long	DL80-3763		0.25
50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long	DL80-3772		0.25
4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter	DL80-3768		0.25
3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm	DL80-3767		0.25
Wiring Harness for LED Light Bar - Suits 1 x Light Bar	DL80-3765		1.50
Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights	DL80-3766		1.50
2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3770K		0.25
3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3771K		0.25

Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.

TOURING AND CAMPING EQUIPMENT

^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room	CE80-3902		2.50*
^ # * Deluxe Roof Top Tent - Including Change Room	CE80-3924		2.50*
^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out	CE80-3904		0.75*
^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out	CE80-3937		0.75*
^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out	CE80-3934		0.75*
* Senu Awning - Covers over 10m ²	CE80-3903		0.75*
* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937	CE80-3972		0.75*
* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904	CE80-3970		0.75*
* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937	CE80-3973		0.75*
* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904	CE80-3971		0.75*
* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps	FF80-3944		0.50

***Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface**
^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface.

#Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.



*Kit picture for illustration purposes only.

TYPE: Patrol

MODEL: GU Series 4 on (Y61)

YEAR: 09/2004 on

DETAIL: SWB & LWB Wagon



ACCESSORY

**PART
NUMBER**

**COST
EXCL GST**

**RRP
INCL GST**

**FITTING
(HOURS)**

STEEL BULLBARS (WINCH, AIRBAG COMPATIBLE)

Classic Black - Centre Under Protection Only

F

BU45-3505

2.50

Classic Black Deluxe - Centre Under Protection Only

F

BU45-3691

2.50

Stainless Loop Deluxe - Centre Under Protection Only

F

BU45-3655

2.50

***Vehicles not Fitted with OE Fog Lights will Require an Extra 0.75 Hours.**

ELECTRIC WINCHES - 12 VOLT

9,500lbs - Steel Cable

EW80-3814

1.00*

12,000lbs - Steel Cable

EW80-3815

1.00*

9,500lbs - Synthetic Rope

EW80-3814S

1.00*

12,000lbs - Synthetic Rope

EW80-3815S

1.00*

***Additional Winch Accessories Available - Refer to Page 33.**

***Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.**

STEEL SIDE STEPS & RAILS

Steel Side Steps

(Excludes Models Fitted with Factory Rear Airconditioning Unit), LWB Models Only.

SS45-111

1.00

Steel Side Steps & Side Rails

(Excludes Models Fitted with Factory Rear Airconditioning Unit), LWB Models Only.

SR45-160

2.00

SUSPENSION

Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code NISS-72 when selecting suspension components & kits. Below are just a few items for pricing reference only.

Suspension Kit - No Load

Suspension Kit - Constant Load

Upgrade to MRR Shocks

SNORKELS

Snorkel - (Wagon Series 4) Suits 4.2L Tdi, 3.0L Tdi Diesel 09/04 on

Left Hand Mount

SN45-3401

3.00

Snorkel - (Wagon Series 4) Suits 4.8L Petrol 09/04 on

Left Hand Mount

SN45-3402

3.00

REAR DRAWER SYSTEM

Drawer System

RD80-1000

2.00

Drawer System Side Wing Kit

DW45-016K

2.00



TYPE: Patrol
MODEL: GU Series 4 on (Y61)
YEAR: 09/2004 on
DETAIL: SWB & LWB Wagon



ACCESSORY

PART
NUMBERCOST
EXCL GSTRRP
INCL GSTFITTING
(HOURS)

STEEL ROOF RACKS

Steel Roof Rack - 1850mm x 1250mm	RR80-4101		1.50
Steel Roof Top Tent Rack - 1850mm x 1250mm	RR80-4104		1.50
Steel Roof Rack - 2200mm x 1250mm	RR80-4102		1.50
Steel Roof Top Tent Rack - 2200mm x 1250mm	RR80-4115		1.50

DUAL BATTERY KIT

Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3830		1.50
Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3838		1.50
Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)	EA80-3833		0.75
*Auxiliary Battery Tray - 4.2L T/D & 3.0L T/D Only LHC Engine Bay	BT45-3207		0.50

***Battery Tray Suits 12" N70zz Battery Size.**

LIGHTING

7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter	DL80-3764K		0.25
10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long	DL80-3760		0.25
20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long	DL80-3761		0.25
30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long	DL80-3762		0.25
40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long	DL80-3763		0.25
50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long	DL80-3772		0.25
4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter	DL80-3768		0.25
3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm	DL80-3767		0.25
Wiring Harness for LED Light Bar - Suits 1 x Light Bar	DL80-3765		1.50
Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights	DL80-3766		1.50
2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3770K		0.25
3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3771K		0.25

Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.

TOURING AND CAMPING EQUIPMENT

^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room	CE80-3902		2.50*
^ # * Deluxe Roof Top Tent - Including Change Room	CE80-3924		2.50*
^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out	CE80-3904		0.75*
^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out	CE80-3937		0.75*
^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out	CE80-3934		0.75*
* Senu Awning - Covers over 10m ²	CE80-3903		0.75*
* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937	CE80-3972		0.75*
* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904	CE80-3970		0.75*
* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937	CE80-3973		0.75*
* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904	CE80-3971		0.75*
* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps	FF80-3944		0.50

***Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface**

^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface.

#Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.

ACCESSORIES

NISSAN

NISS-74A



*Kit picture for illustration purposes only.

TYPE: Patrol
MODEL: Y62
YEAR: 2010 on
DETAIL: LWB Wagon
 5.6L V8 Petrol



Does Not Suit Vehicles with Hydraulic Body Motion Control System

ACCESSORY

PART
NUMBER

COST
EXCL GST

RRP
INCL GST

FITTING
(HOURS)

STEEL BULLBARS (WINCH, AIRBAG COMPATIBLE)

Stainless Loop Deluxe - Excludes TI-L Model

BU45-3673

4.00

*Vehicles not Fitted with OE Fog Lights will Require an Extra 0.75 Hours.

ELECTRIC WINCHES - 12 VOLT

9,500lbs - Steel Cable

EW80-3814

1.00*

12,000lbs - Steel Cable

EW80-3815

1.00*

9,500lbs - Synthetic Rope

EW80-3814S

1.00*

12,000lbs - Synthetic Rope

EW80-3815S

1.00*

*Additional Winch Accessories Available - Refer to Page 33.

*Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.

SUSPENSION

Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code NISS-74 when selecting suspension components & kits. Below are just a few items for pricing reference only.

Suspension Kit - 250 - 350Kg Constant Rear Load

(Approx 45mm Lift)

Upgrade to Monster Shocks

ACCESSORIES

NISSAN

NISS-74A



TYPE: Patrol
MODEL: Y62
YEAR: 2010 on
DETAIL: LWB Wagon
 5.6L V8 Petrol



Does Not Suit Vehicles with Hydraulic Body Motion Control System

ACCESSORY

PART NUMBER

COST EXCL GST

RRP INCL GST

FITTING (HOURS)

DUAL BATTERY KIT

Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3830			1.50
Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3838			1.50
Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)	EA80-3833			0.75

LIGHTING

7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter	DL80-3764K			0.25
10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long	DL80-3760			0.25
20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long	DL80-3761			0.25
30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long	DL80-3762			0.25
40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long	DL80-3763			0.25
50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long	DL80-3772			0.25
4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter	DL80-3768			0.25
3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm	DL80-3767			0.25
Wiring Harness for LED Light Bar - Suits 1 x Light Bar	DL80-3765			1.50
Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights	DL80-3766			1.50
2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3770K			0.25
3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3771K			0.25

Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.

TOURING AND CAMPING EQUIPMENT

^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room	CE80-3902			2.50*
^ # * Deluxe Roof Top Tent - Including Change Room	CE80-3924			2.50*
^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out	CE80-3904			0.75*
^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out	CE80-3937			0.75*
^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out	CE80-3934			0.75*
* Sensu Awning - Covers over 10m ²	CE80-3903			0.75*
* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937	CE80-3972			0.75*
* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904	CE80-3970			0.75*
* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937	CE80-3973			0.75*
* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904	CE80-3971			0.75*
* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps	FF80-3944			0.50

***Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface
 ^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface.**

#Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.



*Kit picture for illustration purposes only.

TYPE: Hilux

MODEL: N16, N17

YEAR: 10/1997 - 2005

DETAIL: Single Cab, Dual Cab, Extra Cab
Independent Front Suspension



ACCESSORY

**PART
NUMBER**

**COST
EXCL GST**

**RRP
INCL GST**

**FITTING
(HOURS)**

STEEL BULLBARS (WINCH, AIRBAG COMPATIBLE)

Classic Black - Suits 4x4, Excludes Under Protection Kit

F

BU59-3521

3.00

*Vehicles not Fitted with OE Fog Lights will Require an Extra 0.75 Hours.

ELECTRIC WINCHES - 12 VOLT

9,500lbs - Steel Cable

EW80-3814

1.00*

12,000lbs - Steel Cable

EW80-3815

1.00*

9,500lbs - Synthetic Rope

EW80-3814S

1.00*

12,000lbs - Synthetic Rope

EW80-3815S

1.00*

*Additional Winch Accessories Available - Refer to Page 33.

*Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.

SUSPENSION

Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code TOY-73 when selecting suspension components & kits. Below are just a few items for pricing reference only.

Suspension Kit - 100Kg Constant Rear Load

(Approx 50mm Lift)

Suspension Kit - 200Kg Constant Rear Load

(Approx 50mm Lift)

ACCESSORIES

TOYOTA

TOY-73A



TYPE: Hilux
MODEL: N16, N17
YEAR: 10/1997 - 2005
DETAIL: Single Cab, Dual Cab, Extra Cab
 Independent Front Suspension



ACCESSORY

PART NUMBER

COST EXCL GST

RRP INCL GST

FITTING (HOURS)

STEEL ROOF RACKS

Steel Roof Rack - 1500mm x 1250mm	RR80-4100		1.50*
Steel Roof Top Tent Rack - 1500mm x 1250mm	RR80-4103		1.50*

***Universal Fitting Kit Supplied With Roof Racks For Canopy Mounting Only - May Require Additional Bracket Fabrication & Canopy Reinforcement.**

DUAL BATTERY KIT

Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3830		1.50
Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3838		1.50
Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)	EA80-3833		0.75

MULTI-FIT BATTERY TRAY (UNDER TRAY STYLE)

Universal To Suit 120ah Battery (Up to 330mm Long) - Requires 445mm x 175mm Mounting Area Under Tray & Hangs Down 320mm	BT80-3213		
Universal To Suit N70zz Battery - Requires 330mm x 320mm Mounting Area Under Tray & Hangs Down 250mm	BT80-3214		

LIGHTING

7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter	DL80-3764K		0.25
10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long	DL80-3760		0.25
20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long	DL80-3761		0.25
30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long	DL80-3762		0.25
40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long	DL80-3763		0.25
50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long	DL80-3772		0.25
4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter	DL80-3768		0.25
3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm	DL80-3767		0.25
Wiring Harness for LED Light Bar - Suits 1 x Light Bar	DL80-3765		1.50
Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights	DL80-3766		1.50
2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3770K		0.25
3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3771K		0.25


Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.

TOURING AND CAMPING EQUIPMENT

^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room	CE80-3902		2.50*
^ # * Deluxe Roof Top Tent - Including Change Room	CE80-3924		2.50*
^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out	CE80-3904		0.75*
^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out	CE80-3937		0.75*
^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out	CE80-3934		0.75*
* Senu Awning - Covers over 10m ²	CE80-3903		0.75*
* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937	CE80-3972		0.75*
* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904	CE80-3970		0.75*
* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937	CE80-3973		0.75*
* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904	CE80-3971		0.75*
* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps	FF80-3944		0.50

***Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface**
^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface.

#Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.



*Kit picture for illustration purposes only.

TYPE: Hilux

MODEL: Vigo (N25, N26)

YEAR: 04/2005 - 08/2011

DETAIL: 4x4 Only - Initial Release



ACCESSORY

**PART
NUMBER**

**COST
EXCL GST**

**RRP
INCL GST**

**FITTING
(HOURS)**

STEEL BULLBARS (WINCH, AIRBAG COMPATIBLE)

Classic Black - *Suits 4x4*

F

BU59-3510

3.00

Stainless Loop Deluxe - *Suits 4x4*

F

BU59-3660

3.00*

***Vehicles not Fitted with OE Fog Lights will Require an Extra 0.75 Hours.**

ELECTRIC WINCHES - 12 VOLT

9,500lbs - *Steel Cable*

EW80-3814

1.00*

12,000lbs - *Steel Cable*

EW80-3815

1.00*

9,500lbs - *Synthetic Rope*

EW80-3814S

1.00*

12,000lbs - *Synthetic Rope*

EW80-3815S

1.00*

***Additional Winch Accessories Available - Refer to Page 33.**

***Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.**

STEEL SIDE STEPS & RAILS

Steel Side Steps - *Dual Cab Suits 4x4 & 4x2*

SS59-117

1.00

Steel Side Steps & Side Rails - *Dual Cab Suits 4x4 & 4x2*

SR59-166

2.00

SUSPENSION

Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code TOY-84 when selecting suspension components & kits. Below are just a few items for pricing reference only.

Suspension Kit - *Up to 280Kg Constant Rear Load*

Suspension Kit - *Up to 450Kg Constant Rear Load*

Upgrade to MRR Shocks

SNORKELS

Snorkel - *Suits 3.0L & 2.5L Tdi Diesel*

Right Hand Mount

SN59-3367

2.50

Snorkel - *Suits 4.0L V6 Petrol*

Right Hand Mount

SN59-3368

2.50

STEEL CANOPY

Steel Canopy (Sliding Windows) - *Dual Cab Suits 4x4*

CY59-3109

2.50*

Steel Canopy (Lift-Up Windows) - *Dual Cab Suits 4x4*

CY59-3159

2.50*

***Some Vehicles May Require Additional Fitting Time For Wiring.**

REAR DRAWER SYSTEM

Drawer System

RD80-1300

1.00

Drawer System Side Wing Kit

DW59-021K

1.00

ACCESSORIES

TOYOTA

TOY-84A



TYPE: Hilux
MODEL: Vigo (N25, N26)
YEAR: 04/2005 - 08/2011
DETAIL: 4x4 Only - Initial Release



ACCESSORY

PART NUMBER

COST EXCL GST

RRP INCL GST

FITTING (HOURS)

STEEL ROOF RACKS

Steel Roof Rack - 1500mm x 1250mm	RR80-4100		1.50*
Steel Roof Top Tent Rack - 1500mm x 1250mm	RR80-4103		1.50*

***Universal Fitting Kit Supplied With Roof Racks For Canopy Mounting Only - May Require Additional Bracket Fabrication & Canopy Reinforcement.**

DUAL BATTERY KIT

Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3830		1.50
Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3838		1.50
Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)	EA80-3833		0.75
*Auxillary Battery Tray LHR Engine Bay	BT59-3208		0.50

***Battery Tray Suits 12" N70zz Battery Size.**

MULTI-FIT BATTERY TRAY (UNDER TRAY STYLE)

Universal To Suit 120ah Battery (Up to 330mm Long) - Requires 445mm x 175mm Mounting Area Under Tray & Hangs Down 320mm	BT80-3213		
Universal To Suit N70zz Battery - Requires 330mm x 320mm Mounting Area Under Tray & Hangs Down 250mm	BT80-3214		

LIGHTING

7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter	DL80-3764K		0.25
10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long	DL80-3760		0.25
20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long	DL80-3761		0.25
30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long	DL80-3762		0.25
40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long	DL80-3763		0.25
50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long	DL80-3772		0.25
4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter	DL80-3768		0.25
3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm	DL80-3767		0.25
Wiring Harness for LED Light Bar - Suits 1 x Light Bar	DL80-3765		1.50
Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights	DL80-3766		1.50
2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3770K		0.25
3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3771K		0.25

Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.


TOURING AND CAMPING EQUIPMENT

^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room	CE80-3902		2.50*
^ # * Deluxe Roof Top Tent - Including Change Room	CE80-3924		2.50*
^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out	CE80-3904		0.75*
^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out	CE80-3937		0.75*
^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out	CE80-3934		0.75*
* Senu Awning - Covers over 10m ²	CE80-3903		0.75*
* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937	CE80-3972		0.75*
* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904	CE80-3970		0.75*
* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937	CE80-3973		0.75*
* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904	CE80-3971		0.75*
* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps	FF80-3944		0.50

***Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface**

^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface.

#Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.



*Kit picture for illustration purposes only.

TYPE: Hilux

MODEL: Vigo (N25, N26)

YEAR: 09/2011 to 06/2015

DETAIL: 4x4 Only - Facelift Models



ACCESSORY		PART NUMBER	COST EXCL GST	RRP INCL GST	FITTING (HOURS)
STEEL BULLBARS (WINCH, AIRBAG COMPATIBLE)					
Classic Black - Suits 4x4	F	BU59-3527			3.00
Classic Black Deluxe - Suits 4x4	F	BU59-3695			3.00*
Stainless Loop Deluxe - Suits 4x4	F	BU59-3679			3.00*
*Vehicles not Fitted with OE Fog Lights will Require an Extra 0.75 Hours.					
ELECTRIC WINCHES - 12 VOLT					
9,500lbs - Steel Cable		EW80-3814			1.00*
12,000lbs - Steel Cable		EW80-3815			1.00*
9,500lbs - Synthetic Rope		EW80-3814S			1.00*
12,000lbs - Synthetic Rope		EW80-3815S			1.00*
*Additional Winch Accessories Available - Refer to Page 33. *Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.					
STEEL SIDE STEPS & RAILS					
Steel Side Steps - Dual Cab Suits 4x4		SS59-117			1.00
Steel Side Steps & Side Rails - Dual Cab Suits 4x4		SR59-166			2.00
SUSPENSION					
Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code TOY-84 when selecting suspension components & kits. Below are just a few items for pricing reference only.					
Suspension Kit - Up to 280Kg Constant Rear Load					
Suspension Kit - Up to 450Kg Constant Rear Load					
Upgrade to MRR Shocks					
SNORKELS					
Snorkel - Suits 3.0L & 2.5L Tdi Diesel	Right Hand Mount	SN59-3367			2.50
Snorkel - Suits 4.0L V6 Petrol	Right Hand Mount	SN59-3368			2.50
STEEL CANOPY					
Steel Canopy (Sliding Windows) - Dual Cab Suits 4x4 & 4x2		CY59-3109			2.50*
Steel Canopy (Lift-Up Windows) - Dual Cab Suits 4x4 & 4x2		CY59-3159			2.50*
*Some Vehicles May Require Additional Fitting Time For Wiring.					
REAR DRAWER SYSTEM					
Drawer System		RD80-1300			1.00
Drawer System Side Wing Kit		DW59-021K			1.00

ACCESSORIES

TOYOTA

TOY-84B



TYPE: Hilux
MODEL: Vigo (N25, N26)
YEAR: 09/2011 to 06/2015
DETAIL: 4x4 Only - Facelift Models



ACCESSORY

STEEL ROOF RACKS

Steel Roof Rack - 1500mm x 1250mm	RR80-4100		1.50*
Steel Roof Top Tent Rack - 1500mm x 1250mm	RR80-4103		1.50*

***Universal Fitting Kit Supplied With Roof Racks For Canopy Mounting Only - May Require Additional Bracket Fabrication & Canopy Reinforcement.**

DUAL BATTERY KIT

Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3830		1.50
Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3838		1.50
Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)	EA80-3833		0.75
*Auxillary Battery Tray LHR Engine Bay	BT59-3208		0.50

***Battery Tray Suits 12" N70zz Battery Size.**

MULTI-FIT BATTERY TRAY (UNDER TRAY STYLE)

Universal To Suit 120ah Battery (Up to 330mm Long) - Requires 445mm x 175mm Mounting Area Under Tray & Hangs Down 320mm	BT80-3213		
Universal To Suit N70zz Battery - Requires 330mm x 320mm Mounting Area Under Tray & Hangs Down 250mm	BT80-3214		

LIGHTING

7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter	DL80-3764K		0.25
10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long	DL80-3760		0.25
20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long	DL80-3761		0.25
30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long	DL80-3762		0.25
40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long	DL80-3763		0.25
50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long	DL80-3772		0.25
4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter	DL80-3768		0.25
3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm	DL80-3767		0.25
Wiring Harness for LED Light Bar - Suits 1 x Light Bar	DL80-3765		1.50
Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights	DL80-3766		1.50
2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3770K		0.25
3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3771K		0.25


Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.

TOURING AND CAMPING EQUIPMENT

^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room	CE80-3902		2.50*
^ # * Deluxe Roof Top Tent - Including Change Room	CE80-3924		2.50*
^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out	CE80-3904		0.75*
^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out	CE80-3937		0.75*
^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out	CE80-3934		0.75*
* Senu Awning - Covers over 10m ²	CE80-3903		0.75*
* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937	CE80-3972		0.75*
* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904	CE80-3970		0.75*
* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937	CE80-3973		0.75*
* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904	CE80-3971		0.75*
* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps	FF80-3944		0.50

***Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface**
^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface.

#Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.



*Kit picture for illustration purposes only.

TYPE: Hilux - Revo
MODEL: N125, N126
YEAR: 2015 on
DETAIL: 4x4 Only



ACCESSORY

PART
NUMBERCOST
EXCL GSTRRP
INCL GSTFITTING
(HOURS)

STEEL BULLBARS (WINCH, AIRBAG COMPATIBLE)

Suits Wide Body Models Only

Classic Black - Suits 4x4 *Wide Body Models Only*

F BU59-3541

3.00

Classic Black Deluxe - Suits 4x4 *Wide Body Models Only*

F BU59-3706

3.00*

Stainless Loop Deluxe - Suits 4x4 *Wide Body Models Only*

F BU59-3707

3.00*

*Vehicles not Fitted with OE Fog Lights will Require an Extra 0.75 Hours.

ELECTRIC WINCHES - 12 VOLT

9,500lbs - Steel Cable

EW80-3814

1.00*

12,000lbs - Steel Cable

EW80-3815

1.00*

9,500lbs - Synthetic Rope

EW80-3814S

1.00*

12,000lbs - Synthetic Rope

EW80-3815S

1.00*

*Additional Winch Accessories Available - Refer to Page 33.

*Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.

STEEL SIDE STEPS & RAILS

Steel Side Steps - Dual Cab Suits 4x4 & 4x2

SS59-123

1.00

Steel Side Steps & Side Rails - Dual Cab Suits 4x4 & 4x2

SR59-173

2.00

SUSPENSION

Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code TOY-116 when selecting suspension components & kits. Below are just a few items for pricing reference only.

Suspension Kit: Up to 100Kg's Constant Load Rear

Suspension Kit: Up to 300Kg's Constant Load Rear

Suspension Kit: Up to 580Kg's Constant Load Rear

Upgrade to MRR Kit



TYPE: Hilux - Revo
MODEL: N125, N126
YEAR: 2015 on
DETAIL: 4x4 Only



ACCESSORY

PART
NUMBERCOST
EXCL GSTRRP
INCL GSTFITTING
(HOURS)

STEEL ROOF RACKS

Steel Roof Rack - 1500mm x 1250mm

RR80-4100

1.50*

Steel Roof Top Tent Rack - 1500mm x 1250mm

RR80-4103

1.50*

***Universal Fitting Kit Supplied With Roof Racks For Canopy Mounting Only - May Require Additional Bracket Fabrication & Canopy Reinforcement.**

DUAL BATTERY KIT

Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)

EA80-3830

1.50

Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)

EA80-3838

1.50

Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)

EA80-3833

0.75

***Battery Tray Suits 12" N70zz Battery Size.**

MULTI-FIT BATTERY TRAY (UNDER TRAY STYLE)

Universal To Suit 120ah Battery (Up to 330mm Long) -
 Requires 445mm x 175mm Mounting Area Under Tray & Hangs Down 320mm

BT80-3213

Universal To Suit N70zz Battery -
 Requires 330mm x 320mm Mounting Area Under Tray & Hangs Down 250mm

BT80-3214

LIGHTING

7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter

DL80-3764K

0.25

10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long

DL80-3760

0.25

20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long

DL80-3761

0.25

30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long

DL80-3762

0.25

40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long

DL80-3763

0.25

50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long

DL80-3772

0.25

4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter

DL80-3768

0.25

3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm

DL80-3767

0.25

Wiring Harness for LED Light Bar - Suits 1 x Light Bar

DL80-3765

1.50

Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights

DL80-3766

1.50

2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting

DL80-3770K

0.25

3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting

DL80-3771K

0.25

Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.

TOURING AND CAMPING EQUIPMENT

^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room

CE80-3902

2.50*

^ # * Deluxe Roof Top Tent - Including Change Room

CE80-3924

2.50*

^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out

CE80-3904

0.75*

^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out

CE80-3937

0.75*

^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out

CE80-3934

0.75*

* Senu Awning - Covers over 10m²

CE80-3903

0.75*

* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937

CE80-3972

0.75*

* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904

CE80-3970

0.75*

* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937

CE80-3973

0.75*

* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904

CE80-3971

0.75*

* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps


FF80-3944

0.50

***Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface**

^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface.

#Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.



*Kit picture for illustration purposes only.

TYPE: Fortuner
MODEL: N160, N156
YEAR: 07/2015 on
DETAIL: 4x4 Only



ACCESSORY

PART
NUMBERCOST
EXCL GSTRRP
INCL GSTFITTING
(HOURS)

STEEL BULLBARS (WINCH, AIRBAG COMPATIBLE)

Classic Black - Suits 4x4 & 4x2

F

B

BU59-3546

3.50

Classic Black Deluxe - Suits 4x4 & 4x2

F

B

BU59-3713

3.50*

Stainless Loop Deluxe - Suits 4x4 & 4x2

F

B

BU59-3717

3.50*

*Vehicles not Fitted with OE Fog Lights will Require an Extra 0.75 Hours

ELECTRIC WINCHES - 12 VOLT

9,500lbs - Steel Cable

EW80-3814

1.00*

12,000lbs - Steel Cable

EW80-3815

1.00*

9,500lbs - Synthetic Rope

EW80-3814S

1.00*

12,000lbs - Synthetic Rope

EW80-3815S

1.00*

*Additional Winch Accessories Available - Refer to Page 33.

*Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar

SUSPENSION

Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code TOY-86 when selecting suspension components & kits. Below are just a few items for pricing reference only.

Suspension Kit



TYPE: Fortuner
MODEL: N160, N156
YEAR: 07/2015 on
DETAIL: 4x4 Only




ACCESSORY	PART NUMBER	COST EXCL GST	RRP INCL GST	FITTING (HOURS)
LIGHTING				
7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter	DL80-3764K			0.25
10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long	DL80-3760			0.25
20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long	DL80-3761			0.25
30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long	DL80-3762			0.25
40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long	DL80-3763			0.25
50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long	DL80-3772			0.25
4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter	DL80-3768			0.25
3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm	DL80-3767			0.25
Wiring Harness for LED Light Bar - Suits 1 x Light Bar	DL80-3765			1.50
Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights	DL80-3766			1.50
2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3770K			0.25
3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3771K			0.25
Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.				

TOURING AND CAMPING EQUIPMENT				
^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room	CE80-3902			2.50*
^ # * Deluxe Roof Top Tent - Including Change Room	CE80-3924			2.50*
^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out	CE80-3904			0.75*
^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out	CE80-3937			0.75*
^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out	CE80-3934			0.75*
* Senu Awning - Covers over 10m ²	CE80-3903			0.75*
* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937	CE80-3972			0.75*
* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904	CE80-3970			0.75*
* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937	CE80-3973			0.75*
* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904	CE80-3971			0.75*
* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps	FF80-3944			0.50

***Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface**
^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface.

#Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.



*Kit picture for illustration purposes only.

TYPE: Landcruiser
MODEL: 60 Series
YEAR: 1980 - 1990
DETAIL: Station Wagon



ACCESSORY

PART
NUMBERCOST
EXCL GSTRRP
INCL GSTFITTING
(HOURS)

ELECTRIC WINCHES - 12 VOLT

9,500lbs - Steel Cable	EW80-3814			1.00*
12,000lbs - Steel Cable	EW80-3815			1.00*
9,500lbs - Synthetic Rope	EW80-3814S			1.00*
12,000lbs - Synthetic Rope	EW80-3815S			1.00*

*Additional Winch Accessories Available - Refer to Page 33.

*Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.

SUSPENSION

Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code TOY-55 when selecting suspension components & kits. Below are just a few items for pricing reference only.

Suspension Kit	(Approx 50mm Lift)			
Suspension Kit - Up to 300Kg Constant Rear Load	(Approx 45mm Lift)			



TYPE: Landcruiser
MODEL: 60 Series
YEAR: 1980 - 1990
DETAIL: Station Wagon



ACCESSORY

PART
NUMBERCOST
EXCL GSTRRP
INCL GSTFITTING
(HOURS)

STEEL ROOF RACKS

Steel Roof Rack - 1850mm x 1250mm	RR80-4101		1.50
Steel Roof Top Tent Rack - 1850mm x 1250mm	RR80-4104		1.50
Steel Roof Rack - 2200mm x 1250mm	RR80-4102		1.50
Steel Roof Top Tent Rack - 2200mm x 1250mm	RR80-4115		1.50

DUAL BATTERY KIT

Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3830		1.50
Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3838		1.50
Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)	EA80-3833		0.75

LIGHTING

7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter	DL80-3764K		0.25
10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long	DL80-3760		0.25
20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long	DL80-3761		0.25
30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long	DL80-3762		0.25
40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long	DL80-3763		0.25
50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long	DL80-3772		0.25
4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter	DL80-3768		0.25
3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm	DL80-3767		0.25
Wiring Harness for LED Light Bar - Suits 1 x Light Bar	DL80-3765		1.50
Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights	DL80-3766		1.50
2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3770K		0.25
3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3771K		0.25

Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.


TOURING AND CAMPING EQUIPMENT

^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room	CE80-3902		2.50*
^ # * Deluxe Roof Top Tent - Including Change Room	CE80-3924		2.50*
^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out	CE80-3904		0.75*
^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out	CE80-3937		0.75*
^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out	CE80-3934		0.75*
* Senu Awning - Covers over 10m ²	CE80-3903		0.75*
* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937	CE80-3972		0.75*
* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904	CE80-3970		0.75*
* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937	CE80-3973		0.75*
* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904	CE80-3971		0.75*
* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps	FF80-3944		0.50

***Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface**

^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface.

#Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.



*Kit picture for illustration purposes only.

TYPE: Landcruiser

MODEL: 70 Series

YEAR: 1984 - 2007

DETAIL:



ACCESSORY

**PART
NUMBER**

**COST
EXCL GST**

**RRP
INCL GST**

**FITTING
(HOURS)**

STEEL BULLBARS (WINCH, AIRBAG COMPATIBLE)

Classic Black

BU59-3515

2.00

***Vehicles not Fitted with OE Fog Lights will Require an Extra 0.75 Hours.**

ELECTRIC WINCHES - 12 VOLT

9,500lbs - Steel Cable

EW80-3814

1.00*

12,000lbs - Steel Cable

EW80-3815

1.00*

9,500lbs - Synthetic Rope

EW80-3814S

1.00*

12,000lbs - Synthetic Rope

EW80-3815S

1.00*

***Additional Winch Accessories Available - Refer to Page 33.**

***Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.**

SUSPENSION

Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code TOY-58, TOY-67, TOY-57, TOY-66, TOY-64 and TOY-65 when selecting suspension components & kits. Below are just a few items for pricing reference only.

Suspension Kit - 300Kg Constant Load

75 Series Troop Carrier

Suspension Kit - 300Kg Constant Load

75 Series Ute/Pickup

Suspension Kit - 150Kg Constant Load

70/71/73/74 Mid Wheel Base

Suspension Kit - Coil Suspension

Bundera (11/1984 - 12/1989)

Suspension Kit - Coil Suspension

Bundera (01/1990 - 05/1993)

SNORKELS

Snorkel - Suits 4.0L Diesel & 4.0L Petrol (Narrow Front)

Right Hand Mount

SN59-3374*

*Does Not Replace Genuine Toyota Snorkel

Snorkel - Suits 4.2L 1HZ Diesel (Narrow Front)

Right Hand Mount

SN59-3375*


*Does Not Replace Genuine Toyota Snorkel



TYPE: Landcruiser
MODEL: 70 Series
YEAR: 1984 - 2007
DETAIL:



ACCESSORY	PART NUMBER	COST EXCL GST	RRP INCL GST	FITTING (HOURS)
STEEL ROOF RACKS				
Steel Roof Rack - 1850mm x 1250mm (1985 on-Does Not Include FRP Top)	RR80-4101			1.50
Steel Roof Top Tent Rack - 1850mm x 1250mm (1985 on-Does Not Include FRP Top)	RR80-4104			1.50
Steel Roof Rack - 2200mm x 1250mm (1985 on - Does Not Include FRP Top)	RR80-4102			1.50
Steel Roof Top Tent Rack - 2200mm x 1250mm (1985 on-Does Not Include FRP Top)	RR80-4115			1.50
DUAL BATTERY KIT				
Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3830			1.50
Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3838			1.50
Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)	EA80-3833			0.75
LIGHTING				
7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter	DL80-3764K			0.25
10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long	DL80-3760			0.25
20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long	DL80-3761			0.25
30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long	DL80-3762			0.25
40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long	DL80-3763			0.25
50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long	DL80-3772			0.25
4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter	DL80-3768			0.25
3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm	DL80-3767			0.25
Wiring Harness for LED Light Bar - Suits 1 x Light Bar	DL80-3765			1.50
Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights	DL80-3766			1.50
2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3770K			0.25
3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3771K			0.25
Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.				
TOURING AND CAMPING EQUIPMENT				
^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room	CE80-3902			2.50*
^ # * Deluxe Roof Top Tent - Including Change Room	CE80-3924			2.50*
^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out	CE80-3904			0.75*
^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out	CE80-3937			0.75*
^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out	CE80-3934			0.75*
* Senu Awning - Covers over 10m ²	CE80-3903			0.75*
* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937	CE80-3972			0.75*
* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904	CE80-3970			0.75*
* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937	CE80-3973			0.75*
* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904	CE80-3971			0.75*
* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps	FF80-3944			0.50
*Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface ^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface. #Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.				



*Kit picture for illustration purposes only.

TYPE: Landcruiser

MODEL: 76, 78, 79 Series

YEAR: 2007 on

DETAIL: V8 Engine



ACCESSORY

**PART
NUMBER**

**COST
EXCL GST**

**RRP
INCL GST**

**FITTING
(HOURS)**

STEEL BULLBARS (WINCH, AIRBAG COMPATIBLE)

Classic Black	2007 - 2016	BU59-3506		2.00
Stainless Loop Deluxe	2007 - 2016	BU59-3656		2.00*

***Vehicles not Fitted with OE Fog Lights will Require an Extra 0.75 Hours.**

ELECTRIC WINCHES - 12 VOLT

9,500lbs - Steel Cable		EW80-3814		1.00*
12,000lbs - Steel Cable		EW80-3815		1.00*
9,500lbs - Synthetic Rope		EW80-3814S		1.00*
12,000lbs - Synthetic Rope		EW80-3815S		1.00*

***Additional Winch Accessories Available - Refer to Page 33.**

***Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.**

STEEL SIDE STEPS & RAILS

Steel Side Steps - 76 Series Wagon	2007 - 2016	SS59-131		1.00
Steel Side Steps & Side Rails - 76 Series Wagon	2007 - 2016	SR59-176		2.00
Steel Side Steps - 78 Series Troop Carrier	2007 - 2016	SS59-130		
Steel Side Steps & Side Rails - 78 Series Troop Carrier	2007 - 2016	SR59-175		

SUSPENSION

Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code TOY-78, TOY-81 and TOY-95 when selecting suspension components & kits. Below are just a few items for pricing reference only.

79 Series Ute/Pickup and 78 Series Troop Carrier

Suspension Kit - Up to 100Kg Constant Rear Load
Suspension Kit - Up to 300Kg Constant Rear Load
Suspension Kit - Up to 500Kg Constant Rear Load

76 Series Wagon

Suspension Kit - Up to 300Kg Constant Rear Load
Suspension Kit - Up to 500Kg Constant Rear Load



TYPE: Landcruiser
MODEL: 76,78,79 Series
YEAR: 2007 on
DETAIL: V8 Engine



ACCESSORY

PART
NUMBERCOST
EXCL GSTRRP
INCL GSTFITTING
(HOURS)

STEEL ROOF RACKS

Steel Roof Rack - 1850mm x 1250mm - 76, 78 Series only	RR80-4101		1.50
Steel Roof Top Tent Rack - 1850mm x 1250mm - 76, 78 Series only	RR80-4104		1.50
Steel Roof Rack - 2200mm x 1250mm (1985 on) - 76, 78 Series only	RR80-4102		1.50
Steel Roof Top Tent Rack - 2200mm x 1250mm (1985) - 76, 78 Series only	RR80-4115		1.50

Suits Troop Carriers & Utes Only.

DUAL BATTERY KIT

Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3830		1.50
Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3838		1.50
Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)	EA80-3833		0.75
*Auxiliary Battery Tray LHF Engine Bay	BT59-3211		0.75

Suits Troop Carriers & Utes Only. *Battery Tray Suits 12" N70zz Battery Size.

MULTI-FIT BATTERY TRAY (UNDER TRAY STYLE)

Universal To Suit 120ah Battery (Up to 330mm Long) - Requires 445mm x 175mm Mounting Area Under Tray & Hangs Down 320mm	BT80-3213		
Universal To Suit N70zz Battery - Requires 330mm x 320mm Mounting Area Under Tray & Hangs Down 250mm	BT80-3214		

LIGHTING

7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter	DL80-3764K		0.25
10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long	DL80-3760		0.25
20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long	DL80-3761		0.25
30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long	DL80-3762		0.25
40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long	DL80-3763		0.25
50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long	DL80-3772		0.25
4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter	DL80-3768		0.25
3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm	DL80-3767		0.25
Wiring Harness for LED Light Bar - Suits 1 x Light Bar	DL80-3765		1.50
Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights	DL80-3766		1.50
2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3770K		0.25
3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3771K		0.25

Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.

TOURING AND CAMPING EQUIPMENT

^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room	CE80-3902		2.50*
^ # * Deluxe Roof Top Tent - Including Change Room	CE80-3924		2.50*
^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out	CE80-3904		0.75*
^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out	CE80-3937		0.75*
^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out	CE80-3934		0.75*
* Sensu Awning - Covers over 10m ²	CE80-3903		0.75*
* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937	CE80-3972		0.75*
* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904	CE80-3970		0.75*
* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937	CE80-3973		0.75*
* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904	CE80-3971		0.75*
* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps	FF80-3944		0.50

*Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface

^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface.

#Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.



*Kit picture for illustration purposes only.

TYPE: Landcruiser 80 Series

MODEL: FJ80, HDJ80, HZJ80

YEAR: 05/1990 on

DETAIL:



ACCESSORY

PART
NUMBER

COST
EXCL GST

RRP
INCL GST

FITTING
(HOURS)

STEEL BULLBARS (WINCH, AIRBAG COMPATIBLE)

Classic Black - (Suits Flared Models)

BU59-3518

2.00

Stainless Steel Loop Deluxe (Suits Flared Models)

BU59-3668

2.00*

***Vehicles not Fitted with OE Fog Lights will Require an Extra 0.75 Hours.**

ELECTRIC WINCHES - 12 VOLT

9,500lbs - Steel Cable

EW80-3814

1.00*

12,000lbs - Steel Cable

EW80-3815

1.00*

9,500lbs - Synthetic Rope

EW80-3814S

1.00*

12,000lbs - Synthetic Rope

EW80-3815S

1.00*

***Additional Winch Accessories Available - Refer to Page 33.**

***Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.**

STEEL SIDE STEPS & RAILS

Steel Side Steps

SS59-113

1.00

Steel Side Steps & Side Rails

SR59-162

2.00

SUSPENSION

Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code TOY-68 when selecting suspension components & kits. Below are just a few items for pricing reference only.

Suspension Kit - Up to 100Kg Constant Rear Load

(Approx 45 and 75mm Lift)

Suspension Kit - 300Kg Constant Load

(Approx 50mm Lift)

Upgrade to MRR Shocks

SNORKELS

Snorkel - Suits 4.0L & 4.5L Petrol

Right Hand Mount

SN59-3361

2.50

Snorkel - Suits 4.2L & 4.2L Td Diesel

Right Hand Mount

SN59-3361

2.00

REAR DRAWER SYSTEM

Drawer System

RD80-1000

1.00

Drawer System Side Wing Kit

DW59-022K

1.00



TYPE: Landcruiser 80 Series
MODEL: FJ80, HDJ80, HZJ80
YEAR: 05/1990 on
DETAIL:



ACCESSORY	PART NUMBER	COST EXCL GST	RRP INCL GST	FITTING (HOURS)
STEEL ROOF RACKS				
Steel Roof Rack - 1850mm x 1250mm	RR80-4101			1.50
Steel Roof Top Tent Rack - 1850mm x 1250mm	RR80-4104			1.50
Steel Roof Rack - 2200mm x 1250mm	RR80-4102			1.50
Steel Roof Top Tent Rack - 2200mm x 1250mm	RR80-4115			1.50
DUAL BATTERY KIT				
Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3830			1.50
Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3838			1.50
Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)	EA80-3833			0.75
LIGHTING				
7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter	DL80-3764K			0.25
10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long	DL80-3760			0.25
20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long	DL80-3761			0.25
30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long	DL80-3762			0.25
40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long	DL80-3763			0.25
50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long	DL80-3772			0.25
4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter	DL80-3768			0.25
3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm	DL80-3767			0.25
Wiring Harness for LED Light Bar - Suits 1 x Light Bar	DL80-3765			1.50
Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights	DL80-3766			1.50
2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3770K			0.25
3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3771K			0.25
Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.				
TOURING AND CAMPING EQUIPMENT				
^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room	CE80-3902			2.50*
^ # * Deluxe Roof Top Tent - Including Change Room	CE80-3924			2.50*
^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out	CE80-3904			0.75*
^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out	CE80-3937			0.75*
^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out	CE80-3934			0.75*
* Senu Awning - Covers over 10m ²	CE80-3903			0.75*
* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937	CE80-3972			0.75*
* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904	CE80-3970			0.75*
* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937	CE80-3973			0.75*
* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904	CE80-3971			0.75*
* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps	FF80-3944			0.50
*Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface ^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface. #Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.				



*Kit picture for illustration purposes only.

TYPE: Landcruiser

MODEL: 105 Series

YEAR: 04/1998 - 11/2007

DETAIL: Station Wagon
Coil Spring Suspension, Solid Axle Front Suspension.



ACCESSORY

PART
NUMBER

COST
EXCL GST

RRP
INCL GST

FITTING
(HOURS)

STEEL BULLBARS (WINCH, AIRBAG COMPATIBLE)

Classic Black - (Solid Front Axle)

BU59-3507

2.00

Stainless Loop Deluxe - (Solid Front Axle)

BU59-3657

2.00*

*Vehicles not Fitted with OE Fog Lights will Require an Extra 0.75 Hours.

ELECTRIC WINCHES - 12 VOLT

9,500lbs - Steel Cable

EW80-3814

1.00*

12,000lbs - Steel Cable

EW80-3815

1.00*

9,500lbs - Synthetic Rope

EW80-3814S

1.00*

12,000lbs - Synthetic Rope

EW80-3815S

1.00*

*Additional Winch Accessories Available - Refer to Page 33.

*Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.

SUSPENSION

Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code TOY-74 when selecting suspension components & kits. Below are just a few items for pricing reference only.

Suspension Kit - Up to 100Kg Constant Rear Load

(Approx 45 and 75mm Lift)

Suspension Kit - 350Kg Constant Load

(Approx 50mm Lift)

Upgrade to MRR Shocks

SNORKELS

Snorkel - Suits 4.2L Diesel

Right Hand Mount

SN59-3369

2.00

REAR DRAWER SYSTEM

Drawer System

RD80-1000

1.00

Drawer System Side Wing Kit

DW59-024K

1.00



TYPE: Landcruiser
MODEL: 105 Series
YEAR: 04/1998 - 11/2007
DETAIL: Station Wagon
 Coil Spring Suspension, Solid Axle Front Suspension.




ACCESSORY	PART NUMBER	COST EXCL GST	RRP INCL GST	FITTING (HOURS)
STEEL ROOF RACKS				
Steel Roof Rack - 1850mm x 1250mm (Fitting Kit P/N RR80-4105 Required)	RR80-4101			1.50
Steel Roof Top Tent Rack - 1850mm x 1250mm (Fitting Kit P/N RR80-4105 Required)	RR80-4104			1.50
Fitting Kit - Required for Steel Roof Racks (P/N RR80-4101 & RR80-4104)	RR80-4105			
Steel Roof Rack - 2200mm x 1250mm (Fitting Kit P/N RR80-4125 Required)	RR80-4102			1.50
Steel Roof Top Tent Rack - 2200mm x 1250mm (Fitting Kit P/N RR80-4125 Required)	RR80-4115			1.50
Fitting Kit - Required for Steel Roof Racks (P/N RR80-4102 & RR80-4115)	RR80-4125			
DUAL BATTERY KIT				
Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3830			1.50
Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3838			1.50
Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)	EA80-3833			0.75
LIGHTING				
7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter	DL80-3764K			0.25
10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long	DL80-3760			0.25
20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long	DL80-3761			0.25
30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long	DL80-3762			0.25
40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long	DL80-3763			0.25
50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long	DL80-3772			0.25
4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter	DL80-3768			0.25
3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm	DL80-3767			0.25
Wiring Harness for LED Light Bar - Suits 1 x Light Bar	DL80-3765			1.50
Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights	DL80-3766			1.50
2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3770K			0.25
3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3771K			0.25
Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.				
TOURING AND CAMPING EQUIPMENT				
^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room	CE80-3902			2.50*
^ # * Deluxe Roof Top Tent - Including Change Room	CE80-3924			2.50*
^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out	CE80-3904			0.75*
^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out	CE80-3937			0.75*
^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out	CE80-3934			0.75*
* Senu Awning - Covers over 10m ²	CE80-3903			0.75*
* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937	CE80-3972			0.75*
* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904	CE80-3970			0.75*
* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937	CE80-3973			0.75*
* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904	CE80-3971			0.75*
* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps	FF80-3944			0.50
*Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface ^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface. #Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.				

ACCESSORIES

TOYOTA

TOY-75A



*Kit picture for illustration purposes only.

TYPE: Landcruiser
MODEL: 100 Series
YEAR: 1998 - 11/2007
DETAIL: Petrol and Diesel
 Independent Front Suspension



ACCESSORY

PART
NUMBERCOST
EXCL GSTRRP
INCL GSTFITTING
(HOURS)

STEEL BULLBARS (WINCH, AIRBAG COMPATIBLE)

Classic Black - (Independent Front Suspension)

BU59-3508

2.00

Stainless Loop Deluxe - (Independent Front Suspension)

BU59-3658

2.00*

*Vehicles not Fitted with OE Fog Lights will Require an Extra 0.75 Hours.

ELECTRIC WINCHES - 12 VOLT

9,500lbs - Steel Cable

EW80-3814

1.00*

12,000lbs - Steel Cable

EW80-3815

1.00*

9,500lbs - Synthetic Rope

EW80-3814S

1.00*

12,000lbs - Synthetic Rope

EW80-3815S

1.00*

*Additional Winch Accessories Available - Refer to Page 33.

*Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.

SUSPENSION

Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code TOY-75 when selecting suspension components & kits. Below are just a few items for pricing reference only.

Suspension Kit - Up to 200Kg Constant Load

(Approx 30mm Lift)

Suspension Kit - 400Kg Constant Load

(Approx 30mm Lift)

SNORKELS

Snorkel - Suits 4.5L & 4.7L V8 Petrol

Right Hand Mount

SN59-3369

2.00

Snorkel - Suits 4.2L Td & 4.2L Tdi Diesel

Right Hand Mount

SN59-3369

2.00

REAR DRAWER SYSTEM

Drawer System

RD80-1000

Drawer System Side Wing Kit

DW59-023K

ACCESSORIES

TOYOTA

TOY-75A



TYPE: Landcruiser
MODEL: 100 Series
YEAR: 1998 - 111/2007
DETAIL: Petrol and Diesel
 Independent Front Suspension



ACCESSORY

PART NUMBER

COST EXCL GST

RRP INCL GST

FITTING (HOURS)

STEEL ROOF RACKS

Steel Roof Rack - 1850mm x 1250mm (Fitting Kit P/N RR80-4105 Required)	RR80-4101		1.50
Steel Roof Top Tent Rack - 1850mm x 1250mm (Fitting Kit P/N RR80-4105 Required)	RR80-4104		1.50
Fitting Kit - Required for Steel Roof Racks (P/N RR80-4101 & RR80-4104)	RR80-4105		
Steel Roof Rack - 2200mm x 1250mm (Fitting Kit P/N RR80-4125 Required)	RR80-4102		1.50
Steel Roof Top Tent Rack - 2200mm x 1250mm (Fitting Kit P/N RR80-4125 Required)	RR80-4115		1.50
Fitting Kit - Required for Steel Roof Racks (P/N RR80-4102 & RR80-4115)	RR80-4125		

DUAL BATTERY KIT

Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3830		1.50
Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3838		1.50
Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)	EA80-3833		0.75

LIGHTING

7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter	DL80-3764K		0.25
10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long	DL80-3760		0.25
20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long	DL80-3761		0.25
30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long	DL80-3762		0.25
40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long	DL80-3763		0.25
50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long	DL80-3772		0.25
4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter	DL80-3768		0.25
3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm	DL80-3767		0.25
Wiring Harness for LED Light Bar - Suits 1 x Light Bar	DL80-3765		1.50
Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights	DL80-3766		1.50
2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3770K		0.25
3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3771K		0.25

Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.


TOURING AND CAMPING EQUIPMENT

^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room	CE80-3902		2.50*
^ # * Deluxe Roof Top Tent - Including Change Room	CE80-3924		2.50*
^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out	CE80-3904		0.75*
^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out	CE80-3937		0.75*
^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out	CE80-3934		0.75*
* Senu Awning - Covers over 10m ²	CE80-3903		0.75*
* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937	CE80-3972		0.75*
* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904	CE80-3970		0.75*
* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937	CE80-3973		0.75*
* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904	CE80-3971		0.75*
* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps	FF80-3944		0.50

***Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface**

^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface.

#Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.



*Kit picture for illustration purposes only.

TYPE: Landcruiser
MODEL: 200 Series
YEAR: 2008 on
DETAIL: Station Wagon



ACCESSORY			PART NUMBER	COST EXCL GST	RRP INCL GST	FITTING (HOURS)
STEEL BULLBARS (WINCH, AIRBAG COMPATIBLE)						
Classic Black - (Initial Release Only)	2008 - 02/2012	B	BU59-3509			3.50
Classic Black - (First Facelift Model)	2012 - 09/2015		BU59-3533			3.50
Classic Black Deluxe - (Initial Release & First Facelift Models)	2008 - 09/2015	B	BU59-3696			3.50
Stainless Loop Deluxe - (Initial Release & First Facelift Models)	2008 - 09/2015		BU59-3688			3.50
Classic Black - (3rd Generation)	10/2015 on		BU59-3545			
Classic Black Deluxe - (3rd Generation)	10/2015 on		BU59-3714			
Stainless Loop Deluxe - (3rd Generation)	10/2015 on		BU59-3716			
<p>*Vehicles not Fitted with OE Fog Lights will Require an Extra 0.75 Hours. *If fitting to models with headlight washers, the headlight washers can not be re-used. May use aftermarket washes available from auto parts retailers. Instructions provided.</p>						
ELECTRIC WINCHES - 12 VOLT						
9,500lbs - Steel Cable			EW80-3814			1.00*
12,000lbs - Steel Cable			EW80-3815			1.00*
9,500lbs - Synthetic Rope			EW80-3814S			1.00*
12,000lbs - Synthetic Rope			EW80-3815S			1.00*
<p>*Additional Winch Accessories Available - Refer to Page 33. *Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.</p>						
STEEL SIDE STEPS & RAILS						
Steel Side Steps			SS59-116			1.00
Steel Side Steps & Side Rails - SR59-165 Suits Only Bullbars BU59-3533, BU59-3696, BU59-3545, BU59-3714, BU59-3716			SR59-165			2.00
SUSPENSION						
<p>Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code TOY-96 when selecting suspension components & kits. Below are just a few items for pricing reference only.</p>						
Suspension Kit						
Upgrade to MRR Shocks						
SNORKELS						
Snorkel - Suits 4.5L TTD V8 Diesel	Right Hand Mount		SN59-3356			3.00
Snorkel - Suits 4.7L V8 Petrol	Right Hand Mount		SN59-3356			3.00
REAR DRAWER SYSTEM						
Drawer System			RD80-1000			
Drawer System Side Wing Kit			DW59-025K			



TYPE: Landcruiser
MODEL: 200 Series
YEAR: 2008 on
DETAIL: Station Wagon



ACCESSORY	PART NUMBER	COST EXCL GST	RRP INCL GST	FITTING (HOURS)
STEEL ROOF RACKS				
Steel Roof Rack - 1850mm x 1250mm (Fitting Kit P/N RR80-4106 Required)	RR80-4101			1.50
Steel Roof Top Tent Rack - 1850mm x 1250mm (Fitting Kit P/N RR80-4106 Required)	RR80-4104			1.50
Fitting Kit - Required for Steel Roof Racks (P/N RR80-4101 & RR80-4104)	RR80-4106			
Steel Roof Rack - 2200mm x 1250mm (Fitting Kit P/N RR80-4124 Required)	RR80-4102			1.50
Steel Roof Top Tent Rack - 2200mm x 1250mm (Fitting Kit P/N RR80-4124 Required)	RR80-4115			1.50
Fitting Kit - Required for Steel Roof Racks (P/N RR80-4102 & RR80-4115)	RR80-4124			
DUAL BATTERY KIT				
Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3830			1.50
Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3838			1.50
Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)	EA80-3833			0.75
LIGHTING				
7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter	DL80-3764K			0.25
10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long	DL80-3760			0.25
20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long	DL80-3761			0.25
30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long	DL80-3762			0.25
40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long	DL80-3763			0.25
50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long	DL80-3772			0.25
4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter	DL80-3768			0.25
3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm	DL80-3767			0.25
Wiring Harness for LED Light Bar - Suits 1 x Light Bar	DL80-3765			1.50
Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights	DL80-3766			1.50
2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3770K			0.25
3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3771K			0.25
Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.				
TOURING AND CAMPING EQUIPMENT				
^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room	CE80-3902			2.50*
^ # * Deluxe Roof Top Tent - Including Change Room	CE80-3924			2.50*
^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out	CE80-3904			0.75*
^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out	CE80-3937			0.75*
^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out	CE80-3934			0.75*
* Senu Awning - Covers over 10m ²	CE80-3903			0.75*
* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937	CE80-3972			0.75*
* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904	CE80-3970			0.75*
* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937	CE80-3973			0.75*
* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904	CE80-3971			0.75*
* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps	FF80-3944			0.50
*Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface ^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface. #Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.				

ACCESSORIES

TOYOTA

TOY-72A



*Kit picture for illustration purposes only.

TYPE: Prado

MODEL: 90 Series

YEAR: 1996 - 2003

DETAIL: Station Wagon



ACCESSORY

PART
NUMBERCOST
EXCL GSTRRP
INCL GSTFITTING
(HOURS)

STEEL BULLBARS (WINCH, AIRBAG COMPATIBLE)

Stainless Loop Deluxe

F

BU59-3674

2.50*

*Vehicles not Fitted with OE Fog Lights will Require an Extra 0.75 Hours.

ELECTRIC WINCHES - 12 VOLT

9,500lbs - Steel Cable

EW80-3814

1.00*

12,000lbs - Steel Cable

EW80-3815

1.00*

9,500lbs - Synthetic Rope

EW80-3814S

1.00*

12,000lbs - Synthetic Rope

EW80-3815S

1.00*

*Additional Winch Accessories Available - Refer to Page 33.

*Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.

SUSPENSION

Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code TOY-72 when selecting suspension components & kits. Below are just a few items for pricing reference only.

Suspension Kit - Up to 300Kg Constant Rear Load

SNORKELS

Snorkel - 3.4L V6 Petrol

Right Hand Mount

SN59-3357

ACCESSORIES

TOYOTA

TOY-72A



TYPE: Prado
MODEL: 90 Series
YEAR: 1996 - 2003
DETAIL: Station Wagon



ACCESSORY

PART
NUMBERCOST
EXCL GSTRRP
INCL GSTFITTING
(HOURS)

STEEL ROOF RACKS

Steel Roof Rack - 1850mm x 1250mm	RR80-4101		1.50
Steel Roof Top Tent Rack - 1850mm x 1250mm	RR80-4104		1.50
Steel Roof Rack - 2200mm x 1250mm	RR80-4102		1.50
Steel Roof Top Tent Rack - 2200mm x 1250mm	RR80-4115		1.50

DUAL BATTERY KIT

Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3830		1.50
Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3838		1.50
Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)	EA80-3833		0.75

LIGHTING

7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter	DL80-3764K		0.25
10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long	DL80-3760		0.25
20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long	DL80-3761		0.25
30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long	DL80-3762		0.25
40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long	DL80-3763		0.25
50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long	DL80-3772		0.25
4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter	DL80-3768		0.25
3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm	DL80-3767		0.25
Wiring Harness for LED Light Bar - Suits 1 x Light Bar	DL80-3765		1.50
Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights	DL80-3766		1.50
2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3770K		0.25
3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3771K		0.25

Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.

TOURING AND CAMPING EQUIPMENT

^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room	CE80-3902		2.50*
^ # * Deluxe Roof Top Tent - Including Change Room	CE80-3924		2.50*
^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out	CE80-3904		0.75*
^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out	CE80-3937		0.75*
^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out	CE80-3934		0.75*
* Senu Awning - Covers over 10m ²	CE80-3903		0.75*
* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937	CE80-3972		0.75*
* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904	CE80-3970		0.75*
* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937	CE80-3973		0.75*
* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904	CE80-3971		0.75*
* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps	FF80-3944		0.50

***Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface**

^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface.

#Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.



*Kit picture for illustration purposes only.

TYPE: Prado
MODEL: 120 Series
YEAR: 2003 - 11/2009
DETAIL: Station Wagon



ACCESSORY		PART NUMBER	COST EXCL GST	RRP INCL GST	FITTING (HOURS)
STEEL BULLBARS (WINCH, AIRBAG COMPATIBLE)					
Classic Black	F	BU59-3511			3.00
Stainless Loop Deluxe	F	BU59-3661			3.00*
*Vehicles not Fitted with OE Fog Lights will Require an Extra 0.75 Hours.					
ELECTRIC WINCHES - 12 VOLT					
9,500lbs - Steel Cable		EW80-3814			1.00*
12,000lbs - Steel Cable		EW80-3815			1.00*
9,500lbs - Synthetic Rope		EW80-3814S			1.00*
12,000lbs - Synthetic Rope		EW80-3815S			1.00*
*Additional Winch Accessories Available - Refer to Page 33. *Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.					
SIDE STEPS					
Steel Side Steps		SS59-120			1.00
Steel Side Steps & Side Rails		SR59-167			2.00
SUSPENSION					
Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code TOY-82 when selecting suspension components & kits. Below are just a few items for pricing reference only.					
Suspension Kit - SWB Models					
Suspension Kit - LWB Models					
Upgrade to MRR Shocks					
SNORKELS					
Snorkel - Suits 3.0L Diesel	Right Hand Mount	SN59-3355			2.50
Snorkel - Suits 4.0L V6 Petrol	Right Hand Mount	SN59-3445			2.00
REAR DRAWER SYSTEM					
Drawer System - (Without Rear Air Conditioning)		RD80-1001			1.00
Drawer System Side Wing Kit - (Without Rear Air Conditioning)		DW59-028K			1.00

ACCESSORIES

TOYOTA

TOY-82A



TYPE: Prado
MODEL: 120 Series
YEAR: 2003 - 11/2009
DETAIL: Station Wagon



ACCESSORY	PART NUMBER	COST EXCL GST	RRP INCL GST	FITTING (HOURS)
STEEL ROOF RACKS				
Steel Roof Rack - 1850mm x 1250mm (Fitting Kit P/N RR80-4113 Required)	RR80-4101			1.50
Steel Roof Top Tent Rack - 1850mm x 1250mm (Fitting Kit P/N RR80-4113 Required)	RR80-4104			1.50
Fitting Kit - Required for Steel Roof Racks (P/N RR80-4101 & RR80-4104)	RR80-4113			
DUAL BATTERY KIT				
Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3830			1.50
Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)	EA80-3838			1.50
Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)	EA80-3833			0.75
*Auxiliary Battery Tray RHF Engine Bay	BT59-3209			0.50
*Battery Tray Suits 12" N70zz Battery Size.				
LIGHTING				
7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter	DL80-3764K			0.25
10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long	DL80-3760			0.25
20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long	DL80-3761			0.25
30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long	DL80-3762			0.25
40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long	DL80-3763			0.25
50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long	DL80-3772			0.25
4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter	DL80-3768			0.25
3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm	DL80-3767			0.25
Wiring Harness for LED Light Bar - Suits 1 x Light Bar	DL80-3765			1.50
Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights	DL80-3766			1.50
2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3770K			0.25
3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting	DL80-3771K			0.25
Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.				
TOURING AND CAMPING EQUIPMENT				
^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room	CE80-3902			2.50*
^ # * Deluxe Roof Top Tent - Including Change Room	CE80-3924			2.50*
^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out	CE80-3904			0.75*
^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out	CE80-3937			0.75*
^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out	CE80-3934			0.75*
* Senu Awning - Covers over 10m ²	CE80-3903			0.75*
* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937	CE80-3972			0.75*
* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904	CE80-3970			0.75*
* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937	CE80-3973			0.75*
* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904	CE80-3971			0.75*
* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps	FF80-3944			0.50
*Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface ^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface. #Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.				



*Kit picture for illustration purposes only.

TYPE: Prado
MODEL: 150 Series
YEAR: 2010 on
DETAIL: Station Wagon



ACCESSORY

PART
NUMBERCOST
EXCL GSTRRP
INCL GSTFITTING
(HOURS)

STEEL BULLBARS (WINCH, AIRBAG COMPATIBLE)

Classic Black - (Initial Release & Facelift Models)	10/2009 on	B	BU59-3512		3.00
Classic Black Deluxe - (Initial Release & Facelift Models)	10/2009 on	B	BU59-3697		3.00*
Stainless Loop Deluxe - (Initial Release Only)	10/2009 - 09/2013	B	BU59-3662		3.00*

*Vehicles not Fitted with OE Fog Lights will Require an Extra 0.75 Hours.

ELECTRIC WINCHES - 12 VOLT

9,500lbs - Steel Cable			EW80-3814		1.00*
12,000lbs - Steel Cable			EW80-3815		1.00*
9,500lbs - Synthetic Rope			EW80-3814S		1.00*
12,000lbs - Synthetic Rope			EW80-3815S		1.00*

*Additional Winch Accessories Available - Refer to Page 33.

*Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.

STEEL SIDE STEPS & RAILS

Steel Side Steps			SS59-118		1.00
Steel Side Steps & Side Rails			SR59-168		2.00

SUSPENSION

Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code TOY-100 when selecting suspension components & kits. Below are just a few items for pricing reference only.

Suspension Kit - SWB + LWB	(Approx 50mm Lift)				
Suspension Kit - LWB (Without KDSS)	(Approx 45mm Lift)				
Suspension Kit - LWB (With KDSS)	(Approx 45mm Lift)				
Upgrade to MRR Shocks					

SNORKELS

Snorkel - Suits 4.0L V6 Petrol	Right Hand Mount	SN59-3446		3.00
Snorkel - Suits 3.0L Diesel	Right Hand Mount	SN59-3446		3.00

REAR DRAWER SYSTEM

Drawer System - (Without Rear Air Conditioning)		RD80-1001		1.00
Drawer System Side Wing Kit - (Without Rear Air Conditioning)		DW59-029K		1.00
Drawer System - (With Rear Air Conditioning)		RD80-1001		1.00
Drawer System Side Wing Kit - (With Rear Air Conditioning)		DW59-030K		1.00

ACCESSORIES

TOYOTA

TOY-100A



TYPE: Prado
MODEL: 150 Series
YEAR: 2010 on
DETAIL: Station Wagon



ACCESSORY

PART NUMBER

COST EXCL GST

RRP INCL GST

FITTING (HOURS)

STEEL ROOF RACKS

Steel Roof Rack - 1850mm x 1250mm (Fitting Kit P/N RR80-4114 Required)

RR80-4101

1.50

Steel Roof Top Tent Rack - 1850mm x 1250mm (Fitting Kit P/N RR80-4114 Required)

RR80-4104

1.50

Fitting Kit - Required for Steel Roof Racks (P/N RR80-4101 & RR80-4104)

RR80-4114

DUAL BATTERY KIT

Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)

EA80-3830

1.50

Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)

EA80-3838

1.50

Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)

EA80-3833

0.75

*Auxiliary Battery Tray

Right Hand Mount

BT59-3210

0.50

***Battery Tray Suits 12" N70zz Battery Size.**

LIGHTING

7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter

DL80-3764K

0.25

10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long

DL80-3760

0.25

20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long

DL80-3761

0.25

30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long

DL80-3762

0.25

40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long

DL80-3763

0.25

50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long

DL80-3772

0.25

4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter

DL80-3768

0.25

3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm

DL80-3767

0.25

Wiring Harness for LED Light Bar - Suits 1 x Light Bar

DL80-3765

1.50

Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights

DL80-3766

1.50

2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting

DL80-3770K

0.25

3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting

DL80-3771K

0.25

Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.

TOURING AND CAMPING EQUIPMENT

^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room

CE80-3902

2.50*

^ # * Deluxe Roof Top Tent - Including Change Room

CE80-3924

2.50*

^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out

CE80-3904

0.75*

^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out

CE80-3937

0.75*

^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out

CE80-3934

0.75*

* Senu Awning - Covers over 10m²

CE80-3903

0.75*

* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937

CE80-3972

0.75*

* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904

CE80-3970

0.75*

* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937

CE80-3973

0.75*

* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904

CE80-3971

0.75*


* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps

FF80-3944

0.50

***Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface
 ^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface.**

#Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.



*Kit picture for illustration purposes only.

TYPE: Amarok

MODEL:

YEAR: 2010 on

DETAIL: Independent Front Suspension



ACCESSORY

PART
NUMBER

COST
EXCL GST

RRP
INCL GST

FITTING
(HOURS)

STEEL BULLBARS (WINCH, AIRBAG COMPATIBLE)

Classic Black - 2010-2016 Does NOT suit V6 models

F B

BU63-3523

4.00

Classic Black Deluxe - 2010-2016 Does NOT suit V6 models

F B

BU63-3680

4.00*

Stainless Loop Deluxe - 2010-2016 Does NOT suit V6 models

F B

BU63-3675

4.00*

*Vehicles not Fitted with OE Fog Lights will Require an Extra 0.75 Hours.

ELECTRIC WINCHES - 12 VOLT

9,500lbs - Steel Cable

EW80-3814

1.00*

12,000lbs - Steel Cable

EW80-3815

1.00*

9,500lbs - Synthetic Rope

EW80-3814S

1.00*

12,000lbs - Synthetic Rope

EW80-3815S

1.00*

*Additional Winch Accessories Available - Refer to Page 33.

*Add 0.75 Hours When Fitting To Vehicles With Existing Bull Bar.

STEEL SIDE STEPS & RAILS

Steel Side Steps - Dual Cab

SS63-119

1.00

Steel Side Steps & Side Rails - Dual Cab

SR63-169

2.00

SUSPENSION

Dobinsons have an extensive range of suspension parts and suspension kits available for this vehicle. Refer to the latest 4x4 Suspension Catalogue vehicle reference code VOLK-51 when selecting suspension components & kits. Below are just a few items for pricing reference only.

Suspension Kit - No Load

Suspension Kit - Up to 180Kg Constant Rear Load

Suspension Kit - Up to 300Kg Constant Rear Load

SNORKELS

Snorkel - Suits 2.0L Tdi I4 Diesel
(Suits Highline/Trendline/Ultimate Fitted with Flares)

Right Hand Mount

SN63-3455

4.00

STEEL CANOPY

Steel Canopy - (Sliding Windows) Dual Cab

CY63-3110

2.50*

Steel Canopy - (Lift-Up Windows) Dual Cab

CY63-3160

2.50*

*Some Vehicles May Require Additional Fitting Time For Wiring.

REAR DRAWER SYSTEM

Drawer System

RD80-1300

Drawer System Side Wing Kit

DW59-031K



TYPE: Amarok
MODEL:
YEAR: 2011 on
DETAIL: Independent Front Suspension



ACCESSORY

PART
NUMBERCOST
EXCL GSTRRP
INCL GSTFITTING
(HOURS)

STEEL ROOF RACKS

Steel Roof Rack - 1500mm x 1250mm

RR80-4100

1.50*

Steel Roof Top Tent Rack - 1500mm x 1250mm

RR80-4103

1.50*

***Universal Fitting Kit Supplied With Roof Racks For Canopy Mounting Only - May Require Additional Bracket Fabrication & Canopy Reinforcement.**

DUAL BATTERY KIT

Dual Battery Kit - 140 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)

EA80-3830

1.50

Dual Battery Kit - 280 Amp Kit Incl. Battery Monitor EA80-3833 (Excl. Battery & Tray)

EA80-3838

1.50

Dual Battery Monitor - Reversible LCD Screen with 5m Cable (Sold Separately)

EA80-3833

0.75

*Auxiliary Battery Tray

Tub Mount

BT63-3212

0.50

***Battery Tray Suits 12" N70zz Battery Size.**

MULTI-FIT BATTERY TRAY (UNDER TRAY STYLE)

Universal To Suit 120ah Battery (Up to 330mm Long) -
 Requires 445mm x 175mm Mounting Area Under Tray & Hangs Down 320mm

BT80-3213

Universal To Suit N70zz Battery -
 Requires 330mm x 320mm Mounting Area Under Tray & Hangs Down 250mm

BT80-3214

LIGHTING

7" LED Driving Light Pair - 90 Watt, 7200 Lumens (Each Light), 178mm Diameter

DL80-3764K

0.25

10" LED Light Bar - 30 Watt, Single Row, 2700 Lumens, 254mm Long

DL80-3760

0.25

20" LED Light Bar - 60 Watt, Single Row, 5400 Lumens, 508mm Long

DL80-3761

0.25

30" LED Light Bar - 90 Watt, Single Row, 8100 Lumens, 762mm Long

DL80-3762

0.25

40" LED Light Bar - 120 Watt, Single Row, 10,800 Lumens, 1016mm Long

DL80-3763

0.25

50" LED Light Bar - 288 Watt, Dual Row Curved, 23,040 Lumens, 1270mm Long

DL80-3772

0.25

4" Round LED Driving/Work Light - 12 Watt, 1000 Lumens, 101mm Diameter

DL80-3768

0.25

3" Square LED Driving/Work Light - 16 Watt, 1440 Lumens, 76mm x 80mm

DL80-3767

0.25

Wiring Harness for LED Light Bar - Suits 1 x Light Bar

DL80-3765

1.50

Wiring Harness for LED Lights (Pair) - Suits Pair x LED Lights

DL80-3766

1.50

2"/51mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting

DL80-3770K

0.25

3"/76mm Pipe Mounting Kit - 2 x Mounts for Bull Bar Loop/Barwork Mounting

DL80-3771K

0.25

Wiring Harnesses Not Included With Lights (Sold Separately) Add Wiring Harness Fitting Time If Not Fitting To Existing Wiring Harness.

TOURING AND CAMPING EQUIPMENT

^ # * Deluxe Roof Top Tent - Excluding Back Awning/Change Room

CE80-3902

2.50*

^ # * Deluxe Roof Top Tent - Including Change Room

CE80-3924

2.50*

^ * 2.5m Roll Out Awning - 2.5m Long x 3.0m Out

CE80-3904

0.75*

^ * 2.0m Roll Out Awning - 2.0m Long x 3.0m Out

CE80-3937

0.75*

^ * 1.4m Roll Out Awning - 1.4m Long x 2.0m Out

CE80-3934

0.75*

* Senu Awning - Covers over 10m²

CE80-3903

0.75*

* Roll Out Awning Quick-Tent 2.0m x 3.0m PVC Floor For use with CE80-3937

CE80-3972

0.75*

* Roll Out Awning Quick-Tent - 2.5m x 3.0m PVC Floor For use with CE80-3904

CE80-3970

0.75*

* Awning Mosquito Net Enclosure - 2.0m x 3.0m Mesh Room For use with CE80-3937

CE80-3973

0.75*

* Awning Mosquito Net Enclosure - 2.5m x 3.0m Mesh Room For use with CE80-3904

CE80-3971

0.75*

* Fridge Slide - Suits Most 30, 40 & 50L Fridges, Includes 4 Fridge Straps

FF80-3944

0.50

***Fitting Times Based On Fitment to a Roof Rack, Fitting Times Will Vary Depending on the Mounting Surface**

^Cannot be Mounted Direct to Vehicle or Canopy Roof, Requires Roof Bars, Roof Rack, Canopy or Similar, As A Suitable Mounting Surface.

#Plastic and Fibreglass Canopies will Require Internal Reinforcement and Roof Bars/Roof Rack Fitted for Mounting.

BULL BARS

Vehicle Application Guide

MAKE			CLASSIC BLACK	CLASSIC BLACK DELUXE	STAINLESS LOOP DELUXE
FORD					
Ranger PJ / PK - Suits 4x4 & 4x2	2007 - 09/2011	F B	BU19-3524		BU19-3676
Ranger PX - Suits 4x4 & 4x2 (Excludes Facelift Models)	10/2011 - 09/2015		BU19-3525	BU19-3686	BU19-3677
Ranger PX - Suits 4x4 & 4x2 (Suits Facelift Models Only) Does not Suit XLT or Wildtrak Models Fitted with 'Tech Pack Frontal Vehicle Awareness & Collision System'	09/2015 on	B	BU19-3542	BU19-3708	BU19-3709
Ranger PX MKII - Suits 4x4 & 4x2 Suits Models Fitted with 'Tech Pack Frontal Vehicle Awareness & Collision System'	10/2015 on	B	BU19-3543	BU19-3710	BU19-3711
Everest - Suits 4x4 & 4x2 Does not Suit Models Fitted with 'Tech Pack Frontal Vehicle Awareness & Collision System'	09/2015 on	B	BU19-3542	BU19-3708	BU19-3709
Everest - Suits 4x4 & 4x2 Suits Models Fitted with 'Tech Pack Frontal Vehicle Awareness & Collision System'	09/2015 on	B	BU19-3543	BU19-3710	BU19-3711
GREAT WALL					
Great Wall V200/V240 - (Face-Lifted Models Only) T/D Models Non-Winch Compatible	03/2011 on	F B	BU20-3534		BU20-3672
HOLDEN/ISUZU/CHEVROLET					
Rodeo RA - Suits 4x4 & 4x2 Excludes Under Protection Kit	2002 - 2006	F	BU21-3522		
Rodeo RA7 - Suits 4x4 & 4x2	2007 - 2011	F B	BU21-3513		BU21-3663
D-Max - Suits 4x4 & 4x2	2007 - Mid Year 2012	F B	BU21-3513		BU21-3663
D-Max - Suits 4x4 & 4x2 - (Pre Face-Lifted Models Only)	Mid Year 2012 - Early 2017	F	BU21-3529	BU21-3685	BU21-3681
D-Max - Suits 4x4 & 4x2 (Face-Lift Models)	Early 2017 on	F	BU21-3547	BU21-3718	BU21-3719
Colorado - Suits 4x4 & 4x2	2008 - Mid Year 2012	F B	BU21-3514		BU21-3664
Colorado RG/Colorado 7/Trailblazer SUV - Suits 4x4 & 4x2	06/2012 - 08/2016	B	BU21-3532	BU21-3687	BU21-3684
Colorado RG - Suits Facelift Models Only - Suits 4x4 & 4x2	09/2016 on	B	BU21-3544	BU21-3712	BU21-3715
MU-X - Suits 4x4 & 4x2	2012 on	F	BU21-3538	BU21-3699	BU21-3698
MAZDA					
BT50 - Suits 4x4 & 4x2	2007 - 09/2011	F B	BU39-3501		BU39-3651
BT50 B32P - Suits 4x4 & 4x2	10/2011 on	F B	BU39-3530	BU39-3694	BU39-3682
MITSUBISHI					
Challenger (Pajero Sport USA, Thailand) Excludes Face Lifted Models	2009 - Mid Year 2013	F B	BU43-3502		BU43-3652
Triton ML - Suits 4x4 & 4x2	10/2006 - 08/2009	F B	BU43-3502		BU43-3652
Triton MN - Suits 4x4 & 4x2	09/2009 - 2015	F B	BU43-3503	BU43-3693	BU43-3653
Triton MQ - 5th Generation	03/2015 on	F B	BU43-3540	BU43-3704	BU43-3705
NISSAN					
Navara D22/NP300 - Suits 4x4 & 4x2	2002 on	F	BU45-3517		BU45-3667
Navara D40 Smooth Bumper - Suits 4x4 & 4x2 (Spain Built) Excludes RX Single Cab	05/2010 - 2015	B	BU45-3526	BU45-3692	BU45-3678
Navara D40 Ribbed Bumper - Suits 4x4 & 4x2 (Thailand Built) Excludes RX Single Cab & any V6 T/d	09/2005 - 2015	B	BU45-3504		BU45-3654
Navara D40 Ribbed Bumper - Suits 4x4 & 4x2 (Spain Built) Excludes RX Single Cab & any V6 T/d	09/2005 - 04/2010	B	BU45-3504		BU45-3654
Navara D23/NP300 - Suits 4x4 & 4x2 Must Also Fit Upgraded Coils When Bullbar is Fitted	2015 on		BU45-3539	BU45-3700	BU45-3701
Pathfinder R51 - Ribbed Bumper - Excludes any V6 T/D Variants	09/2005 - 04/2010	B	BU45-3504		BU45-3654



Suits Flared Models



Requires a Bumper Cut

Refer to Vehicle Listing for Full Pricing

BULL BARS

Vehicle Application Guide

MAKE			CLASSIC BLACK	CLASSIC BLACK DELUXE	STAINLESS LOOP DELUXE
Pathfinder R51 - Smooth Bumper	05/2010 - 09/2013	B	BU45-3526	BU45-3692	BU45-3678
Patrol Y61 GU Wagon (Series 1,2,3) - Center Under Protection Only	1998 - 2004	F	BU45-3519	BU45-3690	BU45-3669
Patrol Y61 GU Wagon (Series 4) - Center Under Protection Only	09/2004 on	F	BU45-3505	BU45-3691	BU45-3655
Patrol Y61 GU Ute (Series 1,2,3) - Coil Spring Models Only Center Under Protection Only	1998 - 2006	F	BU45-3519	BU45-3690	BU45-3669
Patrol Y61 GU Ute (Series 4) - Coil Spring Models Only Center Under Protection Only	2006 on	F	BU45-3505	BU45-3691	BU45-3655
Patrol Y62 Excludes TI-L Model	2010 on				BU45-3673
TOYOTA					
Bundera LJ/RJ 70/73, Landcruiser FJ/BJ 70/71/73/74 SW B & MWB	1985 - 1990		BU59-3515		
Fortuner	2005 - 06/2015	F	BU59-3516		BU59-3666
Fortuner	07/2015 on	F	BU59-3546	BU59-3713	BU59-3717
Hilux N16, N17 - Suits 4x4 Excludes Under Protection Kit	1997 - 2005	F	BU59-3521		
Hilux Vigo N25, N26 - Suits 4x4 - Wide Body Only	04/2005 - 08/2011	F	BU59-3510		BU59-3660
Hilux Vigo - Suits 4x4	09/2011 - 09/2015	F	BU59-3527	BU59-3695	BU59-3679
Hilux Revo N25, N26 - Suits 4x4	09/2015 on	F	BU59-3541	BU59-3706	BU59-3707
Landcruiser HZJ/PZJ 70/73 MWB	1990 - 1999		BU59-3515		
Landcruiser FZJ/HZJ 71/74 SWB & MWB	1999 - 2004		BU59-3515		
Landcruiser FZJ/PZJ/HZJ 77 Wagon	1993 - 1999		BU59-3515		
Landcruiser 75,78,79 Series	1984 - 2007		BU59-3515		
Landcruiser (V8) 76,78,79	2007 - 2016		BU59-3506		BU59-3656
Landcruiser LJ/RJ/KZJ 70/72/73/77/78/79	1987- 1996		BU59-3515		
Landcruiser 80 Series		F	BU59-3518		BU59-3668
Landcruiser 105 Series - (Solid Front Axle)	04/1998 on		BU59-3507		BU59-3657
Landcruiser 100 Series - (Independant Front Suspension)	1998 on		BU59-3508		BU59-3658
Landcruiser 200 Series - (Initial Release Only)	2008 - 02/2012	B	BU59-3509	BU59-3696	BU59-3688
Landcruiser 200 Series - 3rd Generation	Mid 2015 on	B	BU59-3545	BU59-3714	BU59-3716
Landcruiser 200 Series - (Facelift Model Only) *If fitting to models with headlight washers, the headlight washers cannot be re-used.	2012 - Mid 2015		BU59-3533	BU59-3696	BU59-3688
Prado 90 Series	1996 - 11/2002	F			BU59-3674
Prado 120 Series	12/2002 - 09/2009	F	BU59-3511		BU59-3661
Prado 150 Series - (Initial Release Only)	10/2009 - 09/2013	B	BU59-3512	BU59-3697	BU59-3662
Prado 150 Series - (Facelift Model Only)	2013 on	B		BU59-3697	
VOLKSWAGEN					
Amarok - Does NOT Suit V6 Models	2010 - 2016	B	BU63-3523	BU63-3680	BU63-3675

BULLBAR REPLACEMENT PARTS	PART NUMBER
LED Indicator / Park Light (Single Unit)	BU80-003
Fog Light (Single Unit)	BU80-004
Fog Light Surround (Specify L for Left or R for Right After Part Number When Ordering)	BU80-006 L/R
Poly Bumper Over Rider Suits: Classic Black & Classic Black Deluxe (Specify L for Left or R for Right After Part Number When Ordering)	BU80-007 L/R
Poly Bumper Over Rider Suits: Stainless Loop Deluxe (Specify L for Left or R for Right After Part Number When Ordering)	BU80-008 L/R
Bullbar Blanking Kit (Plug Kit to Cover Holes when Removing Loops, Require One of Each Part Number Per Bar)	BU80-005K
Kit Contains: 1 x Pair Poly Bumper Plug (P/N: BU80-002) 1 x Pair Outer Wing Bolt Hole Plug (P/N: BU80-001)	

F Suits Flared Models

B Requires a Bumper Cut

Refer to Vehicle Listing for Full Pricing

SIDE STEPS & SIDE RAILS

Vehicle Application Guide

		SIDE STEPS ONLY	SIDE STEPS & SIDE RAILS
FORD			
Ranger PJ / PK - Dual Cab Suits 4x4 & 4x2	2007 - 09/2011	SS19-101	SR19-150
Ranger PX - Dual Cab Suits 4x4 & 4x2 (Initial Release & Face-Lift Models)	10/2011 on	SS19-102	SR19-151
HOLDEN/ISUZU/CHEV			
D-Max - Dual Cab Suits 4x4 & 4x2 - (Pre Face-Lifted Models Only)	Mid Year 2012 - Early 2017	SS21-105	SR21-170
Colorado Dual Cab Suits 4x4 & 4x2	2008 - Mid Year 2012	SS21-105	SR21-154
MAZDA			
BT50 - Dual Cab Suits 4x4 & 4x2	2007 - 09/2011	SS19-101	SR19-150
BT50 B32P - Dual Cab Suits 4x4 & 4x2	10/2011 on	SS19-102	SR19-151
MITSUBISHI			
Triton ML - Dual Cab Suits 4x4 & 4x2	10/2006 - 08/2009	SS43-106	SR43-155
Triton MN - Dual Cab Suits 4x4 & 4x2	09/2009 on	SS43-106	SR43-155
Triton MQ - Dual Cab Suits 4x4 & 4x2	03/2015 on	SS43-122	SS43-172
NISSAN			
Navara D22 / NP300 - Dual Cab Suits 4x4 & 4x2	2002 on	SS45-107	SR45-156
Navara D23 NP300- Dual Cab Suits 4x4 & 4x2	2015 on	SS45-121	SR45-171
Navara D40 - Dual Cab, Ribbed Bumper Suits 4x4 & 4x2 (Thailand Built)	09/2005 on	SS45-109	SR45-158
Navara D40 - Dual Cab, Ribbed Bumper Suits 4x4 & 4x2 (Spain Built)	09/2005 - 04/2010	SS45-109	SR45-158
Navara D40 - Dual Cab, Smooth Bumper Suits 4x4 & 4x2 Diesel (Spain Built)	05/2010 on	SS45-108	SR45-157
Patrol Y61 LWB GU Wagon (Series 1, 2 & 3)	1998 - 2004	SS45-110	SR45-159
Patrol Y61 LWB GU Wagon (Series 4) - Excludes Models Fitted with Factory Rear Air Conditioning Unit	09/2004 on	SS45-111	SR45-160
TOYOTA			
Hilux Vigo - Dual Cab Suits 4x4	04/2005 - 2015	SS59-117	SR59-166
Hilux Revo - Dual Cab Suits 4x4 & 4x2	2015 on	SS59-123	SR59-173
Landcruiser 80 Series		SS59-113	SR59-162
Landcruiser 200 Series		SS59-116	SR59-165
Landcruiser 76 Wagon	2007 - 2016	SS59-131	SR59-176
Landcruiser 78 Series Troop Carrier	2007 - 2016	SS59-130	SR59-175
Prado 120 Series	2003-11/2009	SS59-120	SR59-167
Prado 150 Series	10/2009 on	SS59-118	SR59-168
VOLKSWAGEN			
Amarok - Dual Cab	2011 on	SS63-119	SR63-169

Refer to Vehicle Listings for Full Pricing

ROOF RACKS

Vehicle Application Guide

		1500MM LONG FITTING KIT	1850MM LONG FITTING KIT	2200MM LONG FITTING KIT
FORD				
Ranger PJ/PK	2006 - 2011	*	N/A	N/A
Ranger PX	10/2011 on	*	N/A	N/A
GREAT WALL				
V200/V240	03/2011 on	*	N/A	N/A
HOLDEN/ISUZU/CHEV				
Rodeo RA	2002 - 2006	*	N/A	N/A
Rodeo RA7	2007 - 2011	*	N/A	N/A
Colorado RC	2008 - Mid Year 2012	*	N/A	N/A
Colorado RG	Mid Year 2012 on	*	N/A	N/A
D-Max	2007 - Mid Year 2012	*	N/A	N/A
D-Max	Mid Year 2012 on	*	N/A	N/A
MAZDA				
BT50	2007 - 09/2011	*	N/A	N/A
BT50 B32P	10/2011 on	*	N/A	N/A
MITSUBISHI				
Triton ML	10/2006 - 08/2009	*	N/A	N/A
Triton MN	10/2011 on	*	N/A	N/A
NISSAN				
Navara D22 / NP300	2002 on	*	N/A	N/A
Navara D40 - (Ribbed Bumper, Thailand Built)	09/2005 on	*	N/A	N/A
Navara D40 - (Ribbed Bumper, Spain Built)	09/2005 - 04/2010	*	N/A	N/A
Navara D40 - (Smooth Bumper, Spain Built)	05/2010 on	*	N/A	N/A
Navara D23		*	N/A	N/A
Patrol MQ/MK	1980 - 1988	N/A	Gutter Mount Kit Included with Rack	Gutter Mount Kit Included with Rack
Patrol GQ Y60	1987 - 1997	N/A	Gutter Mount Kit Included with Rack	Gutter Mount Kit Included with Rack
Patrol GU Y61 (Series 1,2 & 3 - Wagon Only)	1998 -2004	N/A	Gutter Mount Kit Included with Rack	Gutter Mount Kit Included with Rack
Patrol GU Y61 (Series 4 - Wagon Only)	09/2004 on	N/A	Gutter Mount Kit Included with Rack	Gutter Mount Kit Included with Rack
TOYOTA				
Hilux Vigo N25, N26	04/2005 - 08/2011	*	N/A	N/A
Hilux Vigo	09/2011 on	*	N/A	N/A
Landcruiser 60 Series	1980 - 1990	N/A	Gutter Mount Kit Included with Rack	Gutter Mount Kit Included with Rack
Landcruiser 70 Series - Excludes Utes & KRP Top (Dual Cab, Wagon Troop Carrier Only)	1984 - 2007	N/A	Gutter Mount Kit Included with Rack	Gutter Mount Kit Included with Rack
Landcruiser (V8) 76,78,79 Series	2007 on	N/A	Gutter Mount Kit Included with Rack	Gutter Mount Kit Included with Rack
Landcruiser 105 Series	04/1998 on	N/A	RR80-4105	RR80-4125
Landcruiser 100 Series	1998 on	N/A	RR80-4105	RR80-4125
Landcruiser 200 Series	2008 on	N/A	RR80-4106	RR80-4126
Prado 90 Series	1996 - 2003	N/A	Gutter Mount Kit Included with Rack	Gutter Mount Kit Included with Rack
Prado 120 Series	2003 - 11/2009	N/A	RR80-4113	N/A
Prado 150 Series	2010 on	N/A	RR80-4114	N/A
VOLKSWAGEN				
Amarok	2011 on	*	N/A	N/A

***Universal Fitting Kit Supplied With Roof Racks For Canopy Mounting Only -
May Require Additional Bracket Fabrication & Canopy Reinforcement.**

N/A = Not Available

Refer to Vehicle Listings for Full Pricing

SNORKELS

Vehicle Application Guide

		ENGINE	FUEL	MOUNT	SNORKEL
FORD					
Everest (Excludes Models With Flares)	10/2011 on	2.2L & 3.2L Tdi	● Diesel	Right	SN19-3384
Ranger PJ/PK	2006 - 2011	3.0L Tdi	● Diesel	Left	SN19-3316
Ranger PX (Excludes Models With Flares)	10/2011 on	2.2L & 3.2L Tdi	● Diesel	Right	SN19-3384
HOLDEN/ISUZU/CHEV					
D-Max (Dual & Extra Cabs ONLY)	07/2008 - 05/2012	3.0L Tdi	● Diesel	Right	SN21-3383
D-Max	06/2012 on	3.0L Tdi	● Diesel	Right	SN21-3456
Rodeo RX, LX & LT (Not Single Cab)	01/07-08	3.0L Tdi	● Diesel	Right	SN21-3383
MU-X	2012 on	3.0L Tdi	● Diesel	Right	SN21-3456
Colorado RG/Colorado 7/Trailblazer	Mid Year 2012 on	2.8L Tdi	● Diesel	Right	SN21-3457
JEEP					
Wrangler JK (Left Hand Drive Only)	2011 - 2016	3.8L, 3.6L V6	● Petrol	Right	SN29-3462
MAZDA					
BT-50	2006 - 2011	3.0L Tdi	● Diesel	Left	SN19-3316
BT-50 B32P	10/2011 on	3.2L Tdi	● Diesel	Right	SN39-3459
MITSUBISHI					
Triton ML (Excludes models with HID headlights)	10/2006 - 08-2009	3.2L Tdi	● Diesel	Right	SN43-3329
Triton MN (Excludes models with HID headlights)	09/2009 - 02/2015	2.5L Tdi	● Diesel	Right	SN43-3329
Triton MQ	03/2015 on	2.4L Tdi	● Diesel	Right	SN43-3466
Delica L400	1994 - 2006	4D56 2.5L	● Diesel	Right	SN43-3451
Challenger PB, PC (Excludes models with HID headlights)	2008 - 2015	2.5L Tdi	● Diesel	Right	SN43-3460
NISSAN					
Navara D22	10/2001 - 12/2006	3.0L Tdi	○ Diesel	Left	SN45-3382
Navara D22 - (Single Battery Only)	01/2007 on	2.5L Tdi	○ Diesel	Left	SN45-3382
Navara D40 - Excludes Single Cab	2005 - 2015	2.5L Tdi	● Diesel	Left	SN45-3397
Navara D23 - Thai built wide body models only	2015 on	2.3L TTdi	● Diesel	Right	SN45-3465
R51 Pathfinder	04/2005 - 2013	2.5L Tdi	● Diesel	Left	SN45-3397
Patrol GQ/Ford Maverick	01/1988 - 10/1997	4.2L, 3.0L	○ Petrol	Left	SN45-3338
Patrol GQ/Ford Maverick	01/1988 - 10/1997	4.2L	○ Diesel	Left	SN45-3338
Patrol GU (Wagon Series 1)	11/1997 - 03/2000	2.8L Td, 4.2L Td	○ Diesel	Left	SN45-3348
		4.5L	○ Petrol	Left	SN45-3348
Patrol GU Wagon (Series 2 & 3)	04/2000 - 08/2004	4.2L Td, 3.0L Td	○ Diesel	Left	SN45-3343
		4.8L	○ Petrol	Left	SN45-3348

SNORKELS

Vehicle Application Guide

		ENGINE	FUEL	MOUNT	SNORKEL
NISSAN CONTINUED					
Patrol GU Wagon (Series 4)	09/2004 on	4.2L Tdi, 3.0L Tdi	● Diesel	Left	SN45-3401
		4.8L	● Diesel	Left	SN45-3402
Patrol GU (Series 4 - Coil Cab Chassis)	2007 on	3.0L Td	● Diesel	Left	SN45-3402
Patrol GU (Ute Series 1,2 & 3)	11/1997 - 11/2006	4.2L	○ Diesel	Left	SN45-3348
		4.2L Td	○ Diesel	Left	SN45-3343
TOYOTA					
Landcruiser 71,73,75,78,79 Series (Narrow Front) <i>*Does not Replace Genuine Toyota Snorkel</i>	01/1985 - 03/2007	4.0L	○ Diesel	Right	SN59-3374*
		4.0L	○ Petrol	Right	SN59-3374*
		4.2L 1HZ	● Diesel	Right	SN59-3375*
Landcruiser 80 Series	01/1990 - 03/1998	4.0L, 4.5L	● Petrol	Right	SN59-3361
		4.2L, 4.2L Td	● Diesel	Right	SN59-3361
Landcruiser 100 Series	04/1998 - 09/2007	4.5L, 4.7L V8	● Petrol	Right	SN59-3369
		4.2L Td, 4.2L Tdi	● Diesel	Right	SN59-3369
Landcruiser 105 Series	04/1998 - 11/2007	4.2L	● Diesel	Right	SN59-3369
Landcruiser 200 Series	2008 on	4.5L TTD V8	● Diesel	Right	SN59-3356
		4.7L V8	● Petrol	Right	SN59-3356
Lexus LX470	04/1998 - 09/2007	4.5L, 4.7L V8	● Petrol	Right	SN59-3369
		4.2L Td, 4.2L Tdi	● Diesel	Right	SN59-3369
Hilux Vigo	04/2005 - 2015	3.0L Tdi	● Diesel	Right	SN59-3367
		4.0L V6	● Petrol	Right	SN59-3368
Prado 90 Series	12/1997 - 12/2002	3.4L V6	○ Petrol	Right	SN59-3357
Prado 120 Series	12/2002 - 09/2009	3.0L	● Diesel	Right	SN59-3355
		4.0L V6	● Petrol	Right	SN59-3445
Prado 150 Series	10/2009 on	4.0L V6	● Petrol	Right	SN59-3446
		3.0L	● Diesel	Right	SN59-3446
Tacoma	2005 - 2015	4.0L V6	● Petrol	Right	SN59-3461
VOLKSWAGEN					
Amarok - (Suits Highline, Trendline, Ultimate Fitted with Flares Only)	03/2011 on	2.0L Tdi I4	◇ Diesel	Right	SN63-3455
REPLACEMENT SNORKEL HEAD					PART NUMBER
○ 77mm					SN80-077
● 85mm					SN80-085
◇ 90mm					SN80-090

BATTERY TRAYS

Vehicle Application Guide

		LOCATION	BATTERY TRAY
FORD			
Ranger PJ / PK - Manual Models Only Without ECU on LHF Skirt	2007 - 09/2011	LHF Engine Bay	BT19-3200
Ranger PX* XLT & Wildtrack - Models With Factory Tube Liner (#See Note Below)	10/2011 on	Tub Mount	BT19-3201
Ranger PX* XL & XLS - Models Without Tub Liner (#See Note Below)	10/2011 on	Tub Mount	BT19-3202
HOLDEN/ISUZU/CHEV			
Rodeo RA/RA7*	2002 on	Tub Mount	BT21-3203
D-Max*	2007 - Mid Year 2012	Tub Mount	BT21-3203
D-Max*	Mid Year 2012 on	Tub Mount	BT21-3203
Colorado*	2008 - Mid Year 2012	Tub Mount	BT21-3203
Colorado* RG	Mid Year 2012 on	Tub Mount	BT21-3203
MAZDA			
BT50 - Manual Models Only Without ECU on Left Hand Front Skirt	2007 - 09/2011	LHF Engine Bay	BT19-3200
BT50 B32P* - Models Without Tub Liner	10/2011 on	Tub Mount	BT39-3204
MITSUBISHI			
Triton ML	10/2006 - 08/2009	LHR Engine Bay	BT43-3205
Triton MN	09/2009 on	LHR Engine Bay	BT43-3205
NISSAN			
Navara D40* Excludes RX Single Cab & any V6 T/D	09/2005 on	Tub Mount	BT45-3206
Patrol Y61 GU (Series 1,2 & 3) 4.2L T/D & 3.0L T/D Only	1998 - 2004	LHC Engine Bay	BT45-3207
Patrol Y61 GU (Series 4) 4.2L T/D & 3.0L T/D Only	09/2004 on	LHC Engine Bay	BT45-3207
TOYOTA			
Hilux Vigo	04/2005 - 2015	LHR Engine Bay	BT59-3208
Landcruiser (V8) 76,78,79 Series	2007 on	LHF Engine Bay	BT59-3211
Prado 120 Series 3.0L T/D Only	12/2002 - 09/2009	RHF Engine Bay	BT59-3209
Prado 150 Series	10/2009 - 09/2013	RHF Engine Bay	BT59-3210
VOLKSWAGEN			
Amarok*	2011 on	Tub Mount	BT63-3212
MULTI-FIT (UNDER TRAY STYLE)			
Universal To Suit 120ah Battery (Up to 330mm Long) - Requires 445mm x 175mm Mounting Area Under Tray & Hangs Down 320mm		Under Tray	BT80-3213
Universal To Suit N70zz Battery - Requires 330mm x 320mm Mounting Area Under Tray & Hangs Down 250mm		Under Tray	BT80-3214

See 'Dual Battery Kits' for Dual Battery Management Kit

All trays are to suit 12" N70zz battery size unless noted otherwise.

*Suits vehicles with style-side/well-back/tub. Vehicles with tray/drop-side tray use universal under-tray battery tray.
#Vehicle uses smart charge alternator. DC to DC charger must be used on this vehicle or Ford to perform a smart charge disconnect if using EA80-3830.



Fitting times are an estimate only. Fitting times may vary.

REAR DRAWERS

Vehicle Application Guide

			DRAWERS	WING KIT
FORD				
Ranger PX Dual Cab	Dual Cab	10/2011 on	RD80-1300	DW19-002K
HOLDEN/ISUZU/CHEV				
Rodeo RA7	Dual Cab	2003 - 06/2012	RD80-1300	DW21-004K
D-Max	Dual Cab	2003 - 06/2012	RD80-1300	DW21-004K
D-Max	Dual Cab	2012 on	RD80-1300	DW21-005K
Colorado	Dual Cab	2003 - 06/2012	RD80-1300	DW21-004K
Colorado RG	Dual Cab	2012 on	RD80-1300	DW21-005K
MITSUBISHI				
Triton MN	Dual Cab	09/2009 - 06/2015	RD80-1300	DW43-008K
MAZDA				
BT50 B32P		01/2011 on	RD80-1300	DW19-002K
NISSAN				
Navara D40 (Spain Built)	Dual Cab	09/2005 - 2015	RD80-1300	DW45-014K
Navara D40 (Thai Built)	Dual Cab	09/2005 - 2015	RD80-1300	DW45-012K
Navara D23	Dual Cab	2015 on	RD80-1300	DW45-015K
Patrol Y61 LWB GU Wagon (Series 1, 2 & 3)		1998 - 2004	RD80-1000	DW45-016K
Patrol Y61 LWB GU Wagon (Series 4)		09/2004 on	RD80-1000	DW45-016K
TOYOTA				
Hilux Vigo	Dual Cab	04/2005 on	RD80-1300	DW59-021K
Landcruiser 80 Series			RD80-1000	DW59-022K
Landcruiser 105 Series		04/1998 on	RD80-1000	DW59-024K
Landcruiser 100 Series		1998 on	RD80-1000	DW59-023K
Landcruiser 200 Series		2008 on	RD80-1000	DW59-025K
Prado 120 Series		12/2002 - 09/2009	RD80-1001	DW59-028K
Prado 150 Series with out Rear Air-Conditioning Unit		10/2009 on	RD80-1001	DW59-029K
Prado 150 Series with Rear Air-Conditioning Unit		10/2009 on	RD80-1001	DW59-030K
VOLKSWAGON				
Amarok	Dual Cab	2010 on	RD80-1300	DW59-031K
UNIVERSAL				
Universal Kit - Supplied with Bracketry, Components and 500mm wide x 1300mm long Ply and Carpet, each side. Installer will be required to cut to shape, drill and adhere carpet.			Suits all Sizes	DW80-032K

PART NUMBER	EXTERNAL DIMENSIONS (MM)		INTERNAL BIN DIMENSIONS EACH SIDE (MM)	
	Length x Width x Height		Length x Width x Height	
RD80-1000	990 x 1070 x 255 (Drawer Set Height) 285 (Bottom of Mounting Ribs to Top of Drawers)		935 x 460 x 195	
RD80-1001	900 x 1000 x 255 (Drawer Set Height) 285 (Bottom of Mounting Ribs to Top of Drawers)		840 x 435 x 195	
RD80-1300	1300 x 1000 x 255 (Drawer Set Height) 285 (Bottom of Mounting Ribs to Top of Drawers)		1240 x 435 x 195	



CANOPIES

Vehicle Application Guide

		SLIDING WINDOWS	LIFT UP WINDOWS
FORD			
Ranger PX - <i>Dual Cab Suits 4x4 & 4x2</i>	10/2011 on	CY19-3100	CY19-3150
GREAT WALL			
V200/V240 - <i>Dual Cab Suits 4x4 & 4x2</i>	2009 on	CY20-3101	CY20-3151
HOLDEN/ISUZU/CHEV			
Rodeo RA/RA7 Dual Cab Suits 4x4 & 4x2	2002 - 04/2012	CY21-3102	CY21-3152
D-Max - <i>Dual Cab Suits 4x4 & 4x2</i>	2007 - Mid Year 2012	CY21-3102	CY21-3152
D-Max - <i>Dual Cab Suits 4x4 & 4x2</i>	Mid Year 2012 on	CY21-3104	CY21-3154
Colorado - <i>Dual Cab Suits 4x4 & 4x2</i>	2008 - Mid Year 2012	CY21-3102	CY21-3152
Colorado RG - <i>Dual Cab Suits 4x4 & 4x2</i>	Mid Year 2012 on	CY21-3103	CY21-3153
MAZDA			
BT50 B32P - <i>Dual Cab Suits 4x4 & 4x2</i>	10/2011 on	CY39-3105	CY39-3155
MITSUBISHI			
Triton MN Dual Cab Suits 4x4 & 4x2	09/2009 on	CY43-3106	CY43-3156
NISSAN			
Navara D40 - <i>Dual Cab Suits 4x4 & 4x2</i>	09/2005 on	CY45-3108	CY45-3158
TOYOTA			
Hilux Vigo - <i>Dual Cab Suits 4x4</i>	04/2005 on	CY59-3109	CY59-3159
VOLKSWAGEN			
Amarok - <i>Dual Cab</i>	2011 on	CY63-3110	CY63-3160


Refer to Vehicle Listings for Full Pricing

TENTS & AWNINGS

Vehicle Application Guide

DELUXE ROOF TOP TENT

CE80-3902



- ▶ Fits to Most Roof Racks or Roof Bars
- ▶ Heavy Duty Waterproof PVC Protector Cover
- ▶ Open Dimensions: 273cm x 140cm x 130cm
- ▶ Folded Dimensions: 120cm x 140cm x 32cm
- ▶ High Quality 600D Oxford PU Coated Material
- ▶ Retractable Aluminium Ladder (2.0m Approx)

Complete with Fitting Instructions & Tools

DELUXE ROOF TOP TENT WITH BACK AWNING/CHANGE ROOM


CE80-3924



- ▶ Fully Enclosed Room (Including Floor)
- ▶ Also Includes Zip Down Windows and Flyscreen
- ▶ Heavy Duty Waterproof PVC Protector Cover
- ▶ High Quality 600D Oxford PU Coated Material
- ▶ Complete with Fitting Instructions & Tools


SENSU AWNING

CE80-3903




- ▶ Mounted on Left Hand Side
- ▶ Opens 270°
- ▶ Covers Over 10m²
- ▶ Complete with Fitting Instructions & Tools

ROLL OUT AWNING




1.4m x 2.0m

CE80-3934



2.0m x 3.0m


CE80-3937



2.5m x 3.0m

CE80-3904

AWNING MOSQUITO NET ENCLOSURE




Mesh Room

Dimensions

2.0m x 3.0m - CE80-3973 (For use with CE80-3937)

2.5m x 3.0m - CE80-3977 (For use with CE80-3904)

ROLL OUT AWNING QUICK-TENT



PVC Floor

Dimensions

2.0m x 3.0m - CE80-3972 (For use with CE80-3937)

2.5m x 3.0m - CE80-3970 (For use with CE80-3904)

Refer to Vehicle Listings for Full Pricing

FRIDGE/FREEZER

Specifications

40L FRIDGE/FREEZER

FF80-3940

Single Zone

Capacity	40L (62 x 375ml Cans)
Rated Voltage Ac	100V- 240V ~ 50/60 HZ
Rated Voltage Dc	12V - 24V
Compressor	Danfoss BD-35F
Battery Protection	3 Stage Adjustable
Temperature Range	+10° to -18°
Energy Consumption (25° Ambient) Used As Refrigerator	0.13KW / 24H
Energy Consumption (25° Ambient) Used As Freezer	0.40KW / 24H
Net Weight	17Kg
Internal Basket & Divider	<input checked="" type="checkbox"/>
LED Internal Light	<input checked="" type="checkbox"/>
R134a (40g) Refrigerant	<input checked="" type="checkbox"/>

50L FRIDGE/FREEZER

FF80-3950

Single Zone


Capacity	50L (72 x 375ml Cans)
Rated Voltage Ac	100V-240V ~ 50/60 HZ
Rated Voltage Dc	12V - 24V
Compressor	Danfoss BD-35F
Battery Protection	3 Stage Adjustable
Temperature Range	+10° to -18°
Energy Consumption (25° Ambient) Used As Refrigerator	0.13KW / 24H
Energy Consumption (25° Ambient) Used As Freezer	0.40KW / 24H
Net Weight	18.5Kg
Internal Basket & Divider	<input checked="" type="checkbox"/>
LED Internal Light	<input checked="" type="checkbox"/>
R134a (40g) Refrigerant	<input checked="" type="checkbox"/>

60L FRIDGE/FREEZER

FF80-3960


Single Zone

Capacity	60L
Rated Voltage Ac	220V-240V ~ 50/60HZ
Rated Voltage Dc	12V - 24V
Compressor	Danfoss
Battery Protection	3 Stage Adjustable
Temperature Range	+10° to -18°
Energy Consumption (25° Ambient) Used As Refrigerator	0.40KW / H
Energy Consumption (25° Ambient) Used As Freezer	0.59KW / H
Net Weight	26Kg
Internal Basket & Divider	<input checked="" type="checkbox"/>
LED Internal Light	<input checked="" type="checkbox"/>
R134a (40g) Refrigerant	<input checked="" type="checkbox"/>




SAA CE CCC CERTIFIED

Measurements	Length	Width	Height
External	585mm	345mm	435mm
Internal (Main)	310mm	260mm	350mm
Internal (Fresh Goods)	120mm	260mm	190mm



SAA CE CCC CERTIFIED

Measurements	Length	Width	Height
External	585mm	345mm	530mm
Internal (Main)	310mm	260mm	440mm
Internal (Fresh Goods)	120mm	260mm	280mm



SAA CE CCC CERTIFIED

Measurements	Length	Width	Height
External	690mm	490mm	560mm
Internal Main	310mm	320mm	430mm
Internal Fresh Goods	210mm	320mm	220mm
Footprint	650mm	450mm	

Refer to Vehicle Listings for Full Pricing


FRIDGE/FREEZER

Specifications

80L FRIDGE/FREEZER Dual Zone (25/55L Split)

FF80-3980

Capacity	80L
Rated Voltage Ac	220V-240V ~ 50/60HZ
Rated Voltage Dc	12V - 24V
Compressor	Danfoss
Battery Protection	3 Stage Adjustable
Temperature Range	+10° to -18°
Energy Consumption (25° Ambient) Used As Refrigerator	0.42KW / H
Energy Consumption (25° Ambient) Used As Freezer	0.81KW / H
Net Weight	27Kg
Internal Basket & Divider	<input checked="" type="checkbox"/>
LED Internal Light	<input checked="" type="checkbox"/>
R134a (40g) Refrigerant	<input checked="" type="checkbox"/>



SAA CE CCC CERTIFIED

Measurements	Length	Width	Height
External	690mm	490mm	650mm
Internal Large	310mm	330mm	540mm
Internal Small	200mm	330mm	330mm
Footprint	650mm	450mm	

COMPARTMENT COMBINATIONS FOR 80L FRIDGE/FREEZER



Fridge/Freezer



Freezer/Fridge



Fridge/Fridge



Freezer/Freezer

FRIDGE/FREEZER ERROR CODES

E1 or L0	This error shows that the DC power supply voltage is too low for the setting of the battery protection switch. See manual for Battery Protection Setting. (The power supply voltage is too low for the fridge to operate) Can also indicate insufficient wiring size in accessory plug - this is often the most common cause.
E2 or R2	Error or fault with fan.
E3 or R3	Fault with compressor motor starter. May be caused by motor blockage or cooling system pressure difference. Ambient temperature may also be too high.
E4 or R4	Compressor motor run speed error - overloaded motor cannot maintain minimum speed. Ambient temperature may also be too high.
E5 or R5	Compressor thermal overload - compress motor has overloaded or internal temperature of the fridge is too high. Ambient temperature may also be too high.
E6 or R6	Temperature probe/thermostat fault.


FRIDGE SLIDE (Includes 4 x Fridge Straps)

SUITS 30/40/50 LITRE FRIDGES


FF80-3944

SUITS 60/80 LITRE FRIDGES

FF80-3946



- ▶ Heavy Duty Folded Steel Construction
- ▶ In and Out Locking Pin
- ▶ Suits Most 30/40/50 Litre Fridges
- ▶ 105 kg Weight Rating (When Distributed Evenly)
- ▶ Includes 4 x Heavy Duty Fridge Straps
- ▶ Internal (Fridge Footprint Dimensions) 354 x 595mm
- ▶ External Dimensions 425 x 665 x 66mm



- ▶ Heavy Duty Folded Steel Construction
- ▶ In and Out Locking Pin
- ▶ Suits Most 60/80 Litre Fridges
- ▶ 150 kg Weight Rating (When Distributed Evenly)
- ▶ Includes 4 x Heavy Duty Fridge Straps
- ▶ Internal (Fridge Footprint Dimensions) 479 x 680mm
- ▶ External Dimensions 525 x 705 x 90mm

FRIDGE STRAPS (SOLD SEPARATELY)

FF80-3945K

Refer to Vehicle Listings for Full Pricing

WINCHES


Vehicle Application Guide

STEEL CABLE ELECTRIC WINCH

	9,500LB OPTION EW80-3814	12,000LB OPTION EW80-3815
VOLTAGE	12 Volt DC	12 Volt DC
MOTOR	4.2kw/5.6hp Series Wound	4.8kw/6.5hp Series Wound
GEARBOX	3 Stage Planetary	3 Stage Planetary
GEAR REDUCTION	172.8:1	216:1
BRAKE	Automatic in the Drum	Automatic in the Drum
CLUTCH LEVER	Quick-Flip Type	Quick-Flip Type
WIRELESS CONTROLLER RANGE	30m/98ft	30m/98ft
PLUG IN CONTROLLER RANGE	3.1m/10ft	3.1m/10ft
BREATHER HOSE	2m Nylon Air Hose with Filter	2m Nylon Air Hose with Filter
DRUM CROSS RODS	304 Grade Stainless Steel	304 Grade Stainless Steel
CABLE	9.5mm x 28m / 3/8" x 92ft Steel Cable	9.5mm x 28m / 3/8" x 92ft Steel Cable
FAIRLEAD	4-Way Roller Fairlead	4-Way Roller Fairlead
WEIGHT	35Kg	36Kg
OVERALL DIMENSIONS	160mm (W) x 210mm (H) x 545mm (L)	160mm (W) x 210mm (H) x 545mm (L)
MOUNTING DIMENSIONS	254 x 114.3mm	254x114.3mm
CONTROL BOX MOUNTING BRACKETS	- Control Box to Cross Rods - Control Box to Motor Housing - Control Box to Flat Surface/Bartop	- Control Box to Cross Rods - Control Box to Motor Housing - Control Box to Flat Surface/Bartop

SYNTHETIC ROPE ELECTRIC WINCH

	9,500LB OPTION EW80-3814S	12,000LB OPTION EW80-3815S
VOLTAGE	12 Volt DC	12 Volt DC
MOTOR	4.2kw/5.6hp Series Wound	4.8kw/6.5hp Series Wound
GEARBOX	3 Stage Planetary	3 Stage Planetary
GEAR REDUCTION	172.8:1	216:1
BRAKE	Automatic in the Drum	Automatic in the Drum
CLUTCH LEVER	Quick-Flip Type	Quick-Flip Type
WIRELESS CONTROLLER RANGE	30m/98ft	30m/98ft
PLUG IN CONTROLLER RANGE	3.1m/10ft	3.1m/10ft
BREATHER HOSE	2m Nylon Air Hose with Filter	2m Nylon Air Hose with Filter
DRUM CROSS RODS	304 Grade Stainless Steel	304 Grade Stainless Steel
CABLE	9mm x 28m / 3/8" x 92ft Synthetic Rope	9mm x 28m / 3/8" x 92ft Synthetic Rope
FAIRLEAD	Alloy Hawse Fairlead	Alloy Hawse Fairlead
WEIGHT	25Kg	26Kg
OVERALL DIMENSIONS	160mm (W) x 210mm (H) x 545mm (L)	160mm (W) x 210mm (H) x 545mm (L)
MOUNTING DIMENSIONS	254 x 114.3mm	254x114.3mm
CONTROL BOX MOUNTING BRACKETS	- Control Box to Cross Rods - Control Box to Motor Housing - Control Box to Flat Surface/Bartop	- Control Box to Cross Rods - Control Box to Motor Housing - Control Box to Flat Surface/Bartop




LIGHTING

Vehicle Application Guide

LED DRIVING LIGHT KIT - 7" ROUND


DL80-3764K



- ▶ 10 - 30V DC
- ▶ 90 Watt / 6,500K (18 x 5 Watt Cree LED Bulbs)
- ▶ 7,200 Lumens Each
- ▶ 7" Diameter IP68 Water and Dust Proof Alloy Housing
- ▶ PMMA Lens Protector
- ▶ Sold As Kit - 2 x Lights, 2 x Clear Lens Covers

LED DRIVING LIGHT (SINGLE) - 3" SQUARE


DL80-3767



- ▶ 10 - 30V DC
- ▶ 16 Watt / 6,500K (4 x 4 Watt Cree LED Bulbs)
- ▶ 1,440 Lumens
- ▶ 3" Square IP68 Water and Dust Proof Alloy Housing
- ▶ Features Reversible Mount
- ▶ PMMA Lens Protector
- ▶ Sold As Each - 1 x Light, 1 x Clear Lens Cover

LED DRIVING LIGHT (SINGLE) - 4" ROUND


DL80-3768



- ▶ 10 - 30V DC
- ▶ 12 Watt / 6,500K (4 x 3 Watt Cree LED Bulbs)
- ▶ 1,000 Lumens
- ▶ 4" Diameter IP68 Water and Dust Proof Alloy Housing
- ▶ PMMA Lens Protector
- ▶ Sold As Each - 1 x Light, 1 x Clear Lens Cover
- ▶ *Not Suitable as Fog Lights

LED LIGHT BAR - 10" SINGLE ROW


DL80-3760



- ▶ 10 - 30V DC
- ▶ 30 Watt (6 x 5 Watt Cree LED Bulbs)
- ▶ 2,700 Lumens
- ▶ 10" Length, Polycarbonate Lens Cover
- ▶ Features Reversible & Adjustable Mounting Feet
- ▶ Rubber Insulated Anti-Vibration Mounts
- ▶ Heat Dispersing Die-cast Alloy Housing - IP67 Water & Dust Proof

LED LIGHT BAR - 20" SINGLE ROW

DL80-3761



- ▶ 10 - 30V DC
- ▶ 60 Watt (12 x 5 Watt Cree LED Bulbs)
- ▶ 5,400 Lumens
- ▶ 20" Length, Polycarbonate Lens Cover
- ▶ Features Reversible & Adjustable Mounting Feet
- ▶ Rubber Insulated Anti-Vibration Mounts
- ▶ Heat Dispersing Die-cast Alloy Housing - IP67 Water & Dust Proof

LED LIGHT BAR - 30" SINGLE ROW

DL80-3762



- ▶ 10 - 30V DC
- ▶ 90 Watt (18 x 5 Watt Cree LED Bulbs)
- ▶ 8,100 Lumens
- ▶ 30" Length, Polycarbonate Lens Cover
- ▶ Features Reversible & Adjustable Mounting Feet
- ▶ Rubber Insulated Anti-Vibration Mounts
- ▶ Heat Dispersing Die-cast Alloy Housing - IP67 Water & Dust Proof

LED LIGHT BAR - 40" SINGLE ROW


DL80-3763



- ▶ 10 - 30V DC
- ▶ 120 Watt (24 x 5 Watt Cree LED Bulbs)
- ▶ 10,800 Lumens
- ▶ 40" Length, Polycarbonate Lens Cover
- ▶ Features Reversible & Adjustable Mounting Feet
- ▶ Rubber Insulated Anti-Vibration Mounts
- ▶ Heat Dispersing Die-cast Alloy Housing - IP67 Water & Dust Proof

LED LIGHT BAR - 50" DUAL ROW CURVED

DL80-3772



- ▶ 10 - 30V DC
- ▶ 288 Watt (96 x 3 Watt Cree LED Bulbs)
- ▶ 23,040 Lumens
- ▶ 50" Length, Polycarbonate Lens Cover
- ▶ Features Reversible & Adjustable Mounting Feet
- ▶ Rubber Insulated Anti-Vibration Mounts
- ▶ Heat Dispersing Die-cast Alloy Housing - IP67 Water & Dust Proof

Refer to Vehicle Listings for Full Pricing

TERMS & CONDITIONS OF SALE

Interpretation

In these Terms and Conditions of Sale ("Terms"), "Goods" means the goods subject of the Contract; "Dobinsons Spring & Suspension™" means the entity selling the Goods; "Client" means the entity purchasing the Goods; "Contract" means each contract between Dobinsons Spring & Suspension™ and Client for the sale and purchase of Goods.

Title

Title to the goods will not pass to the Client until the following is completed:

1. Dobinsons Spring & Suspension™ being paid in full under all Contracts.

Until the Goods pass to Client, Client must:

1. Hold the Goods as bail for Dobinsons Spring & Suspension™ and keep them in good order and condition; and
2. Not remove any markings placed by Dobinsons Spring & Suspension™ and ensure that the Goods can be readily identified and distinguished from other property in Client's possession; and
3. Deliver the Goods to Dobinsons Spring & Suspension™ immediately upon demand and, for this purpose, Dobinsons Spring & Suspension™ is authorized to enter at any time any premises in which the Goods may be located (the costs incidental to which will be borne by Client.

Quotations & Orders

Any quotation made by Dobinsons Spring & Suspension™ will not be construed or operate as an offer or obligation to sell. Dobinsons Spring & Suspension™ reserve the right to accept or reject in its absolute discretion any order received. Client will not be entitled to cancel or refuse delivery of, or payment for, any order made by him, which has been accepted by Dobinsons Spring & Suspension™.

Price

The price payable to Dobinsons Spring & Suspension™ by Client for the Goods will be the price agreed, failing which it will be the price prevailing at the date the Goods are dispatched by Dobinsons Spring & Suspension™ for delivery to Client. Prices are payable in Australian currency and exclusive of delivery costs, taxes, duties and other imposts which, if chargeable, are payable by Client. Prices quoted in any Dobinsons Spring & Suspension™ price list are suggested prices only and may be changed by Dobinsons Spring & Suspension™ without notice.

Payment

All Goods will be paid for in full before receiving or dispatching of Goods from Dobinsons Spring & Suspension™ unless previously arranged.

Damage

Buyer acknowledges that the Goods leaving Dobinsons Spring & Suspension's premises are adequately packed. Claims for damage in transit must be made against the carrier and, while Dobinsons Spring & Suspension™ will not accept liability for any damage, details of any claim must be promptly advised to Dobinsons Spring & Suspension M. Prior to acknowledging delivery to the carrier, Client must ensure that the complete consignment has been received as specified in the carrier's note. Any shortage or visible damage to outer packaging must be endorsed on the carrier's note. Any shortages and/or damages must be reported to Dobinsons Spring & Suspension™ within 72 hours of receipt.

Implied Terms, Limitation of Liability & Client Indemnity

Subject to these Terms, Dobinsons Spring & Suspension™ will not be liable for any loss, damage, expense or injury of any kind or nature suffered or incurred by Client or any other person, arising out of or in connection with, the Contract (including, without limitation, liability due to negligence or wilful default of Dobinsons Spring & Suspension™ and any delay in delivery) or any error (whether negligent or not) in information supplied to Client in connection with its subject matter or the use, possession or delivery of the Goods or the exercise by Dobinsons Spring & Suspension™ of its right under Breach by Client will indemnify Dobinsons Spring & Suspension™ in relation to any such loss, damage, expense or injury.

Force Majeure

Despite any other term or condition of the Contract, Dobinsons Spring & Suspension™ will not be liable for any loss, damage, expense or injury of any kind or nature suffered or incurred by Client or any other person, arising out of or in connection with any delay in delivery, or failure to perform any other term or condition of the Contract where that delay or failure is caused by an act of God, fire, labour dispute, civil commotion, intervention of a government, inability to obtain labour, materials or manufacturing facilities, accidents, interruptions of or delay in transportation or any other cause beyond Dobinsons Spring & Suspension's reasonable control.

Breach by Client

If Client breaches a Contract or Dobinsons Spring & Suspension™ is not satisfied of a Client's ability to pay or otherwise comply with each Contract, Dobinsons Spring & Suspension™ may by notice to Client, but without compensation, terminate every Contract, suspend or cease deliveries under all Contracts, set-off all deposits against amounts due and make all amounts then outstanding by Client to Dobinsons Spring & Suspension™ immediately due and payable.

Errors and Omissions

Dobinsons Spring & Suspension™ has the right to correct any clerical errors or omissions, whether in computation or otherwise in any quotation, acknowledgment, or document forming part of a Contract. Although care has been taken to ensure the accuracy of the data contained in this publication, Dobinsons Spring & Suspension™ does not assume any liability for errors or omissions.

WARRANTY

Warranties

Dobinsons Spring & Suspension™ at its sole discretion will repair or replace any products supplied by them that are found to be defective in either materials or workmanship providing that Dobinsons Spring & Suspension™ are actually notified in writing from the Client of the alleged defect within two years (2 years) from date of invoice for Coil Springs, Leaf Springs and Shock Absorbers, and within twelve months (12 months) from date of invoice for all other parts. Any claim not made within this period shall conclusively be deemed waived by the Client. Repair or replacement is pre-conditioned on the examination of the goods which on instructions from Dobinsons Spring & Suspension™ on, should be returned for further inspection to Dobinsons Spring & Suspension™ or to an Approved Importer.

Coil Springs listed in this catalogue have a 2 year warranty against the following:

1. Faulty Manufacture
2. Breakage
3. Sagging (being loss of free height of more than 10mm).

Leaf Springs listed in this catalogue have the 2 year warranty against the following:

1. Faulty Manufacture
2. Breakage
3. Sagging (being the loss of free camber by more than 12mm).

Shock Absorbers listed in this catalogue have a 2 year warranty providing the vehicle does not have a modified exhaust system.

Fridges listed in the catalogue have a 5 year warranty on the motor and a 1 year warranty on all other parts against:

1. Faulty Manufacture

Winches listed in the catalogue have a 2 year warranty against:

1. Faulty Manufacture

All other accessories listed in the catalogue have a 1 year warranty against:

1. Faulty Manufacture

Dobinsons Spring & Suspension™ products are designed for normal use and are in no way, covered under warranty should the vehicle be used in any form of extreme sports, competition racing or produce lift of 50mm or more. It is the responsibility of the fitter, to ensure that the customer or the owner of the vehicle is aware of the warranty conditions under which the products have been sold. It is highly recommended that the words 'Suspension Components Fitted are for Normal Use Only. Warranty Void if used in extreme conditions' is written on their receipt to avoid any confusion.

Dobinsons Spring & Suspension™ will not pay for costs incurred in forwarding or returning goods. This warranty does not cover and Dobinsons Spring & Suspension™ makes no warranty with respect to; (1) any merchandise that is abused, misused, misapplied, neglected or altered; or that is improperly or incorrectly installed or maintained or used; or that is subjected to abnormal conditions of use, temperature, moisture, dirt or corrosive matter; (2) Goods bought for industrial, mining or agricultural use; (3) Goods no longer required by Client; (4) Goods incorrectly chosen by Client; (5) Goods modified or altered by client; and (6) any merchandise, materials, parts or other components supplied by someone other than Dobinsons Spring & Suspension™.

Dobinsons Spring & Suspension™ shall not be liable for any expenses incurred by Client in order to remedy any defect in its product. Dobinsons Spring & Suspension™ shall not be liable for any consequential, special, indirect or contingent damage or expense arising Directly or Indirectly from any defect in its products or from use of any products.

Client agrees to indemnify and hold Dobinsons Spring & Suspension™ harmless from and against any loss, injury or damage, to person or property, that extends beyond the warranties set forth above, whether the claims against Dobinsons Spring & Suspension™ or the damages are incidental or consequential.

Installation of aftermarket items to your vehicle may adversely affect, void or violate the Manufacturers terms of warranty on your vehicle. Review the terms of your vehicle warranty prior to purchase and/or installation of any aftermarket part or accessory. Dobinsons Spring & Suspension™ does not make any representations or warranties of any kind as to suitability or fitness for a particular vehicle or purpose. Dobinsons Spring & Suspension™ shall not be responsible or liable for direct or indirect damages as a result of the purchase and/or installation of these aftermarket products.

Terms and Condition

The only terms of the Contract are those agreed to in writing by Dobinsons Spring & Suspension™, these Terms (to the extent they are not inconsistent with terms agreed to in writing by Dobinsons Spring & Suspension™) and those which are implied or imposed by law (including the Trade Practices Act 1974) to the extent that it is not lawful or possible to exclude them. All other terms, conditions and warranties are expressly excluded. If a conflict arises between the terms of any order made by Client and these Terms, these Terms will prevail. An agreement to deliver the Goods in installments is taken to be separate Contract for each installment. The laws of Queensland govern these Terms and Conditions and any Contract that includes them and Dobinsons Spring & Suspension™ and Client submit to the jurisdiction of the courts of the State. If a term is held to be unenforceable, the remaining terms will apply.

Dobinsons Spring & Suspension™ will not be liable to the Client in the event that delivery of goods is delayed irrespective of the cause.

Notes

Manufacturers and Suppliers of...

- Improved 4x4 Leaf Springs
- Performance Coil Springs
- Greasable 4x4 Shackles & Pins
- Polyurethane Bushes
- Shock Absorbers
- U-Bolts & Nuts
- 4x4 Torsion Bars
- 4x4 Accessories



HEAD OFFICE

58 Hollingsworth Street

Nth Rockhampton QLD Australia 4701

Tel: 61 7 4927 7444 Fax: 61 7 4922 3082

Email: admin@dobinsonsprings.com

SYDNEY BRANCH

Unit 1/6 Waler Crescent

Smeaton Grange NSW Australia 2567

Tel: 61 2 4647 8295 Fax: 61 2 4647 3130

Email: sydney.sales@dobinsonsprings.com

BRISBANE BRANCH

Unit 118B/193 South Pine Road

Brendale QLD Australia 4500

Tel: 61 7 3205 6979 Fax: 61 7 3205 3460

Email: brisbane.sales@dobinsonsprings.com

MELBOURNE BRANCH

Unit 1/13a Abbots Road

Dandenong South VIC Australia 3175

Tel: 61 3 9706 4963

Email: melbourne.sales@dobinsonsprings.com

ADELAIDE BRANCH


572 North East Road

Holden Hill SA Australia 5088

Tel: 61 8 8369 1377 Fax: 61 8 8369 1722

Email: adelaide.sales@dobinsonsprings.com

www.dobinsonsprings.com



Proudly Supplied by: